

List of Publications by Year in
Descending Order

Source: <https://exaly.com/author-pdf/9330840/zifu-li-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|----------------|-----------------|
| 97 papers | 1,505 citations | 22 h-index | 34 g-index |
| 104 ext. papers | 1,992 ext. citations | 6.6 avg, IF | 5.25 L-index |

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 97 | From Newtonian to non-Newtonian fluid: Insight into the impact of rheological characteristics on mineral deposition in urine collection and transportation.. <i>Science of the Total Environment</i> , 2022 , 153532 | 10.2 | 0 |
| 96 | Potential of food waste hydrolysate as an alternative carbon source for microbial oil synthesis. <i>Bioresource Technology</i> , 2022 , 344, 126312 | 11 | 3 |
| 95 | China should focus beyond access to toilets to tap into the full potential of its Rural Toilet Revolution. <i>Resources, Conservation and Recycling</i> , 2022 , 178, 106100 | 11.9 | 1 |
| 94 | Ultraviolet-Light-emitting-diode activated monochloramine for the degradation of carbamazepine: Kinetics, mechanisms, by-product formation, and toxicity. <i>Science of the Total Environment</i> , 2022 , 806, 151372 | 10.2 | 2 |
| 93 | A lab-scale study on the influence of the compost-dewatering process on moisture removal and pathogen inactivation in pre-sanitized fecal sludge. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2022 , 12, 329-335 | 1.5 | |
| 92 | Transport and deposition of solid phosphorus-based mineral particles in urine diversion systems.. <i>Environmental Technology (United Kingdom)</i> , 2022 , 1-34 | 2.6 | |
| 91 | Non-negligible greenhouse gas emissions from non-sewered sanitation systems: A meta-analysis. <i>Environmental Research</i> , 2022 , 212, 113468 | 7.9 | 0 |
| 90 | Investigation on Recycling Dry Toilet Generated Blackwater by Anaerobic Digestion: From Energy Recovery to Sanitation. <i>Sustainability</i> , 2021 , 13, 4090 | 3.6 | 2 |
| 89 | Precipitation in urine source separation systems: Challenges for large-scale practical applications. <i>Resources, Conservation and Recycling</i> , 2021 , 169, 105479 | 11.9 | 6 |
| 88 | Removal of tetracycline-resistant Escherichia coli and its genes through ultrasound treatment combined with ultraviolet light emitting diodes. <i>Environmental Research</i> , 2021 , 197, 111007 | 7.9 | 2 |
| 87 | Operating status of public toilets in the Hutong neighborhoods of Beijing: An empirical study. <i>Journal of Environmental Management</i> , 2021 , 287, 112252 | 7.9 | 2 |
| 86 | Microwave drying behavior, energy consumption, and mathematical modeling of sewage sludge in a novel pilot-scale microwave drying system. <i>Science of the Total Environment</i> , 2021 , 777, 146109 | 10.2 | 9 |
| 85 | Multiple Substrates Anaerobic Co-Digestion: A Farm-Scale Biogas Project and the GHG Emission Reduction Assessment. <i>Waste and Biomass Valorization</i> , 2021 , 12, 2049-2057 | 3.2 | 1 |
| 84 | Using system dynamics to assess the complexity of rural toilet retrofitting: Case study in eastern China. <i>Journal of Environmental Management</i> , 2021 , 280, 111655 | 7.9 | 3 |
| 83 | Oxidative removal of antibiotic resistant E. coli by sulfidated zero-valent iron: Homogeneous vs heterogeneous activation. <i>Journal of Hazardous Materials</i> , 2021 , 408, 124411 | 12.8 | 4 |
| 82 | Effects of various pyrolysis conditions and feedstock compositions on the physicochemical characteristics of cow manure-derived biochar. <i>Journal of Cleaner Production</i> , 2021 , 311, 127458 | 10.3 | 5 |
| 81 | Enhancing Arsenic Solidification/Stabilisation Efficiency of Metallurgical Slag-Based Green Mining Fill and Its Structure Analysis. <i>Metals</i> , 2021 , 11, 1389 | 2.3 | 1 |

| | | | |
|----|---|------|----|
| 80 | Approaches to improve the lipid synthesis of oleaginous yeast <i>Yarrowia lipolytica</i> : A review. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 149, 111386 | 16.2 | 6 |
| 79 | Poor awareness and attitudes to sanitation servicing can impede China's Rural Toilet Revolution: Evidence from Western China. <i>Science of the Total Environment</i> , 2021 , 794, 148660 | 10.2 | 4 |
| 78 | Occurrence of typical antibiotics, representative antibiotic-resistant bacteria, and genes in fresh and stored source-separated human urine. <i>Environment International</i> , 2021 , 146, 106280 | 12.9 | 13 |
| 77 | Stabilization of source-separated urine by heat-activated peroxydisulfate. <i>Science of the Total Environment</i> , 2020 , 749, 142213 | 10.2 | 2 |
| 76 | Anaerobic Co-Digestion of Kitchen Waste and Blackwater for Different Practical Application Scenarios in Decentralized Scale: From Wastes to Energy Recovery. <i>Water (Switzerland)</i> , 2020 , 12, 2556 | 3 | 7 |
| 75 | Utilization of MSWI fly ash as partial cement or sand substitute with focus on cementing efficiency and health risk assessment. <i>Frontiers of Environmental Science and Engineering</i> , 2020 , 14, 1 | 5.8 | 6 |
| 74 | Feasibility of using fly ash-slag-based binder for mine backfilling and its associated leaching risks. <i>Journal of Hazardous Materials</i> , 2020 , 400, 123191 | 12.8 | 38 |
| 73 | What Could China Give to and Take from Other Countries in Terms of the Development of the Biogas Industry?. <i>Sustainability</i> , 2020 , 12, 1490 | 3.6 | 17 |
| 72 | Impacts of Cellulase and Amylase on Enzymatic Hydrolysis and Methane Production in the Anaerobic Digestion of Corn Straw. <i>Sustainability</i> , 2020 , 12, 5453 | 3.6 | 17 |
| 71 | Utilisation of appropriately treated wastewater for some further beneficial purposes: a review of the disinfection method of treated wastewater using UV radiation technology. <i>Reviews on Environmental Health</i> , 2020 , 35, 139-146 | 3.8 | |
| 70 | Assessment of organic loading rate by using a water tank digester for biogas production in Bangladesh. <i>Journal of Cleaner Production</i> , 2020 , 265, 121688 | 10.3 | 4 |
| 69 | Enhanced lipid production by cultured with synthetic and waste-derived high-content volatile fatty acids under alkaline conditions. <i>Biotechnology for Biofuels</i> , 2020 , 13, 3 | 7.8 | 35 |
| 68 | Inactivation and change of tetracycline-resistant <i>Escherichia coli</i> in secondary effluent by visible light-driven photocatalytic process using Ag/AgBr/g-CN. <i>Science of the Total Environment</i> , 2020 , 705, 135639 | 10.2 | 29 |
| 67 | Effects of Adding Zero Valent Iron on the Anaerobic Digestion of Cow Manure and Lignocellulose. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 590200 | 5.8 | 7 |
| 66 | Characteristics, mechanisms and bacteria behavior of photocatalysis with a solid Z-scheme Ag/AgBr/g-C ₃ N ₄ nanosheet in water disinfection. <i>Applied Catalysis A: General</i> , 2020 , 590, 117282 | 5.1 | 35 |
| 65 | Investigation into the semi-dynamic leaching characteristics of arsenic and antimony from solidified/stabilized tailings using metallurgical slag-based binders. <i>Journal of Hazardous Materials</i> , 2020 , 381, 120992 | 12.8 | 28 |
| 64 | A review of the application of sonophotocatalytic process based on advanced oxidation process for degrading organic dye. <i>Reviews on Environmental Health</i> , 2019 , 34, 365-375 | 3.8 | 12 |
| 63 | Nonferrous metal (loid)s mediate bacterial diversity in an abandoned mine tailing impoundment. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 24806-24818 | 5.1 | 4 |

| | | | |
|----|--|------|----|
| 62 | Investigation on methane yield of wheat husk anaerobic digestion and its enhancement effect by liquid digestate pretreatment. <i>Anaerobe</i> , 2019 , 59, 92-99 | 2.8 | 15 |
| 61 | Enhanced visible-light-driven photocatalytic disinfection using AgBr-modified g-CN composite and its mechanism. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 179, 170-179 | 6 | 28 |
| 60 | Degradation of Sulfamethoxazole by Electrochemically Activated Persulfate Using Iron Anode. <i>International Journal of Chemical Reactor Engineering</i> , 2019 , 17, | 1.2 | 1 |
| 59 | Effects of liquid digestate pretreatment on biogas production for anaerobic digestion of wheat straw. <i>Bioresource Technology</i> , 2019 , 280, 345-351 | 11 | 67 |
| 58 | Diminished inhibitory impact of ZnO nanoparticles on anaerobic fermentation by the presence of TiO nanoparticles: Phenomenon and mechanism. <i>Science of the Total Environment</i> , 2019 , 647, 313-322 | 10.2 | 22 |
| 57 | Thermal decomposition of antibiotic mycelial fermentation residues in Ar, air, and CO ₂ /N ₂ atmospheres by TG-FTIR method. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 137, 2053-2060 | 4.1 | 2 |
| 56 | Photocatalytic degradation of norfloxacin using N-doped TiO: Optimization, mechanism, identification of intermediates and toxicity evaluation. <i>Chemosphere</i> , 2019 , 237, 124433 | 8.4 | 55 |
| 55 | Efficacy of integrated ultraviolet ultrasonic technologies in the removal of erythromycin- and quinolone-resistant <i>Escherichia coli</i> from domestic wastewater through a laboratory-based experiment. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2019 , 9, 571-580 | 1.5 | 4 |
| 54 | Immobilization of heavy metal using dithiocarbamate agent. <i>Journal of Material Cycles and Waste Management</i> , 2019 , 21, 652-658 | 3.4 | 3 |
| 53 | Feasibility of wastewater resource recovery using pilot-scale membrane reactor with long-term operation. <i>Energy and Environment</i> , 2019 , 30, 662-671 | 2.4 | 3 |
| 52 | Locally produced lactic acid bacteria for pathogen inactivation and odor control in fecal sludge. <i>Journal of Cleaner Production</i> , 2018 , 184, 798-805 | 10.3 | 11 |
| 51 | Optimization of lactic acid fermentation for pathogen inactivation in fecal sludge. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 157, 249-254 | 7 | 12 |
| 50 | Recovery of Ammonium in Urine by Biochar Derived from Faecal Sludge and its Application as Soil Conditioner. <i>Waste and Biomass Valorization</i> , 2018 , 9, 1619-1628 | 3.2 | 17 |
| 49 | Toilet revolution in China. <i>Journal of Environmental Management</i> , 2018 , 216, 347-356 | 7.9 | 59 |
| 48 | Study on improving anaerobic co-digestion of cow manure and corn straw by fruit and vegetable waste: Methane production and microbial community in CSTR process. <i>Bioresource Technology</i> , 2018 , 249, 290-297 | 11 | 45 |
| 47 | Optimization of the enhanced membrane coagulation reactor for sewage concentration efficiency and energy recovery. <i>Environmental Technology (United Kingdom)</i> , 2018 , 39, 3149-3158 | 2.6 | 2 |
| 46 | Improving exploitation of chicken manure via two-stage anaerobic digestion with an intermediate membrane contactor to extract ammonia. <i>Bioresource Technology</i> , 2018 , 268, 811-814 | 11 | 21 |
| 45 | Review of global sanitation development. <i>Environment International</i> , 2018 , 120, 246-261 | 12.9 | 33 |

| | | | |
|----|--|-----|----|
| 44 | Influence of climate and environmental change in Nigeria: a review on vulnerability and adaptation to climate change. <i>Reviews on Environmental Health</i> , 2018 , 33, 441-447 | 3.8 | |
| 43 | Application of lactic acid derived from food waste on pathogen inactivation in fecal sludge: a review on the alternative use of food waste. <i>Reviews on Environmental Health</i> , 2018 , 33, 423-431 | 3.8 | 2 |
| 42 | Sanitation approach toward resource recovery in rural and semi-urban centers: Insight from South South Nigeria. <i>Environmental Quality Management</i> , 2018 , 28, 13-19 | 0.8 | 1 |
| 41 | Evaluation of artificial neural network models for online monitoring of alkalinity in anaerobic co-digestion system. <i>Biochemical Engineering Journal</i> , 2018 , 140, 85-92 | 4.2 | 28 |
| 40 | Efficient photocatalytic disinfection of Escherichia coli by N-doped TiO ₂ coated on coal fly ash cenospheres. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018 , 367, 355-364 | 4.7 | 22 |
| 39 | The effects of different electron donors and electron acceptors on perchlorate reduction and bioelectricity generation in a microbial fuel cell. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 544-552 | 6.7 | 15 |
| 38 | Disinfection effect of a continuous-flow ultrasound/ultraviolet baffled reactor at a pilot scale. <i>Ultrasonics Sonochemistry</i> , 2017 , 37, 114-119 | 8.9 | 11 |
| 37 | Oleaginous yeast culture with synthetic and food waste-derived volatile fatty acids for lipid production. <i>Biotechnology for Biofuels</i> , 2017 , 10, 247 | 7.8 | 56 |
| 36 | Investigation on microbial inactivation and urea decomposition in human urine during thermal storage. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2017 , 7, 378-386 | 1.5 | 10 |
| 35 | Fecal sludge management in developing urban centers: a review on the collection, treatment, and composting. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 23441-23452 | 5.1 | 7 |
| 34 | Issues and challenges of reclaimed water usage: a case study of the dragon-shaped river in the Beijing Olympic Park. <i>Water International</i> , 2017 , 42, 486-494 | 2.4 | 7 |
| 33 | Development and application of biogas project for domestic sewage treatment in rural China: opportunities and challenges. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2017 , 7, 576-588 | 1.5 | 15 |
| 32 | Kinetics of inactivation and photoreactivation of Escherichia coli using ultrasound-enhanced UV-C light-emitting diodes disinfection. <i>Ultrasonics Sonochemistry</i> , 2017 , 35, 471-477 | 8.9 | 38 |
| 31 | Influence of ultrasound enhancement on chlorine dioxide consumption and disinfection by-products formation for secondary effluents disinfection. <i>Ultrasonics Sonochemistry</i> , 2016 , 28, 376-381 | 8.9 | 17 |
| 30 | Enhancement effects of ultrasound on secondary wastewater effluent disinfection by sodium hypochlorite and disinfection by-products analysis. <i>Ultrasonics Sonochemistry</i> , 2016 , 29, 60-6 | 8.9 | 18 |
| 29 | Experimental comparisons of three submerged plants for reclaimed water purification through nutrient removal. <i>Desalination and Water Treatment</i> , 2016 , 57, 12037-12046 | | 12 |
| 28 | Effects of temperature and relative humidity on the methane permeability rate of biogas storage membranes. <i>International Journal of Green Energy</i> , 2016 , 13, 951-956 | 3 | 3 |
| 27 | Isolation and Cr(VI) reduction characteristics of quinone respiration in <i>Mangrovibacter</i> plantisponsor strain CR1. <i>Biotechnology and Applied Biochemistry</i> , 2016 , 63, 595-600 | 2.8 | 5 |

| | | | |
|----|---|------|----|
| 26 | Effects of non-dissolved redox mediators on a hexavalent chromium bioreduction process. <i>Biotechnology and Biotechnological Equipment</i> , 2016 , 30, 292-298 | 1.6 | 10 |
| 25 | Exploring alternative sources of funding for deploying sustainable sanitation technologies and services in Mongolia. <i>International Journal of Water Resources Development</i> , 2016 , 32, 881-894 | 3 | 5 |
| 24 | Catalytic reduction of nitrate in secondary effluent of wastewater treatment plants by Fe(0) and Pd-Cu/Al ₂ O ₃ . <i>Water Science and Technology</i> , 2016 , 73, 2697-703 | 2.2 | 15 |
| 23 | Reduction of Nitrate in Secondary Effluent of Wastewater Treatment Plants by Fe ₀ Reductant and Pd/Cu/Graphene Catalyst. <i>Water, Air, and Soil Pollution</i> , 2016 , 227, 1 | 2.6 | 17 |
| 22 | Study on the bio-methane yield and microbial community structure in enzyme enhanced anaerobic co-digestion of cow manure and corn straw. <i>Bioresource Technology</i> , 2016 , 219, 150-157 | 11 | 40 |
| 21 | Comparative research on phosphorus removal by pilot-scale vertical flow constructed wetlands using steel slag and modified steel slag as substrates. <i>Water Science and Technology</i> , 2015 , 71, 996-1003 | 2.2 | 3 |
| 20 | Study on anaerobic digestion treatment of hazardous colistin sulphate contained pharmaceutical sludge. <i>Bioresource Technology</i> , 2015 , 177, 188-93 | 11 | 14 |
| 19 | Co-composting of fecal matter in Mongolia using two different technologies. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2015 , 5, 165-171 | 1.5 | 4 |
| 18 | Effects of Corn Cob Produced Biochars on Urea Recovery from Human Urine and Their Application as Soil Conditioners. <i>Clean - Soil, Air, Water</i> , 2015 , 43, 1167-1173 | 1.6 | 7 |
| 17 | Experimental study on the disinfection efficiencies of a continuous-flow ultrasound/ultraviolet baffled reactor. <i>Ultrasonics Sonochemistry</i> , 2015 , 27, 81-86 | 8.9 | 22 |
| 16 | Development and application of prefabricated biogas digesters in developing countries. <i>Renewable and Sustainable Energy Reviews</i> , 2014 , 34, 387-400 | 16.2 | 61 |
| 15 | Application of fault tree approach for technical assessment of small-sized biogas systems in Nepal. <i>Applied Energy</i> , 2014 , 113, 1372-1381 | 10.7 | 44 |
| 14 | Assessment of metals in dry-toilet collected matters from suburban areas of Ulaanbaatar, Mongolia, using biosolids quality guidelines and potential ecological risk index. <i>Frontiers of Environmental Science and Engineering</i> , 2014 , 8, 710-718 | 5.8 | |
| 13 | Characterization of corncob-derived biochar and pyrolysis kinetics in comparison with corn stalk and sawdust. <i>Bioresource Technology</i> , 2014 , 170, 76-82 | 11 | 97 |
| 12 | Characterization of human manure-derived biochar and energy-balance analysis of slow pyrolysis process. <i>Waste Management</i> , 2014 , 34, 1619-26 | 8.6 | 47 |
| 11 | Recovery of NH ₄ ⁺ by corn cob produced biochars and its potential application as soil conditioner. <i>Frontiers of Environmental Science and Engineering</i> , 2014 , 8, 825-834 | 5.8 | 25 |
| 10 | Study on anaerobic treatment of hazardous steel-mill waste rolling oil (SmWRO) for multi-benefit disposal route. <i>Bioresource Technology</i> , 2014 , 151, 106-12 | 11 | 8 |
| 9 | Methodology Development of Evaluating Agricultural Biomass Potential for Biomass Power Plant in China. <i>Energy Procedia</i> , 2014 , 61, 13-16 | 2.3 | 9 |

| | | | |
|---|--|------|----|
| 8 | Synergistic effect of ultrasonic pre-treatment combined with UV irradiation for secondary effluent disinfection. <i>Ultrasonics Sonochemistry</i> , 2013 , 20, 1384-9 | 8.9 | 25 |
| 7 | A review of prefabricated biogas digesters in China. <i>Renewable and Sustainable Energy Reviews</i> , 2013 , 28, 738-748 | 16.2 | 36 |
| 6 | A novel test method for evaluating the methane gas permeability of biogas storage membrane. <i>Renewable Energy</i> , 2013 , 60, 572-577 | 8.1 | 10 |
| 5 | Stabilization of source-separated human urine by chemical oxidation. <i>Water Science and Technology</i> , 2013 , 67, 1901-7 | 2.2 | 11 |
| 4 | Renewable Energy Systems 2013 , 218-246 | | 6 |
| 3 | A field study on acceptability of 4-in-1 biogas systems in Liaoning Province, China. <i>Energy Procedia</i> , 2011 , 5, 1382-1387 | 2.3 | 16 |
| 2 | Introduction to a Large-Scale Biogas Plant in a Dairy Farm 2010 , | | 1 |
| 1 | The perception and expectation of WASH technology services in Pointe-Noire Ville and Tandou-Boma, Republic of Congo through novel conventional-SERVQUAL-AHP model. <i>Urban Water Journal</i> , 1-11 | 2.3 | |