Bill X Hu

List of Publications by Citations

Source: https://exaly.com/author-pdf/9331421/bill-x-hu-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 1,500 4.6 avg, IF L-index

#	Paper	IF	Citations
86	Submarine ground water discharge driven by tidal pumping in a heterogeneous aquifer. <i>Ground Water</i> , 2009 , 47, 558-68	2.4	92
85	Nonlocal Reactive Transport with Physical and Chemical Heterogeneity: Linear Nonequilibrium Sorption with Random Kd. <i>Water Resources Research</i> , 1995 , 31, 2239-2252	5.4	72
84	Composition and functional diversity of microbial community across a mangrove-inhabited mudflat as revealed by 16S rDNA gene sequences. <i>Science of the Total Environment</i> , 2018 , 633, 518-528	10.2	62
83	Simulating flow in karst aquifers at laboratory and sub-regional scales using MODFLOW-CFP. <i>Hydrogeology Journal</i> , 2013 , 21, 1749-1760	3.1	52
82	Numerical Modeling of Wheat Irrigation using Coupled HYDRUS and WOFOST Models. <i>Soil Science Society of America Journal</i> , 2012 , 76, 648-662	2.5	48
81	Laboratory analog and numerical study of groundwater flow and solute transport in a karst aquifer with conduit and matrix domains. <i>Journal of Contaminant Hydrology</i> , 2009 , 110, 34-44	3.9	47
80	Projection and uncertainty of precipitation extremes in the CMIP5 multimodel ensembles over nine major basins in China. <i>Atmospheric Research</i> , 2019 , 226, 122-137	5.4	38
79	Simulating long term nitrate-N contamination processes in the Woodville Karst Plain using CFPv2 with UMT3D. <i>Journal of Hydrology</i> , 2015 , 524, 72-88	6	37
78	Using data assimilation method to calibrate a heterogeneous conductivity field and improve solute transport prediction with an unknown contamination source. <i>Stochastic Environmental Research and Risk Assessment</i> , 2009 , 23, 1155-1167	3.5	37
77	Examining the influence of heterogeneous porosity fields on conservative solute transport. <i>Journal of Contaminant Hydrology</i> , 2009 , 108, 77-88	3.9	34
76	Characterizing microbial diversity and community composition of groundwater in a salt-freshwater transition zone. <i>Science of the Total Environment</i> , 2019 , 678, 574-584	10.2	29
75	Prediction of groundwater level in seashore reclaimed land using wavelet and artificial neural network-based hybrid model. <i>Journal of Hydrology</i> , 2019 , 577, 123948	6	27
74	Numerical modeling and sensitivity analysis of seawater intrusion in a dual-permeability coastal karst aquifer with conduit networks. <i>Hydrology and Earth System Sciences</i> , 2018 , 22, 221-239	5.5	27
73	Numerical study of groundwater flow cycling controlled by seawater/freshwater interaction in a coastal karst aquifer through conduit network using CFPv2. <i>Journal of Contaminant Hydrology</i> , 2015 , 182, 131-45	3.9	24
72	Nonlocal nonreactive transport in heterogeneous porous media with interregional mass diffusion. <i>Water Resources Research</i> , 2000 , 36, 1665-1675	5.4	24
71	Hydrogeochemical characterization and groundwater quality assessment in intruded coastal brine aquifers (Laizhou Bay, China). <i>Environmental Science and Pollution Research</i> , 2017 , 24, 21073-21090	5.1	23
70	Development of a discrete-continuum VDFST-CFP numerical model for simulating seawater intrusion to a coastal karst aquifer with a conduit system. <i>Water Resources Research</i> , 2017 , 53, 688-711	5.4	22

69	Effects of climate and terrestrial storage on temporal variability of actual evapotranspiration. <i>Journal of Hydrology</i> , 2017 , 549, 388-403	6	22	
68	Experimental and numerical investigations of soil water balance at the hinterland of the Badain Jaran Desert for groundwater recharge estimation. <i>Journal of Hydrology</i> , 2016 , 540, 386-396	6	22	
67	Experimental study and mathematical modelling of soluble chemical transfer from unsaturated/saturated soil to surface runoff. <i>Hydrological Processes</i> , 2010 , 24, 3065-3073	3.3	22	
66	Long distance seawater intrusion through a karst conduit network in the Woodville Karst Plain, Florida. <i>Scientific Reports</i> , 2016 , 6, 32235	4.9	20	
65	Assimilating transient groundwater flow data via a localized ensemble Kalman filter to calibrate a heterogeneous conductivity field. <i>Stochastic Environmental Research and Risk Assessment</i> , 2012 , 26, 467	·-478	20	
64	Using data assimilation method to calibrate a heterogeneous conductivity field conditioning on transient flow test data. <i>Stochastic Environmental Research and Risk Assessment</i> , 2010 , 24, 1211-1223	3.5	20	
63	A sixteen-year reduction in the concentrations of aquatic PAHs corresponding to source shifts in the Elbe River, Germany. <i>Journal of Cleaner Production</i> , 2019 , 223, 631-640	10.3	15	
62	On the teleconnection patterns to precipitation in the eastern Tianshan Mountains, China. <i>Climate Dynamics</i> , 2017 , 49, 3123-3139	4.2	15	
61	The effects of monsoons and climate teleconnections on the Niangziguan Karst Spring discharge in North China. <i>Climate Dynamics</i> , 2017 , 48, 53-70	4.2	14	
60	Using Bayesian Networks for Sensitivity Analysis of Complex Biogeochemical Models. <i>Water Resources Research</i> , 2019 , 55, 3541-3555	5.4	14	
59	Responses of runoff to historical and future climate variability over China. <i>Hydrology and Earth System Sciences</i> , 2018 , 22, 1971-1991	5.5	14	
58	Projected changes of temperature extremes over nine major basins in China based on the CMIP5 multimodel ensembles. <i>Stochastic Environmental Research and Risk Assessment</i> , 2019 , 33, 321-339	3.5	13	
57	Future Precipitation-Driven Meteorological Drought Changes in the CMIP5 Multimodel Ensembles under 1.5°C and 2°C Global Warming. <i>Journal of Hydrometeorology</i> , 2020 , 21, 2177-2196	3.7	13	
56	Diversity and predictive metabolic pathways of the prokaryotic microbial community along a groundwater salinity gradient of the Pearl River Delta, China. <i>Scientific Reports</i> , 2018 , 8, 17317	4.9	13	
55	Data assimilation methods for estimating a heterogeneous conductivity field by assimilating transient solute transport data via ensemble Kalman filter. <i>Hydrological Processes</i> , 2013 , 27, 3873-3884	3.3	12	
54	Comparative analysis of meteorological and hydrological drought over the Pearl River basin in southern China 2019 , 50, 301-318		11	
53	Application of Wavelet Coherence Method to Investigate Karst Spring Discharge Response to Climate Teleconnection Patterns. <i>Journal of the American Water Resources Association</i> , 2016 , 52, 1281-1	296	11	
52	Numerical study on tide-driven submarine groundwater discharge and seawater recirculation in heterogeneous aquifers. <i>Stochastic Environmental Research and Risk Assessment</i> , 2016 , 30, 1741-1755	3.5	10	

Global Analysis of the Role of Terrestrial Water Storage in the Evapotranspiration Estimated from 51 10 the Budyko Framework at Annual to Monthly Time Scales. Journal of Hydrometeorology, 2019, 20, 2003-2021 Model reduction of a coupled numerical model using proper orthogonal decomposition. Journal of 50 10 Hydrology, 2013, 507, 227-240 Simulating seawater intrusion in a complex coastal karst aquifer using an improved variable-density 49 3.1 9 flow and solute transportflonduit flow process model. Hydrogeology Journal, 2019, 27, 1277-1289 Controlling factors of errors in the predicted annual and monthly evaporation from the Budyko 48 9 4.7 framework. Advances in Water Resources, 2018, 121, 432-445 Numerical study of groundwater flow cycling controlled by seawater/freshwater interaction in 6 7 47 Woodville Karst Plain. Journal of Hydrology, 2019, 579, 124171 A review of applications of fractional advection ispersion equations for anomalous solute 46 5.7 7 transport in surface and subsurface water. Wiley Interdisciplinary Reviews: Water, 2020, 7, e1448 Comparison of the groundwater microbial community in a salt-freshwater mixing zone during the 7 45 7.9 dry and wet seasons. Journal of Environmental Management, 2020, 271, 110969 Assessment of alternative adsorption models and global sensitivity analysis to characterize 44 3.3 hexavalent chromium loss from soil to surface runoff. Hydrological Processes, 2018, 32, 3140-3157 Using an Ensemble Kalman Filter Method to Calibrate Parameters and Update Soluble Chemical 7 43 3.1 Transfer From Soil to Surface Runoff. Transport in Porous Media, 2012, 91, 133-152 Proper orthogonal decomposition reduced model for mass transport in heterogenous media. 42 3.5 Stochastic Environmental Research and Risk Assessment, 2013, 27, 1181-1191 Copula-based risk evaluation of global meteorological drought in the 21st century based on CMIP5 6 41 7 multi-model ensemble projections. Journal of Hydrology, 2021, 598, 126265 Bacterial community variations with salinity in the saltwater-intruded estuarine aquifer. Science of 40 10.2 the Total Environment, **2021**, 755, 142423 Evaluating equilibrium and non-equilibrium transport of ammonium in a loam soil column. 6 39 3.3 Hydrological Processes, 2018, 32, 80-92 Stochastic study on groundwater flow and solute transport in a porous medium with multi-scale 38 6 4.7 heterogeneity. Advances in Water Resources, 2003, 26, 541-560 Characterization, modeling, and remediation of karst in a changing environment. Environmental 6 2.9 37 Earth Sciences, 2018, 77, 1 Data Assimilation in Density-Dependent Subsurface Flows via Localized Iterative Ensemble Kalman 36 5 5.4 Filter. Water Resources Research, 2018, 54, 6259-6281 Experimental study on soluble chemical transfer to surface runoff from soil. Environmental Science 35 5.1 5 and Pollution Research, 2016, 23, 20378-20387 Using a hybrid model to predict solute transfer from initially saturated soil into surface runoff with 34 controlled drainage water. Environmental Science and Pollution Research, 2016, 23, 12444-55

(2020-2021)

33	Uncertainty assessment of drought characteristics projections in humid subtropical basins in China based on multiple CMIP5 models and different index definitions. <i>Journal of Hydrology</i> , 2021 , 600, 1265	02	5	
32	Influence of lunar semidiurnal tides on groundwater dynamics in estuarine aquifers. <i>Hydrogeology Journal</i> , 2020 , 28, 1419-1429	3.1	4	
31	Experimental and modeling study on Cr(VI) transfer from soil into surface runoff. <i>Stochastic Environmental Research and Risk Assessment</i> , 2016 , 30, 1347-1361	3.5	4	
30	Recent intensification of short-term concurrent hot and dry extremes over the Pearl River basin, China. <i>International Journal of Climatology</i> , 2019 , 39, 4924-4937	3.5	4	
29	Using the Sequential Self-calibration Method and Genetic Algorithm Method to Optimally Design Tracer Test to Estimate Conductivity Distribution. <i>Transport in Porous Media</i> , 2007 , 67, 31-48	3.1	4	
28	Examining a Coupled Continuum Pipe-Flow Model for Groundwater Flow and Solute Transport in a Karst aquifer. <i>Acta Carsologica</i> , 2012 , 39,	1.7	4	
27	Modeling water balance using the Budyko framework over variable timescales under diverse climates		4	
26	An efficient approximation of non-Fickian transport using a time-fractional transient storage model. <i>Advances in Water Resources</i> , 2020 , 135, 103486	4.7	4	
25	Potential Impacts of Climate Variation on Potato Field Evapotranspiration: Field Experiment and Numerical Simulation of Potato Water Use in an Arid Site. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018 , 123, 10,202	4.4	4	
24	Grid convergence for numerical solutions of stochastic moment equations of groundwater flow. <i>Stochastic Environmental Research and Risk Assessment</i> , 2019 , 33, 1565-1579	3.5	3	
23	Grain-Size Based Additivity Models for Scaling Multi-rate Uranyl Surface Complexation in Subsurface Sediments. <i>Mathematical Geosciences</i> , 2016 , 48, 511-535	2.5	3	
22	Hierarchical sensitivity analysis for simulating barrier island geomorphologic responses to future storms and sea-level rise. <i>Theoretical and Applied Climatology</i> , 2019 , 136, 1495-1511	3	3	
21	Application of a data assimilation method via an ensemble Kalman filter to reactive urea hydrolysis transport modeling. <i>Stochastic Environmental Research and Risk Assessment</i> , 2014 , 28, 729-741	3.5	3	
20	Spatial distribution and source apportionment of polycyclic aromatic hydrocarbons in typical oasis soil of north-western China and the bacterial community response. <i>Environmental Research</i> , 2022 , 204, 112401	7.9	3	
19	Comparison of negative skewed space fractional models with time nonlocal approaches for stream solute transport modeling. <i>Journal of Hydrology</i> , 2020 , 582, 124504	6	3	
18	Using an ensemble Kalman filter method to calibrate parameters of a prediction model for chemical transport from soil to surface runoff. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 4404-4416	5.1	3	
17	Quantifying the integrated water and carbon cycle in a data-limited karst basin using a process-based hydrologic model. <i>Environmental Earth Sciences</i> , 2019 , 78, 1	2.9	2	
16	Integration of moment equations in a reduced-order modeling strategy for Monte Carlo simulations of groundwater flow. <i>Journal of Hydrology</i> , 2020 , 590, 125257	6	2	

15	Effect of intermittent operation model on the function of soil infiltration system. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 9615-9625	5.1	2
14	Stochastic study of solute transport in a nonstationary medium. <i>Ground Water</i> , 2006 , 44, 222-33	2.4	2
13	Evaluation and optimization of the water diversion system of ecohydrological restoration megaproject of Tarim River, China, through wavelet analysis and a neural network. <i>Journal of Hydrology</i> , 2022 , 608, 127586	6	2
12	Numerical Simulation of Groundwater Flow and Solute Transport in a Karst Aquifer with Conduits 2016 ,		2
11	Identification of hydraulic conductivity distributions in density dependent flow fields of submarine groundwater discharge modeling using adjoint-state sensitivities. <i>Science China Earth Sciences</i> , 2016 , 59, 770-779	4.6	1
10	A voxel-based three-dimensional framework for flash drought identification in space and time. Journal of Hydrology, 2022 , 608, 127568	6	1
9	Data assimilation with multiple types of observation boreholes via the ensemble Kalman filter embedded within stochastic moment equations. <i>Hydrology and Earth System Sciences</i> , 2021 , 25, 1689-1	7 ð 9	1
8	Global precipitation-related extremes at 1.5 IIC and 2 IIC of global warming targets: Projection and uncertainty assessment based on the CESM-LWR experiment. <i>Atmospheric Research</i> , 2021 , 264, 105868	5.4	1
7	Prediction of the Irrigation Area Carrying Capacity in the Tarim River Basin under Climate Change. <i>Agriculture (Switzerland)</i> , 2022 , 12, 657	3	1
6	Decadal exploration of karst hydrogeology in the Woodville Karst Plain (WKP): A review of field investigation and modeling development. <i>Journal of Hydrology</i> , 2021 , 594, 125937	6	0
5	Simulation of regional groundwater levels in arid regions using interpretable machine learning models <i>Science of the Total Environment</i> , 2022 , 831, 154902	10.2	0
4	Comparison between gradient based UCODE_2005 and the ensemble Kalman Filter for transient groundwater flow inverse modeling. <i>Science China Earth Sciences</i> , 2017 , 60, 899-909	4.6	
3	Theoretical Application of Ensemble Kalman Filter to Adsorptive Solute Cr(VI) Transfer from Soil into Surface Runoff. <i>Advanced Materials Research</i> , 2014 , 919-921, 1257-1261	0.5	
2	Hierarchical sensitivity analysis for a large-scale process-based hydrological model applied to an Amazonian watershed. <i>Hydrology and Earth System Sciences</i> , 2020 , 24, 4971-4996	5.5	
1	An efficient fractional-in-time transient storage model for simulating the multi-peaked breakthrough curves. <i>Journal of Hydrology</i> , 2021 , 600, 126570	6	