Stephen Y K Seah

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/93315/stephen-y-k-seah-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31	746	19	27
papers	citations	h-index	g-index
31	824	4.2 avg, IF	3.91
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
31	A Key Glycine in Bacterial Steroid-Degrading Acyl-CoA Dehydrogenases Allows Flavin-Ring Repositioning and Modulates Substrate Side Chain Specificity. <i>Biochemistry</i> , 2020 , 59, 4081-4092	3.2	2
30	The steroid side-chain-cleaving aldolase Ltp2-ChsH2 is a thiolase superfamily member with a radically repurposed active site. <i>Journal of Biological Chemistry</i> , 2019 , 294, 11934-11943	5.4	11
29	Characterization of an Aldolase Involved in Cholesterol Side Chain Degradation in Mycobacterium tuberculosis. <i>Journal of Bacteriology</i> , 2018 , 200,	3.5	19
28	Investigation into the Mode of Phosphate Activation in the 4-Hydroxy-4-Methyl-2-Oxoglutarate/4-Carboxy-4-Hydroxy-2-Oxoadipate Aldolase from Pseudomonas putida F1. <i>PLoS ONE</i> , 2016 , 11, e0164556	3.7	1
27	Structural and Kinetic Characterization of the 4-Carboxy-2-hydroxymuconate Hydratase from the Gallate and Protocatechuate 4,5-Cleavage Pathways of Pseudomonas putida KT2440. <i>Journal of Biological Chemistry</i> , 2016 , 291, 7669-86	5.4	12
26	Characterization of novel acyl coenzyme A dehydrogenases involved in bacterial steroid degradation. <i>Journal of Bacteriology</i> , 2015 , 197, 1360-7	3.5	19
25	Biochemical and structural analysis of RraA proteins to decipher their relationships with 4-hydroxy-4-methyl-2-oxoglutarate/4-carboxy-4-hydroxy-2-oxoadipate aldolases. <i>Biochemistry</i> , 2014 , 53, 542-53	3.2	6
24	Secretoglobin 1A1 and 1A1A differentially regulate neutrophil reactive oxygen species production, phagocytosis and extracellular trap formation. <i>PLoS ONE</i> , 2014 , 9, e96217	3.7	31
23	Characterization of an aldolase-dehydrogenase complex from the cholesterol degradation pathway of Mycobacterium tuberculosis. <i>Biochemistry</i> , 2013 , 52, 3502-11	3.2	27
22	Protein-protein interactions and substrate channeling in orthologous and chimeric aldolase-dehydrogenase complexes. <i>Biochemistry</i> , 2012 , 51, 1942-52	3.2	16
21	Substrate specificity, substrate channeling, and allostery in BphJ: an acylating aldehyde dehydrogenase associated with the pyruvate aldolase BphI. <i>Biochemistry</i> , 2012 , 51, 4558-67	3.2	12
20	Rational approaches for engineering novel functionalities in carbon-carbon bond forming enzymes. <i>Computational and Structural Biotechnology Journal</i> , 2012 , 2, e201209003	6.8	5
19	Crystal structure of reaction intermediates in pyruvate class II aldolase: substrate cleavage, enolate stabilization, and substrate specificity. <i>Journal of Biological Chemistry</i> , 2012 , 287, 36208-21	5.4	22
18	Rational design of stereoselectivity in the class II pyruvate aldolase BphI. <i>Journal of the American Chemical Society</i> , 2012 , 134, 507-13	16.4	33
17	Investigating the molecular determinants for substrate channeling in BphI-BphJ, an aldolase-dehydrogenase complex from the polychlorinated biphenyls degradation pathway. <i>Biochemistry</i> , 2011 , 50, 8407-16	3.2	22
16	Probing the molecular basis of substrate specificity, stereospecificity, and catalysis in the class II pyruvate aldolase, BphI. <i>Biochemistry</i> , 2011 , 50, 3559-69	3.2	24
15	Characterization of a phosphotriesterase-like lactonase from Sulfolobus solfataricus and its immobilization for disruption of quorum sensing. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 11	81 ⁸ _	46

LIST OF PUBLICATIONS

14	Structural and kinetic characterization of 4-hydroxy-4-methyl-2-oxoglutarate/4-carboxy-4-hydroxy-2-oxoadipate aldolase, a protocatechuate degradation enzyme evolutionarily convergent with the HpaI and DmpG pyruvate aldolases.	5.4	27
13	Journal of Biological Chemistry, 2010 , 285, 36608-15 Comparison of two metal-dependent pyruvate aldolases related by convergent evolution: substrate specificity, kinetic mechanism, and substrate channeling. <i>Biochemistry</i> , 2010 , 49, 3774-82	3.2	34
12	Characterization of an aldolase-dehydrogenase complex that exhibits substrate channeling in the polychlorinated biphenyls degradation pathway. <i>Biochemistry</i> , 2009 , 48, 6551-8	3.2	35
11	The role of a conserved histidine residue in a pyruvate-specific Class II aldolase. <i>FEBS Letters</i> , 2008 , 582, 3385-8	3.8	10
10	Characterization of a C-C bond hydrolase from Sphingomonas wittichii RW1 with novel specificities towards polychlorinated biphenyl metabolites. <i>Journal of Bacteriology</i> , 2007 , 189, 4038-45	3.5	33
9	The tautomeric half-reaction of BphD, a C-C bond hydrolase. Kinetic and structural evidence supporting a key role for histidine 265 of the catalytic triad. <i>Journal of Biological Chemistry</i> , 2007 , 282, 19894-904	5.4	33
8	Heterologous expression, purification, and characterization of an l-ornithine N(5)-hydroxylase involved in pyoverdine siderophore biosynthesis in Pseudomonas aeruginosa. <i>Journal of Bacteriology</i> , 2006 , 188, 7205-10	3.5	41
7	Kinetic and structural insight into the mechanism of BphD, a C-C bond hydrolase from the biphenyl degradation pathway. <i>Biochemistry</i> , 2006 , 45, 11071-86	3.2	40
6	Purification and biochemical characterization of a pyruvate-specific class II aldolase, HpaI. <i>Biochemistry</i> , 2005 , 44, 9447-55	3.2	34
5	Determination of the metal ion dependence and substrate specificity of a hydratase involved in the degradation pathway of biphenyl/chlorobiphenyl. <i>FEBS Journal</i> , 2005 , 272, 966-74	5.7	8
4	Functional characterization of an aminotransferase required for pyoverdine siderophore biosynthesis in Pseudomonas aeruginosa PAO1. <i>Journal of Bacteriology</i> , 2004 , 186, 5596-602	3.5	54
3	Kinetic analysis of phenylalanine dehydrogenase mutants designed for aliphatic amino acid dehydrogenase activity with guidance from homology-based modelling. <i>FEBS Journal</i> , 2003 , 270, 4628-	34	14
2	Single amino acid substitution in Bacillus sphaericus phenylalanine dehydrogenase dramatically increases its discrimination between phenylalanine and tyrosine substrates. <i>Biochemistry</i> , 2002 , 41, 113	39 0- 7	29
1	Comparative specificities of two evolutionarily divergent hydrolases involved in microbial degradation of polychlorinated biphenyls. <i>Journal of Bacteriology</i> , 2001 , 183, 1511-6	3.5	46