

# Zishu He

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9332083/zishu-he-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

178  
papers

1,687  
citations

20  
h-index

35  
g-index

244  
ext. papers

2,393  
ext. citations

3.1  
avg, IF

5.42  
L-index

#	Paper	IF	Citations
178	A modified real GA for the sparse linear array synthesis with multiple constraints. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2006</b> , 54, 2169-2173	4.9	144
177	. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2007</b> , 55, 1067-1073	4.9	128
176	Joint System Design for Coexistence of MIMO Radar and MIMO Communication. <i>IEEE Transactions on Signal Processing</i> , <b>2018</b> , 66, 3504-3519	4.8	99
175	Constant Modulus Waveform Design for MIMO Radar Transmit Beampattern. <i>IEEE Transactions on Signal Processing</i> , <b>2017</b> , 65, 4912-4923	4.8	95
174	MIMO Radar Waveform Design With PAPR and Similarity Constraints. <i>IEEE Transactions on Signal Processing</i> , <b>2018</b> , 66, 968-981	4.8	67
173	Communication-Aware Waveform Design for MIMO Radar With Good Transmit Beampattern. <i>IEEE Transactions on Signal Processing</i> , <b>2018</b> , 66, 5549-5562	4.8	60
172	Polyphase Orthogonal Code Design for MIMO Radar Systems <b>2006</b> ,		55
171	MIMO Radar Transmit Beampattern Matching Design. <i>IEEE Transactions on Signal Processing</i> , <b>2015</b> , 63, 2049-2056	4.8	49
170	Spectrally Compatible Waveform Design for MIMO Radar in the Presence of Multiple Targets. <i>IEEE Transactions on Signal Processing</i> , <b>2018</b> , 66, 3543-3555	4.8	42
169	\$\text{A}^{\text{RC}}\$: An Accurate Array Response Control Algorithm for Pattern Synthesis. <i>IEEE Transactions on Signal Processing</i> , <b>2017</b> , 65, 1810-1824	4.8	38
168	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , <b>2014</b> , 50, 254-264	3.7	38
167	Pattern Synthesis for Arbitrary Arrays via Weight Vector Orthogonal Decomposition. <i>IEEE Transactions on Signal Processing</i> , <b>2018</b> , 66, 1286-1299	4.8	28
166	Joint Design of the Transmit and Receive Beamforming in MIMO Radar Systems. <i>IEEE Transactions on Vehicular Technology</i> , <b>2019</b> , 68, 7919-7930	6.8	25
165	Co-Design for Overlaid MIMO Radar and Downlink MISO Communication Systems via Cramér-Rao Bound Minimization. <i>IEEE Transactions on Signal Processing</i> , <b>2019</b> , 67, 6227-6240	4.8	25
164	Robust adaptive beamforming for multiple-input multiple-output radar with spatial filtering techniques. <i>Signal Processing</i> , <b>2018</b> , 143, 152-160	4.4	24
163	MIMO Radar Waveform Design via Alternating Projection. <i>IEEE Transactions on Signal Processing</i> , <b>2010</b> , 58, 1440-1445	4.8	24
162	Transmit Designs for Spectral Coexistence of MIMO Radar and MIMO Communication Systems. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2018</b> , 65, 2072-2076	3.5	23

161	Pattern Synthesis With Multipoint Accurate Array Response Control. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2017</b> , 65, 4075-4088	4.9	23
160	Knowledge-Aided Covariance Matrix Estimation via Kronecker Product Expansions for Airborne STAP. <i>IEEE Geoscience and Remote Sensing Letters</i> , <b>2018</b> , 15, 527-531	4.1	21
159	Transmit Signal Design for Large-Scale MIMO System With 1-bit DACs. <i>IEEE Transactions on Wireless Communications</i> , <b>2019</b> , 18, 4466-4478	9.6	20
158	An Approach to Robust INS/UWB Integrated Positioning for Autonomous Indoor Mobile Robots. <i>Sensors</i> , <b>2019</b> , 19,	3.8	20
157	OPARC: Optimal and Precise Array Response Control Algorithm Part I: Fundamentals. <i>IEEE Transactions on Signal Processing</i> , <b>2019</b> , 67, 652-667	4.8	19
156	Adaptive JSPA in distributed colocated MIMO radar network for multiple targets tracking. <i>IET Radar, Sonar and Navigation</i> , <b>2019</b> , 13, 410-419	1.4	18
155	High-Performance Beampattern Synthesis via Linear Fractional Semidefinite Relaxation and Quasi-Convex Optimization. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2018</b> , 66, 3421-3431	4.9	17
154	Robust transmit beampattern matching synthesis for MIMO radar. <i>Electronics Letters</i> , <b>2017</b> , 53, 620-622	1.1	16
153	Thinned knowledge-aided STAP by exploiting structural covariance matrix. <i>IET Radar, Sonar and Navigation</i> , <b>2017</b> , 11, 1266-1275	1.4	16
152	OPARC: Optimal and Precise Array Response Control Algorithm Part II: Multi-Points and Applications. <i>IEEE Transactions on Signal Processing</i> , <b>2019</b> , 67, 668-683	4.8	16
151	Comments on "Discrete Frequency-Coding Waveform Design for Netted Radar Systems". <i>IEEE Signal Processing Letters</i> , <b>2008</b> , 15, 449-451	3.2	15
150	Flexible Array Response Control via Oblique Projection. <i>IEEE Transactions on Signal Processing</i> , <b>2019</b> , 67, 3126-3139	4.8	14
149	A nonlinear-ADMM method for designing MIMO radar constant modulus waveform with low correlation sidelobes. <i>Signal Processing</i> , <b>2019</b> , 159, 93-103	4.4	14
148	Mainlobe interference suppression with eigenprojection algorithm and similarity constraints. <i>Electronics Letters</i> , <b>2016</b> , 52, 228-230	1.1	14
147	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , <b>2020</b> , 56, 497-511	3.7	12
146	Constrained waveform design for dual-functional MIMO radar-Communication system. <i>Signal Processing</i> , <b>2020</b> , 171, 107530	4.4	11
145	Long-Time Coherent Integration for Maneuvering Target Detection Based on ITRT-MRFT. <i>IEEE Sensors Journal</i> , <b>2020</b> , 20, 3718-3731	4	11
144	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , <b>2019</b> , 55, 2066-2078	3.7	11

143	Target Detection Performance of Collocated MIMO Radar With One-Bit ADCs. <i>IEEE Signal Processing Letters</i> , <b>2019</b> , 26, 1832-1836	3.2	11
142	Optimization of Orthogonal Discrete Frequency-Coding Waveform Based on Modified Genetic Algorithm for MIMO Radar <b>2007</b> ,		11
141	Phased-Array Transmission for Secure mmWave Wireless Communication via Polygon Construction. <i>IEEE Transactions on Signal Processing</i> , <b>2020</b> , 68, 327-342	4.8	11
140	Multiple-input multiple-output radar multistage multiple-beam beamspace reduced-dimension space-time adaptive processing. <i>IET Radar, Sonar and Navigation</i> , <b>2013</b> , 7, 295-303	1.4	10
139	MIMO radar dwell scheduling based on novel pulse interleaving technique. <i>Journal of Systems Engineering and Electronics</i> , <b>2013</b> , 24, 234-241	1.3	10
138	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , <b>2020</b> , 56, 785-795	3.7	10
137	Mutual Information-Based Waveform Design for MIMO Radar Space-Time Adaptive Processing. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , <b>2021</b> , 59, 2909-2921	8.1	10
136	Pattern Synthesis via Oblique Projection-Based Multipoint Array Response Control. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 4602-4616	4.9	9
135	Super Resolution DOA Based on Relative Motion for FMCW Automotive Radar. <i>IEEE Transactions on Vehicular Technology</i> , <b>2020</b> , 69, 8698-8709	6.8	9
134	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , <b>2018</b> , 54, 1197-1207	3.7	9
133	Polarimetric Detection in Compound Gaussian Clutter With Kronecker Structured Covariance Matrix. <i>IEEE Transactions on Signal Processing</i> , <b>2017</b> , 65, 4562-4576	4.8	9
132	CFAR Knowledge-Aided Radar Detection With Heterogeneous Samples. <i>IEEE Signal Processing Letters</i> , <b>2017</b> , 24, 693-697	3.2	8
131	MIMO-OTH Radar: Signal Model for Arbitrary Placement and Signals With Non-Point Targets. <i>IEEE Transactions on Signal Processing</i> , <b>2015</b> , 63, 1846-1857	4.8	8
130	Beamspace reduced-dimension space-time adaptive processing for multiple-input multiple-output radar based on maximum cross-correlation energy. <i>IET Radar, Sonar and Navigation</i> , <b>2015</b> , 9, 772-777	1.4	8
129	Subspace-Based Method for Multiple-Target Localization Using MIMO Radars <b>2007</b> ,		8
128	Spectrally Compatible Waveform Design for MIMO Radar With ISL and PAPR Constraints. <i>IEEE Sensors Journal</i> , <b>2020</b> , 20, 2368-2377	4	8
127	Hybrid Beamforming for Multi-Carrier Dual-Function Radar-Communication System. <i>IEEE Transactions on Cognitive Communications and Networking</i> , <b>2021</b> , 7, 1002-1015	6.6	8
126	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , <b>2020</b> , 56, 3985-4000	3.7	7

125	Study on synchronization and parameters insensitivity of a class of hyperchaotic systems using nonlinear feedback control. <i>Nonlinear Dynamics</i> , <b>2012</b> , 67, 1515-1523	5	7
124	Joint Design of Transmitting Waveforms and Receiving Filter for MIMO-STAP Airborne Radar. <i>Circuits, Systems, and Signal Processing</i> , <b>2020</b> , 39, 1489-1508	2.2	7
123	DOA and phase error estimation using one calibrated sensor in ULA. <i>Multidimensional Systems and Signal Processing</i> , <b>2018</b> , 29, 523-535	1.8	7
122	Transmit Sequence Design for Dual-Function Radar-Communication System With One-Bit DACs. <i>IEEE Transactions on Wireless Communications</i> , <b>2021</b> , 20, 5846-5860	9.6	7
121	Robust adaptive beamforming of coherent signals in the presence of the unknown mutual coupling. <i>IET Communications</i> , <b>2018</b> , 12, 75-81	1.3	6
120	Orthogonal Discrete Frequency-Coding Waveform design for MIMO radar. <i>Journal of Electronics</i> , <b>2008</b> , 25, 471-476		6
119	Multibeam Amplitude Comparison Problems for MIMO Radar's Angle Measurement. <i>Conference Record of the Asilomar Conference on Signals, Systems and Computers</i> , <b>2007</b> ,	0.3	6
118	Hybrid Beamforming Design for OFDM Dual-Function Radar-Communication System. <i>IEEE Journal on Selected Topics in Signal Processing</i> , <b>2021</b> , 15, 1455-1467	7.5	6
117	Fast Array Response Adjustment With Phase-Only Constraint: A Geometric Approach. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 6439-6451	4.9	5
116	Distributed Airborne MIMO Radar Detection in Compound-Gaussian Clutter without Training Data. <i>Circuits, Systems, and Signal Processing</i> , <b>2018</b> , 37, 4617-4636	2.2	5
115	Transient Interference Mitigation via Supervised Matrix Completion. <i>IEEE Geoscience and Remote Sensing Letters</i> , <b>2016</b> , 13, 907-911	4.1	5
114	Adaptive direct position determination of emitters based on time differences of arrival <b>2013</b> ,		5
113	Polarimetric detection for vector-sensor processing in quaternion proper Gaussian noises. <i>Multidimensional Systems and Signal Processing</i> , <b>2016</b> , 27, 597-618	1.8	4
112	Minimum redundancy space-time adaptive processing utilizing reconstructed covariance matrix <b>2017</b> ,		4
111	Transmit Beampattern Design for MIMO Radar with One-bit DACs <b>2019</b> ,		4
110	Co-Design of Waveform Correlation Matrix and Antenna Positions for MIMO Radar Transmit Beampattern Formation. <i>IEEE Sensors Journal</i> , <b>2020</b> , 20, 7326-7336	4	4
109	Approximate maximum likelihood time differences estimation in the presence of frequency and phase consistence errors <b>2013</b> ,		4
108	Design of 2-Dimension Sparse Arrays using an Improved Genetic Algorithm		4

107	Transmitter polarization optimization for space-time adaptive processing with diversely polarized antenna array. <i>Signal Processing</i> , <b>2020</b> , 169, 107401	4.4	4
106	An Approach to Multi-Sensor Decision Fusion Based on the Improved Joussetme Evidence Distance <b>2018</b> ,		4
105	Joint optimization of covariance matrix and antenna position for MIMO radar transmit beampattern matching design <b>2018</b> ,		4
104	Alternating direction method of multipliers for MIMO radar waveform design <b>2017</b> ,		3
103	Extraction of sea-clutter and RFI regions based on image segmentation for high-frequency sky-wave radar. <i>IET Radar, Sonar and Navigation</i> , <b>2019</b> , 13, 58-64	1.4	3
102	Knowledge-Aided Target Detection for Multistatic Passive Radar. <i>IEEE Access</i> , <b>2019</b> , 7, 53463-53475	3.5	3
101	. <i>IEEE Sensors Journal</i> , <b>2019</b> , 19, 6956-6965	4	3
100	Constant modulus waveform design for high frequency radar using optimal filter <b>2019</b> , 89, 82-90		3
99	An effective scheme for radio frequency interference suppression in high-frequency radar <b>2015</b> ,		3
98	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , <b>2018</b> , 54, 1432-1441	3.7	3
97	Robust Sidelobe Control via Complex-Coefficient Weight Vector Orthogonal Decomposition. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 5411-5425	4.9	3
96	Direct Data Domain STAP Based on Atomic Norm Minimization <b>2019</b> ,		3
95	A Crowd Behavior Identification Method Combining the Streakline With the High-Accurate Variational Optical Flow Model. <i>IEEE Access</i> , <b>2019</b> , 7, 114572-114581	3.5	3
94	Time delay estimation in the presence of clock frequency error <b>2014</b> ,		3
93	Super-resolution time delay estimation in multipath environments using normalized cross spectrum <b>2013</b> ,		3
92	On the maximum likelihood method for target localization using MIMO radars. <i>Science China Information Sciences</i> , <b>2010</b> , 53, 2127-2137	3.4	3
91	An Improved Radar Detection Algorithm Based on Hough Transform. <i>Sensing and Imaging</i> , <b>2008</b> , 9, 1-7	1.4	3
90	Multipath Time Delay Estimation Based on Gibbs Sampling under Incoherent Reception Environment. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2015</b> , E98.A, 1300-1304	0.4	3

89	Training-free moving target detection with uncertain a priori knowledge for airborne radar. <i>IET Radar, Sonar and Navigation</i> , <b>2020</b> , 14, 372-380	1.4	3
88	Linear Regression Based Clutter Reconstruction for STAP. <i>IEEE Access</i> , <b>2018</b> , 6, 56862-56869	3.5	3
87	Spectrally Compatible Waveform Design for MIMO Radar Transmit Beampattern with Par and Similarity Constraints <b>2018</b> ,		3
86	Comments on Waveform Optimization for Transmit Beamforming With MIMO Radar Antenna Array <i>IEEE Transactions on Antennas and Propagation</i> , <b>2018</b> , 66, 6463-6463	4.9	3
85	Robust Beamforming Based on Steering Vector and Covariance Matrix Estimation. <i>Circuits, Systems, and Signal Processing</i> , <b>2018</b> , 37, 4665-4682	2.2	3
84	Tracking of Multiple Maneuvering Random Hypersurface Extended Objects Using High Resolution Sensors. <i>Remote Sensing</i> , <b>2021</b> , 13, 2963	5	3
83	Angle-Doppler Channel Selection Method for Reduced-Dimension STAP Based on Sequential Convex Programming. <i>IEEE Communications Letters</i> , <b>2021</b> , 25, 3080-3084	3.8	3
82	Approach for transient interference detection based on straight line extraction for high-frequency sky-wave radar. <i>Electronics Letters</i> , <b>2017</b> , 53, 618-620	1.1	2
81	Kronecker Product PCA for structured covariance matrix of airborne radar STAP <b>2017</b> ,		2
80	Waveform design based on environmental sensing for sky-wave over-the-horizon radar <b>2015</b> ,		2
79	A Modified Sequential Multiplexed Method for Detecting Airborne and Sea Targets With Over-the-Horizon Radar. <i>IEEE Access</i> , <b>2020</b> , 8, 84082-84092	3.5	2
78	Communication-awareness joint beams and power allocation scheme of radar network for manoeuvring targets tracking. <i>IET Radar, Sonar and Navigation</i> , <b>2020</b> , 14, 207-215	1.4	2
77	CRB for joint estimation of moving target in distributed phased array radars on moving platforms <b>2016</b> ,		2
76	Joint Estimation of Time Delay and Clock Error in the Incoherent Reception Systems. <i>Circuits, Systems, and Signal Processing</i> , <b>2016</b> , 35, 3284-3309	2.2	2
75	Data-dependent reduced-dimension STAP. <i>IET Radar, Sonar and Navigation</i> , <b>2019</b> , 13, 1287-1294	1.4	2
74	Waveform Design for MIMO Radar Transmit Beampattern Formation With Good Range Sidelobes <b>2019</b> ,		2
73	A modified dimension-reduced space-time adaptive processing method <b>2014</b> ,		2
72	CLEAN algorithm based direct-path-interference and multi-path-interference suppression in Bistatic MIMO Radar <b>2012</b> ,		2

71	An algorithm for precisely estimating loop-delay in digital predistortion system <b>2010</b> ,		2
70	Binary orthogonal code design for MIMO radar systems <b>2010</b> ,		2
69	A new frequency source based on Sigma Delta and CORDIC <b>2012</b> ,		2
68	Mitigation of autocorrelation sidelobe peaks of orthogonal discrete frequency-coding waveform for MIMO radar <b>2008</b> ,		2
67	Multiple-target localization and estimation of MIMO radars using Capon and APES techniques <b>2008</b> ,		2
66	Design and Implementation of Optical True Time Delay in Optically Controlled Phased Array Antennas <b>2006</b> ,		2
65	A Novel Doppler Radar Using only Two Pulses <b>2006</b> ,		2
64	Regularized Covariance Estimation for Polarization Radar Detection in Compound Gaussian Sea Clutter. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , <b>2022</b> , 1-1	8.1	2
63	Knowledge-aided detection for airborne MIMO radar by exploiting structured clutter spectrum. <i>IET Radar, Sonar and Navigation</i> , <b>2019</b> , 13, 612-619	1.4	2
62	Hybrid Transceiver Design for Dual-Functional Radar-Communication System <b>2020</b> ,		2
61	Joint Waveform Selection and Time-Space Resource Management in Netted Colocated MIMO Radar System for Multi-target Tracking <b>2020</b> ,		2
60	A robust colored-loading factor optimization approach for knowledge-aided STAP <b>2016</b> ,		2
59	Moving platform based distributed MIMO radar detection in compound-Gaussian clutter without training data <b>2016</b> ,		2
58	Covariance Matrix Whitening-Based Training Sample Selection Method for Airborne Radar. <i>IEEE Geoscience and Remote Sensing Letters</i> , <b>2021</b> , 18, 647-651	4.1	2
57	Waveform Design for Collocated MIMO Radar With High-Mix-Low-Resolution ADCs. <i>IEEE Transactions on Signal Processing</i> , <b>2021</b> , 69, 28-41	4.8	2
56	Beampattern Synthesis for Phased Array With Dual-Phase-Shifter Structure. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	2
55	Reduced-dimension STAP using a modified generalised sidelobe canceller for colocated MIMO radars. <i>IET Radar, Sonar and Navigation</i> , <b>2018</b> , 12, 1476-1483	1.4	2
54	Persymmetric Range-Spread Targets Detection in Compound Gaussian Sea Clutter With Inverse Gaussian Texture. <i>IEEE Geoscience and Remote Sensing Letters</i> , <b>2021</b> , 1-5	4.1	2

53	Pattern synthesis for arbitrary arrays by accurately controlling response level <b>2017</b> ,		1
52	Joint Design for MIMO Radar and Downlink Communication Systems Coexistence <b>2019</b> ,		1
51	Online Antenna-Pulse Selection for STAP by Exploiting Structured Covariance Matrix. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2019</b> , E102.A, 296-299	0.4	1
50	Approach of 2D direction of arrival estimation of FMCW traffic radar by utilising 1D array. <i>Electronics Letters</i> , <b>2020</b> , 56, 97-99	1.1	1
49	Performance analysis of airborne LFM CW-MIMO virtual array radar <b>2016</b> ,		1
48	Geometric algebra in electronics and information engineering: An introduction. <i>International Journal of Electrical Engineering and Education</i> , <b>2016</b> , 53, 252-269	0.6	1
47	Sparse recovery based moving range-spread target detection for distributed airborne MIMO radar <b>2018</b> ,		1
46	A Fast Method for Array Response Adjustment with Phase-Only Constraint <b>2019</b> ,		1
45	A Frequency Domain LMS Algorithm with Dynamic Selection of Frequency Bins. <i>Circuits, Systems, and Signal Processing</i> , <b>2012</b> , 31, 2103-2118	2.2	1
44	An effective target tracking algorithm with anti-RGPO ability <b>2012</b> ,		1
43	An analysis of anti-TDOA positioning capability for MIMO radar <b>2012</b> ,		1
42	A special complex-valued simplicial canonical piecewise linear function for amplifier and predistorter nonlinearity representation. <i>IEICE Electronics Express</i> , <b>2011</b> , 8, 1556-1561	0.5	1
41	An LMS-based close-loop digital predistorter for RF power amplifiers using NARMA structure <b>2010</b> ,		1
40	A low-cost echo cancellation algorithm in DTMB On-Channel Repeater <b>2010</b> ,		1
39	DOA Identification of Communication Emitters Based on Shapiro-Wilk Test and Divisive Hierarchical Cluster Analysis <b>2010</b> ,		1
38	Synthesis of thinned conical arrays using simulated annealing algorithm <b>2009</b> ,		1
37	Potential for Incorrect Solutions of Continuous-Time LTI System Problems When Using Eigenfunctions. <i>IEEE Transactions on Education</i> , <b>2008</b> , 51, 288-289	2.1	1
36	Multiple-target localization and estimation of MIMO radars with unknown transmitted signals <b>2008</b>		1

35	Optimization of polyphase code based on ambiguity function for MIMO radar <b>2007</b> ,		1
34	Communication-awareness adaptive resource scheduling strategy for multiple target tracking in a multiple radar system. <i>IET Signal Processing</i> ,	1.7	1
33	Beampattern Synthesis using Quantized Phase Control via Multi-point Iterative Gradient Descent. <i>IEEE Communications Letters</i> , <b>2021</b> , 1-1	3.8	1
32	Polarimetric Target Detection in Compound Gaussian Sea Clutter With Inverse Gaussian Texture. <i>IEEE Geoscience and Remote Sensing Letters</i> , <b>2022</b> , 1-1	4.1	1
31	Transmit and receive sensors joint selection for MIMO radar tracking based on PCRLB <b>2016</b> ,		1
30	GLRT Detectors for Airborne Radar Based on Knowledge-Aided and Compressive Sensing <b>2019</b> ,		1
29	Binary waveform design for MIMO radar with good transmit beampattern performance. <i>Electronics Letters</i> , <b>2019</b> , 55, 1061-1063	1.1	1
28	Joint design of the transmit and receive beamforming for multi-mission MIMO radar. <i>Signal Processing</i> , <b>2021</b> , 180, 107890	4.4	1
27	Joint Waveform Control and Resource Optimization for Maneuvering Targets Tracking in Netted Colocated MIMO Radar Systems. <i>IEEE Systems Journal</i> , <b>2021</b> , 1-12	4.3	1
26	Modeling and Tracking of Maneuvering Extended Object With Random Hypersurface. <i>IEEE Sensors Journal</i> , <b>2021</b> , 21, 20552-20562	4	1
25	Coherent detection and parameter estimation for ground moving target based on MLRT-IDCFT <b>2021</b> , 103259		1
24	Adaptive CFAR Detectors for Mismatched Signal in Compound Gaussian Sea Clutter With Inverse Gaussian Texture. <i>IEEE Geoscience and Remote Sensing Letters</i> , <b>2021</b> , 1-5	4.1	1
23	Visual Object Tracking for Unmanned Aerial Vehicles Based on the Template-Driven Siamese Network. <i>Remote Sensing</i> , <b>2022</b> , 14, 1584	5	1
22	Tracking of Maneuvering Extended Target Using Modified Variable Structure Multiple-Model Based on Adaptive Grid Best Model Augmentation. <i>Remote Sensing</i> , <b>2022</b> , 14, 1613	5	1
21	Correction to "Synthesis of sparse planar arrays using modified real genetic algorithm". <i>IEEE Transactions on Antennas and Propagation</i> , <b>2007</b> , 55, 1471-1471	4.9	0
20	Fast long-time coherent integration algorithm for detecting manoeuvring targets with high-order motion parameters based on GKT and ISCPF. <i>IET Radar, Sonar and Navigation</i> , <b>2019</b> , 13, 1313-1322	1.4	0
19	Coarseness in OTHR Image and Its Application for Diagonal Loading Factor Determination. <i>IEEE Geoscience and Remote Sensing Letters</i> , <b>2020</b> , 17, 1523-1527	4.1	0
18	Beampattern synthesis for large-scale antenna array via accurate array response control <b>2021</b> , 117, 103152		0

17	An Effective Method for Small Targets Detection in Synthetic Aperture Radar Images Under Complex Background. <i>IEEE Access</i> , <b>2022</b> , 10, 44224-44230	3.5	o
16	One-Bit ADCs/DACs based MIMO Radar: Performance Analysis and Joint Design. <i>IEEE Transactions on Signal Processing</i> , <b>2022</b> , 1-1	4.8	o
15	An Enhanced Distributed Adaptive Direct Position Determination. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2016</b> , E99.A, 1005-1010	0.4	
14	Finite data performance analysis of a sidelobe canceller. <i>Multidimensional Systems and Signal Processing</i> , <b>2017</b> , 28, 1737-1756	1.8	
13	Time Difference Estimation Based on Blind Beamforming for Wideband Emitter. <i>IEICE Transactions on Information and Systems</i> , <b>2015</b> , E98.D, 1386-1390	0.6	
12	A variable step size subband affine projection algorithm with dynamic selection of subband filters. <i>IEICE Electronics Express</i> , <b>2011</b> , 8, 715-721	0.5	
11	Correction to A Modified Real GA for the Sparse Linear Array Synthesis With Multiple Constraints [Jul 06 2169-2173]. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2010</b> , 58, 3770-3770	4.9	
10	Phase-only transmit beampattern design for large phased array antennas with multi-point nulling. <i>Multidimensional Systems and Signal Processing</i> , 1	1.8	
9	Receive filter design for MIMO radar with one-bit ADCs <b>2022</b> , 123, 103363		
8	Modified Generalized Sidelobe Canceller for Nonuniform Linear Array Radar Space-Time Adaptive Processing. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2018</b> , E101.A, 1585-1587	0.4	
7	Radio frequency interference suppression filters design for HF radar based on SOCP. <i>Journal of Engineering</i> , <b>2019</b> , 2019, 7885-7889	0.7	
6	Data Association in Bistatic MIMO of T/R-R Mode: Basis Decision and Performance Analysis. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2016</b> , E99.A, 1567-1575	0.4	
5	Tracking of Multiple Closely Spaced Extended Targets Based on Prediction-Driven Measurement Sub-Partitioning Algorithm. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 5004	2.6	
4	A Generalized Covariance Matrix Taper Model for KA-STAP in Knowledge-Aided Adaptive Radar. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2016</b> , E99.A, 1163-1170	0.4	
3	Low sidelobe waveform design with constant modulus constraint for high-frequency radar. <i>Journal of Engineering</i> , <b>2019</b> , 2019, 6085-6089	0.7	
2	Clutter Rank Estimation for Diving Platform Radar. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2018</b> , E101.A, 600-603	0.4	
1	ASCRL evaluation with parametrically constrained covariance matrix. <i>Electronics Letters</i> , <b>2018</b> , 54, 718-720		