

Kebin Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9332363/kebin-wu-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

5,700

citations

36

h-index

75

g-index

93

ext. papers

6,679

ext. citations

6.3

avg, IF

6.01

L-index

#	Paper	IF	Citations
88	Online palmprint identification. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , 2003 , 25, 1041-1050	13.3	934
87	Palmprint recognition using eigenpalms features. <i>Pattern Recognition Letters</i> , 2003 , 24, 1463-1467	4.7	349
86	Sparse Representation Based Fisher Discrimination Dictionary Learning for Image Classification. <i>International Journal of Computer Vision</i> , 2014 , 109, 209-232	10.6	343
85	Palmprint verification based on robust line orientation code. <i>Pattern Recognition</i> , 2008 , 41, 1504-1513	7.7	322
84	Feature fusion: parallel strategy vs. serial strategy. <i>Pattern Recognition</i> , 2003 , 36, 1369-1381	7.7	294
83	Palmprint verification based on principal lines. <i>Pattern Recognition</i> , 2008 , 41, 1316-1328	7.7	234
82	Feature selection and analysis on correlated gas sensor data with recursive feature elimination. <i>Sensors and Actuators B: Chemical</i> , 2015 , 212, 353-363	8.5	225
81	Two-dimensional discriminant transform for face recognition. <i>Pattern Recognition</i> , 2005 , 38, 1125-1129	7.7	223
80	Palmprint verification using binary orientation co-occurrence vector. <i>Pattern Recognition Letters</i> , 2009 , 30, 1219-1227	4.7	181
79	A Comparative Study of Palmprint Recognition Algorithms. <i>ACM Computing Surveys</i> , 2012 , 44, 1-37	13.4	156
78	Approximate Orthogonal Sparse Embedding for Dimensionality Reduction. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2016 , 27, 723-35	10.3	135
77	Personal authentication using multiple palmprint representation. <i>Pattern Recognition</i> , 2005 , 38, 1695-1704	7.7	112
76	A fast kernel-based nonlinear discriminant analysis for multi-class problems. <i>Pattern Recognition</i> , 2006 , 39, 1026-1033	7.7	92
75	Online joint palmprint and palmvein verification. <i>Expert Systems With Applications</i> , 2011 , 38, 2621-2631	7.8	88
74	High resolution partial fingerprint alignment using pore-valley descriptors. <i>Pattern Recognition</i> , 2010 , 43, 1050-1061	7.7	80
73	Adaptive fingerprint pore modeling and extraction. <i>Pattern Recognition</i> , 2010 , 43, 2833-2844	7.7	80
72	Joint discriminative dimensionality reduction and dictionary learning for face recognition. <i>Pattern Recognition</i> , 2013 , 46, 2134-2143	7.7	76

71	Robust palmprint verification using 2D and 3D features. <i>Pattern Recognition</i> , 2010 , 43, 358-368	7.7	75
70	Coarse iris classification using box-counting to estimate fractal dimensions. <i>Pattern Recognition</i> , 2005 , 38, 1791-1798	7.7	70
69	Baseline wander correction in pulse waveforms using wavelet-based cascaded adaptive filter. <i>Computers in Biology and Medicine</i> , 2007 , 37, 716-31	7	68
68	On kernel difference-weighted k-nearest neighbor classification. <i>Pattern Analysis and Applications</i> , 2008 , 11, 247-257	2.3	68
67	Sparse, collaborative, or nonnegative representation: Which helps pattern classification?. <i>Pattern Recognition</i> , 2019 , 88, 679-688	7.7	67
66	Quantitative analysis of human facial beauty using geometric features. <i>Pattern Recognition</i> , 2011 , 44, 940-950	7.7	65
65	Tongue image analysis for appendicitis diagnosis. <i>Information Sciences</i> , 2005 , 175, 160-176	7.7	62
64	Non-invasive blood glucose monitoring for diabetics by means of breath signal analysis. <i>Sensors and Actuators B: Chemical</i> , 2012 , 173, 106-113	8.5	61
63	Orientation selection using modified FCM for competitive code-based palmprint recognition. <i>Pattern Recognition</i> , 2009 , 42, 2841-2849	7.7	58
62	Calibration transfer and drift compensation of e-noses via coupled task learning. <i>Sensors and Actuators B: Chemical</i> , 2016 , 225, 288-297	8.5	57
61	Study on novel Curvature Features for 3D fingerprint recognition. <i>Neurocomputing</i> , 2015 , 168, 599-608	5.4	53
60	Tongue shape classification by geometric features. <i>Information Sciences</i> , 2010 , 180, 312-324	7.7	53
59	The relative distance of key point based iris recognition. <i>Pattern Recognition</i> , 2007 , 40, 423-430	7.7	50
58	From classifiers to discriminators: A nearest neighbor rule induced discriminant analysis. <i>Pattern Recognition</i> , 2011 , 44, 1387-1402	7.7	49
57	An analysis of IrisCode. <i>IEEE Transactions on Image Processing</i> , 2010 , 19, 522-32	8.7	44
56	A Fourier-IDA approach for image recognition. <i>Pattern Recognition</i> , 2005 , 38, 453-457	7.7	43
55	A robust signal preprocessing framework for wrist pulse analysis. <i>Biomedical Signal Processing and Control</i> , 2016 , 23, 62-75	4.9	39
54	Automatic tongue image segmentation based on gradient vector flow and region merging. <i>Neural Computing and Applications</i> , 2012 , 21, 1819-1826	4.8	39

53	Robust single-object image segmentation based on salient transition region. <i>Pattern Recognition</i> , 2016 , 52, 317-331	7.7	38
52	An assembled matrix distance metric for 2DPCA-based image recognition. <i>Pattern Recognition Letters</i> , 2006 , 27, 210-216	4.7	36
51	Joint similar and specific learning for diabetes mellitus and impaired glucose regulation detection. <i>Information Sciences</i> , 2017 , 384, 191-204	7.7	35
50	Wavelet Energy Feature Extraction and Matching for Palmprint Recognition. <i>Journal of Computer Science and Technology</i> , 2005 , 20, 411-418	1.7	35
49	Improving the transfer ability of prediction models for electronic noses. <i>Sensors and Actuators B: Chemical</i> , 2015 , 220, 115-124	8.5	33
48	Computerized diagnosis from tongue appearance using quantitative feature classification. <i>The American Journal of Chinese Medicine</i> , 2005 , 33, 859-66	6	33
47	A high quality color imaging system for computerized tongue image analysis. <i>Expert Systems With Applications</i> , 2013 , 40, 5854-5866	7.8	29
46	A novel hierarchical fingerprint matching approach. <i>Pattern Recognition</i> , 2011 , 44, 1604-1613	7.7	28
45	3D palmprint identification combining blocked ST and PCA. <i>Pattern Recognition Letters</i> , 2017 , 100, 89-95	4.7	22
44	UODV: improved algorithm and generalized theory. <i>Pattern Recognition</i> , 2003 , 36, 2593-2602	7.7	22
43	Dynamic tongueprint: A novel biometric identifier. <i>Pattern Recognition</i> , 2010 , 43, 1071-1082	7.7	21
42	Facial beauty analysis based on geometric feature: Toward attractiveness assessment application. <i>Expert Systems With Applications</i> , 2017 , 82, 252-265	7.8	20
41	Ear-parotic face angle: A unique feature for 3D ear recognition. <i>Pattern Recognition Letters</i> , 2015 , 53, 9-15	4.7	20
40	Post-processed LDA for face and palmprint recognition: What is the rationale. <i>Signal Processing</i> , 2010 , 90, 2344-2352	4.4	20
39	A Novel Medical E-Nose Signal Analysis System. <i>Sensors</i> , 2017 , 17,	3.8	19
38	Fusion of phase and orientation information for palmprint authentication. <i>Pattern Analysis and Applications</i> , 2006 , 9, 103-111	2.3	19
37	An optimized palmprint recognition approach based on image sharpness. <i>Pattern Recognition Letters</i> , 2017 , 85, 65-71	4.7	17
36	Learning acoustic features to detect Parkinson's disease. <i>Neurocomputing</i> , 2018 , 318, 102-108	5.4	17

35	Online signature verification based on null component analysis and principal component analysis. <i>Pattern Analysis and Applications</i> , 2006 , 8, 345-356	2.3	16
34	Facial image medical analysis system using quantitative chromatic feature. <i>Expert Systems With Applications</i> , 2013 , 40, 3738-3746	7.8	15
33	Computerized facial diagnosis using both color and texture features. <i>Information Sciences</i> , 2013 , 221, 49-59	7.7	15
32	Body surface feature-based multi-modal Learning for Diabetes Mellitus detection. <i>Information Sciences</i> , 2019 , 472, 1-14	7.7	15
31	A universal texture segmentation and representation scheme based on ant colony optimization for iris image processing. <i>Computers and Mathematics With Applications</i> , 2009 , 57, 1862-1868	2.7	14
30	Orientation analysis for rotated human face detection. <i>Image and Vision Computing</i> , 2002 , 20, 257-264	3.7	13
29	An LDA based sensor selection approach used in breath analysis system. <i>Sensors and Actuators B: Chemical</i> , 2011 , 157, 265-274	8.5	12
28	Sparse representation-based classification for breath sample identification. <i>Sensors and Actuators B: Chemical</i> , 2011 , 158, 43-53	8.5	12
27	Three-dimensional surface registration: A neural network strategy. <i>Neurocomputing</i> , 2006 , 70, 597-602	5.4	12
26	Face recognition based on a group decision-making combination approach. <i>Pattern Recognition</i> , 2003 , 36, 1675-1678	7.7	12
25	Improving texture analysis performance in biometrics by adjusting image sharpness. <i>Pattern Recognition</i> , 2017 , 66, 16-25	7.7	10
24	MetricFusion: Generalized metric swarm learning for similarity measure. <i>Information Fusion</i> , 2016 , 30, 80-90	16.7	10
23	Joint learning for voice based disease detection. <i>Pattern Recognition</i> , 2019 , 87, 130-139	7.7	10
22	Radial artery pulse waveform analysis based on curve fitting using discrete Fourier series. <i>Computer Methods and Programs in Biomedicine</i> , 2019 , 174, 25-31	6.9	10
21	Scaled Simplex Representation for Subspace Clustering. <i>IEEE Transactions on Cybernetics</i> , 2021 , 51, 1493-1505	11.5	10
20	Locally principal component learning for face representation and recognition. <i>Neurocomputing</i> , 2006 , 69, 1697-1701	5.4	9
19	Face recognition based on linear classifiers combination. <i>Neurocomputing</i> , 2003 , 50, 485-488	5.4	9
18	Improvements on the uncorrelated optimal discriminant vectors. <i>Pattern Recognition</i> , 2003 , 36, 1921-1927	7.7	9

17	Combining a causal effect criterion for evaluation of facial attractiveness models. <i>Neurocomputing</i> , 2016 , 177, 98-109	5.4	8
16	2D facial landmark model design by combining key points and inserted points. <i>Expert Systems With Applications</i> , 2015 , 42, 7858-7868	7.8	7
15	GMAT: Glottal closure instants detection based on the Multiresolution Absolute Teager-Kaiser energy operator 2017 , 69, 286-299		7
14	Median Fisher Discriminator: a robust feature extraction method with applications to biometrics. <i>Frontiers of Computer Science</i> , 2008 , 2, 295-305		7
13	What is wrong with mesh PCA in coordinate direction normalization. <i>Pattern Recognition</i> , 2006 , 39, 2244-2247	7.7	6
12	A fast evolutionary pursuit algorithm based on linearly combining vectors. <i>Pattern Recognition</i> , 2006 , 39, 310-312	7.7	5
11	Online Palmprint Identification System for Civil Applications. <i>Journal of Computer Science and Technology</i> , 2005 , 20, 70-76	1.7	5
10	Highly shared Convolutional Neural Networks. <i>Expert Systems With Applications</i> , 2021 , 175, 114782	7.8	5
9	A linear edge model and its application in lossless image coding. <i>Signal Processing: Image Communication</i> , 2004 , 19, 955-958	2.8	4
8	Parameter by Parameter Algorithm for Multilayer Perceptrons. <i>Neural Processing Letters</i> , 2006 , 23, 229-242	4.1	3
7	High-parameter-efficiency convolutional neural networks. <i>Neural Computing and Applications</i> , 2020 , 32, 10633-10644	4.8	3
6	3D palmprint identification using blocked histogram and improved sparse representation-based classifier. <i>Neural Computing and Applications</i> , 2020 , 32, 12547-12560	4.8	2
5	Facial Feature Extraction Method Based on Coefficients of Variances. <i>Journal of Computer Science and Technology</i> , 2007 , 22, 626-632	1.7	2
4	The . <i>Applied Mathematics Letters</i> , 2007 , 20, 59-64	3.5	2
3	Influence of sampling rate on voice analysis for assessment of Parkinson's disease. <i>Journal of the Acoustical Society of America</i> , 2018 , 144, 1416	2.2	2
2	Fast and convergence-guaranteed algorithm for linear separation. <i>Science China Information Sciences</i> , 2010 , 53, 729-737	3.4	0
1	A fast BNM (Best Neighborhood Matching): Algorithm and parallel processing for image restoration. <i>International Journal of Imaging Systems and Technology</i> , 2003 , 13, 189-200	2.5	