

Laura D Ellingson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9332642/publications.pdf>

Version: 2024-02-01

20
papers

648
citations

758635

12
h-index

752256

20
g-index

21
all docs

21
docs citations

21
times ranked

1144
citing authors

#	ARTICLE	IF	CITATIONS
1	Facilitated Health Coaching Improves Activity Level and Chronic Low back Pain Symptoms. <i>Translational Journal of the American College of Sports Medicine</i> , 2022, 7, .	0.3	1
2	Determinants of exercise behaviour in persons with Parkinson's disease. <i>Disability and Rehabilitation</i> , 2021, 43, 696-702.	0.9	18
3	A qualitative analysis of barriers and facilitators to reducing sedentary time in adults with chronic low back pain. <i>BMC Public Health</i> , 2021, 21, 215.	1.2	6
4	The Behavioral Wellness in Pregnancy study: a randomized controlled trial of a multi-component intervention to promote appropriate weight gain. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1071-1079.	2.2	13
5	Intervening to reduce sedentary behavior in older adults – pilot results. <i>Health Promotion Perspectives</i> , 2019, 9, 71-76.	0.8	15
6	Evaluating Motivational Interviewing and Habit Formation to Enhance the Effect of Activity Trackers on Healthy Adults' Activity Levels: Randomized Intervention. <i>JMIR MHealth and UHealth</i> , 2019, 7, e10988.	1.8	43
7	Adapted Sojourn Models to Estimate Activity Intensity in Youth. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 846-854.	0.2	8
8	Changes in sedentary time are associated with changes in mental wellbeing over 1-year in young adults. <i>Preventive Medicine Reports</i> , 2018, 11, 274-281.	0.8	38
9	Lab-based validation of different data processing methods for wrist-worn ActiGraph accelerometers in young adults. <i>Physiological Measurement</i> , 2017, 38, 1045-1060.	1.2	22
10	Surveillance of Youth Physical Activity and Sedentary Behavior With Wrist Accelerometry. <i>American Journal of Preventive Medicine</i> , 2017, 52, 872-879.	1.6	26
11	Comparative effectiveness of guided weight loss and physical activity monitoring for weight loss and metabolic risks: A pilot study. <i>Preventive Medicine Reports</i> , 2017, 6, 271-277.	0.8	3
12	Understanding and Interpreting Error in Physical Activity Data: Insights from the FLASHE Study. <i>American Journal of Preventive Medicine</i> , 2017, 52, 836-838.	1.6	7
13	Cerebral white matter structure is disrupted in Gulf War Veterans with chronic musculoskeletal pain. <i>Pain</i> , 2017, 158, 2364-2375.	2.0	30
14	Nonworksite Interventions to Reduce Sedentary Behavior among Adults: A Systematic Review. <i>Translational Journal of the American College of Sports Medicine</i> , 2017, 2, 68-78.	0.3	10
15	Wearable Technology Reduces Prolonged Bouts of Sedentary Behavior. <i>Translational Journal of the American College of Sports Medicine</i> , 2016, 1, 10-17.	0.3	13
16	Validity of an Integrative Method for Processing Physical Activity Data. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1629-1638.	0.2	64
17	Does exercise induce hypoalgesia through conditioned pain modulation?. <i>Psychophysiology</i> , 2014, 51, 267-276.	1.2	80
18	Active and Sedentary Behaviors Influence Feelings of Energy and Fatigue in Women. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 192-200.	0.2	44

#	ARTICLE	IF	CITATIONS
19	Physical Activity Is Related to Pain Sensitivity in Healthy Women. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 1401-1406.	0.2	71
20	Physical Activity, Sustained Sedentary Behavior, and Pain Modulation in Women With Fibromyalgia. <i>Journal of Pain</i> , 2012, 13, 195-206.	0.7	136