

Soo-Kyung Cho

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9333057/soo-kyung-cho-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

1,042
citations

18
h-index

27
g-index

107
ext. papers

1,339
ext. citations

3.2
avg, IF

4.21
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 101 | COX-2 Inhibitor Use as an Early Treatment Option for Knee Osteoarthritis Patients in Korea: A Population-Based Cross-Sectional Study.. <i>Journal of Korean Medical Science</i> , 2022 , 37, e148 | 4.7 | 0 |
| 100 | Comparative Effectiveness of Azathioprine Versus Cyclosporine as an Initial Treatment for Idiopathic Inflammatory Myopathies: A Population-Based Observational Study. <i>Rheumatology and Therapy</i> , 2021 , 1 | 4.4 | |
| 99 | Developing the Korean Educational Needs Assessment Tool (Korean ENAT) in rheumatoid arthritis: cross-cultural validation using Rasch analysis. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 1014-1022 | 2.5 | 1 |
| 98 | Increased risk of malignancy in patients with systemic lupus erythematosus: population-based cohort study in Korea. <i>Arthritis Research and Therapy</i> , 2021 , 23, 270 | 5.7 | 1 |
| 97 | Validation of claims-based algorithms to identify patients with psoriasis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 868-874 | 2.6 | 1 |
| 96 | Gender differences in factors associated with low quality of life and depression in Korean patients with ankylosing spondylitis. <i>Quality of Life Research</i> , 2021 , 30, 2299-2310 | 3.7 | 1 |
| 95 | Update on Glucocorticoid Induced Osteoporosis. <i>Endocrinology and Metabolism</i> , 2021 , 36, 536-543 | 3.5 | 0 |
| 94 | Effectiveness of bazedoxifene in preventing glucocorticoid-induced bone loss in rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2021 , 23, 176 | 5.7 | 1 |
| 93 | Risk of Tuberculosis Development in Patients with Rheumatoid Arthritis Receiving Targeted Therapy: a Prospective Single Center Cohort Study. <i>Journal of Korean Medical Science</i> , 2021 , 36, e70 | 4.7 | 2 |
| 92 | Fracture Risk and Its Prevention Patterns in Korean Patients with Polymyalgia Rheumatica: a Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2021 , 36, e263 | 4.7 | 1 |
| 91 | Comparison of healthcare resource utilization and medical costs between patients with seropositive and seronegative rheumatoid arthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021 , 13, 1759720X211024830 | 3.8 | 1 |
| 90 | Prevalence, incidence and cause-specific mortality of rheumatoid arthritis-associated interstitial lung disease among older rheumatoid arthritis patients. <i>Rheumatology</i> , 2021 , 60, 3689-3698 | 3.9 | 6 |
| 89 | The usefulness of trabecular bone score in patients with ankylosing spondylitis. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 1211-1220 | 2.5 | 8 |
| 88 | Uptake of Biosimilars and Its Economic Implication for the Treatment of Patients with Rheumatoid Arthritis in Korea. <i>Journal of Korean Medical Science</i> , 2021 , 36, e143 | 4.7 | 0 |
| 87 | Temporal relationship between idiopathic inflammatory myopathies and malignancies and its mortality: a nationwide population-based study. <i>Clinical Rheumatology</i> , 2020 , 39, 3409-3416 | 3.9 | 1 |
| 86 | Validation of claims-based algorithms to identify interstitial lung disease in patients with rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 592-597 | 5.3 | 6 |
| 85 | Factors for starting biosimilar TNF inhibitors in patients with rheumatic diseases in the real world. <i>PLoS ONE</i> , 2020 , 15, e0227960 | 3.7 | 5 |

| | | | |
|----|---|-----|----|
| 84 | Intervention Thresholds for Treatment in Patients with Glucocorticoid-Induced Osteoporosis: Systematic Review of Guidelines. <i>Journal of Bone Metabolism</i> , 2020 , 27, 247-259 | 2.7 | 3 |
| 83 | The Prevalence of Sjögren's Syndrome in Rheumatoid Arthritis Patients and Their Clinical Features. <i>Journal of Korean Medical Science</i> , 2020 , 35, e369 | 4.7 | 2 |
| 82 | Treatment strategy for patients with rheumatoid arthritis. <i>Journal of the Korean Medical Association</i> , 2020 , 63, 422-430 | 0.5 | 4 |
| 81 | Effect of a Nationwide Real-Time Drug Utilization Review System on Duplicated Nonsteroidal Antiinflammatory Drug Prescriptions in Korea. <i>Arthritis Care and Research</i> , 2020 , 72, 1374-1382 | 4.7 | 3 |
| 80 | Validation of claims-based algorithms for psoriatic arthritis. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 404-408 | 2.6 | 3 |
| 79 | An increased disease burden of autoimmune inflammatory rheumatic diseases in Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 526-533 | 5.3 | 14 |
| 78 | Genome-wide association study in a Korean population identifies six novel susceptibility loci for rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1438-1445 | 2.4 | 12 |
| 77 | Risk of malignancy in Korean patients with primary Sjögren's syndrome. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 1240-1247 | 2.3 | 4 |
| 76 | Increased risk of malignancy in patients aged over 50 with idiopathic inflammatory myositis compared to patients with osteoarthritis of the knee. <i>Modern Rheumatology</i> , 2020 , 30, 870-877 | 3.3 | 1 |
| 75 | Deletion at 2q14.3 is associated with worse response to TNF-blockers in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019 , 21, 195 | 5.7 | 1 |
| 74 | Clinical outcomes of patients with active rheumatoid arthritis with normal acute phase reactant values. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 852-859 | 2.3 | |
| 73 | Increased risk of opportunistic infection in early rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 1239-1246 | 2.3 | 5 |
| 72 | Prevalence and predictors for sustained remission in rheumatoid arthritis. <i>PLoS ONE</i> , 2019 , 14, e0214981 | 3.7 | 5 |
| 71 | Incidence and Prevalence of Idiopathic Inflammatory Myopathies in Korea: a Nationwide Population-based Study. <i>Journal of Korean Medical Science</i> , 2019 , 34, e55 | 4.7 | 13 |
| 70 | Validation of algorithms to identify knee osteoarthritis patients in the claims database. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 890-896 | 2.3 | 10 |
| 69 | Nonsteroidal Anti-inflammatory Drugs-sparing Effect of Symptomatic Slow-acting Drugs for Osteoarthritis in Knee Osteoarthritis Patients. <i>Journal of Rheumatic Diseases</i> , 2019 , 26, 179 | 1.2 | 5 |
| 68 | Malignancy risk in Korean male patients with ankylosing spondylitis. <i>Rheumatology International</i> , 2019 , 39, 1741-1748 | 3.6 | 5 |
| 67 | Factors related to the use of opioids as early treatment in patients with knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2019 , 21, 222 | 5.7 | 10 |

| | | | |
|----|---|-----|----|
| 66 | International descriptive study for comparison of treatment patterns in patients with knee osteoarthritis between Korea and Japan using claims data. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 2052-2058 | 2.3 | 4 |
| 65 | Treatment patterns of knee osteoarthritis patients in Korea. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 1145-1153 | 2.5 | 15 |
| 64 | A Case of Hepatic Inflammatory Pseudotumor Occurred in a Patient with Lupus Nephritis. <i>Journal of Rheumatic Diseases</i> , 2019 , 26, 137 | 1.2 | |
| 63 | Usability Evaluation of an Image-based Pill Identification Application. <i>Journal of Rheumatic Diseases</i> , 2019 , 26, 111 | 1.2 | 0 |
| 62 | A paradigm shift in studies based on rheumatoid arthritis clinical registries. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 974-981 | 2.5 | 2 |
| 61 | Comparative effectiveness of oral pharmacologic interventions for knee osteoarthritis: A network meta-analysis. <i>Modern Rheumatology</i> , 2018 , 28, 1021-1028 | 3.3 | 29 |
| 60 | Update on the prevalence and incidence of rheumatoid arthritis in Korea and an analysis of medical care and drug utilization. <i>Rheumatology International</i> , 2018 , 38, 649-656 | 3.6 | 31 |
| 59 | Glucocorticoids Are Associated with an Increased Risk for Vertebral Fracture in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2018 , 45, 612-620 | 4.1 | 12 |
| 58 | Factors associated with quality of life and functional disability among rheumatoid arthritis patients treated with disease-modifying anti-rheumatic drugs for at least 6 months. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1001-1009 | 2.3 | 3 |
| 57 | Clinical characteristics of multifocal osteonecrosis in Korean patients with rheumatic disease. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 1301-1308 | 2.3 | 5 |
| 56 | Korean Red Ginseng exhibits no significant adverse effect on disease activity in patients with rheumatoid arthritis: a randomized, double-blind, crossover study. <i>Journal of Ginseng Research</i> , 2018 , 42, 144-148 | 5.8 | 7 |
| 55 | Impact of Osteoarthritis on Household Catastrophic Health Expenditures in Korea. <i>Journal of Korean Medical Science</i> , 2018 , 33, e161 | 4.7 | 9 |
| 54 | Isoniazid treatment for latent tuberculosis infection is tolerable for rheumatoid arthritis patients receiving tumor necrosis factor inhibitor therapy. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 1016-1024 | 2.5 | 3 |
| 53 | Systemic review: agreement between the latent tuberculosis screening tests among patients with rheumatic diseases. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 1241-1251 | 2.5 | 4 |
| 52 | Impact of anti-rheumatic treatment on cardiovascular risk in Asian patients with rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 47, 501-506 | 5.3 | 10 |
| 51 | Productivity Loss of Rheumatoid Arthritis Patients according to the Their Stages of the Disease Activity Score. <i>Journal of Rheumatic Diseases</i> , 2018 , 25, 122 | 1.2 | 1 |
| 50 | Antiphospholipid Antibody Positivity and the Clinical Outcomes of Patients with Systemic Lupus Erythematosus. <i>Journal of Rheumatic Diseases</i> , 2018 , 25, 239 | 1.2 | 3 |
| 49 | Cross-cultural adaptation and validation of the Korean Version of the Functional Index for Hand Osteoarthritis (FIHOA). <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 2095-2103 | 2.3 | 9 |

| | | | |
|----|---|-----|----|
| 48 | Case of Polymyalgia Rheumatica Misdiagnosed as Infectious Spondylitis. <i>Journal of Rheumatic Diseases</i> , 2018 , 25, 140 | 1.2 | |
| 47 | What factors affect discordance between physicians and patients in the global assessment of disease activity in rheumatoid arthritis?. <i>Modern Rheumatology</i> , 2017 , 27, 35-41 | 3.3 | 9 |
| 46 | Safety of resuming biologic DMARDs in patients who develop tuberculosis after anti-TNF treatment. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 102-107 | 5.3 | 6 |
| 45 | Comparative effectiveness of treatment options after conventional DMARDs failure in rheumatoid arthritis. <i>Rheumatology International</i> , 2017 , 37, 975-982 | 3.6 | 8 |
| 44 | Characteristics and outcomes of rheumatoid arthritis patients who started biosimilar infliximab. <i>Rheumatology International</i> , 2017 , 37, 1007-1014 | 3.6 | 8 |
| 43 | Impact of midfoot and Hindfoot involvement on functional disability in Korean patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 365 | 2.8 | 14 |
| 42 | Cardiovascular and Gastrointestinal Effects of Etoricoxib in the Treatment of Osteoarthritis: A Systematic Review and Network Meta-analysis. <i>Journal of Rheumatic Diseases</i> , 2017 , 24, 293 | 1.2 | 3 |
| 41 | Impact of early diagnosis on functional disability in rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 738-746 | 2.5 | 11 |
| 40 | Pharmacologic treatment of rheumatoid arthritis. <i>Journal of the Korean Medical Association</i> , 2017 , 60, 156 | 0.5 | 4 |
| 39 | Impact of interstitial lung disease on mortality of patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2017 , 37, 1735-1745 | 3.6 | 23 |
| 38 | Clinical characteristics and outcomes of diffuse alveolar hemorrhage in patients with systemic lupus erythematosus. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 46, 782-787 | 5.3 | 24 |
| 37 | The risk of malignancy and its incidence in early rheumatoid arthritis patients treated with biologic DMARDs. <i>Arthritis Research and Therapy</i> , 2017 , 19, 277 | 5.7 | 6 |
| 36 | A Case of Refractory Oral Aphthous Ulcer Successfully Treated with Adalimumab. <i>Journal of Rheumatic Diseases</i> , 2017 , 24, 157 | 1.2 | |
| 35 | Factors associated with atypical femoral fracture. <i>Rheumatology International</i> , 2016 , 36, 65-71 | 3.6 | 15 |
| 34 | Agreement of Major Diagnosis and Comorbidity between Self-reported Questionnaire and Medical Record Review in Patients with Rheumatic Disease. <i>Journal of Rheumatic Diseases</i> , 2016 , 23, 348 | 1.2 | 1 |
| 33 | Impact of Patient Education on the Satisfaction of Rheumatoid Arthritis Patients: A Randomized Trial of Nurse-led Versus Medical Doctor-led Education. <i>Journal of Rheumatic Diseases</i> , 2016 , 23, 109 | 1.2 | 3 |
| 32 | Drug retention and safety of TNF inhibitors in elderly patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 333 | 2.8 | 21 |
| 31 | Association-heterogeneity mapping identifies an Asian-specific association of the GTF2I locus with rheumatoid arthritis. <i>Scientific Reports</i> , 2016 , 6, 27563 | 4.9 | 13 |

| | | | |
|----|---|-----|----|
| 30 | Association between trabecular bone score and risk factors for fractures in Korean female patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2016 , 26, 540-5 | 3.3 | 16 |
| 29 | Imputing Variants in HLA-DR Beta Genes Reveals That HLA-DRB1 Is Solely Associated with Rheumatoid Arthritis and Systemic Lupus Erythematosus. <i>PLoS ONE</i> , 2016 , 11, e0150283 | 3.7 | 17 |
| 28 | Factors Contributing to Discordance between the 2011 ACR/EULAR Criteria and Physician Clinical Judgment for the Identification of Remission in Patients with Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1907-1913 | 4.7 | 6 |
| 27 | Prevalence and possible causes of hypouricemia at a tertiary care hospital. <i>Korean Journal of Internal Medicine</i> , 2016 , 31, 971-6 | 2.5 | 17 |
| 26 | Mapping health assessment questionnaire disability index (HAQ-DI) score, pain visual analog scale (VAS), and disease activity score in 28 joints (DAS28) onto the EuroQol-5D (EQ-5D) utility score with the KOREan Observational study Network for Arthritis (KORONA) registry data. <i>Rheumatology International</i> , 2016 , 36, 505-13 | 3.6 | 15 |
| 25 | Incidence and risk factors of fractures in patients with rheumatoid arthritis: an Asian prospective cohort study. <i>Rheumatology International</i> , 2016 , 36, 1205-14 | 3.6 | 21 |
| 24 | The frequency of and risk factors for osteoporosis in Korean patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 98 | 2.8 | 28 |
| 23 | High-density genotyping of immune loci in Koreans and Europeans identifies eight new rheumatoid arthritis risk loci. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, e13 | 2.4 | 76 |
| 22 | Factors Associated with the Use of Complementary and Alternative Medicine for Korean Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 2075-81 | 4.1 | 18 |
| 21 | Incidence of Tuberculosis in Rheumatoid Arthritis Patients Using Anti-Tumor Necrosis Factor Agents following Latent Tuberculosis Infection Screening Strategies. <i>Journal of Rheumatic Diseases</i> , 2015 , 22, 223 | 1.2 | 3 |
| 20 | Head-to-head comparison of the safety of tocilizumab and tumor necrosis factor inhibitors in rheumatoid arthritis patients (RA) in clinical practice: results from the registry of Japanese RA patients on biologics for long-term safety (REAL) registry. <i>Arthritis Research and Therapy</i> , 2015 , 17, 74 | 5.7 | 42 |
| 19 | Validity and role of vertebral fracture assessment in detecting prevalent vertebral fracture in patients with rheumatoid arthritis. <i>Joint Bone Spine</i> , 2014 , 81, 149-53 | 2.9 | 10 |
| 18 | The risk of serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors decreased over time: a report from the registry of Japanese rheumatoid arthritis patients on biologics for long-term safety (REAL) database. <i>Rheumatology International</i> , 2014 , 34, 1729-36 | 3.6 | 9 |
| 17 | The Present and Future of Clinical Research for Korean Lupus Patients. <i>Journal of Rheumatic Diseases</i> , 2014 , 21, 54 | 1.2 | 1 |
| 16 | The influence of vertebral fracture on the functional disability of patients with rheumatoid arthritis. <i>Journal of Korean Medical Science</i> , 2014 , 29, 859-63 | 4.7 | 4 |
| 15 | The role of bone scintigraphy in the diagnosis of rheumatoid arthritis according to the 2010 ACR/EULAR classification criteria. <i>Journal of Korean Medical Science</i> , 2014 , 29, 204-9 | 4.7 | 10 |
| 14 | Prediction for TNF Inhibitor Users in RA Patients According to Reimbursement Criteria Based on DAS28. <i>Journal of Rheumatic Diseases</i> , 2014 , 21, 64 | 1.2 | 6 |
| 13 | A comparison of incidence and risk factors for serious adverse events in rheumatoid arthritis patients with etanercept or adalimumab in Korea and Japan. <i>Modern Rheumatology</i> , 2014 , 24, 572-9 | 3.3 | 6 |

| | | | |
|----|--|-----|----|
| 12 | Observational Cohort Studies in Rheumatic Diseases. <i>Korean Journal of Medicine</i> , 2014 , 87, 548 | 0.5 | 1 |
| 11 | Are glucocorticoid-induced osteoporosis recommendations sufficient to determine antiosteoporotic treatment for patients with rheumatoid arthritis?. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 509-15 | 2.5 | 4 |
| 10 | Prevalence and incidence of rheumatoid arthritis in South Korea. <i>Rheumatology International</i> , 2013 , 33, 1525-32 | 3.6 | 53 |
| 9 | Factors influencing quality of life (QOL) for Korean patients with rheumatoid arthritis (RA). <i>Rheumatology International</i> , 2013 , 33, 93-102 | 3.6 | 26 |
| 8 | Development of an algorithm for identifying rheumatoid arthritis in the Korean National Health Insurance claims database. <i>Rheumatology International</i> , 2013 , 33, 2985-92 | 3.6 | 55 |
| 7 | Factors influencing discrepancies between the QuantiFERON-TB gold in tube test and the tuberculin skin test in Korean patients with rheumatic diseases. <i>Seminars in Arthritis and Rheumatism</i> , 2013 , 42, 424-32 | 5.3 | 25 |
| 6 | Korean Observational Study Network for Arthritis (KORONA): establishment of a prospective multicenter cohort for rheumatoid arthritis in South Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2012 , 41, 745-51 | 5.3 | 46 |
| 5 | Etanercept induced organizing pneumonia in a patient with rheumatoid arthritis. <i>Rheumatology International</i> , 2012 , 32, 1055-7 | 3.6 | 18 |
| 4 | Do patients with elderly-onset rheumatoid arthritis have severe functional disability?. <i>Seminars in Arthritis and Rheumatism</i> , 2012 , 42, 23-31 | 5.3 | 30 |
| 3 | Impact of comorbidities on TNF inhibitor persistence in rheumatoid arthritis patients: an analysis of Korean National Health Insurance claims data. <i>Rheumatology International</i> , 2012 , 32, 3851-6 | 3.6 | 22 |
| 2 | Impact of Change in Reimbursement Guideline of Rheumatoid Arthritis on the Short Term Persistence of Tumor Necrosis Factor (TNF) Blockers. <i>Journal of Rheumatic Diseases</i> , 2011 , 18, 283 | 1.2 | 3 |
| 1 | Treatment Persistence with TNF Blocker in Korean Rheumatoid Arthritis Patients. <i>Journal of Rheumatic Diseases</i> , 2011 , 18, 161 | 1.2 | 3 |