

MarÃ-a Vergara-BarberÃ;n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9333562/publications.pdf>

Version: 2024-02-01

26
papers

436
citations

777949

13
h-index

799663

21
g-index

27
all docs

27
docs citations

27
times ranked

664
citing authors

#	ARTICLE	IF	CITATIONS
1	Selection and characterization of DNA aptamers for highly selective recognition of the major allergen of olive pollen Ole e 1. <i>Analytica Chimica Acta</i> , 2022, 1192, 339334.	2.6	3
2	Why Sensors Need Microfluidics? Real World Applications. , 2022, , .		0
3	Reticular framework materials in miniaturized and emerging formats in analytical chemistry. <i>Journal of Chromatography A</i> , 2022, 1673, 463092.	1.8	3
4	Determination of antibiotics in meat samples using analytical methodologies: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 1681-1716.	5.9	42
5	Recent advances in aptamer-based miniaturized extraction approaches in food analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 138, 116230.	5.8	26
6	Boronate affinity sorbents based on thiol-functionalized polysiloxane-polymethacrylate composite materials in syringe format for selective extraction of glycopeptides. <i>Microchemical Journal</i> , 2021, 164, 106018.	2.3	13
7	Monolithic solids: synthesis and uses in microextraction techniques. , 2021, , 393-426.		0
8	In syringe hybrid monoliths modified with gold nanoparticles for selective extraction of glutathione in biological fluids prior to its determination by HPLC. <i>Talanta</i> , 2020, 209, 120566.	2.9	17
9	Poly(ethylene glycol) diacrylate-based solid-phase extraction for determination of sulfonamides in meat samples. <i>Microchemical Journal</i> , 2020, 157, 104931.	2.3	12
10	Polymeric monolithic microcartridges with gold nanoparticles for the analysis of protein biomarkers by on-line solid-phase extraction capillary electrophoresis-mass spectrometry. <i>Journal of Chromatography A</i> , 2020, 1622, 461097.	1.8	23
11	Current trends in affinity-based monoliths in microextraction approaches: A review. <i>Analytica Chimica Acta</i> , 2019, 1084, 1-20.	2.6	38
12	New In-Depth Analytical Approach of the Porcine Seminal Plasma Proteome Reveals Potential Fertility Biomarkers. <i>Journal of Proteome Research</i> , 2018, 17, 1065-1076.	1.8	50
13	Poly(ethylene glycol) diacrylate based monolithic capillary columns for the analysis of polar small solutes by capillary electrochromatography. <i>Journal of Separation Science</i> , 2018, 41, 2632-2639.	1.3	10
14	Sterol profiles of Tunisian virgin olive oils: classification among different cultivars and maturity indexes. <i>European Food Research and Technology</i> , 2018, 244, 675-684.	1.6	5
15	Proteomic fingerprinting of mistletoe (<i>Viscum album</i> L.) via combinatorial peptide ligand libraries and mass spectrometry analysis. <i>Journal of Proteomics</i> , 2017, 164, 52-58.	1.2	10
16	Polymeric sorbents modified with gold and silver nanoparticles for solid-phase extraction of proteins followed by MALDI-TOF analysis. <i>Mikrochimica Acta</i> , 2017, 184, 1683-1690.	2.5	21
17	Enzyme-assisted extraction of proteins from Citrus fruits and prediction of their cultivar using protein profiles obtained by capillary gel electrophoresis. <i>Food Control</i> , 2017, 72, 14-19.	2.8	20
18	Use of triacylglycerol profiles established by HPLC-UV and ELSD to predict cultivar and maturity of Tunisian olive oils. <i>European Food Research and Technology</i> , 2016, 242, 1607-1619.	1.6	7

#	ARTICLE	IF	CITATIONS
19	Cultivar discrimination and prediction of mixtures of Tunisian extra virgin olive oils by FTIR. <i>European Journal of Lipid Science and Technology</i> , 2016, 118, 1236-1242.	1.0	14
20	Classification of Tunisian extra virgin olive oils according to their genetic variety and maturity index using fatty acid profiles established by direct infusion mass spectrometry. <i>European Journal of Lipid Science and Technology</i> , 2016, 118, 735-743.	1.0	5
21	Solid-phase extraction based on ground methacrylate monolith modified with gold nanoparticles for isolation of proteins. <i>Analytica Chimica Acta</i> , 2016, 917, 37-43.	2.6	48
22	Cultivar discrimination of Spanish olives by using direct FTIR data combined with linear discriminant analysis. <i>European Journal of Lipid Science and Technology</i> , 2015, 117, 1473-1479.	1.0	9
23	Use of protein profiles established by <sc>CZE</sc> to predict the cultivar of olive leaves and pulps. <i>Electrophoresis</i> , 2014, 35, 1652-1659.	1.3	9
24	Classification of olive leaves and pulps according to their cultivar by using protein profiles established by capillary gel electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 1731-1738.	1.9	8
25	Efficient Extraction of Olive Pulp and Stone Proteins by using an Enzyme-Assisted Method. <i>Journal of Food Science</i> , 2014, 79, C1298-304.	1.5	17
26	Capillary Electrophoresis of Free Fatty Acids by Indirect Ultraviolet Detection: Application to the Classification of Vegetable Oils According to Their Botanical Origin. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 10775-10780.	2.4	25