

Jens C Schwamborn

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9334091/jens-c-schwamborn-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

4,313
citations

32
h-index

64
g-index

93
ext. papers

5,829
ext. citations

7.6
avg, IF

5.38
L-index

#	Paper	IF	Citations
89	Direct reprogramming of fibroblasts into neural stem cells by defined factors. <i>Cell Stem Cell</i> , 2012 , 10, 465-72	18	441
88	Guidelines for the use and interpretation of assays for monitoring autophagy (4th edition). <i>Autophagy</i> , 2021 , 17, 1-382	10.2	440
87	The TRIM-NHL protein TRIM32 activates microRNAs and prevents self-renewal in mouse neural progenitors. <i>Cell</i> , 2009 , 136, 913-25	56.2	337
86	The sequential activity of the GTPases Rap1B and Cdc42 determines neuronal polarity. <i>Nature Neuroscience</i> , 2004 , 7, 923-9	25.5	322
85	Derivation and expansion using only small molecules of human neural progenitors for neurodegenerative disease modeling. <i>PLoS ONE</i> , 2013 , 8, e59252	3.7	233
84	Derivation of Human Midbrain-Specific Organoids from Neuroepithelial Stem Cells. <i>Stem Cell Reports</i> , 2017 , 8, 1144-1154	8	216
83	Abundant occurrence of basal radial glia in the subventricular zone of embryonic neocortex of a lissencephalic primate, the common marmoset <i>Callithrix jacchus</i> . <i>Cerebral Cortex</i> , 2012 , 22, 469-81	5.1	154
82	Modeling Parkinson's disease in midbrain-like organoids. <i>Npj Parkinson's Disease</i> , 2019 , 5, 5	9.7	117
81	Differentiation of neuroepithelial stem cells into functional dopaminergic neurons in 3D microfluidic cell culture. <i>Lab on A Chip</i> , 2015 , 15, 2419-28	7.2	105
80	TRIM32 Senses and Restricts Influenza A Virus by Ubiquitination of PB1 Polymerase. <i>PLoS Pathogens</i> , 2015 , 11, e1004960	7.6	88
79	Elongation of axons during regeneration involves retinal crystallin beta b2 (crybb2). <i>Molecular and Cellular Proteomics</i> , 2007 , 6, 895-907	7.6	75
78	Nuclear localization and phosphorylation modulate pathological effects of alpha-synuclein. <i>Human Molecular Genetics</i> , 2019 , 28, 31-50	5.6	69
77	Neural stem cells in Parkinson's disease: a role for neurogenesis defects in onset and progression. <i>Cellular and Molecular Life Sciences</i> , 2015 , 72, 773-97	10.3	67
76	Discovery of inhibitors of microglial neurotoxicity acting through multiple mechanisms using a stem-cell-based phenotypic assay. <i>Cell Stem Cell</i> , 2012 , 11, 620-32	18	63
75	Millifluidic culture improves human midbrain organoid vitality and differentiation. <i>Lab on A Chip</i> , 2018 , 18, 3172-3183	7.2	61
74	Automated microfluidic cell culture of stem cell derived dopaminergic neurons. <i>Scientific Reports</i> , 2019 , 9, 1796	4.9	56
73	3D Cultures of Parkinson's Disease-Specific Dopaminergic Neurons for High Content Phenotyping and Drug Testing. <i>Advanced Science</i> , 2019 , 6, 1800927	13.6	56

72	TRIM32 regulates skeletal muscle stem cell differentiation and is necessary for normal adult muscle regeneration. <i>PLoS ONE</i> , 2012 , 7, e30445	3.7	54
71	Regrowing the adult brain: NF- κ B controls functional circuit formation and tissue homeostasis in the dentate gyrus. <i>PLoS ONE</i> , 2012 , 7, e30838	3.7	51
70	FACS-Assisted CRISPR-Cas9 Genome Editing Facilitates Parkinson's Disease Modeling. <i>Stem Cell Reports</i> , 2017 , 9, 1423-1431	8	49
69	Induced neural stem cells achieve long-term survival and functional integration in the adult mouse brain. <i>Stem Cell Reports</i> , 2014 , 3, 423-31	8	47
68	Microarray analysis of tumor necrosis factor alpha induced gene expression in U373 human glioblastoma cells. <i>BMC Genomics</i> , 2003 , 4, 46	4.5	45
67	The stimulation of dendrite growth by Sema3A requires integrin engagement and focal adhesion kinase. <i>Journal of Cell Science</i> , 2009 , 122, 2034-42	5.3	44
66	CRISPR/Cas9 and piggyBac-mediated footprint-free LRRK2-G2019S knock-in reveals neuronal complexity phenotypes and β -Synuclein modulation in dopaminergic neurons. <i>Stem Cell Research</i> , 2017 , 24, 44-50	1.6	42
65	Nurr1:RXR β heterodimer activation as monotherapy for Parkinson's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 3999-4004	11.5	39
64	The RNA helicase DDX6 regulates cell-fate specification in neural stem cells via miRNAs. <i>Nucleic Acids Research</i> , 2015 , 43, 2638-54	20.1	39
63	Neural Stem Cells of Parkinson's Disease Patients Exhibit Aberrant Mitochondrial Morphology and Functionality. <i>Stem Cell Reports</i> , 2019 , 12, 878-889	8	37
62	A complex of the ubiquitin ligase TRIM32 and the deubiquitinase USP7 balances the level of c-Myc ubiquitination and thereby determines neural stem cell fate specification. <i>Cell Death and Differentiation</i> , 2019 , 26, 728-740	12.7	36
61	Neural stem cells maintain their stemness through protein kinase C β -mediated inhibition of TRIM32. <i>Stem Cells</i> , 2011 , 29, 1437-47	5.8	36
60	Reproducible generation of human midbrain organoids for in vitro modeling of Parkinson's disease. <i>Stem Cell Research</i> , 2020 , 46, 101870	1.6	35
59	Origin-dependent neural cell identities in differentiated human iPSCs in vitro and after transplantation into the mouse brain. <i>Cell Reports</i> , 2014 , 8, 1697-1703	10.6	34
58	Rapid and robust generation of long-term self-renewing human neural stem cells with the ability to generate mature astroglia. <i>Scientific Reports</i> , 2015 , 5, 16321	4.9	32
57	The E3-ubiquitin ligase TRIM2 regulates neuronal polarization. <i>Journal of Neurochemistry</i> , 2011 , 117, 29-37	6	32
56	Induced pluripotent stem cells generated from adult bone marrow-derived cells of the nonhuman primate (<i>Callithrix jacchus</i>) using a novel quad-cistronic and excisable lentiviral vector. <i>Cellular Reprogramming</i> , 2012 , 14, 485-96	2.1	31
55	A Generalized Gene-Regulatory Network Model of Stem Cell Differentiation for Predicting Lineage Specifiers. <i>Stem Cell Reports</i> , 2016 , 7, 307-315	8	31

54	TRIM32-dependent transcription in adult neural progenitor cells regulates neuronal differentiation. <i>Cell Death and Disease</i> , 2013 , 4, e976	9.8	30
53	The parkinson's disease-associated LRRK2 mutation R1441G inhibits neuronal differentiation of neural stem cells. <i>Stem Cells and Development</i> , 2013 , 22, 2487-96	4.4	29
52	Environmental enrichment and physical exercise revert behavioral and electrophysiological impairments caused by reduced adult neurogenesis. <i>Hippocampus</i> , 2017 , 27, 36-51	3.5	28
51	Semaphorin 3A stimulates neurite extension and regulates gene expression in PC12 cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 30923-6	5.4	28
50	Regulatory feedback loop between TP73 and TRIM32. <i>Cell Death and Disease</i> , 2013 , 4, e704	9.8	26
49	Cellular organization of adult neurogenesis in the Common Marmoset. <i>Aging Cell</i> , 2011 , 10, 28-38	9.9	25
48	Tripartite containing motif 32 modulates proliferation of human neural precursor cells in HIV-1 neurodegeneration. <i>Cell Death and Differentiation</i> , 2016 , 23, 776-86	12.7	23
47	6-hydroxydopamine-induced Parkinson's disease-like degeneration generates acute microgliosis and astrogliosis in the nigrostriatal system but no bioluminescence imaging-detectable alteration in adult neurogenesis. <i>European Journal of Neuroscience</i> , 2016 , 43, 1352-65	3.5	23
46	A systemic transcriptome analysis reveals the regulation of neural stem cell maintenance by an E2F1-miRNA feedback loop. <i>Nucleic Acids Research</i> , 2013 , 41, 3699-712	20.1	22
45	Midbrain Organoids: A New Tool to Investigate Parkinson's Disease. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 359	5.7	21
44	Prox1 Is Required for Oligodendrocyte Cell Identity in Adult Neural Stem Cells of the Subventricular Zone. <i>Stem Cells</i> , 2016 , 34, 2115-29	5.8	21
43	Successes and Hurdles in Stem Cells Application and Production for Brain Transplantation. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1194	5.1	20
42	The majority of newly generated cells in the adult mouse substantia nigra express low levels of Doublecortin, but their proliferation is unaffected by 6-OHDA-induced nigral lesion or Minocycline-mediated inhibition of neuroinflammation. <i>European Journal of Neuroscience</i> , 2013 , 38, 2684-92	3.5	20
41	GTPases and the control of neuronal polarity. <i>Methods in Enzymology</i> , 2006 , 406, 715-27	1.7	19
40	Synapse alterations precede neuronal damage and storage pathology in a human cerebral organoid model of CLN3-juvenile neuronal ceroid lipofuscinosis. <i>Acta Neuropathologica Communications</i> , 2019 , 7, 222	7.3	18
39	Machine learning-assisted neurotoxicity prediction in human midbrain organoids. <i>Parkinsonism and Related Disorders</i> , 2020 , 75, 105-109	3.6	17
38	Impaired mitochondrial-endoplasmic reticulum interaction and mitophagy in Miro1-mutant neurons in Parkinson's disease. <i>Human Molecular Genetics</i> , 2020 , 29, 1353-1364	5.6	16
37	Anti-inflammatory treatment induced regenerative oligodendrogenesis in parkinsonian mice. <i>Stem Cell Research and Therapy</i> , 2012 , 3, 33	8.3	16

36	Gene regulatory network analysis reveals differences in site-specific cell fate determination in mammalian brain. <i>Frontiers in Cellular Neuroscience</i> , 2014 , 8, 437	6.1	14
35	JAM-C is an apical surface marker for neural stem cells. <i>Stem Cells and Development</i> , 2012 , 21, 757-66	4.4	14
34	Absence of TRIM32 Leads to Reduced GABAergic Interneuron Generation and Autism-like Behaviors in Mice via Suppressing mTOR Signaling. <i>Cerebral Cortex</i> , 2020 , 30, 3240-3258	5.1	14
33	TRIM32 modulates pluripotency entry and exit by directly regulating Oct4 stability. <i>Scientific Reports</i> , 2015 , 5, 13456	4.9	13
32	The neural stem cell fate determinant TRIM32 regulates complex behavioral traits. <i>Frontiers in Cellular Neuroscience</i> , 2015 , 9, 75	6.1	13
31	Single-cell sequencing of human midbrain reveals glial activation and a Parkinson-specific neuronal state.. <i>Brain</i> , 2021 ,	11.2	13
30	Reduced astrocytic reactivity in human brains and midbrain organoids with PRKN mutations. <i>Npj Parkinsons Disease</i> , 2020 , 6, 33	9.7	13
29	Mitochondrial and Clearance Impairment in p.D620N VPS35 Patient-Derived Neurons. <i>Movement Disorders</i> , 2021 , 36, 704-715	7	13
28	Non-proteolytic ubiquitination of OTULIN regulates NF- κ B signaling pathway. <i>Journal of Molecular Cell Biology</i> , 2020 , 12, 163-175	6.3	12
27	Expression of the Parkinsons Disease-Associated Gene Alpha-Synuclein is Regulated by the Neuronal Cell Fate Determinant TRIM32. <i>Molecular Neurobiology</i> , 2017 , 54, 4257-4270	6.2	11
26	MiRNAs and neural stem cells: a team to treat Parkinsons disease?. <i>RNA Biology</i> , 2012 , 9, 720-30	4.8	11
25	Single-cell transcriptomics reveals multiple neuronal cell types in human midbrain-specific organoids. <i>Cell and Tissue Research</i> , 2020 , 382, 463-476	4.2	11
24	A patient-based model of RNA mis-splicing uncovers treatment targets in Parkinsons disease. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	10
23	PINK1 deficiency impairs adult neurogenesis of dopaminergic neurons. <i>Scientific Reports</i> , 2021 , 11, 66174.9	4.9	10
22	Epitope imprinting of alpha-synuclein for sensing in Parkinsons brain organoid culture medium. <i>Biosensors and Bioelectronics</i> , 2021 , 175, 112852	11.8	9
21	Impaired serine metabolism complements LRRK2-G2019S pathogenicity in PD patients. <i>Parkinsonism and Related Disorders</i> , 2019 , 67, 48-55	3.6	8
20	Guidelines for Fluorescent Guided Biallelic HDR Targeting Selection With PiggyBac System Removal for Gene Editing. <i>Frontiers in Genetics</i> , 2019 , 10, 190	4.5	8
19	Parkinsons Disease-Associated Mutant LRRK2-Mediated Inhibition of miRNA Activity is Antagonized by TRIM32. <i>Molecular Neurobiology</i> , 2018 , 55, 3490-3498	6.2	8

18	The Notch co-repressor protein NKAP is highly expressed in adult mouse subventricular zone neural progenitor cells. <i>Neuroscience</i> , 2014 , 266, 138-49	3.9	8
17	Peptide-Imprinted Poly(hydroxymethyl 3,4-ethylenedioxythiophene) Nanotubes for Detection of β Synuclein in Human Brain Organoids. <i>ACS Applied Nano Materials</i> , 2020 , 3, 8027-8036	5.6	8
16	Genetic Architecture of Parkinson's Disease in the Indian Population: Harnessing Genetic Diversity to Address Critical Gaps in Parkinson's Disease Research. <i>Frontiers in Neurology</i> , 2020 , 11, 524	4.1	7
15	Automated high-throughput high-content autophagy and mitophagy analysis platform. <i>Scientific Reports</i> , 2019 , 9, 9455	4.9	7
14	JAM-A is a novel surface marker for NG2-Glia in the adult mouse brain. <i>BMC Neuroscience</i> , 2010 , 11, 27	3.2	7
13	Parkinson's Disease Phenotypes in Patient Neuronal Cultures and Brain Organoids Improved by 2-Hydroxypropyl- β -Cyclodextrin Treatment. <i>Movement Disorders</i> , 2021 ,	7	7
12	Monitoring the neurotransmitter release of human midbrain organoids using a redox cycling microsensor as a novel tool for personalized Parkinson's disease modelling and drug screening. <i>Analyst, The</i> , 2021 , 146, 2358-2367	5	7
11	Brain tumor stem cells. <i>Biological Chemistry</i> , 2010 , 391, 607-17	4.5	6
10	Utilization of stem cells to model Parkinson's disease [current state and future challenges. <i>Future Neurology</i> , 2016 , 11, 171-186	1.5	6
9	Impaired dopamine D3 and nicotinic acetylcholine receptor membrane localization in iPSCs-derived dopaminergic neurons from two Parkinson's disease patients carrying the LRRK2 G2019S mutation. <i>Neurobiology of Aging</i> , 2021 , 99, 65-78	5.6	6
8	LIS1 and spindle orientation in neuroepithelial cells. <i>Cell Stem Cell</i> , 2008 , 2, 193-4	18	5
7	A robust protocol for the generation of human midbrain organoids. <i>STAR Protocols</i> , 2021 , 2, 100524	1.4	4
6	The Parkinson's-disease-associated mutation LRRK2-G2019S alters dopaminergic differentiation dynamics via NR2F1. <i>Cell Reports</i> , 2021 , 37, 109864	10.6	3
5	Single-cell transcriptomics reveals multiple neuronal cell types in human midbrain-specific organoids		3
4	Quality Control Strategy for CRISPR-Cas9-Based Gene Editing Complicated by a Pseudogene. <i>Frontiers in Genetics</i> , 2019 , 10, 1297	4.5	2
3	PARK7/DJ-1 promotes pyruvate dehydrogenase activity and maintains Treg homeostasis during ageing. <i>Nature Metabolism</i> ,	14.6	2
2	A human stem cell-derived test system for agents modifying neuronal N-methyl-D-aspartate-type glutamate receptor Ca-signalling. <i>Archives of Toxicology</i> , 2021 , 95, 1703-1722	5.8	1
1	Is serine racemase (SRR) a second hit target for LRRK2-G2019S induced Parkinson's disease?. <i>Neural Regeneration Research</i> , 2021 , 16, 498-499	4.5	

