

Val Andrew Fajardo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9336113/val-andrew-fajardo-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49
papers

620
citations

15
h-index

22
g-index

55
ext. papers

865
ext. citations

4.3
avg, IF

3.91
L-index

#	Paper	IF	Citations
49	The role of SERCA and sarcolipin in adaptive muscle remodeling.. <i>American Journal of Physiology - Cell Physiology</i> , 2022 ,	5.4	4
48	Subcutaneous adipose tissue sclerostin is reduced and Wnt signaling is enhanced following 4-weeks of sprint interval training in young men with obesity.. <i>Physiological Reports</i> , 2022 , 10, e15232	2.6	0
47	Heterozygous SOD2 deletion selectively impairs SERCA function in the soleus of female mice.. <i>Physiological Reports</i> , 2022 , 10, e15285	2.6	0
46	Exploring the Effects of Greek Yogurt Supplementation and Exercise Training on Serum Lithium and Its Relationship With Musculoskeletal Outcomes in Men.. <i>Frontiers in Nutrition</i> , 2021 , 8, 798036	6.2	
45	Characterization of Alzheimer's disease-like neuropathology in Duchenne's muscular dystrophy using the DBA/2J mdx mouse model. <i>FEBS Open Bio</i> , 2021 , 12, 154	2.7	1
44	Neuronatin promotes SERCA uncoupling and its expression is altered in skeletal muscles of high-fat diet-fed mice. <i>FEBS Letters</i> , 2021 , 595, 2756-2767	3.8	3
43	Characterizing SERCA Function in Murine Skeletal Muscles after 35-37 Days of Spaceflight. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
42	Tafazzin Modulates Allergen-Induced Mast Cell Inflammatory Mediator Secretion. <i>ImmunoHorizons</i> , 2021 , 5, 182-192	2.7	1
41	Sex- and tissue-dependent creatine uptake in response to different creatine monohydrate doses in male and female Sprague-Dawley rats. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021 , 46, 1298-1302		1
40	Effects of Post-Exercise Whey Protein Consumption on Recovery Indices in Adolescent Swimmers. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
39	Calmodulin-Binding Proteins in Muscle: A Minireview on Nuclear Receptor Interacting Protein, Neurogranin, and Growth-Associated Protein 43. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	7
38	Low-dose lithium feeding increases the SERCA2a-to-phospholamban ratio, improving SERCA function in murine left ventricles. <i>Experimental Physiology</i> , 2020 , 105, 666-675	2.4	6
37	TAK1 signaling activity links the mast cell cytokine response and degranulation in allergic inflammation. <i>Journal of Leukocyte Biology</i> , 2020 , 107, 649-661	6.5	2
36	GSK3 inhibition with low dose lithium supplementation augments murine muscle fatigue resistance and specific force production. <i>Physiological Reports</i> , 2020 , 8, e14517	2.6	6
35	The role of phospholamban and GSK3 in regulating rodent cardiac SERCA function. <i>American Journal of Physiology - Cell Physiology</i> , 2020 , 319, C694-C699	5.4	3
34	Neuronatin regulates whole-body metabolism: is thermogenesis involved?. <i>FASEB BioAdvances</i> , 2020 , 2, 579-586	2.8	5
33	Neurogranin is expressed in mammalian skeletal muscle and inhibits calcineurin signaling and myoblast fusion. <i>American Journal of Physiology - Cell Physiology</i> , 2019 , 317, C1025-C1033	5.4	6

32	SERCA2a tyrosine nitration coincides with impairments in maximal SERCA activity in left ventricles from tafazzin-deficient mice. <i>Physiological Reports</i> , 2019 , 7, e14215	2.6	18
31	The Mitochondrial Transacylase, Tafazzin, Regulates for AML Stemness by Modulating Intracellular Levels of Phospholipids. <i>Cell Stem Cell</i> , 2019 , 24, 621-636.e16	18	19
30	Low dose lithium supplementation activates Wnt/ β -catenin signalling and increases bone OPG/RANKL ratio in mice. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 511, 394-397	3.4	9
29	A Low-Therapeutic Dose of Lithium Inhibits GSK3 and Enhances Myoblast Fusion in C2C12 Cells. <i>Cells</i> , 2019 , 8,	7.9	13
28	Phospholamban deficiency does not alter skeletal muscle SERCA pumping efficiency or predispose mice to diet-induced obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 316, E432-E442	6	8
27	Lpaat/Agpat4 deficiency impairs maximal force contractility in soleus and alters fibre type in extensor digitorum longus muscle. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018 , 1863, 700-711	5	5
26	Elevated whole muscle phosphatidylcholine: phosphatidylethanolamine ratio coincides with reduced SERCA activity in murine overloaded plantaris muscles. <i>Lipids in Health and Disease</i> , 2018 , 17, 47	4.4	5
25	Genetic deletion of muscle RANK or selective inhibition of RANKL is not as effective as full-length OPG-fc in mitigating muscular dystrophy. <i>Acta Neuropathologica Communications</i> , 2018 , 6, 31	7.3	23
24	Sarcolipin deletion in mdx mice impairs calcineurin signalling and worsens dystrophic pathology. <i>Human Molecular Genetics</i> , 2018 , 27, 4094-4102	5.6	20
23	Increased Prevalence of Obesity/Type 2 Diabetes and Lower Levels of Lithium in Rural Texas Counties May Explain Greater Alzheimer's Disease Risk. <i>Journal of Alzheimers Disease</i> , 2018 , 64, 303-308	4.3	8
22	Examining the Relationship between Trace Lithium in Drinking Water and the Rising Rates of Age-Adjusted Alzheimer's Disease Mortality in Texas. <i>Journal of Alzheimers Disease</i> , 2018 , 61, 425-434	4.3	27
21	Trace lithium in Texas tap water is negatively associated with all-cause mortality and premature death. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018 , 43, 412-414	3	10
20	Saturation of SERCA's lipid annulus may protect against its thermal inactivation. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 484, 456-460	3.4	6
19	Mitochondrial cristae density: a dynamic entity that is critical for energy production and metabolic power in skeletal muscle. <i>Journal of Physiology</i> , 2017 , 595, 2779-2780	3.9	11
18	Sarcolipin expression is not required for the mitochondrial enzymatic response to physical activity or diet. <i>Journal of Applied Physiology</i> , 2017 , 122, 1276-1283	3.7	1
17	Musculoskeletal structure and function in response to the combined effect of an obesogenic diet and age in male C57BL/6J mice. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1700137	5.9	10
16	Effects of sarcolipin deletion on skeletal muscle adaptive responses to functional overload and unload. <i>American Journal of Physiology - Cell Physiology</i> , 2017 , 313, C154-C161	5.4	24
15	Influence of longitudinal radiation exposure from microcomputed tomography scanning on skeletal muscle function and metabolic activity in female CD-1 mice. <i>Physiological Reports</i> , 2017 , 5, e13338	2.6	2

14	Cardiolipin content, linoleic acid composition, and tafazzin expression in response to skeletal muscle overload and unload stimuli. <i>Scientific Reports</i> , 2017 , 7, 2060	4.9	19
13	Sarcolipin deletion exacerbates soleus muscle atrophy and weakness in phospholamban overexpressing mice. <i>PLoS ONE</i> , 2017 , 12, e0173708	3.7	16
12	Muscle RANK is a key regulator of Ca ²⁺ storage, SERCA activity, and function of fast-twitch skeletal muscles. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 310, C663-72	5.4	31
11	Diaphragm assessment in mice overexpressing phospholamban in slow-twitch type I muscle fibers. <i>Brain and Behavior</i> , 2016 , 6, e00470	3.4	13
10	Cardiolipin linoleic acid content and mitochondrial cytochrome c oxidase activity are associated in rat skeletal muscle. <i>Chemistry and Physics of Lipids</i> , 2015 , 187, 50-5	3.7	12
9	Dietary docosahexaenoic acid supplementation reduces SERCA Ca ²⁺ transport efficiency in rat skeletal muscle. <i>Chemistry and Physics of Lipids</i> , 2015 , 187, 56-61	3.7	15
8	Phospholamban overexpression in mice causes a centronuclear myopathy-like phenotype. <i>DMM Disease Models and Mechanisms</i> , 2015 , 8, 999-1009	4.1	21
7	Sarcoplasmic Reticulum Phospholipid Fatty Acid Composition and Sarcolipin Content in Rat Skeletal Muscle. <i>Journal of Membrane Biology</i> , 2015 , 248, 1089-96	2.3	7
6	Sarcolipin provides a novel muscle-based mechanism for adaptive thermogenesis. <i>Exercise and Sport Sciences Reviews</i> , 2014 , 42, 136-42	6.7	30
5	Sarcolipin trumps β adrenergic receptor signaling as the favored mechanism for muscle-based diet-induced thermogenesis. <i>FASEB Journal</i> , 2013 , 27, 3871-8	0.9	40
4	Ablation of sarcolipin decreases the energy requirements for Ca ²⁺ transport by sarco(endo)plasmic reticulum Ca ²⁺ -ATPases in resting skeletal muscle. <i>FEBS Letters</i> , 2013 , 587, 1687-92	3.8	39
3	Isolation of sarcolemmal plasma membranes by mechanically skinning rat skeletal muscle fibers for phospholipid analysis. <i>Lipids</i> , 2013 , 48, 421-30	1.6	7
2	Co-expression of SERCA isoforms, phospholamban and sarcolipin in human skeletal muscle fibers. <i>PLoS ONE</i> , 2013 , 8, e84304	3.7	49
1	Influence of phospholipid species on membrane fluidity: a meta-analysis for a novel phospholipid fluidity index. <i>Journal of Membrane Biology</i> , 2011 , 244, 97-103	2.3	50