

Shujun Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9336809/shujun-wang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

4,243
citations

34
h-index

63
g-index

115
ext. papers

5,441
ext. citations

7.1
avg. IF

6.19
L-index

#	Paper	IF	Citations
113	Changes of starch during thermal processing of foods: Current status and future directions. <i>Trends in Food Science and Technology</i> , 2022 , 119, 320-337	15.3	2
112	Green synthesis of acetylated maize starch in different imidazolium carboxylate and choline carboxylate ionic liquids.. <i>Carbohydrate Polymers</i> , 2022 , 288, 119353	10.3	1
111	Methods for characterizing the structure of starch in relation to its applications: a comprehensive review. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-18	11.5	1
110	Octenyl Succinate Modification of Starch Enhances the Formation of Starch-Lipid Complexes. <i>Journal of Agricultural and Food Chemistry</i> , 2021 ,	5.7	3
109	Dissolution of Cellulose in Ionic Liquid-DMSO Mixtures: Roles of DMSO/IL Ratio and the Cation Alkyl Chain Length. <i>ACS Omega</i> , 2021 , 6, 27225-27232	3.9	1
108	Structural disorganization of cereal, tuber and bean starches in aqueous ionic liquid at room temperature: Role of starch granule surface structure. <i>Carbohydrate Polymers</i> , 2021 , 258, 117677	10.3	6
107	Effect of Drying Methods on Properties of Potato Flour and Noodles Made with Potato Flour. <i>Foods</i> , 2021 , 10,	4.9	4
106	Acid Stable α -Amylase Supplementation in Sourdough Enhanced Lactic Acid Bacterial Performance and the Quality of Bread. <i>Journal of Biobased Materials and Bioenergy</i> , 2021 , 15, 392-398	1.4	
105	In vitro digestibility of starches with different crystalline polymorphs at low α -amylase activity to substrate ratio. <i>Food Chemistry</i> , 2021 , 349, 129170	8.5	4
104	Mechanisms Underlying the Effect of Tea Extracts on Digestion of Wheat Starch. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 8227-8235	5.7	3
103	New insight into the interactions among starch, lipid and protein in model systems with different starches. <i>Food Hydrocolloids</i> , 2021 , 112, 106323	10.6	6
102	Mechanisms underlying the effect of gluten and its hydrolysates on in vitro enzymatic digestibility of wheat starch. <i>Food Hydrocolloids</i> , 2021 , 113, 106507	10.6	6
101	Effects of cooling rate and complexing temperature on the formation of starch-lauric acid- β -lactoglobulin complexes. <i>Carbohydrate Polymers</i> , 2021 , 253, 117301	10.3	2
100	Effects of Debranching on the Formation of Maize Starch-Lauric Acid- β -Lactoglobulin Complexes. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 9086-9093	5.7	2
99	Alterations of polysaccharides, starch gelatinization, and retrogradation 2021 , 171-214		
98	RS5 Produced More Butyric Acid through Regulating the Microbial Community of Human Gut Microbiota. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 3209-3218	5.7	19
97	Inhibition of in vitro enzymatic starch digestion by coffee extract. <i>Food Chemistry</i> , 2021 , 358, 129837	8.5	1

96	New insight into starch retrogradation: The effect of short-range molecular order in gelatinized starch. <i>Food Hydrocolloids</i> , 2021 , 120, 106921	10.6	8
95	Mechanistic studies of starch retrogradation and its effects on starch gel properties. <i>Food Hydrocolloids</i> , 2021 , 120, 106914	10.6	9
94	Effect of protein-fatty acid interactions on the formation of starch-lipid-protein complexes. <i>Food Chemistry</i> , 2021 , 364, 130390	8.5	3
93	Effects of Reduced Nitrogen Fertilization and Irrigation on Structure and Physicochemical Properties of Starch in Two Bread Wheat Cultivars. <i>Agriculture (Switzerland)</i> , 2021 , 11, 26	3	1
92	Molecular mechanisms underlying the formation of starch-lipid complexes during simulated food processing: A dynamic structural analysis. <i>Carbohydrate Polymers</i> , 2020 , 244, 116464	10.3	25
91	Starch-lipid and starch-lipid-protein complexes: A comprehensive review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020 , 19, 1056-1079	16.4	80
90	Starch, Treatment, and Modification 2020 , 1-26		0
89	Insights into the starch gelatinization behavior inside intact cotyledon cells. <i>International Journal of Biological Macromolecules</i> , 2020 , 163, 541-549	7.9	2
88	New insights into starch gelatinization by high pressure: Comparison with heat-gelatinization. <i>Food Chemistry</i> , 2020 , 318, 126493	8.5	17
87	Formation and migration of Edicarbonyl compounds during storage and reheating of a sugary food simulation system. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 2296-2304	4.3	3
86	Applications of ionic liquids in starch chemistry: a review. <i>Green Chemistry</i> , 2020 , 22, 2162-2183	10	55
85	Multiscale Structures of Starch Granules 2020 , 41-55		1
84	Botanical Sources of Starch 2020 , 9-27		0
83	Starch Modification and Application 2020 , 131-149		
82	Rheological, Pasting, and Textural Properties of Starch 2020 , 121-129		0
81	Phase Transitions of Starch and Molecular Mechanisms 2020 , 77-120		0
80	A method for characterizing short-range molecular order in amorphous starch. <i>Carbohydrate Polymers</i> , 2020 , 242, 116405	10.3	12
79	Revealing the mechanisms of starch amylolysis affected by tea catechins using surface plasmon resonance. <i>International Journal of Biological Macromolecules</i> , 2020 , 145, 527-534	7.9	10

78	Phase transition of maize starch in aqueous ionic liquids: Effects of water:ionic liquid ratio and cation alkyl chain length. <i>Industrial Crops and Products</i> , 2020 , 144, 112043	5.9	7
77	Insights into structure-function relationships of starch from foxtail millet cultivars grown in China. <i>International Journal of Biological Macromolecules</i> , 2020 , 155, 1176-1183	7.9	6
76	Effect of pH on formation of starch complexes with lauric acid and β -lactoglobulin. <i>LWT - Food Science and Technology</i> , 2020 , 132, 109915	5.4	1
75	Novel Green Synthesis of Octenyl Succinic Anhydride Esters of Granular Starch. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 16503-16514	8.3	5
74	Dissolution Behavior of Maize Starch in Aqueous Ionic Liquids: Effect of Anionic Structure and Water/Ionic Liquid Ratio. <i>ACS Omega</i> , 2019 , 4, 14981-14986	3.9	8
73	Modification of Glutenin and Associated Changes in Digestibility Due to Methylglyoxal during Heat Processing. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 10734-10743	5.7	16
72	Gelatinization behavior of starch: Reflecting beyond the endotherm measured by differential scanning calorimetry. <i>Food Chemistry</i> , 2019 , 284, 53-59	8.5	25
71	Dissolution of Maize Starch in Aqueous Ionic Liquids: The Role of Alkyl Chain Length of Cation and Water:Ionic Liquid Ratio. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 6898-6905	8.3	19
70	Effect of CaCl pre-treatment on the succinylation of potato starch. <i>Food Chemistry</i> , 2019 , 288, 291-296	8.5	8
69	Revisiting Mechanisms Underlying Digestion of Starches. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 8212-8226	5.7	31
68	The effect of NaCl on the formation of starch-lipid complexes. <i>Food Chemistry</i> , 2019 , 299, 125133	8.5	18
67	Toward a Better Understanding of Different Dissolution Behavior of Starches in Aqueous Ionic Liquids at Room Temperature. <i>ACS Omega</i> , 2019 , 4, 11312-11319	3.9	15
66	Effect of modified tapioca starches on the gelling properties of whey protein isolate. <i>Food Hydrocolloids</i> , 2019 , 93, 87-91	10.6	13
65	Effect of purple yam flour substitution for wheat flour on in vitro starch digestibility of wheat bread. <i>Food Chemistry</i> , 2019 , 284, 118-124	8.5	25
64	Structural Changes of Starch-Lipid Complexes during Postprocessing and Their Effect on In Vitro Enzymatic Digestibility. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 1530-1536	5.7	24
63	Interactions Between Starch, Proteins and Lipids and the Formation of Ternary Complexes With Distinct Properties 2019 , 487-493		4
62	High internal phase emulsions stabilized by starch nanocrystals. <i>Food Hydrocolloids</i> , 2018 , 82, 230-238	10.6	115
61	Mechanisms of starch gelatinization during heating of wheat flour and its effect on in vitro starch digestibility. <i>Food Hydrocolloids</i> , 2018 , 82, 370-378	10.6	54

60	Nature of phase transitions of waxy maize starch in water-ionic liquid mixtures. <i>International Journal of Biological Macromolecules</i> , 2018 , 112, 315-325	7.9	9
59	Effects of Chain Length and Degree of Unsaturation of Fatty Acids on Structure and in Vitro Digestibility of Starch-Protein-Fatty Acid Complexes. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 1872-1880	5.7	49
58	New insights into gelatinization mechanisms of cereal endosperm starches. <i>Scientific Reports</i> , 2018 , 8, 3011	4.9	25
57	Effects of particle size and water content during cooking on the physicochemical properties and in vitro starch digestibility of milled durum wheat grains. <i>Food Hydrocolloids</i> , 2018 , 77, 445-453	10.6	32
56	Starch Spherulites Prepared by a Combination of Enzymatic and Acid Hydrolysis of Normal Corn Starch. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 6357-6363	5.7	14
55	Mechanisms Underlying the Formation of Complexes between Maize Starch and Lipids. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 272-278	5.7	59
54	Toward a Better Understanding of Starch-Monoglyceride-Protein Interactions. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 13253-13259	5.7	24
53	Insights into the Formation and Structures of Starch-Protein-Lipid Complexes. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 1960-1966	5.7	62
52	Degradation of Potato Starch and the Antioxidant Activity of the Hydrolysates. <i>Journal of Food Processing and Preservation</i> , 2017 , 41, e13068	2.1	3
51	Structural Orders of Wheat Starch Do Not Determine the In Vitro Enzymatic Digestibility. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 1697-1706	5.7	74
50	Insights into structure and function of high pressure-modified starches with different crystalline polymorphs. <i>International Journal of Biological Macromolecules</i> , 2017 , 102, 414-424	7.9	16
49	Multi-scale structures and functional properties of starches from Indica hybrid, Japonica and waxy rice. <i>International Journal of Biological Macromolecules</i> , 2017 , 102, 136-143	7.9	30
48	In vitro starch digestibility of rice flour is not affected by method of cooking. <i>LWT - Food Science and Technology</i> , 2017 , 84, 536-543	5.4	28
47	Effects of Heat Stress and Cultivar on the Functional Properties of Starch in Chinese Wheat. <i>Cereal Chemistry</i> , 2017 , 94, 443-450	2.4	2
46	Multiscale Structural Changes of Wheat and Yam Starches during Cooking and Their Effect on in Vitro Enzymatic Digestibility. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 156-166	5.7	34
45	Trypsin and chymotrypsin are necessary for in vitro enzymatic digestion of rice starch. <i>RSC Advances</i> , 2017 , 7, 3660-3666	3.7	15
44	Effects of hydrothermal-alkali and freezing-thawing pre-treatments on modification of corn starch with octenyl succinic anhydride. <i>Carbohydrate Polymers</i> , 2017 , 175, 361-369	10.3	22
43	Role of α -Dicarbonyl Compounds in the Inhibition Effect of Reducing Sugars on the Formation of 2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 10084-10092	5.7	6

42	Effect of dual modification by annealing and ultrahigh pressure on properties of starches with different polymorphs. <i>Carbohydrate Polymers</i> , 2017 , 174, 549-557	10.3	16
41	Annealing improves paste viscosity and stability of starch. <i>Food Hydrocolloids</i> , 2017 , 62, 203-211	10.6	71
40	Effects of starch damage and yeast fermentation on acrylamide formation in bread. <i>Food Control</i> , 2017 , 73, 230-236	6.2	37
39	Insights into molecular structure and digestion rate of oat starch. <i>Food Chemistry</i> , 2017 , 220, 25-30	8.5	52
38	Effect of fatty acids on functional properties of normal wheat and waxy wheat starches: A structural basis. <i>Food Chemistry</i> , 2016 , 190, 285-292	8.5	117
37	Thermal and rheological properties of brown flour from Indica rice. <i>Journal of Cereal Science</i> , 2016 , 70, 270-274	3.8	34
36	Retrogradation enthalpy does not always reflect the retrogradation behavior of gelatinized starch. <i>Scientific Reports</i> , 2016 , 6, 20965	4.9	44
35	Changes of multi-scale structure during mimicked DSC heating reveal the nature of starch gelatinization. <i>Scientific Reports</i> , 2016 , 6, 28271	4.9	85
34	Molecular disassembly of rice and lotus starches during thermal processing and its effect on starch digestibility. <i>Food and Function</i> , 2016 , 7, 1188-95	6.1	60
33	Drying methods used in starch isolation change properties of C-type chestnut (<i>Castanea mollissima</i>) starches. <i>LWT - Food Science and Technology</i> , 2016 , 73, 663-669	5.4	28
32	Molecular order and functional properties of starches from three waxy wheat varieties grown in China. <i>Food Chemistry</i> , 2015 , 181, 43-50	8.5	84
31	Physicochemical properties and <i>in vitro</i> digestibility of starches from field peas grown in China. <i>LWT - Food Science and Technology</i> , 2015 , 64, 829-836	5.4	22
30	Effect of acid hydrolysis on starch structure and functionality: a review. <i>Critical Reviews in Food Science and Nutrition</i> , 2015 , 55, 1081-97	11.5	216
29	Structural and functional properties of starches from Chinese chestnuts. <i>Food Hydrocolloids</i> , 2015 , 43, 568-576	10.6	56
28	Effect of laboratory milling on properties of starches isolated from different flour millstreams of hard and soft wheat. <i>Food Chemistry</i> , 2015 , 172, 504-14	8.5	26
27	Starch Retrogradation: A Comprehensive Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2015 , 14, 568-585	16.4	708
26	Properties of starch from potatoes differing in glycemic index. <i>Food and Function</i> , 2014 , 5, 2509-15	6.1	26
25	Alkali-induced changes in functional properties and <i>in vitro</i> digestibility of wheat starch: the role of surface proteins and lipids. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 3636-43	5.7	111

24	Phase transition and swelling behaviour of different starch granules over a wide range of water content. <i>LWT - Food Science and Technology</i> , 2014 , 59, 597-604	5.4	45
23	A comparative study of annealing of waxy, normal and high-amylose maize starches: the role of amylose molecules. <i>Food Chemistry</i> , 2014 , 164, 332-8	8.5	66
22	Discovery of a low-glycaemic index potato and relationship with starch digestion in vitro. <i>British Journal of Nutrition</i> , 2014 , 111, 699-705	3.6	51
21	Pea Starch Annealing: New Insights. <i>Food and Bioprocess Technology</i> , 2013 , 6, 3564-3575	5.1	43
20	Laser-MIG arc hybrid brazing-fusion welding of Al alloy to galvanized steel with different filler metals. <i>Acta Metallurgica Sinica (English Letters)</i> , 2013 , 26, 177-182	2.5	7
19	Molecular disassembly of starch granules during gelatinization and its effect on starch digestibility: a review. <i>Food and Function</i> , 2013 , 4, 1564-80	6.1	335
18	Extraction and identification of internal granule proteins from waxy wheat starch. <i>Starch/Staerke</i> , 2013 , 65, 186-190	2.3	12
17	Effect of alkali treatment on structure and function of pea starch granules. <i>Food Chemistry</i> , 2012 , 135, 1635-42	8.5	75
16	New insights into loss of swelling power and pasting profiles of acid hydrolyzed starch granules. <i>Starch/Staerke</i> , 2012 , 64, 538-544	2.3	54
15	Phase transitions of pea starch over a wide range of water content. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 6439-46	5.7	57
14	Nature of thermal transitions of native and acid-hydrolysed pea starch: Does gelatinization really happen?. <i>Carbohydrate Polymers</i> , 2012 , 87, 1507-1514	10.3	27
13	New insights on the mechanism of acid degradation of pea starch. <i>Carbohydrate Polymers</i> , 2012 , 87, 1941-1949	10.3	99
12	Preparation and properties of halloysite nanotubes/plasticized <i>Dioscorea opposita</i> Thunb. starch composites. <i>Carbohydrate Polymers</i> , 2011 , 83, 186-191	10.3	68
11	Structural and functional properties of starches from field peas. <i>Food Chemistry</i> , 2011 , 126, 1546-52	8.5	73
10	Cloning, expression, purification, and characterization of cold-adapted α -amylase from <i>Pseudoalteromonas arctica</i> GS230. <i>Protein Journal</i> , 2010 , 29, 591-7	3.9	45
9	Granular structure and allomorph position in C-type Chinese yam starch granule revealed by SEM, ^{13}C CP/MAS NMR and XRD. <i>Food Hydrocolloids</i> , 2009 , 23, 426-433	10.6	65
8	The new insight on ultrastructure of C-type starch granules revealed by acid hydrolysis. <i>International Journal of Biological Macromolecules</i> , 2008 , 43, 216-20	7.9	14
7	Morphological and Crystalline Properties of Starches from New Sources-Traditional Chinese Medicines (TCMs). <i>Starch/Staerke</i> , 2008 , 60, 110-114	2.3	9

6	Partial characterization of starches from <i>Dioscorea opposita</i> Thunb. cultivars. <i>Journal of Food Engineering</i> , 2008 , 88, 287-293	6	15
5	The semi-crystalline growth rings of C-type pea starch granule revealed by SEM and HR-TEM during acid hydrolysis. <i>Carbohydrate Polymers</i> , 2008 , 74, 731-739	10.3	39
4	Conformation and location of amorphous and semi-crystalline regions in C-type starch granules revealed by SEM, NMR and XRD. <i>Food Chemistry</i> , 2008 , 110, 39-46	8.5	28
3	Comparison of starches separated from three different <i>F. cirrhosa</i> . <i>Journal of Food Engineering</i> , 2007 , 80, 417-422	6	12
2	Studies on the morphological, thermal and crystalline properties of starches separated from medicinal plants. <i>Journal of Food Engineering</i> , 2006 , 76, 420-426	6	25
1	Structure and Functional Properties of Purple Yam (<i>Dioscorea alata</i> L.) Starch from China. <i>Starch/Staerke</i> , 2100310	2.3	0