

# John Georgiou

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9337688/john-georgiou-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44  
papers

1,610  
citations

23  
h-index

40  
g-index

51  
ext. papers

1,855  
ext. citations

6.9  
avg, IF

3.98  
L-index

#	Paper	IF	Citations
44	Multiple roles of GluN2D-containing NMDA receptors in short-term potentiation and long-term potentiation in mouse hippocampal slices. <i>Neuropharmacology</i> , <b>2021</b> , 201, 108833	5.5	3
43	Further evidence that CP-AMPA receptors are critically involved in synaptic tag and capture at hippocampal CA1 synapses. <i>Molecular Brain</i> , <b>2021</b> , 14, 26	4.5	0
42	PKA drives an increase in AMPA receptor unitary conductance during LTP in the hippocampus. <i>Nature Communications</i> , <b>2021</b> , 12, 413	17.4	8
41	Optogenetic Manipulation of Postsynaptic cAMP Using a Novel Transgenic Mouse Line Enables Synaptic Plasticity and Enhances Depolarization Following Tetanic Stimulation in the Hippocampal Dentate Gyrus. <i>Frontiers in Neural Circuits</i> , <b>2020</b> , 14, 24	3.5	3
40	Autism-Misregulated eIF4G Microexons Control Synaptic Translation and Higher Order Cognitive Functions. <i>Molecular Cell</i> , <b>2020</b> , 77, 1176-1192.e16	17.6	32
39	Illuminating Relationships Between the Pre- and Post-synapse. <i>Frontiers in Neural Circuits</i> , <b>2020</b> , 14, 9	3.5	2
38	Mice lacking neuronal calcium sensor-1 show social and cognitive deficits. <i>Behavioural Brain Research</i> , <b>2020</b> , 381, 112420	3.4	4
37	(2,6)- and (2,6)-hydroxynorketamine inhibit the induction of NMDA receptor-dependent LTP at hippocampal CA1 synapses in mice. <i>Brain and Neuroscience Advances</i> , <b>2020</b> , 4, 2398212820957847	4	3
36	On the Role of Calcium-Permeable AMPARs in Long-Term Potentiation and Synaptic Tagging in the Rodent Hippocampus. <i>Frontiers in Synaptic Neuroscience</i> , <b>2019</b> , 11, 4	3.5	12
35	Differential sensitivity of three forms of hippocampal synaptic potentiation to depotentiation. <i>Molecular Brain</i> , <b>2019</b> , 12, 30	4.5	5
34	The Hippocampus Is the Place to Be: Opioid Receptors and LTP. <i>Cell Reports</i> , <b>2019</b> , 28, 1117-1118	10.6	1
33	The Probability of Neurotransmitter Release Governs AMPA Receptor Trafficking via Activity-Dependent Regulation of mGluR1 Surface Expression. <i>Cell Reports</i> , <b>2018</b> , 25, 3631-3646.e3	10.6	8
32	The Role of Calcium-Permeable AMPARs in Long-Term Potentiation at Principal Neurons in the Rodent Hippocampus. <i>Frontiers in Synaptic Neuroscience</i> , <b>2018</b> , 10, 42	3.5	36
31	Specific Inhibition of Phosphodiesterase-4B Results in Anxiolysis and Facilitates Memory Acquisition. <i>Neuropsychopharmacology</i> , <b>2016</b> , 41, 1080-92	8.7	38
30	A cautionary (spectral) tail: red-shifted fluorescence by DAPI-DAPI interactions. <i>Biochemical Society Transactions</i> , <b>2016</b> , 44, 46-9	5.1	27
29	Novel EP4 receptor agonist-bisphosphonate conjugate drug (C1) promotes bone formation and improves vertebral mechanical properties in the ovariectomized rat model of postmenopausal bone loss. <i>Journal of Bone and Mineral Research</i> , <b>2015</b> , 30, 670-80	6.3	20
28	Self-directed exploration provides a Ncs1-dependent learning bonus. <i>Scientific Reports</i> , <b>2015</b> , 5, 17697	4.9	17

27	Hippocampal place cell and inhibitory neuron activity in disrupted-in-schizophrenia-1 mutant mice: implications for working memory deficits. <i>NPJ Schizophrenia</i> , <b>2015</b> , 1, 15011	5.5	4
26	A Far-Red Emitting Probe for Unambiguous Detection of Mobile Zinc in Acidic Vesicles and Deep Tissue. <i>Chemical Science</i> , <b>2015</b> , 6, 1944-1948	9.4	34
25	Two-photon imaging of Zn <sup>2+</sup> dynamics in mossy fiber boutons of adult hippocampal slices. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 6786-91	11.5	27
24	Colocation and role of polyphosphates and alkaline phosphatase in apatite biomineralization of elasmobranch tesserae. <i>Acta Biomaterialia</i> , <b>2014</b> , 10, 3899-910	10.8	38
23	Neurons refine the <i>Caenorhabditis elegans</i> body plan by directing axial patterning by Wnts. <i>PLoS Biology</i> , <b>2013</b> , 11, e1001465	9.7	10
22	A 3D scanning confocal imaging method measures pit volume and captures the role of Rac in osteoclast function. <i>Bone</i> , <b>2012</b> , 51, 145-52	4.7	14
21	A co-operative regulation of neuronal excitability by UNC-7 innexin and NCA/NALCN leak channel. <i>Molecular Brain</i> , <b>2011</b> , 4, 16	4.5	21
20	Nestin is not essential for development of the CNS but required for dispersion of acetylcholine receptor clusters at the area of neuromuscular junctions. <i>Journal of Neuroscience</i> , <b>2011</b> , 31, 11547-52	6.6	37
19	N-WASp is required for Schwann cell cytoskeletal dynamics, normal myelin gene expression and peripheral nerve myelination. <i>Development (Cambridge)</i> , <b>2011</b> , 138, 1329-37	6.6	51
18	Oligomeric size of the m2 muscarinic receptor in live cells as determined by quantitative fluorescence resonance energy transfer. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 16723-38	5.4	55
17	NCS-1 in the dentate gyrus promotes exploration, synaptic plasticity, and rapid acquisition of spatial memory. <i>Neuron</i> , <b>2009</b> , 63, 643-56	13.9	138
16	Control of vertebrate skeletal mineralization by polyphosphates. <i>PLoS ONE</i> , <b>2009</b> , 4, e5634	3.7	145
15	Nck adaptor proteins control the organization of neuronal circuits important for walking. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 20973-8	11.5	76
14	NMDA receptor function and NMDA receptor-dependent phosphorylation of huntingtin is altered by the endocytic protein HIP1. <i>Journal of Neuroscience</i> , <b>2007</b> , 27, 2298-308	6.6	37
13	Huntingtin-interacting protein 1 influences worm and mouse presynaptic function and protects <i>Caenorhabditis elegans</i> neurons against mutant polyglutamine toxicity. <i>Journal of Neuroscience</i> , <b>2007</b> , 27, 11056-64	6.6	52
12	Defective place cell activity in nociceptin receptor knockout mice with elevated NMDA receptor-dependent long-term potentiation. <i>Journal of Physiology</i> , <b>2005</b> , 565, 579-91	3.9	19
11	Myelin-Associated Glycoprotein Gene <b>2004</b> , 421-467		6
10	Promiscuous and reversible blocker of presynaptic calcium channels in frog and crayfish neuromuscular junctions from <i>Phoneutria nigriventer</i> spider venom. <i>Journal of Neurophysiology</i> , <b>2003</b> , 90, 3529-37	3.2	9

9	Disruption of the endocytic protein HIP1 results in neurological deficits and decreased AMPA receptor trafficking. <i>EMBO Journal</i> , <b>2003</b> , 22, 3254-66	13	91
8	The receptor tyrosine kinase EphB2 regulates NMDA-dependent synaptic function. <i>Neuron</i> , <b>2001</b> , 32, 1041-56	13.9	267
7	Muscarinic control of cytoskeleton in perisynaptic glia. <i>Journal of Neuroscience</i> , <b>1999</b> , 19, 3836-46	6.6	44
6	Non-myelin-forming perisynaptic schwann cells express protein zero and myelin-associated glycoprotein. <i>Glia</i> , <b>1999</b> , 27, 101-9	9	25
5	Imaging of calcium in Drosophila larval motor nerve terminals. <i>Journal of Neurophysiology</i> , <b>1997</b> , 78, 3465-7	5.7	26
4	Strength of synaptic transmission at neuromuscular junctions of crustaceans and insects in relation to calcium entry. <i>Invertebrate Neuroscience</i> , <b>1997</b> , 3, 81-7	1.2	28
3	Synaptic regulation of glial protein expression in vivo. <i>Neuron</i> , <b>1994</b> , 12, 443-55	13.9	93
2	Functional expression of the rat pancreatic islet glucose-dependent insulinotropic polypeptide receptor: ligand binding and intracellular signaling properties		39
1	Complement C3-dependent glutamatergic synapse elimination in the developing hippocampus is region- and synapse-specific		1