

# Kristian Kjr Petersen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9338820/kristian-kjaer-petersen-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78  
papers

1,565  
citations

23  
h-index

38  
g-index

87  
ext. papers

2,156  
ext. citations

3.6  
avg, IF

5.14  
L-index

#	Paper	IF	Citations
78	Human assumed central sensitisation (HACS) in patients with chronic low back pain radiating to the leg (CLaSSICO study).. <i>BMJ Open</i> , <b>2022</b> , 12, e052703	3	
77	Detection of altered pain facilitatory and inhibitory mechanisms in patients with knee osteoarthritis by using a simple bedside tool kit (QuantiPain).. <i>Pain Reports</i> , <b>2022</b> , 7, e998	3.5	0
76	The association between sleep quality, preoperative risk factors for chronic postoperative pain and postoperative pain intensity 12 months after knee and hip arthroplasty. <i>British Journal of Pain</i> , <b>2021</b> , 15, 486-496	2.1	2
75	Bedside clinical tests to assess sensitization in office workers with chronic neck pain. <i>Somatosensory &amp; Motor Research</i> , <b>2021</b> , 38, 357-365	1.2	
74	Patients With High Chronic Postoperative Knee Pain 5 Years After Total Knee Replacement Demonstrate Low-grad Inflammation, Impairment of Function, and High Levels of Pain Catastrophizing. <i>Clinical Journal of Pain</i> , <b>2021</b> , 37, 161-167	3.5	0
73	The predictive value of quantitative sensory testing: a systematic review on chronic postoperative pain and the analgesic effect of pharmacological therapies in patients with chronic pain. <i>Pain</i> , <b>2021</b> , 162, 31-44	8	13
72	Is pain associated with premature mortality in patients with psoriatic arthritis? A nested case-control study using the DANBIO Register. <i>Rheumatology</i> , <b>2021</b> , 60, 5216-5223	3.9	
71	Pressure pain thresholds in office workers with chronic neck pain: A systematic review and meta-analysis. <i>Pain Practice</i> , <b>2021</b> , 21, 799-814	3	2
70	Strength training in addition to neuromuscular exercise and education in individuals with knee osteoarthritis-the effects on pain and sensitization. <i>European Journal of Pain</i> , <b>2021</b> , 25, 1898-1911	3.7	2
69	Circulating long non-coding RNA signature in knee osteoarthritis patients with postoperative pain one-year after total knee replacement. <i>Scandinavian Journal of Pain</i> , <b>2021</b> , 21, 823-830	1.9	1
68	Psychophysical predictors of experimental muscle pain intensity following fatiguing calf exercise. <i>PLoS ONE</i> , <b>2021</b> , 16, e0253945	3.7	0
67	The Combination of Preoperative Pain, Conditioned Pain Modulation, and Pain Catastrophizing Predicts Postoperative Pain 12 Months After Total Knee Arthroplasty. <i>Pain Medicine</i> , <b>2021</b> , 22, 1583-1590	2.8	7
66	Impaired exercise-induced hypoalgesia in individuals reporting an increase in low back pain during acute exercise. <i>European Journal of Pain</i> , <b>2021</b> , 25, 1053-1063	3.7	4
65	Promising Effect of Visually-Assisted Motor Imagery Against Arthrogenic Muscle Inhibition - A Human Experimental Pain Study. <i>Journal of Pain Research</i> , <b>2021</b> , 14, 285-295	2.9	1
64	Sensitization in office workers with chronic neck pain in different pain conditions and intensities. <i>Scandinavian Journal of Pain</i> , <b>2021</b> , 21, 457-473	1.9	2
63	Cannabidiol treatment in hand osteoarthritis and psoriatic arthritis: a randomized, double-blind placebo-controlled trial. <i>Pain</i> , <b>2021</b> ,	8	1
62	Neck pain prevalence and associated occupational factors in Portuguese office workers. <i>International Journal of Industrial Ergonomics</i> , <b>2021</b> , 85, 103172	2.9	0

61	A mechanism-based proof of concept study on the effects of duloxetine in patients with painful knee osteoarthritis.. <i>Trials</i> , <b>2021</b> , 22, 958	2.8	0
60	Chronic Postoperative Pain After Hysterectomy for Endometrial Cancer: A Metabolic Profiling Study. <i>Molecular Pain</i> , <b>2020</b> , 16, 1744806920923885	3.4	1
59	Brain perfusion patterns are altered in chronic knee pain: a spatial covariance analysis of arterial spin labelling MRI. <i>Pain</i> , <b>2020</b> , 161, 1255-1263	8	4
58	Investigating the Effect of Perioperative Chlorzoxazone on Acute Postoperative Pain After Total Hip and Knee Replacement Surgery. <i>Clinical Journal of Pain</i> , <b>2020</b> , 36, 352-358	3.5	2
57	Serum Inflammatory Markers in Patients With Knee Osteoarthritis: A Proteomic Approach. <i>Clinical Journal of Pain</i> , <b>2020</b> , 36, 229-237	3.5	6
56	Preoperative quantitative sensory testing and robot-assisted laparoscopic hysterectomy for endometrial cancer: can chronic postoperative pain be predicted?. <i>Scandinavian Journal of Pain</i> , <b>2020</b> , 20, 693-705	1.9	1
55	Eccentric Training Changes the Pressure Pain and Stiffness Maps of the Upper Trapezius in Females with Chronic Neck-Shoulder Pain: A Preliminary Study. <i>Pain Medicine</i> , <b>2020</b> , 21, 1936-1946	2.8	2
54	Temporal aspects of endogenous pain modulation during a noxious stimulus prolonged for 1 day. <i>European Journal of Pain</i> , <b>2020</b> , 24, 752-760	3.7	2
53	Pretreatment Exercise-induced Hypoalgesia is Associated With Change in Pain and Function After Standardized Exercise Therapy in Painful Knee Osteoarthritis. <i>Clinical Journal of Pain</i> , <b>2020</b> , 36, 16-24	3.5	13
52	Less Severe Preoperative Synovitis is Associated With Higher Self-reported Pain Intensity 12 Months After Total Knee Arthroplasty-An Exploratory Prospective Observational Study. <i>Clinical Journal of Pain</i> , <b>2020</b> , 36, 34-40	3.5	1
51	Preoperative serum circulating microRNAs as potential biomarkers for chronic postoperative pain after total knee replacement. <i>Molecular Pain</i> , <b>2020</b> , 16, 1744806920962925	3.4	6
50	Modulation of Exercise-Induced Hypoalgesia Following an Exercise Intervention in Healthy Subjects. <i>Pain Medicine</i> , <b>2020</b> , 21, 3556-3566	2.8	1
49	Pain Catastrophizing, Self-reported Disability, and Temporal Summation of Pain Predict Self-reported Pain in Low Back Pain Patients 12 Weeks After General Practitioner Consultation: A Prospective Cohort Study. <i>Clinical Journal of Pain</i> , <b>2020</b> , 36, 757-763	3.5	4
48	Clinical Outcomes and Central Pain Mechanisms are Improved After Upper Trapezius Eccentric Training in Female Computer Users With Chronic Neck/Shoulder Pain. <i>Clinical Journal of Pain</i> , <b>2019</b> , 35, 65-76	3.5	18
47	Conditioning pain modulation reduces pain only during the first stimulation of the temporal summation of pain paradigm in healthy participants. <i>European Journal of Pain</i> , <b>2019</b> , 23, 1390-1396	3.7	6
46	Mechanistic pain profiling as a tool to predict the efficacy of 3-week nonsteroidal anti-inflammatory drugs plus paracetamol in patients with painful knee osteoarthritis. <i>Pain</i> , <b>2019</b> , 160, 486-492	8	33
45	Chronic Postoperative Pain After Robot-Assisted Laparoscopic Hysterectomy for Endometrial Cancer. <i>Journal of Gynecologic Surgery</i> , <b>2019</b> , 35, 140-146	0.4	3
44	Exercise-induced hypoalgesia in young adult females with long-standing patellofemoral pain - A randomized crossover study. <i>European Journal of Pain</i> , <b>2019</b> , 23, 1780-1789	3.7	4

43	Pain inhibitory mechanisms and response to weak analgesics in patients with knee osteoarthritis. <i>European Journal of Pain</i> , <b>2019</b> , 23, 1904-1912	3.7	18
42	Assessment of conditioned pain modulation in healthy participants and patients with chronic pain: manifestations and implications for pain progression. <i>Current Opinion in Supportive and Palliative Care</i> , <b>2019</b> , 13, 99-106	2.6	15
41	Presurgical Comorbidities as Risk Factors For Chronic Postsurgical Pain Following Total Knee Replacement. <i>Clinical Journal of Pain</i> , <b>2019</b> , 35, 577-582	3.5	10
40	Total sleep deprivation increases pain sensitivity, impairs conditioned pain modulation and facilitates temporal summation of pain in healthy participants. <i>PLoS ONE</i> , <b>2019</b> , 14, e0225849	3.7	32
39	Manifestations of Pain Sensitization Across Different Painful Knee Disorders: A Systematic Review Including Meta-analysis and Metaregression. <i>Pain Medicine</i> , <b>2019</b> , 20, 335-358	2.8	28
38	Potential diagnostic value of a type X collagen neo-epitope biomarker for knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , <b>2019</b> , 27, 611-620	6.2	18
37	Endogenous Pain Modulation Profiles Among Individuals With Chronic Pain: Relation to Opioid Use. <i>Journal of Pain</i> , <b>2019</b> , 20, 462-471	5.2	17
36	Aggrecanase degradation of type III collagen is associated with clinical knee pain. <i>Clinical Biochemistry</i> , <b>2018</b> , 58, 37-43	3.5	10
35	The Role of Preoperative Radiologic Severity, Sensory Testing, and Temporal Summation on Chronic Postoperative Pain Following Total Knee Arthroplasty. <i>Clinical Journal of Pain</i> , <b>2018</b> , 34, 193-197	3.5	37
34	Offset analgesia: The role of peripheral and central mechanisms. <i>European Journal of Pain</i> , <b>2018</b> , 22, 142-149	3.7	23
33	Effects of repeated conditioning pain modulation in healthy volunteers. <i>European Journal of Pain</i> , <b>2018</b> , 22, 1833-1843	3.7	9
32	Assessment of CPM reliability: quantification of the within-subject reliability of 10 different protocols. <i>Scandinavian Journal of Pain</i> , <b>2018</b> , 18, 729-737	1.9	29
31	The effects of propranolol on heart rate variability and quantitative, mechanistic, pain profiling: a randomized placebo-controlled crossover study. <i>Scandinavian Journal of Pain</i> , <b>2018</b> , 18, 479-489	1.9	10
30	Preoperative Neuropathic Pain-like Symptoms and Central Pain Mechanisms in Knee Osteoarthritis Predicts Poor Outcome 6 Months After Total Knee Replacement Surgery. <i>Journal of Pain</i> , <b>2018</b> , 19, 1329-1341	5.2	50
29	Creatinine-Based Renal Function Estimates and Dosage of Postoperative Pain Management for Elderly Acute Hip Fracture Patients. <i>Pharmaceuticals</i> , <b>2018</b> , 11,	5.2	5
28	Young females with long-standing patellofemoral pain display impaired conditioned pain modulation, increased temporal summation of pain, and widespread hyperalgesia. <i>Pain</i> , <b>2018</b> , 159, 2530-2537	8	23
27	Electrical stimulation for evoking offset analgesia: A human volunteer methodological study. <i>European Journal of Pain</i> , <b>2018</b> , 22, 1678-1684	3.7	4
26	The influence of pre- and perioperative administration of gabapentin on pain 3-4 years after total knee arthroplasty. <i>Scandinavian Journal of Pain</i> , <b>2018</b> , 18, 237-245	1.9	7

25	Tissue mechanics during temporal summation of sequentially cuff pressure-induced pain in healthy volunteers and patients with painful osteoarthritis. <i>European Journal of Pain</i> , <b>2017</b> , 21, 1051-1060	3.7	2
24	An updated view on the reliability of different protocols for the assessment of conditioned pain modulation. <i>Pain</i> , <b>2017</b> , 158, 988	8	10
23	Age Interactions on Pain Sensitization in Patients With Severe Knee Osteoarthritis and Controls. <i>Clinical Journal of Pain</i> , <b>2017</b> , 33, 1081-1087	3.5	25
22	Combined electric and pressure cuff pain stimuli for assessing conditioning pain modulation (CPM). <i>Scandinavian Journal of Pain</i> , <b>2017</b> , 16, 181-182	1.9	
21	The association between histological, macroscopic and magnetic resonance imaging assessed synovitis in end-stage knee osteoarthritis: a cross-sectional study. <i>Osteoarthritis and Cartilage</i> , <b>2017</b> , 25, 272-280	6.2	23
20	User-independent assessment of conditioning pain modulation by cuff pressure algometry. <i>European Journal of Pain</i> , <b>2017</b> , 21, 552-561	3.7	44
19	Facilitated temporal summation of pain correlates with clinical pain intensity after hip arthroplasty. <i>Pain</i> , <b>2017</b> , 158, 323-332	8	58
18	Impaired Conditioned Pain Modulation in Young Female Adults with Long-Standing Patellofemoral Pain: A Single Blinded Cross-Sectional Study. <i>Pain Medicine</i> , <b>2016</b> , 17, 980-8	2.8	36
17	Evidence for a central mode of action for etoricoxib (COX-2 inhibitor) in patients with painful knee osteoarthritis. <i>Pain</i> , <b>2016</b> , 157, 1634-1644	8	39
16	Preoperative pain mechanisms assessed by cuff algometry are associated with chronic postoperative pain relief after total knee replacement. <i>Pain</i> , <b>2016</b> , 157, 1400-1406	8	98
15	Conditioning pain stimulation does not affect itch induced by intra-epidermal histamine pricks but aggravates neurogenic inflammation in healthy volunteers. <i>Somatosensory &amp; Motor Research</i> , <b>2016</b> , 33, 49-60	1.2	3
14	Sensitization and Serological Biomarkers in Knee Osteoarthritis Patients With Different Degrees of Synovitis. <i>Clinical Journal of Pain</i> , <b>2016</b> , 32, 841-8	3.5	25
13	Interface Pressure Behavior During Painful Cuff Algometry. <i>Pain Medicine</i> , <b>2016</b> , 17, 915-23	2.8	7
12	Comparing test-retest reliability and magnitude of conditioned pain modulation using different combinations of test and conditioning stimuli. <i>Somatosensory &amp; Motor Research</i> , <b>2016</b> , 33, 169-177	1.2	65
11	Presurgical assessment of temporal summation of pain predicts the development of chronic postoperative pain 12 months after total knee replacement. <i>Pain</i> , <b>2015</b> , 156, 55-61	8	162
10	Chronic postoperative pain after primary and revision total knee arthroplasty. <i>Clinical Journal of Pain</i> , <b>2015</b> , 31, 1-6	3.5	62
9	A mechanism-based pain sensitivity index to characterize knee osteoarthritis patients with different disease stages and pain levels. <i>European Journal of Pain</i> , <b>2015</b> , 19, 1406-17	3.7	79
8	Altered Central Sensitization and Pain Modulation in the CNS in Chronic Joint Pain. <i>Current Osteoporosis Reports</i> , <b>2015</b> , 13, 225-34	5.4	99

7	Pain referral and regional deep tissue hyperalgesia in experimental human hip pain models. <i>Pain</i> , <b>2014</b> , 155, 792-800	8	25
6	Identification and characterisation of osteoarthritis patients with inflammation derived tissue turnover. <i>Osteoarthritis and Cartilage</i> , <b>2014</b> , 22, 44-50	6.2	73
5	Association between experimental pain biomarkers and serologic markers in patients with different degrees of painful knee osteoarthritis. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 3317-26	9.5	65
4	Type X collagen levels are elevated in serum from human osteoarthritis patients and associated with biomarkers of cartilage degradation and inflammation. <i>BMC Musculoskeletal Disorders</i> , <b>2014</b> , 15, 309	2.8	43
3	The development and characterization of a competitive ELISA for measuring active ADAMTS-4 in a bovine cartilage ex vivo model. <i>Matrix Biology</i> , <b>2013</b> , 32, 143-51	11.4	11
2	Effect of local controlled heat on transdermal delivery of nicotine. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , <b>2011</b> , 3, 236-42	3.4	18
1	Quantification of Fentanyl in Human Serum by Column-Switching Liquid Chromatography and Tandem Mass Spectrometry. <i>Journal of Bioanalysis &amp; Biomedicine</i> , <b>2011</b> , 03,	1	2