

Stanislaw Bartus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9339934/publications.pdf>

Version: 2024-02-01

152
papers

1,929
citations

567144

15
h-index

289141

40
g-index

157
all docs

157
docs citations

157
times ranked

2595
citing authors

#	ARTICLE	IF	CITATIONS
1	Determination of nitrite/nitrate in human biological material by the simple Griess reaction. <i>Clinica Chimica Acta</i> , 1998, 274, 177-188.	0.5	511
2	Percutaneous Left Atrial Appendage Suture Ligation Using the LARIAT Device in Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2013, 62, 108-118.	1.2	382
3	Intracerebral Hemorrhage Triggers Interleukin-6 and Interleukin-10 Release in Blood. <i>Stroke</i> , 2002, 33, 2334-2335.	1.0	108
4	Early abciximab administration before primary percutaneous coronary intervention improves infarct-related artery patency and left ventricular function in high-risk patients with anterior wall myocardial infarction: A randomized study. <i>American Heart Journal</i> , 2007, 153, 360-365.	1.2	52
5	In-Hospital Mortality in Cardiac Surgery Patients After Readmission to the Intensive Care Unit: A Single-Center Experience with 10,992 Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015, 29, 570-575.	0.6	39
6	Mesh covered stent in ST-segment elevation myocardial infarction. <i>EuroIntervention</i> , 2010, 6, 582-589.	1.4	33
7	Transradial approach in patients with ST-elevation myocardial infarction treated with abciximab results in fewer bleeding complications: data from EUROTRANSFER registry. <i>Coronary Artery Disease</i> , 2010, 21, 292-297.	0.3	31
8	The Role of Endothelium in Physiological and Pathological States: New Data. <i>BioMed Research International</i> , 2018, 2018, 1-3.	0.9	31
9	Clinical and procedural characteristics of COVID-19 patients treated with percutaneous coronary interventions. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, E568-E575.	0.7	26
10	Predictors of in-hospital effectiveness and complications of rotational atherectomy (from the ORPKI) Tj ETQq0 0 0 rgBT /Overlock 10 T E278-E287.	0.7	23
11	Percutaneous coronary intervention during on- and off-hours in patients with ST-segment elevation myocardial infarction. <i>Hellenic Journal of Cardiology</i> , 2021, 62, 212-218.	0.4	20
12	Impact of COVID-19 pandemic on acute heart failure admissions and mortality: a multicentre study (COVâ€HFâ€SIRIO 6 study). <i>ESC Heart Failure</i> , 2022, 9, 721-728.	1.4	20
13	Decreased Lipid Profile and Oxidative Stress in Healthy Subjects Who Underwent Whole-Body Cryotherapy in Closed Cryochamber with Subsequent Kinesiotherapy. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-10.	1.9	18
14	Whole-Body Cryostimulation Improves Inflammatory Endothelium Parameters and Decreases Oxidative Stress in Healthy Subjects. <i>Antioxidants</i> , 2020, 9, 1308.	2.2	17
15	Facilitated percutaneous coronary intervention in patients with acute myocardial infarction transferred from remote hospitals. <i>American Journal of Cardiology</i> , 2003, 91, 227-229.	0.7	16
16	Intravascular Lithotripsy for the Treatment of Stent Underexpansion: The Multicenter IVL-DRAGON Registry. <i>Journal of Clinical Medicine</i> , 2022, 11, 1779.	1.0	16
17	L-arginine supplementation does not inhibit neointimal formation after coronary stenting in human beings: an intravascular ultrasound study. <i>American Heart Journal</i> , 2004, 147, 668.	1.2	15
18	Association between the mortality rate and operator volume in patients undergoing emergency or elective percutaneous coronary interventions. <i>Kardiologia Polska</i> , 2020, 78, 138-146.	0.3	15

#	ARTICLE	IF	CITATIONS
19	Decline in the number of coronary angiography and percutaneous coronary intervention procedures in patients with acute myocardial infarction in Poland during the coronavirus disease 2019 pandemic. <i>Kardiologia Polska</i> , 2020, 78, 574-576.	0.3	15
20	Acute myocardial infarction in young patients. <i>Kardiologia Polska</i> , 2021, 79, 1093-1098.	0.3	14
21	Circulating N-terminal brain natriuretic peptide precursor and endothelin levels in patients with syndrome X and left bundle branch block with preserved systolic function. <i>International Journal of Cardiology</i> , 2001, 79, 25-30.	0.8	13
22	Borderline trend towards long-term mortality benefit from drug eluting stents implantation in ST-elevation myocardial infarction patients in Poland – data from NRDES registry. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 436-442.	0.7	13
23	Impact of sex on the follow-up course and predictors of clinical outcomes in patients hospitalised due to myocardial infarction with non-obstructive coronary arteries: a single-centre experience. <i>Kardiologia Polska</i> , 2019, 77, 198-206.	0.3	13
24	The network of invasive cardiology facilities in Poland in 2016 (data from the ORPKI Polish National) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	0.3	12
25	Percutaneous interventions in cardiology in Poland in the year 2014. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society AISN PTK. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 3, 177-181.	0.1	11
26	Gender differences and long-term clinical outcomes in patients with chronic total occlusions of infrainguinal lower limb arteries treated from retrograde access with peripheral vascular interventions. <i>Advances in Medical Sciences</i> , 2020, 65, 197-201.	0.9	11
27	Interventional cardiology in Poland in 2020 – impact of the COVID-19 pandemic. Annual summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society and Jagiellonian University Medical College*. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 131-134.	0.1	11
28	Chronic obstructive pulmonary disease affects the angiographic presentation and outcomes of patients with coronary artery disease treated with percutaneous coronary interventions. <i>Polish Archives of Internal Medicine</i> , 2017, 128, 24-34.	0.3	11
29	Treatment Delay and Clinical Outcomes in Patients with ST-Segment Elevation Myocardial Infarction during the COVID-19 Pandemic. <i>Journal of Clinical Medicine</i> , 2021, 10, 3920.	1.0	10
30	Hospitalization Length after Myocardial Infarction: Risk-Assessment-Based Time of Hospital Discharge vs. Real Life Practice. <i>Journal of Clinical Medicine</i> , 2018, 7, 564.	1.0	9
31	Interventional cardiology procedures in Poland in 2018. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK) and Jagiellonian University Medical College. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 391-393.	0.1	9
32	The diagnosis and management of spontaneous coronary artery dissection – expert opinion of the Association of Cardiovascular Interventions (ACVI) of Polish Cardiac Society. <i>Kardiologia Polska</i> , 2021, 79, 930-943.	0.3	9
33	Long-Term Outcomes Following Drug-Eluting Balloons Versus Thin-Strut Drug-Eluting Stents for Treatment of In-Stent Restenosis (DEB-Dragon-Registry). <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010868.	1.4	9
34	Long-term follow-up of mesh-covered stent implantation in patients with ST-segment elevation myocardial infarction. <i>Kardiologia Polska</i> , 2014, 72, 140-145.	0.3	9
35	Balloon Aortic Valvuloplasty for Severe Aortic Stenosis as Rescue or Bridge Therapy. <i>Journal of Clinical Medicine</i> , 2021, 10, 4657.	1.0	9
36	Percutaneous interventions in cardiology in Poland in the year 2017. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society AISN PTK and Jagiellonian University Medical College. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 422-424.	0.1	8

#	ARTICLE	IF	CITATIONS
37	Impact of Coronary Artery Disease and Diabetes Mellitus on the Long-Term Follow-Up in Patients after Retrograde Recanalization of the Femoropopliteal Arterial Region. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-6.	1.0	8
38	Interventional cardiology in Poland in 2019. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK) and Jagiellonian University Medical College*. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 123-126.	0.1	8
39	The relationship between increased air pollution expressed as PM10 concentration and the frequency of percutaneous coronary interventions in patients with acute coronary syndromes—a seasonal differences. <i>Environmental Science and Pollution Research</i> , 2020, 27, 21320-21330.	2.7	8
40	Procedural and 1-year outcomes following large vessel coronary artery perforation treated by covered stents implantation: Multicentre CRACK registry. <i>PLoS ONE</i> , 2021, 16, e0249698.	1.1	8
41	Predictors of periprocedural complications in patients undergoing percutaneous coronary interventions within coronary artery bypass grafts. <i>Cardiology Journal</i> , 2020, 26, 633-644.	0.5	8
42	Long-Term Follow-up After Retrograde Recanalization of Superficial Femoral Artery Chronic Total Occlusion. <i>Journal of Invasive Cardiology</i> , 2017, 29, 336-339.	0.4	8
43	Twelve months follow-up after retrograde recanalization of superficial femoral artery chronic total occlusion. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 1, 47-52.	0.1	7
44	Bailout rotational atherectomy in patients with myocardial infarction is not associated with an increased periprocedural complication rate or poorer angiographic outcomes in comparison to elective procedures (from the ORPKI Polish National Registry 2015–2016). <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 135-143.	0.1	7
45	Aspiration Thrombectomy in Patients with Acute Myocardial Infarction—5-Year Analysis Based on a Large National Registry (ORPKI). <i>Journal of Clinical Medicine</i> , 2020, 9, 3610.	1.0	7
46	Repetitive use of LEvosimendan in Ambulatory Heart Failure patients (LEIA-HF) - The rationale and study design. <i>Advances in Medical Sciences</i> , 2022, 67, 18-22.	0.9	7
47	Impact of early abciximab administration on myocardial reperfusion in patients with ST-segment elevation myocardial infarction pretreated with 600 Åmg of clopidogrel before percutaneous coronary intervention. <i>Journal of Thrombosis and Thrombolysis</i> , 2010, 30, 347-353.	1.0	6
48	No long-term clinical benefit from manual aspiration thrombectomy in ST-elevation myocardial infarction patients. Data from NRDES registry. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 85, E16-22.	0.7	6
49	CHA2DS2-VASc and R2-CHA2DS2-VASc scores predict in-hospital and post-discharge outcome in patients with myocardial infarction. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 391-398.	0.1	6
50	Chronic obstructive pulmonary disease and periprocedural complications in patients undergoing percutaneous coronary interventions. <i>PLoS ONE</i> , 2018, 13, e0204257.	1.1	6
51	Current trends and procedural outcomes in the era of rotational atherectomy expansion in Poland in the period 2014–2017 (based on the nationwide ORPKI registry). <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 158-166.	0.1	6
52	Characteristics of patients from the Polish Registry of Acute Coronary Syndromes during the COVID-19 pandemic: the first report. <i>Kardiologia Polska</i> , 2021, 79, 192-195.	0.3	6
53	Impact of acute total occlusion of the culprit artery on outcome in NSTEMI based on the results of a large national registry. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 297.	0.7	6
54	Prevalence, characteristics, and prognostic implications of type 2 diabetes in patients with myocardial infarction: the Polish Registry of Acute Coronary Syndromes (PLACS) annual 2018 report. <i>Kardiologia Polska</i> , 2020, 78, 243-246.	0.3	6

#	ARTICLE	IF	CITATIONS
55	Long-term effects of rotational atherectomy in patients with heavy calcified coronary artery lesions: a single-centre experience. <i>Kardiologia Polska</i> , 2017, 75, 564-572.	0.3	6
56	Radial versus femoral access in patients treated with percutaneous coronary intervention and rotational atherectomy. <i>Kardiologia Polska</i> , 2020, 78, 529-536.	0.3	6
57	Sex-related differences and rotational atherectomy: Analysis of 5 177 percutaneous coronary interventions based on a large national registry from 2014 to 2020. <i>Kardiologia Polska</i> , 2021, 79, 1320-1327.	0.3	6
58	Clinical use of intracoronary imaging modalities in Poland. Expert opinion of the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2022, 80, 509-519.	0.3	6
59	Is right coronary artery chronic total vessel occlusion impacting the surgical revascularization results of patients with multivessel disease? A retrospective study. <i>PeerJ</i> , 2018, 6, e4909.	0.9	5
60	Assessment of quality of care of patients with ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 893-901.	0.4	5
61	Mortality and chronic obstructive pulmonary disease in patients treated with endovascular revascularization of the infra-inguinal lower limb arteries from retrograde access. <i>Annals of Translational Medicine</i> , 2020, 8, 206-206.	0.7	5
62	Comparison of Access Site-Related Complications and Quality of Life in Patients after Invasive Cardiology Procedures According to the Use of Radial, Femoral, or Brachial Approach. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6151.	1.2	5
63	Management of valvular and structural heart diseases during the coronavirus disease 2019 pandemic: an expert opinion of the Working Group on Valvular Heart Diseases, the Working Group on Cardiac Surgery, and the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2020, 78, 498-507.	0.3	5
64	Myocardial infarction in the shadow of COVID-19. <i>Cardiology Journal</i> , 2020, 27, 478-480.	0.5	5
65	Spontaneous closure of aorta-to-right atrium fistula after septal occluder implantation. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 744-746.	0.6	4
66	Transportation with very long transfer delays (>90 min) for facilitated PCI with reduced-dose fibrinolysis in patients with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2010, 139, 218-227.	0.8	4
67	New-generation drug eluting stent vs. bare metal stent in saphenous vein graft 1-year outcomes by a propensity score ascertainment (SVG Baltic Registry). <i>International Journal of Cardiology</i> , 2019, 292, 56-61.	0.8	4
68	Long-Term Prognostic Significance of High-Sensitive Troponin I Increase during Hospital Stay in Patients with Acute Myocardial Infarction and Non-Obstructive Coronary Arteries. <i>Medicina (Lithuania)</i> , 2020, 56, 432.	0.8	4
69	Predictors and trends of contrast use and radiation exposure in a large cohort of patients treated with percutaneous coronary interventions: Chronic total occlusion analysis based on a national registry. <i>Cardiology Journal</i> , 2021, , .	0.5	4
70	Blood pressure reduction in patients with accessory renal arteries and bilateral single renal arteries after catheter-based renal denervation: prospective study with 3-year follow-up. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 423-428.	0.3	4
71	“Heart without smoke” educational campaign – the role of patient education in secondary prevention of cardiovascular disease. <i>Kardiologia Polska</i> , 2018, 76, 125-129.	0.3	4
72	Interventional closure of patent foramen ovale in prevention of thromboembolic events. Consensus document of the Association of Cardiovascular Interventions and the Section of Congenital Heart Disease of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2019, 77, 1094-1105.	0.3	4

#	ARTICLE	IF	CITATIONS
73	Annual operator volume among patients treated using percutaneous coronary interventions with rotational atherectomy and procedural outcomes: Analysis based on a large national registry. <i>Catheterization and Cardiovascular Interventions</i> , 2022, , .	0.7	4
74	Clinical factors predicting blood pressure reduction after catheter-based renal denervation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 270-275.	0.1	3
75	Safety and efficacy of self-expanding Stentys drug-eluting stent in left main coronary artery PCI: Multicentre LM-STENTYS registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 574-582.	0.7	3
76	Safety and Efficacy of Embolic Protection Devices in Saphenous Vein Graft Interventions: A Propensity Score Analysis Multicenter SVG PCI PROTECTA Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1198.	1.0	3
77	Long-term outcomes of percutaneous coronary interventions within coronary artery bypass grafts. <i>Archives of Medical Science</i> , 2021, 17, 628-637.	0.4	3
78	Multivessel Intervention in Myocardial Infarction with Cardiogenic Shock: CULPRIT-SHOCK Trial Outcomes in the PL-ACS Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 1832.	1.0	3
79	A new approach to ticagrelor-based de-escalation of antiplatelet therapy after acute coronary syndrome. A rationale for a randomized, double-blind, placebo-controlled, investigator-initiated, multicenter clinical study. <i>Cardiology Journal</i> , 2021, 28, 607-614.	0.5	3
80	Age and gender differences in clinical outcomes of patients with heavy-calcified coronary artery lesions treated percutaneously with rotational atherectomy. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 225-233.	0.6	3
81	Similar outcome of ST-elevation myocardial infarction patients treated with primary percutaneous coronary intervention regardless of presence of cardiac surgery on-site. <i>Kardiologia Polska</i> , 2014, 72, 949-953.	0.3	3
82	Impact of coronary artery disease presence on the long-term follow-up of carotid artery stenting. <i>Kardiologia Polska</i> , 2015, 73, 274-279.	0.3	3
83	Denervation (ablation) of nerve terminalis in renal arteries: early results of interventional treatment of arterial hypertension in Poland. <i>Kardiologia Polska</i> , 2013, 71, 152-158.	0.3	3
84	Long-term clinical outcomes in patients with acute myocardial infarction treated with percutaneous coronary interventions according to day- and night-time admission. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 570-581.	0.3	3
85	Early results of the ongoing Polish Registry of Valve Thrombosis after Transcatheter Aortic Valve Implantation (ZAK-POLTAVI). <i>Kardiologia Polska</i> , 2020, 78, 681-687.	0.3	3
86	Five-year report from the Polish national registry on percutaneous coronary interventions with a focus on coronary artery perforations within chronic total occlusions. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 399-409.	0.1	3
87	Frequency and predictors of diagnostic coronary angiography and percutaneous coronary intervention related to stroke. <i>Kardiologia Polska</i> , 2021, 79, 1099-1106.	0.3	3
88	Clinical Outcomes following Large Vessel Coronary Artery Perforation Treated with Covered Stent Implantation: Comparison between Polytetrafluoroethylene- and Polyurethane-Covered Stents (CRACK-II Registry). <i>Journal of Clinical Medicine</i> , 2021, 10, 5441.	1.0	3
89	Percutaneous peripheral interventions in patients with multivessel coronary artery disease. <i>Kardiologia Polska</i> , 2010, 68, 1115-21.	0.3	3
90	Reperfusion therapy for ST-elevation myocardial infarction complicated by cardiogenic shock: the European Society of Cardiology EurObservational programme acute cardiovascular care-European association of PCI ST-elevation myocardial infarction registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 481-490.	0.4	3

#	ARTICLE	IF	CITATIONS
91	Fractional flow reserve-guided myocardial revascularization. <i>Postepy W Kardiologii Interwencyjnej</i> , 2011, 3, 228-241.	0.1	2
92	Methods and techniques Comparison of radiation dose exposure in patients undergoing percutaneous coronary intervention vs. peripheral intervention. <i>Postepy W Kardiologii Interwencyjnej</i> , 2014, 4, 308-313.	0.1	2
93	Does the use of rotational atherectomy procedure during percutaneous coronary interventions influence the frequency of procedure-related myocardial injury assessed by cardiac magnetic resonance?. <i>Journal of Thoracic Disease</i> , 2018, 10, S3050-S3052.	0.6	2
94	Comparison of the Characteristics of Coronary Interventions Performed During Day and Night Shifts in Patients with Acute Myocardial Infarction. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5378.	1.2	2
95	Transradial and Transfemoral Approach in Patients with Prior Coronary Artery Bypass Grafting. <i>Journal of Clinical Medicine</i> , 2020, 9, 764.	1.0	2
96	The Usefulness of [18F]F-Fluorodeoxyglucose and [18F]F-Sodium Fluoride Positron Emission Tomography Imaging in the Assessment of Early-Stage Aortic Valve Degeneration after Transcatheter Aortic Valve Implantation (TAVI) – Protocol Description and Preliminary Results. <i>Journal of Clinical Medicine</i> , 2021, 10, 431.	1.0	2
97	Body mass index and long-term outcomes in patients with chronic total occlusions undergoing retrograde endovascular revascularization of the infra-inguinal lower limb arteries. <i>Cardiology Journal</i> , 2021, 28, 509-518.	0.5	2
98	ST-segment elevation myocardial infarction with non-obstructive coronary arteries: Score derivation for prediction based on a large national registry. <i>PLoS ONE</i> , 2021, 16, e0254427.	1.1	2
99	Safety and Efficacy of Four Different Diagnostic Catheter Curves Dedicated to One-Catheter Technique of Transradial Coronary-Angiography – Prospective, Randomized Pilot Study. TRACT 1: Trans Radial Coronary Angiography Trial 1. <i>Journal of Clinical Medicine</i> , 2021, 10, 4722.	1.0	2
100	Chronic obstructive pulmonary disease affects angiographic presentation and outcomes. Authors' reply.. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 195-196.	0.3	2
101	Direct Absorb bioresorbable scaffold implantation in acute coronary syndrome. <i>Kardiologia Polska</i> , 2018, 76, 1434-1440.	0.3	2
102	Transcatheter mitral valve repair and replacement. Expert consensus statement of the Polish Cardiac Society and the Polish Society of Cardiothoracic Surgeons. <i>Kardiologia Polska</i> , 2021, 79, 1165-1177.	0.3	2
103	Optical coherence tomography enhanced by novel software to better visualize the mechanism of atherosclerosis and improve the effects of percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2022, 80, 99-100.	0.3	2
104	Long-term outcomes following drug-eluting balloons vs. thin-strut drug-eluting stents for treatment of recurrent restenosis in drug-eluting stents. <i>Kardiologia Polska</i> , 2022, 80, 765-773.	0.3	2
105	Risk factors of contrast-induced nephropathy in patients with acute coronary syndrome. <i>Kardiologia Polska</i> , 2022, 80, 760-764.	0.3	2
106	Knowledge and Prevalence of Risk Factors for Coronary Artery Disease in Patients after Percutaneous Coronary Intervention and Coronary Artery Bypass Grafting. <i>Healthcare (Switzerland)</i> , 2022, 10, 1142.	1.0	2
107	Recanalization of peripheral arteries by interventional cardiologists: Rationale and results. <i>International Journal of Cardiology</i> , 2008, 129, 304-306.	0.8	1
108	Long-term follow-up of percutaneous peripheral interventions in lower limb arteries in patients with acute coronary syndrome and diabetes. <i>Postepy W Kardiologii Interwencyjnej</i> , 2010, 3, 117-121.	0.1	1

#	ARTICLE	IF	CITATIONS
109	Complete infarct-related artery revascularization in acute myocardial infarction patients. CORAMI Registry. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 2, 84-88.	0.1	1
110	Predictors of mortality and outcomes after retrograde endovascular angioplasty in patients with peripheral artery disease. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 234-239.	0.1	1
111	Rational and design of the INtentional COronary revascularization versus conservative therapy in patients undergoing successful peripheRAL arTEry revascularization due to critical limb ischemia trial (INCORPORATE trial). <i>American Heart Journal</i> , 2019, 214, 107-112.	1.2	1
112	Safety of bivalirudin versus unfractionated heparin in endovascular revascularization of peripheral arteries in short- and long-term follow-up. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 91-97.	0.1	1
113	Concomitant multi-vessel disease is associated with a lower procedural death rate in patients treated with percutaneous coronary interventions within the left main coronary artery (from the ORPKI) <i>Tj ETQq1 1 0.784304 rgt /Overlock 10</i>	0.4	1
114	Urgent Pericardiocentesis Is More Frequently Needed After Left Circumflex Coronary Artery Perforation. <i>Journal of Clinical Medicine</i> , 2020, 9, 3043.	1.0	1
115	The influence of pre-hospital medication administration in ST-elevation myocardial infarction patients on left ventricular ejection fraction and intra-hospital death. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 39-45.	0.1	1
116	Clinical outcomes in patients with acute myocardial infarction treated with primary percutaneous coronary intervention stratified according to duration of pain-to-balloon time and type of myocardial infarction. <i>Cardiology Journal</i> , 2021, , .	0.5	1
117	Pol-tako " the first, nationwide Polish multicenter analysis of patients with takotsubo syndrome. <i>Kardiologia Polska</i> , 2021, 79, 867-869.	0.3	1
118	Transcatheter aortic valve implantation complicated by papillary muscle rupture with a good final outcome. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 232-233.	0.1	1
119	Innovative medical technologies in the percutaneous treatment of tricuspid regurgitation in Poland. <i>Cardiology Journal</i> , 2021, , .	0.5	1
120	Rescue removal of disrupted balloon catheter from right coronary artery and aortic arch. <i>Kardiologia Polska</i> , 2013, 71, 772-774.	0.3	1
121	Statistics regarding interventional cardiology in Poland in 2013. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK). <i>Kardiologia Polska</i> , 2014, 72, 1402-1407.	0.3	1
122	Mechanical circulatory support during high-risk percutaneous coronary intervention in a young male patient. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 347-348.	0.1	1
123	Assessment of mitral regurgitation and mitral complex geometry in patients after transcatheter aortic valve implantation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 300-305.	0.1	1
124	Early experience with the Thopaz+ chest drainage system " is this a new era in the management of post-cardiotomy bleeding?. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2021, 18, 236-238.	0.1	1
125	Percutaneous closure of atrial septal defect: a consensus document of the joint group of experts from the Association of Cardiovascular Interventions and the Crown-Up Congenital Heart Disease Section of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2020, 78, 1066-1083.	0.3	1
126	An expert opinion of the Association of Cardiovascular Interventions and the Working Group on Cardiovascular Pharmacotherapy of the Polish Cardiac Society related to the place of prasugrel in the prevention of cardiovascular events in patients with acute coronary syndromes. <i>Kardiologia Polska</i> , 2022, 80, 113-122.	0.3	1

#	ARTICLE	IF	CITATIONS
127	Management of patients after heart valve interventions. Expert opinion of the Working Group on Valvular Heart Diseases, Working Group on Cardiac Surgery, and Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2022, 80, 386-402.	0.3	1
128	Procedural Outcomes in Patients Treated with Percutaneous Coronary Interventions within Chronic Total Occlusions Stratified by Gender. <i>Journal of Clinical Medicine</i> , 2022, 11, 1419.	1.0	1
129	Predictors and periprocedural outcomes of access crossover during primary percutaneous coronary interventions – a contemporary report from the Polish ORPKI registry. <i>Kardiologia Polska</i> , 2022, 80, 799-805.	0.3	1
130	Use of aspiration thrombectomy in a 102-year-old patient with acute inferior ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2012, 160, e46-e47.	0.8	0
131	A 24-year-old male with acute coronary syndrome due to the circumflex coronary artery thrombosis. Diagnostic challenge in everyday practice. <i>International Journal of Cardiology</i> , 2015, 198, 131-133.	0.8	0
132	The successful retrieval of a broken guide wire from the diagonal branch of the left anterior descending coronary artery complicated by partial stent rolling. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 2, 166-170.	0.1	0
133	Positron emission tomography for myocardial viability assessment before myocardial revascularization in a patient with extremely impaired left ventricular systolic function – advanced diagnosis and therapy in heart failure. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 2, 173-175.	0.1	0
134	Delayed Diagnosis of Non-ST Segment Elevation Myocardial Infarction in a Young Patient with Multivessel Disease and Familial Hypercholesterolemia Complicated by Cardiogenic Shock Finally Treated with Intra-Aortic Balloon Pump as a Bridge to Extra Corporeal Membrane Oxygenation. <i>Case Reports in Cardiology</i> , 2019, 2019, 1-4.	0.1	0
135	Survival rate after acute myocardial infarction in patients treated with percutaneous coronary intervention within the left main coronary artery according to time of admission. <i>Medicine (United Tj ETQq1 1 0.7843 14 rgB0 /Overlo</i>	0.1	0
136	Long-term benefit of redo sympathetic renal denervation in a patient with resistant hypertension. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 239-241.	0.1	0
137	Chronic total occlusion percutaneous coronary intervention in everyday clinical practice – an expert opinion of the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 6-20.	0.1	0
138	Successful revascularization of total occlusion of the left anterior descending artery in patient with COVID-19 infection and treatment-resistant heart failure. <i>Kardiologia Polska</i> , 2021, 79, 889-890.	0.3	0
139	Immediate mechanical thrombectomy with DynaCT evaluation after percutaneous coronary intervention complicated by acute ischemic stroke. <i>Kardiologia Polska</i> , 2021, 79, 1038-1039.	0.3	0
140	Authors'™ response. <i>Kardiologia Polska</i> , 2014, 72, 476-477.	0.3	0
141	Renal artery sympathetic nerve radiofrequency denervation. <i>Kardiologia Polska</i> , 2017, 75, 899-906.	0.3	0
142	A 47-year-old woman with multifocal fibroelastoma and coronary artery disease. <i>Kardiologia Polska</i> , 2019, 77, 888-889.	0.3	0
143	Long-term clinical outcomes of direct absorb bioresorbable vascular scaffold implantation in acute coronary syndrome. <i>Minerva Cardioangiologica</i> , 2019, 67, 374-379.	1.2	0
144	The importance of detection and percutaneous closure of patent foramen ovale during the coronavirus disease 2019 pandemic. Authors' reply. <i>Kardiologia Polska</i> , 2020, 78, 616-617.	0.3	0

#	ARTICLE	IF	CITATIONS
145	Inhibitors of sodium-glucose transport protein 2: A new multidirectional therapeutic option for heart failure patients. <i>Cardiology Journal</i> , 2021, , .	0.5	0
146	Ischemic stroke after left atrial appendage occlusion with LARIAT in a patient with a coagulation disorder and unrecognized carotid artery stenosis. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 521-523.	0.1	0
147	Extremely high-risk percutaneous coronary intervention in an elderly patient with multiple comorbidities and good general condition. <i>Kardiologia Polska</i> , 2020, 78, 344-345.	0.3	0
148	Percutaneous coronary intervention combining rotational atherectomy and intravascular lithotripsy in two vessels with edge restenosis assisted by percutaneous left ventricular pump support. <i>Kardiologia Polska</i> , 2022, 80, 370-371.	0.3	0
149	High-risk percutaneous coronary angioplasty with rotational atherectomy and left ventricular assist device of chronically occluded left ascending artery in an obese patient with very low ejection fraction. <i>Kardiologia Polska</i> , 2022, 80, 491-492.	0.3	0
150	Percutaneous Coronary Intervention vs. Coronary Artery Bypass Grafting for Treating In-Stent Restenosis in Unprotected-Left Main: LM-DRAGON-Registry. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, .	1.1	0
151	Frailty as a Predictor of In-Hospital Outcome in Patients with Myocardial Infarction. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 145.	0.8	0
152	Impaired Left Ventricular Circumferential Midwall Systolic Performance Appears Linked to Depressed Preload, but Not Intrinsic Contractile Dysfunction or Excessive Afterload, in Paradoxical Low-Flow/Low-Gradient Severe Aortic Stenosis. <i>Journal of Clinical Medicine</i> , 2022, 11, 2873.	1.0	0