

Stanislaw Bartus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9339934/publications.pdf>

Version: 2024-02-01

152
papers

1,929
citations

567144

15
h-index

289141

40
g-index

157
all docs

157
docs citations

157
times ranked

2595
citing authors

#	ARTICLE	IF	CITATIONS
1	Repetitive use of LEvosimendan in Ambulatory Heart Failure patients (LEIA-HF) - The rationale and study design. <i>Advances in Medical Sciences</i> , 2022, 67, 18-22.	0.9	7
2	Impact of COVID-19 pandemic on acute heart failure admissions and mortality: a multicentre study (COV-HF-6IRIO 6 study). <i>ESC Heart Failure</i> , 2022, 9, 721-728.	1.4	20
3	An expert opinion of the Association of Cardiovascular Interventions and the Working Group on Cardiovascular Pharmacotherapy of the Polish Cardiac Society related to the place of prasugrel in the prevention of cardiovascular events in patients with acute coronary syndromes. <i>Kardiologia Polska</i> , 2022, 80, 113-122.	0.3	1
4	Optical coherence tomography enhanced by novel software to better visualize the mechanism of atherosclerosis and improve the effects of percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2022, 80, 99-100.	0.3	2
5	Management of patients after heart valve interventions. Expert opinion of the Working Group on Valvular Heart Diseases, Working Group on Cardiac Surgery, and Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2022, 80, 386-402.	0.3	1
6	Intravascular Lithotripsy for the Treatment of Stent Underexpansion: The Multicenter IVL-DRAGON Registry. <i>Journal of Clinical Medicine</i> , 2022, 11, 1779.	1.0	16
7	Procedural Outcomes in Patients Treated with Percutaneous Coronary Interventions within Chronic Total Occlusions Stratified by Gender. <i>Journal of Clinical Medicine</i> , 2022, 11, 1419.	1.0	1
8	Percutaneous coronary intervention combining rotational atherectomy and intravascular lithotripsy in two vessels with edge restenosis assisted by percutaneous left ventricular pump support. <i>Kardiologia Polska</i> , 2022, 80, 370-371.	0.3	0
9	Reperfusion therapy for ST-elevation myocardial infarction complicated by cardiogenic shock: the European Society of Cardiology EurObservational programme acute cardiovascular care-European association of PCI ST-elevation myocardial infarction registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022, 11, 481-490.	0.4	3
10	Annual operator volume among patients treated using percutaneous coronary interventions with rotational atherectomy and procedural outcomes: Analysis based on a large national registry. <i>Catheterization and Cardiovascular Interventions</i> , 2022, , .	0.7	4
11	High-risk percutaneous coronary angioplasty with rotational atherectomy and left ventricular assist device of chronically occluded left ascending artery in an obese patient with very low ejection fraction. <i>Kardiologia Polska</i> , 2022, 80, 491-492.	0.3	0
12	Clinical use of intracoronary imaging modalities in Poland. Expert opinion of the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2022, 80, 509-519.	0.3	6
13	Long-term outcomes following drug-eluting balloons vs. thin-strut drug-eluting stents for treatment of recurrent restenosis in drug-eluting stents. <i>Kardiologia Polska</i> , 2022, 80, 765-773.	0.3	2
14	Percutaneous Coronary Intervention vs. Coronary Artery Bypass Grafting for Treating In-Stent Restenosis in Unprotected-Left Main: LM-DRAGON-Registry. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, .	1.1	0
15	Frailty as a Predictor of In-Hospital Outcome in Patients with Myocardial Infarction. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 145.	0.8	0
16	Predictors and periprocedural outcomes of access crossover during primary percutaneous coronary interventions "a contemporary report from the Polish ORPKI registry. <i>Kardiologia Polska</i> , 2022, 80, 799-805.	0.3	1
17	Risk factors of contrast-induced nephropathy in patients with acute coronary syndrome. <i>Kardiologia Polska</i> , 2022, 80, 760-764.	0.3	2
18	Impaired Left Ventricular Circumferential Midwall Systolic Performance Appears Linked to Depressed Preload, but Not Intrinsic Contractile Dysfunction or Excessive Afterload, in Paradoxical Low-Flow/Low-Gradient Severe Aortic Stenosis. <i>Journal of Clinical Medicine</i> , 2022, 11, 2873.	1.0	0

#	ARTICLE	IF	CITATIONS
19	Knowledge and Prevalence of Risk Factors for Coronary Artery Disease in Patients after Percutaneous Coronary Intervention and Coronary Artery Bypass Grafting. <i>Healthcare (Switzerland)</i> , 2022, 10, 1142.	1.0	2
20	Concomitant multi-vessel disease is associated with a lower procedural death rate in patients treated with percutaneous coronary interventions within the left main coronary artery (from the ORPKI) <i>Tj ETQq0 0 0 rgBT (Overlock 10 Tf 50 69</i>	0.4	0
21	Long-term outcomes of percutaneous coronary interventions within coronary artery bypass grafts. <i>Archives of Medical Science</i> , 2021, 17, 628-637.	0.4	3
22	Survival rate after acute myocardial infarction in patients treated with percutaneous coronary intervention within the left main coronary artery according to time of admission. <i>Medicine (United Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.4	0
23	The influence of pre-hospital medication administration in ST-elevation myocardial infarction patients on left ventricular ejection fraction and intra-hospital death. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 39-45.	0.1	1
24	Long-term benefit of redo sympathetic renal denervation in a patient with resistant hypertension. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 239-241.	0.1	0
25	The Usefulness of [18F]F-Fluorodeoxyglucose and [18F]F-Sodium Fluoride Positron Emission Tomography Imaging in the Assessment of Early-Stage Aortic Valve Degeneration after Transcatheter Aortic Valve Implantation (TAVI)â€”Protocol Description and Preliminary Results. <i>Journal of Clinical Medicine</i> , 2021, 10, 431.	1.0	2
26	Chronic total occlusion percutaneous coronary intervention in everyday clinical practice â€” an expert opinion of the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 6-20.	0.1	0
27	Interventional cardiology in Poland in 2020 â€” impact of the COVID-19 pandemic. Annual summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society and Jagiellonian University Medical College*. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 131-134.	0.1	11
28	Characteristics of patients from the Polish Registry of Acute Coronary Syndromes during the COVID-19 pandemic: the first report. <i>Kardiologia Polska</i> , 2021, 79, 192-195.	0.3	6
29	Percutaneous coronary intervention during on- and off-hours in patients with ST-segment elevation myocardial infarction. <i>Hellenic Journal of Cardiology</i> , 2021, 62, 212-218.	0.4	20
30	Multivessel Intervention in Myocardial Infarction with Cardiogenic Shock: CULPRIT-SHOCK Trial Outcomes in the PL-ACS Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 1832.	1.0	3
31	Procedural and 1-year outcomes following large vessel coronary artery perforation treated by covered stents implantation: Multicentre CRACK registry. <i>PLoS ONE</i> , 2021, 16, e0249698.	1.1	8
32	Impact of acute total occlusion of the culprit artery on outcome in NSTEMI based on the results of a large national registry. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 297.	0.7	6
33	Comparison of Access Site-Related Complications and Quality of Life in Patients after Invasive Cardiology Procedures According to the Use of Radial, Femoral, or Brachial Approach. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6151.	1.2	5
34	Clinical outcomes in patients with acute myocardial infarction treated with primary percutaneous coronary intervention stratified according to duration of pain-to-balloon time and type of myocardial infarction. <i>Cardiology Journal</i> , 2021, , .	0.5	1
35	Body mass index and long-term outcomes in patients with chronic total occlusions undergoing retrograde endovascular revascularization of the infra-inguinal lower limb arteries. <i>Cardiology Journal</i> , 2021, 28, 509-518.	0.5	2
36	A new approach to ticagrelor-based de-escalation of antiplatelet therapy after acute coronary syndrome. A rationale for a randomized, double-blind, placebo-controlled, investigator-initiated, multicenter clinical study. <i>Cardiology Journal</i> , 2021, 28, 607-614.	0.5	3

#	ARTICLE	IF	CITATIONS
37	Pol-tako – the first, nationwide Polish multicenter analysis of patients with takotsubo syndrome. <i>Kardiologia Polska</i> , 2021, 79, 867-869.	0.3	1
38	ST-segment elevation myocardial infarction with non-obstructive coronary arteries: Score derivation for prediction based on a large national registry. <i>PLoS ONE</i> , 2021, 16, e0254427.	1.1	2
39	Successful revascularization of total occlusion of the left anterior descending artery in patient with COVID-19 infection and treatment-resistant heart failure. <i>Kardiologia Polska</i> , 2021, 79, 889-890.	0.3	0
40	Treatment Delay and Clinical Outcomes in Patients with ST-Segment Elevation Myocardial Infarction during the COVID-19 Pandemic. <i>Journal of Clinical Medicine</i> , 2021, 10, 3920.	1.0	10
41	The diagnosis and management of spontaneous coronary artery dissection – expert opinion of the Association of Cardiovascular Interventions (ACVI) of Polish Cardiac Society. <i>Kardiologia Polska</i> , 2021, 79, 930-943.	0.3	9
42	Long-Term Outcomes Following Drug-Eluting Balloons Versus Thin-Strut Drug-Eluting Stents for Treatment of In-Stent Restenosis (DEB-Dragon-Registry). <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010868.	1.4	9
43	Transcatheter aortic valve implantation complicated by papillary muscle rupture with a good final outcome. <i>Postępy W Kardiologii Interwencyjnej</i> , 2021, 17, 232-233.	0.1	1
44	Immediate mechanical thrombectomy with DynaCT evaluation after percutaneous coronary intervention complicated by acute ischemic stroke. <i>Kardiologia Polska</i> , 2021, 79, 1038-1039.	0.3	0
45	Balloon Aortic Valvuloplasty for Severe Aortic Stenosis as Rescue or Bridge Therapy. <i>Journal of Clinical Medicine</i> , 2021, 10, 4657.	1.0	9
46	Safety and Efficacy of Four Different Diagnostic Catheter Curves Dedicated to One-Catheter Technique of Transradial Coronary-Angiography – Prospective, Randomized Pilot Study. TRACT 1: Trans Radial Coronary Angiography Trial 1. <i>Journal of Clinical Medicine</i> , 2021, 10, 4722.	1.0	2
47	Predictors and trends of contrast use and radiation exposure in a large cohort of patients treated with percutaneous coronary interventions: Chronic total occlusion analysis based on a national registry. <i>Cardiology Journal</i> , 2021, , .	0.5	4
48	Innovative medical technologies in the percutaneous treatment of tricuspid regurgitation in Poland. <i>Cardiology Journal</i> , 2021, , .	0.5	1
49	Inhibitors of sodium-glucose transport protein 2: A new multidirectional therapeutic option for heart failure patients. <i>Cardiology Journal</i> , 2021, , .	0.5	0
50	Acute myocardial infarction in young patients. <i>Kardiologia Polska</i> , 2021, 79, 1093-1098.	0.3	14
51	Transcatheter mitral valve repair and replacement. Expert consensus statement of the Polish Cardiac Society and the Polish Society of Cardiothoracic Surgeons. <i>Kardiologia Polska</i> , 2021, 79, 1165-1177.	0.3	2
52	Frequency and predictors of diagnostic coronary angiography and percutaneous coronary intervention related to stroke. <i>Kardiologia Polska</i> , 2021, 79, 1099-1106.	0.3	3
53	Clinical Outcomes following Large Vessel Coronary Artery Perforation Treated with Covered Stent Implantation: Comparison between Polytetrafluoroethylene- and Polyurethane-Covered Stents (CRACK-II Registry). <i>Journal of Clinical Medicine</i> , 2021, 10, 5441.	1.0	3
54	Early experience with the Thopaz+ chest drainage system – is this a new era in the management of post-cardiotomy bleeding?. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2021, 18, 236-238.	0.1	1

#	ARTICLE	IF	CITATIONS
55	Sex-related differences and rotational atherectomy: Analysis of 5 177 percutaneous coronary interventions based on a large national registry from 2014 to 2020. <i>Kardiologia Polska</i> , 2021, 79, 1320-1327.	0.3	6
56	Assessment of quality of care of patients with ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 893-901.	0.4	5
57	Clinical and procedural characteristics of COVID-19 patients treated with percutaneous coronary interventions. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, E568-E575.	0.7	26
58	Aspiration Thrombectomy in Patients with Acute Myocardial Infarction—5-Year Analysis Based on a Large National Registry (ORPKI). <i>Journal of Clinical Medicine</i> , 2020, 9, 3610.	1.0	7
59	Interventional cardiology in Poland in 2019. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK) and Jagiellonian University Medical College*. <i>Postępy W Kardiologii Interwencyjnej</i> , 2020, 16, 123-126.	0.1	8
60	Comparison of the Characteristics of Coronary Interventions Performed During Day and Night Shifts in Patients with Acute Myocardial Infarction. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5378.	1.2	2
61	Urgent Pericardiocentesis Is More Frequently Needed After Left Circumflex Coronary Artery Perforation. <i>Journal of Clinical Medicine</i> , 2020, 9, 3043.	1.0	1
62	Long-Term Prognostic Significance of High-Sensitive Troponin I Increase during Hospital Stay in Patients with Acute Myocardial Infarction and Non-Obstructive Coronary Arteries. <i>Medicina (Lithuania)</i> , 2020, 56, 432.	0.8	4
63	Mortality and chronic obstructive pulmonary disease in patients treated with endovascular revascularization of the infra-inguinal lower limb arteries from retrograde access. <i>Annals of Translational Medicine</i> , 2020, 8, 206-206.	0.7	5
64	Transradial and Transfemoral Approach in Patients with Prior Coronary Artery Bypass Grafting. <i>Journal of Clinical Medicine</i> , 2020, 9, 764.	1.0	2
65	Gender differences and long-term clinical outcomes in patients with chronic total occlusions of infrainguinal lower limb arteries treated from retrograde access with peripheral vascular interventions. <i>Advances in Medical Sciences</i> , 2020, 65, 197-201.	0.9	11
66	The relationship between increased air pollution expressed as PM10 concentration and the frequency of percutaneous coronary interventions in patients with acute coronary syndromes—a seasonal differences. <i>Environmental Science and Pollution Research</i> , 2020, 27, 21320-21330.	2.7	8
67	Safety and Efficacy of Embolic Protection Devices in Saphenous Vein Graft Interventions: A Propensity Score Analysis—Multicenter SVG PCI PROTECTA Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1198.	1.0	3
68	Age and gender differences in clinical outcomes of patients with heavy-calcified coronary artery lesions treated percutaneously with rotational atherectomy. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 225-233.	0.6	3
69	Whole-Body Cryostimulation Improves Inflammatory Endothelium Parameters and Decreases Oxidative Stress in Healthy Subjects. <i>Antioxidants</i> , 2020, 9, 1308.	2.2	17
70	Prevalence, characteristics, and prognostic implications of type 2 diabetes in patients with myocardial infarction: the Polish Registry of Acute Coronary Syndromes (PLACS) annual 2018 report. <i>Kardiologia Polska</i> , 2020, 78, 243-246.	0.3	6
71	Predictors of periprocedural complications in patients undergoing percutaneous coronary interventions within coronary artery bypass grafts. <i>Cardiology Journal</i> , 2020, 26, 633-644.	0.5	8
72	Association between the mortality rate and operator volume in patients undergoing emergency or elective percutaneous coronary interventions. <i>Kardiologia Polska</i> , 2020, 78, 138-146.	0.3	15

#	ARTICLE	IF	CITATIONS
73	Management of valvular and structural heart diseases during the coronavirus disease 2019 pandemic: an expert opinion of the Working Group on Valvular Heart Diseases, the Working Group on Cardiac Surgery, and the Association of Cardiovascular Interventions of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2020, 78, 498-507.	0.3	5
74	Long-term clinical outcomes in patients with acute myocardial infarction treated with percutaneous coronary interventions according to day- and night-time admission. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 570-581.	0.3	3
75	Decline in the number of coronary angiography and percutaneous coronary intervention procedures in patients with acute myocardial infarction in Poland during the coronavirus disease 2019 pandemic. <i>Kardiologia Polska</i> , 2020, 78, 574-576.	0.3	15
76	Radial versus femoral access in patients treated with percutaneous coronary intervention and rotational atherectomy. <i>Kardiologia Polska</i> , 2020, 78, 529-536.	0.3	6
77	The importance of detection and percutaneous closure of patent foramen ovale during the coronavirus disease 2019 pandemic. Authors' reply. <i>Kardiologia Polska</i> , 2020, 78, 616-617.	0.3	0
78	Early results of the ongoing Polish Registry of Valve Thrombosis after Transcatheter Aortic Valve Implantation (ZAKŁÓCZPOLTAVI). <i>Kardiologia Polska</i> , 2020, 78, 681-687.	0.3	3
79	Mechanical circulatory support during high-risk percutaneous coronary intervention in a young male patient. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 347-348.	0.1	1
80	Assessment of mitral regurgitation and mitral complex geometry in patients after transcatheter aortic valve implantation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 300-305.	0.1	1
81	Five-year report from the Polish national registry on percutaneous coronary interventions with a focus on coronary artery perforations within chronic total occlusions. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 399-409.	0.1	3
82	Ischemic stroke after left atrial appendage occlusion with LARIAT in a patient with a coagulation disorder and unrecognized carotid artery stenosis. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 521-523.	0.1	0
83	Extremely high-risk percutaneous coronary intervention in an elderly patient with multiple comorbidities and good general condition. <i>Kardiologia Polska</i> , 2020, 78, 344-345.	0.3	0
84	Myocardial infarction in the shadow of COVID-19. <i>Cardiology Journal</i> , 2020, 27, 478-480.	0.5	5
85	Percutaneous closure of atrial septal defect: a consensus document of the joint group of experts from the Association of Cardiovascular Interventions and the Grown-Up Congenital Heart Disease Section of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2020, 78, 1066-1083.	0.3	1
86	Current trends and procedural outcomes in the era of rotational atherectomy expansion in Poland in the period 2014–2017 (based on the nationwide ORPKI registry). <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 158-166.	0.1	6
87	Predictors of mortality and outcomes after retrograde endovascular angioplasty in patients with peripheral artery disease. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 234-239.	0.1	1
88	Decreased Lipid Profile and Oxidative Stress in Healthy Subjects Who Underwent Whole-Body Cryotherapy in Closed Cryochamber with Subsequent Kinesiotherapy. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-10.	1.9	18
89	Rational and design of the INTentional COronary revascularization versus conservative therapy in patients undergOing successful peripheRAL arTEry revascularization due to critical limb ischemia trial (INCORPORATE trial). <i>American Heart Journal</i> , 2019, 214, 107-112.	1.2	1
90	Safety of bivalirudin versus unfractionated heparin in endovascular revascularization of peripheral arteries in short- and long-term follow-up. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 91-97.	0.1	1

#	ARTICLE	IF	CITATIONS
91	Impact of Coronary Artery Disease and Diabetes Mellitus on the Long-Term Follow-Up in Patients after Retrograde Recanalization of the Femoropopliteal Arterial Region. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-6.	1.0	8
92	New-generation drug eluting stent vs. bare metal stent in saphenous vein graft " 1" year outcomes by a propensity score ascertainment (SVC Baltic Registry). <i>International Journal of Cardiology</i> , 2019, 292, 56-61.	0.8	4
93	Delayed Diagnosis of Non-ST Segment Elevation Myocardial Infarction in a Young Patient with Multivessel Disease and Familial Hypercholesterolemia Complicated by Cardiogenic Shock Finally Treated with Intra-Aortic Balloon Pump as a Bridge to Extra Corporeal Membrane Oxygenation. <i>Case Reports in Cardiology</i> , 2019, 2019, 1-4.	0.1	0
94	Interventional cardiology procedures in Poland in 2018. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK) and Jagiellonian University Medical College. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 391-393.	0.1	9
95	Safety and efficacy of self-expanding Stentys drug-eluting stent in left main coronary artery PCI: Multicentre LM-STENTYS registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 574-582.	0.7	3
96	Impact of sex on the follow-up course and predictors of clinical outcomes in patients hospitalised due to myocardial infarction with non-obstructive coronary arteries: a single-centre experience. <i>Kardiologia Polska</i> , 2019, 77, 198-206.	0.3	13
97	A 47-year-old woman with multifocal fibroelastoma and coronary artery disease. <i>Kardiologia Polska</i> , 2019, 77, 888-889.	0.3	0
98	Long-term clinical outcomes of direct absorb bioresorbable vascular scaffold implantation in acute coronary syndrome. <i>Minerva Cardioangiologica</i> , 2019, 67, 374-379.	1.2	0
99	Interventional closure of patent foramen ovale in prevention of thromboembolic events. Consensus document of the Association of Cardiovascular Interventions and the Section of Crown-up Congenital Heart Disease of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2019, 77, 1094-1105.	0.3	4
100	Predictors of in-hospital effectiveness and complications of rotational atherectomy (from the ORPKI) Tj ETQq0 0 0 rgBT /Overlock 10 T E278-E287.	0.7	23
101	Does the use of rotational atherectomy procedure during percutaneous coronary interventions influence the frequency of procedure-related myocardial injury assessed by cardiac magnetic resonance?. <i>Journal of Thoracic Disease</i> , 2018, 10, S3050-S3052.	0.6	2
102	Percutaneous interventions in cardiology in Poland in the year 2017. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society AISN PTK and Jagiellonian University Medical College. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 422-424.	0.1	8
103	Hospitalization Length after Myocardial Infarction: Risk-Assessment-Based Time of Hospital Discharge vs. Real Life Practice. <i>Journal of Clinical Medicine</i> , 2018, 7, 564.	1.0	9
104	Bailout rotational atherectomy in patients with myocardial infarction is not associated with an increased periprocedural complication rate or poorer angiographic outcomes in comparison to elective procedures (from the ORPKI Polish National Registry 2015-2016). <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 135-143.	0.1	7
105	CHA2DS2-VASc and R2-CHA2DS2-VASc scores predict in-hospital and post-discharge outcome in patients with myocardial infarction. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 391-398.	0.1	6
106	The Role of Endothelium in Physiological and Pathological States: New Data. <i>BioMed Research International</i> , 2018, 2018, 1-3.	0.9	31
107	Clinical factors predicting blood pressure reduction after catheter-based renal denervation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 270-275.	0.1	3
108	Chronic obstructive pulmonary disease and periprocedural complications in patients undergoing percutaneous coronary interventions. <i>PLoS ONE</i> , 2018, 13, e0204257.	1.1	6

#	ARTICLE	IF	CITATIONS
109	Is right coronary artery chronic total vessel occlusion impacting the surgical revascularization results of patients with multivessel disease? A retrospective study. <i>PeerJ</i> , 2018, 6, e4909.	0.9	5
110	The network of invasive cardiology facilities in Poland in 2016 (data from the ORPKI Polish National) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	0.3	12
111	“Heart without smoke” educational campaign – the role of patient education in secondary prevention of cardiovascular disease. <i>Kardiologia Polska</i> , 2018, 76, 125-129.	0.3	4
112	Chronic obstructive pulmonary disease affects angiographic presentation and outcomes. Authors' reply.. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 195-196.	0.3	2
113	Direct Absorb bioresorbable scaffold implantation in acute coronary syndrome. <i>Kardiologia Polska</i> , 2018, 76, 1434-1440.	0.3	2
114	Positron emission tomography for myocardial viability assessment before myocardial revascularization in a patient with extremely impaired left ventricular systolic function – advanced diagnosis and therapy in heart failure. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 2, 173-175.	0.1	0
115	Twelve months follow-up after retrograde recanalization of superficial femoral artery chronic total occlusion. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 1, 47-52.	0.1	7
116	Chronic obstructive pulmonary disease affects the angiographic presentation and outcomes of patients with coronary artery disease treated with percutaneous coronary interventions. <i>Polish Archives of Internal Medicine</i> , 2017, 128, 24-34.	0.3	11
117	Long-term effects of rotational atherectomy in patients with heavy calcified coronary artery lesions: a single-centre experience. <i>Kardiologia Polska</i> , 2017, 75, 564-572.	0.3	6
118	Blood pressure reduction in patients with accessory renal arteries and bilateral single renal arteries after catheter-based renal denervation: prospective study with 3-year follow-up. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 423-428.	0.3	4
119	Renal artery sympathetic nerve radiofrequency denervation. <i>Kardiologia Polska</i> , 2017, 75, 899-906.	0.3	0
120	Long-Term Follow-up After Retrograde Recanalization of Superficial Femoral Artery Chronic Total Occlusion. <i>Journal of Invasive Cardiology</i> , 2017, 29, 336-339.	0.4	8
121	The successful retrieval of a broken guide wire from the diagonal branch of the left anterior descending coronary artery complicated by partial stent rolling. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 2, 166-170.	0.1	0
122	Complete infarct-related artery revascularization in acute myocardial infarction patients. CORAMI Registry. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 2, 84-88.	0.1	1
123	Percutaneous interventions in cardiology in Poland in the year 2014. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society AISN PTK. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 3, 177-181.	0.1	11
124	A 24-year-old male with acute coronary syndrome due to the circumflex coronary artery thrombosis. Diagnostic challenge in everyday practice. <i>International Journal of Cardiology</i> , 2015, 198, 131-133.	0.8	0
125	In-Hospital Mortality in Cardiac Surgery Patients After Readmission to the Intensive Care Unit: A Single-Center Experience with 10,992 Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2015, 29, 570-575.	0.6	39
126	No long-term clinical benefit from manual aspiration thrombectomy in ST-elevation myocardial infarction patients. Data from NRDES registry. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 85, E16-22.	0.7	6

#	ARTICLE	IF	CITATIONS
127	Impact of coronary artery disease presence on the long-term follow-up of carotid artery stenting. <i>Kardiologia Polska</i> , 2015, 73, 274-279.	0.3	3
128	Methods and techniques Comparison of radiation dose exposure in patients undergoing percutaneous coronary intervention vs. peripheral intervention. <i>Postepy W Kardiologii Interwencyjnej</i> , 2014, 4, 308-313.	0.1	2
129	Borderline trend towards long-term mortality benefit from drug eluting stents implantation in ST-elevation myocardial infarction patients in Poland data from NRDES registry. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 436-442.	0.7	13
130	Long-term follow-up of mesh-covered stent implantation in patients with ST-segment elevation myocardial infarction. <i>Kardiologia Polska</i> , 2014, 72, 140-145.	0.3	9
131	Similar outcome of ST-elevation myocardial infarction patients treated with primary percutaneous coronary intervention regardless of presence of cardiac surgery on-site. <i>Kardiologia Polska</i> , 2014, 72, 949-953.	0.3	3
132	Authors response. <i>Kardiologia Polska</i> , 2014, 72, 476-477.	0.3	0
133	Statistics regarding interventional cardiology in Poland in 2013. Summary report of the Association of Cardiovascular Interventions of the Polish Cardiac Society (AISN PTK). <i>Kardiologia Polska</i> , 2014, 72, 1402-1407.	0.3	1
134	Percutaneous Left Atrial Appendage Suture Ligation Using the LARIAT Device in Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2013, 62, 108-118.	1.2	382
135	Denervation (ablation) of nerve terminalis in renal arteries: early results of interventional treatment of arterial hypertension in Poland. <i>Kardiologia Polska</i> , 2013, 71, 152-158.	0.3	3
136	Rescue removal of disrupted balloon catheter from right coronary artery and aortic arch. <i>Kardiologia Polska</i> , 2013, 71, 772-774.	0.3	1
137	Use of aspiration thrombectomy in a 102-year-old patient with acute inferior ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2012, 160, e46-e47.	0.8	0
138	Fractional flow reserve-guided myocardial revascularization. <i>Postepy W Kardiologii Interwencyjnej</i> , 2011, 3, 228-241.	0.1	2
139	Transradial approach in patients with ST-elevation myocardial infarction treated with abciximab results in fewer bleeding complications: data from EUROTRANSFER registry. <i>Coronary Artery Disease</i> , 2010, 21, 292-297.	0.3	31
140	Impact of early abciximab administration on myocardial reperfusion in patients with ST-segment elevation myocardial infarction pretreated with 600mg of clopidogrel before percutaneous coronary intervention. <i>Journal of Thrombosis and Thrombolysis</i> , 2010, 30, 347-353.	1.0	6
141	Long-term follow-up of percutaneous peripheral interventions in lower limb arteries in patients with acute coronary syndrome and diabetes. <i>Postepy W Kardiologii Interwencyjnej</i> , 2010, 3, 117-121.	0.1	1
142	Transportation with very long transfer delays (>90 min) for facilitated PCI with reduced-dose fibrinolysis in patients with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2010, 139, 218-227.	0.8	4
143	Mesh covered stent in ST-segment elevation myocardial infarction. <i>EuroIntervention</i> , 2010, 6, 582-589.	1.4	33
144	Percutaneous peripheral interventions in patients with multivessel coronary artery disease. <i>Kardiologia Polska</i> , 2010, 68, 1115-21.	0.3	3

#	ARTICLE	IF	CITATIONS
145	Recanalization of peripheral arteries by interventional cardiologists: Rationale and results. <i>International Journal of Cardiology</i> , 2008, 129, 304-306.	0.8	1
146	Spontaneous closure of aorta-to-right atrium fistula after septal occluder implantation. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 744-746.	0.6	4
147	Early abciximab administration before primary percutaneous coronary intervention improves infarct-related artery patency and left ventricular function in high-risk patients with anterior wall myocardial infarction: A randomized study. <i>American Heart Journal</i> , 2007, 153, 360-365.	1.2	52
148	L-arginine supplementation does not inhibit neointimal formation after coronary stenting in human beings: an intravascular ultrasound study. <i>American Heart Journal</i> , 2004, 147, 668.	1.2	15
149	Facilitated percutaneous coronary intervention in patients with acute myocardial infarction transferred from remote hospitals. <i>American Journal of Cardiology</i> , 2003, 91, 227-229.	0.7	16
150	Intracerebral Hemorrhage Triggers Interleukin-6 and Interleukin-10 Release in Blood. <i>Stroke</i> , 2002, 33, 2334-2335.	1.0	108
151	Circulating N-terminal brain natriuretic peptide precursor and endothelin levels in patients with syndrome X and left bundle branch block with preserved systolic function. <i>International Journal of Cardiology</i> , 2001, 79, 25-30.	0.8	13
152	Determination of nitrite/nitrate in human biological material by the simple Griess reaction. <i>Clinica Chimica Acta</i> , 1998, 274, 177-188.	0.5	511