

Richard A Cerione

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9341948/publications.pdf>

Version: 2024-02-01

167
papers

15,045
citations

17440

63
h-index

19190

118
g-index

171
all docs

171
docs citations

171
times ranked

17145
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | High-resolution structures of mitochondrial glutaminase C tetramers indicate conformational changes upon phosphate binding. <i>Journal of Biological Chemistry</i> , 2022, 298, 101564. | 3.4 | 9 |
| 2 | New insights into the molecular mechanisms of glutaminase C inhibitors in cancer cells using serial room temperature crystallography. <i>Journal of Biological Chemistry</i> , 2022, 298, 101535. | 3.4 | 21 |
| 3 | Exploring the Role of Transglutaminase in Patients with Glioblastoma: Current Perspectives. <i>OncoTargets and Therapy</i> , 2022, Volume 15, 277-290. | 2.0 | 5 |
| 4 | Mechanistic basis for the allosteric activation of mitochondrial glutaminase C, a key driver of glutamine metabolism in cancer cells. <i>FASEB Journal</i> , 2022, 36, . | 0.5 | 0 |
| 5 | Embryonic Stem Cell-Derived Extracellular Vesicles Maintain ESC Stemness by Activating FAK. <i>Developmental Cell</i> , 2021, 56, 277-291.e6. | 7.0 | 43 |
| 6 | Pharmacological and genetic perturbation establish SIRT5 as a promising target in breast cancer. <i>Oncogene</i> , 2021, 40, 1644-1658. | 5.9 | 45 |
| 7 | Isolation and characterization of extracellular vesicles produced by cell lines. <i>STAR Protocols</i> , 2021, 2, 100295. | 1.2 | 29 |
| 8 | KRAS-dependent cancer cells promote survival by producing exosomes enriched in Survivin. <i>Cancer Letters</i> , 2021, 517, 66-77. | 7.2 | 22 |
| 9 | Cdc42 functions as a regulatory node for tumour-derived microvesicle biogenesis. <i>Journal of Extracellular Vesicles</i> , 2021, 10, e12051. | 12.2 | 19 |
| 10 | Extracellular Vesicles and Their Roles in Cancer Progression. <i>Methods in Molecular Biology</i> , 2021, 2174, 143-170. | 0.9 | 82 |
| 11 | Extracellular vesicles and their roles in stem cell biology. <i>Stem Cells</i> , 2020, 38, 469-476. | 3.2 | 34 |
| 12 | Structure of the Visual Signaling Complex between Transducin and Phosphodiesterase 6. <i>Molecular Cell</i> , 2020, 80, 237-245.e4. | 9.7 | 21 |
| 13 | Lysine succinylation and SIRT5 couple nutritional status to glutamine catabolism. <i>Molecular and Cellular Oncology</i> , 2020, 7, 1735284. | 0.7 | 8 |
| 14 | The two splice variant forms of Cdc42 exert distinct and essential functions in neurogenesis. <i>Journal of Biological Chemistry</i> , 2020, 295, 4498-4512. | 3.4 | 18 |
| 15 | The activation loop and substrate-binding cleft of glutaminase C are allosterically coupled. <i>Journal of Biological Chemistry</i> , 2020, 295, 1328-1337. | 3.4 | 5 |
| 16 | Exosomes as Sentinels against Bacterial Pathogens. <i>Developmental Cell</i> , 2020, 53, 138-139. | 7.0 | 7 |
| 17 | Identification of ALDH1A3 as a Viable Therapeutic Target in Breast Cancer Metastasis-Initiating Cells. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 1134-1147. | 4.1 | 17 |
| 18 | The Arf-GAP and protein scaffold Cat1/Git1 as a multifaceted regulator of cancer progression. <i>Small GTPases</i> , 2020, 11, 77-85. | 1.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | The activation loop and substrate-binding cleft of glutaminase C are allosterically coupled. <i>Journal of Biological Chemistry</i> , 2020, 295, 1328-1337. | 3.4 | 6 |
| 20 | Structures of the Rhodopsin-Transducin Complex: Insights into G-Protein Activation. <i>Molecular Cell</i> , 2019, 75, 781-790.e3. | 9.7 | 74 |
| 21 | New insights into extracellular vesicle biogenesis and function. <i>Journal of Cell Science</i> , 2019, 132, . | 2.0 | 152 |
| 22 | Inhibition of cancer metabolism: a patent landscape. <i>Pharmaceutical Patent Analyst</i> , 2019, 8, 117-138. | 1.1 | 4 |
| 23 | GAC inhibitors with a 4-hydroxypiperidine spacer: Requirements for potency. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 126632. | 2.2 | 9 |
| 24 | Controlling Surface Chemical Heterogeneities of Ultrasmall Fluorescent Core-Shell Silica Nanoparticles as Revealed by High-Performance Liquid Chromatography. <i>Journal of Physical Chemistry C</i> , 2019, 123, 23246-23254. | 3.1 | 7 |
| 25 | Starving the Devourer: Cutting Cancer Off from Its Favorite Foods. <i>Cell Chemical Biology</i> , 2019, 26, 1197-1199. | 5.2 | 5 |
| 26 | Liver-Type Glutaminase GLS2 Is a Druggable Metabolic Node in Luminal-Subtype Breast Cancer. <i>Cell Reports</i> , 2019, 29, 76-88.e7. | 6.4 | 66 |
| 27 | Amorphous Quantum Nanomaterials: Amorphous Quantum Nanomaterials (<i>Adv. Mater.</i> 5/2019). <i>Advanced Materials</i> , 2019, 31, 1970034. | 21.0 | 2 |
| 28 | Purification of the Rhodopsin-Transducin Complex for Structural Studies. <i>Methods in Molecular Biology</i> , 2019, 2009, 307-315. | 0.9 | 2 |
| 29 | Reconstitution of the Rhodopsin-Transducin Complex into Lipid Nanodiscs. <i>Methods in Molecular Biology</i> , 2019, 2009, 317-324. | 0.9 | 3 |
| 30 | Lipid-filled vesicles modulate macrophages. <i>Science</i> , 2019, 363, 931-932. | 12.6 | 11 |
| 31 | Loss of Sirtuin 1 Alters the Secretome of Breast Cancer Cells by Impairing Lysosomal Integrity. <i>Developmental Cell</i> , 2019, 49, 393-408.e7. | 7.0 | 102 |
| 32 | SIRT5 stabilizes mitochondrial glutaminase and supports breast cancer tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 26625-26632. | 7.1 | 84 |
| 33 | Amorphous Quantum Nanomaterials. <i>Advanced Materials</i> , 2019, 31, 1806993. | 21.0 | 15 |
| 34 | The diamond anniversary of tissue transglutaminase: a protein of many talents. <i>Drug Discovery Today</i> , 2018, 23, 575-591. | 6.4 | 38 |
| 35 | Characterization of the interactions of potent allosteric inhibitors with glutaminase C, a key enzyme in cancer cell glutamine metabolism. <i>Journal of Biological Chemistry</i> , 2018, 293, 3535-3545. | 3.4 | 70 |
| 36 | The distinct traits of extracellular vesicles generated by transformed cells. <i>Small GTPases</i> , 2018, 9, 427-432. | 1.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | The experiences of a biochemist in the evolving world of G protein-dependent signaling. <i>Cellular Signalling</i> , 2018, 41, 2-8. | 3.6 | 2 |
| 38 | Gain-of-function screen of $\hat{I}\pm$ -transducin identifies an essential phenylalanine residue necessary for full effector activation. <i>Journal of Biological Chemistry</i> , 2018, 293, 17941-17952. | 3.4 | 5 |
| 39 | Probing the mechanisms of extracellular vesicle biogenesis and function in cancer. <i>Biochemical Society Transactions</i> , 2018, 46, 1137-1146. | 3.4 | 28 |
| 40 | Targeting Therapy Resistance: When Glutamine Catabolism Becomes Essential. <i>Cancer Cell</i> , 2018, 33, 795-797. | 16.8 | 12 |
| 41 | A small molecule regulator of tissue transglutaminase conformation inhibits the malignant phenotype of cancer cells. <i>Oncotarget</i> , 2018, 9, 34379-34397. | 1.8 | 11 |
| 42 | Opening up about Tissue Transglutaminase: When Conformation Matters More than Enzymatic Activity. <i>Med One</i> , 2018, 3, . | 1.0 | 9 |
| 43 | Extracellular vesicle docking at the cellular port: Extracellular vesicle binding and uptake. <i>Seminars in Cell and Developmental Biology</i> , 2017, 67, 48-55. | 5.0 | 230 |
| 44 | A tale of two glutaminases: homologous enzymes with distinct roles in tumorigenesis. <i>Future Medicinal Chemistry</i> , 2017, 9, 223-243. | 2.3 | 109 |
| 45 | A class of extracellular vesicles from breast cancer cells activates VEGF receptors and tumour angiogenesis. <i>Nature Communications</i> , 2017, 8, 14450. | 12.8 | 179 |
| 46 | Conformational changes in the activation loop of mitochondrial glutaminase C: A direct fluorescence readout that distinguishes the binding of allosteric inhibitors from activators. <i>Journal of Biological Chemistry</i> , 2017, 292, 6095-6107. | 3.4 | 21 |
| 47 | Glutamine Metabolism in Cancer: Understanding the Heterogeneity. <i>Trends in Cancer</i> , 2017, 3, 169-180. | 7.4 | 472 |
| 48 | Breast cancer-derived extracellular vesicles stimulate myofibroblast differentiation and pro-angiogenic behavior of adipose stem cells. <i>Matrix Biology</i> , 2017, 60-61, 190-205. | 3.6 | 50 |
| 49 | Molecular mechanism of $G\hat{i}\pm$ activation by non-GPCR proteins with a $G\hat{i}\pm$ -Binding and Activating motif. <i>Nature Communications</i> , 2017, 8, 15163. | 12.8 | 39 |
| 50 | Cool-associated Tyrosine-phosphorylated Protein 1 Is Required for the Anchorage-independent Growth of Cervical Carcinoma Cells by Binding Paxillin and Promoting AKT Activation. <i>Journal of Biological Chemistry</i> , 2017, 292, 3947-3957. | 3.4 | 4 |
| 51 | Targeting amino acid metabolism for cancer therapy. <i>Drug Discovery Today</i> , 2017, 22, 796-804. | 6.4 | 215 |
| 52 | Isolation and structureâ€“function characterization of a signaling-active rhodopsinâ€“G protein complex. <i>Journal of Biological Chemistry</i> , 2017, 292, 14280-14289. | 3.4 | 22 |
| 53 | The stem cell/cancer stem cell marker ALDH1A3 regulates the expression of the survival factor tissue transglutaminase, in mesenchymal glioma stem cells. <i>Oncotarget</i> , 2017, 8, 22325-22343. | 1.8 | 36 |
| 54 | ALDH1A3 in CSCs. <i>Aging</i> , 2017, 9, 1351-1352. | 3.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | The Enrichment of Survivin in Exosomes from Breast Cancer Cells Treated with Paclitaxel Promotes Cell Survival and Chemoresistance. <i>Cancers</i> , 2016, 8, 111. | 3.7 | 113 |
| 56 | Microvesicles provide a mechanism for intercellular communication by embryonic stem cells during embryo implantation. <i>Nature Communications</i> , 2016, 7, 11958. | 12.8 | 182 |
| 57 | Extracellular Vesicles: Satellites of Information Transfer in Cancer and Stem Cell Biology. <i>Developmental Cell</i> , 2016, 37, 301-309. | 7.0 | 152 |
| 58 | The Different Conformational States of Tissue Transglutaminase Have Opposing Affects on Cell Viability. <i>Journal of Biological Chemistry</i> , 2016, 291, 9119-9132. | 3.4 | 29 |
| 59 | An Essential Role for Cdc42 in the Functioning of the Adult Mammary Gland. <i>Journal of Biological Chemistry</i> , 2016, 291, 8886-8895. | 3.4 | 12 |
| 60 | Mechanistic Basis of Glutaminase Activation. <i>Journal of Biological Chemistry</i> , 2016, 291, 20900-20910. | 3.4 | 28 |
| 61 | Microvesicle-mediated Wnt/ β -Catenin Signaling Promotes Interspecies Mammary Stem/Progenitor Cell Growth. <i>Journal of Biological Chemistry</i> , 2016, 291, 24390-24405. | 3.4 | 16 |
| 62 | Microvesicle Cargo and Function Changes upon Induction of Cellular Transformation. <i>Journal of Biological Chemistry</i> , 2016, 291, 19774-19785. | 3.4 | 44 |
| 63 | The oncogenic transcription factor c-Jun regulates glutaminase expression and sensitizes cells to glutaminase-targeted therapy. <i>Nature Communications</i> , 2016, 7, 11321. | 12.8 | 132 |
| 64 | Identifying the functional contribution of the defatty-acylase activity of SIRT6. <i>Nature Chemical Biology</i> , 2016, 12, 614-620. | 8.0 | 79 |
| 65 | Delivery of Therapeutic Proteins via Extracellular Vesicles: Review and Potential Treatments for Parkinson's Disease, Glioma, and Schwannoma. <i>Cellular and Molecular Neurobiology</i> , 2016, 36, 417-427. | 3.3 | 87 |
| 66 | Design and evaluation of novel glutaminase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 1819-1839. | 3.0 | 50 |
| 67 | Microvesicles released from tumor cells disrupt epithelial cell morphology and contractility. <i>Journal of Biomechanics</i> , 2016, 49, 1272-1279. | 2.1 | 17 |
| 68 | Balancing redox stress: anchorage-independent growth requires reductive carboxylation. <i>Translational Cancer Research</i> , 2016, 5, S433-S437. | 1.0 | 3 |
| 69 | Aspirin's Active Metabolite Salicylic Acid Targets High Mobility Group Box 1 to Modulate Inflammatory Responses. <i>Molecular Medicine</i> , 2015, 21, 526-535. | 4.4 | 97 |
| 70 | Emerging picture of the distinct traits and functions of microvesicles and exosomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3589-3590. | 7.1 | 55 |
| 71 | Mechanism by which a recently discovered allosteric inhibitor blocks glutamine metabolism in transformed cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 394-399. | 7.1 | 76 |
| 72 | Less than the sum of its parts, a leinamycin precursor has superior properties. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8164-8165. | 7.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Simultaneously Targeting Tissue Transglutaminase and Kidney Type Glutaminase Sensitizes Cancer Cells to Acid Toxicity and Offers New Opportunities for Therapeutic Intervention. <i>Molecular Pharmaceutics</i> , 2015, 12, 46-55. | 4.6 | 31 |
| 74 | Inhibiting Heat Shock Factor 1 in Human Cancer Cells with a Potent RNA Aptamer. <i>PLoS ONE</i> , 2014, 9, e96330. | 2.5 | 32 |
| 75 | Microfluidic isolation of cancer-cell-derived microvesicles from heterogeneous extracellular shed vesicle populations. <i>Biomedical Microdevices</i> , 2014, 16, 869-877. | 2.8 | 87 |
| 76 | Cancerous epithelial cell lines shed extracellular vesicles with a bimodal size distribution that is sensitive to glutamine inhibition. <i>Physical Biology</i> , 2014, 11, 065001. | 1.8 | 21 |
| 77 | A Novel Mechanism by Which Tissue Transglutaminase Activates Signaling Events That Promote Cell Survival. <i>Journal of Biological Chemistry</i> , 2014, 289, 10115-10125. | 3.4 | 41 |
| 78 | Glutaminase regulation in cancer cells: a druggable chain of events. <i>Drug Discovery Today</i> , 2014, 19, 450-457. | 6.4 | 100 |
| 79 | Identification of mTORC2 as a Necessary Component of HRG/ErbB2-Dependent Cellular Transformation. <i>Molecular Cancer Research</i> , 2014, 12, 940-952. | 3.4 | 20 |
| 80 | Microvesicles as Mediators of Intercellular Communication in Cancer. <i>Methods in Molecular Biology</i> , 2014, 1165, 147-173. | 0.9 | 91 |
| 81 | Inactivation of Cdc42 in embryonic brain results in hydrocephalus with ependymal cell defects in mice. <i>Protein and Cell</i> , 2013, 4, 231-242. | 11.0 | 35 |
| 82 | Therapeutic strategies impacting cancer cell glutamine metabolism. <i>Future Medicinal Chemistry</i> , 2013, 5, 1685-1700. | 2.3 | 110 |
| 83 | A Mechanism for the Upregulation of EGF Receptor Levels in Glioblastomas. <i>Cell Reports</i> , 2013, 3, 2008-2020. | 6.4 | 44 |
| 84 | SIRT4 Has Tumor-Suppressive Activity and Regulates the Cellular Metabolic Response to DNA Damage by Inhibiting Mitochondrial Glutamine Metabolism. <i>Cancer Cell</i> , 2013, 23, 450-463. | 16.8 | 389 |
| 85 | Prenylation and Membrane Localization of Cdc42 Are Essential for Activation by DOCK7. <i>Biochemistry</i> , 2013, 52, 4354-4363. | 2.5 | 28 |
| 86 | Rho GTPases and their roles in cancer metabolism. <i>Trends in Molecular Medicine</i> , 2013, 19, 74-82. | 6.7 | 71 |
| 87 | Deletion of Cdc42 Enhances ADAM17-Mediated Vascular Endothelial Growth Factor Receptor 2 Shedding and Impairs Vascular Endothelial Cell Survival and Vasculogenesis. <i>Molecular and Cellular Biology</i> , 2013, 33, 4181-4197. | 2.3 | 42 |
| 88 | Small Angle X-Ray Scattering Studies of Mitochondrial Glutaminase C Reveal Extended Flexible Regions, and Link Oligomeric State with Enzyme Activity. <i>PLoS ONE</i> , 2013, 8, e74783. | 2.5 | 29 |
| 89 | The Adaptor Protein and Arf GTPase-activating Protein Cat-1/Cit-1 Is Required for Cellular Transformation. <i>Journal of Biological Chemistry</i> , 2012, 287, 31462-31470. | 3.4 | 14 |
| 90 | Characterization of a Novel Activated Ran GTPase Mutant and Its Ability to Induce Cellular Transformation. <i>Journal of Biological Chemistry</i> , 2012, 287, 24955-24966. | 3.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | A Constitutively Active G α Subunit Provides Insights into the Mechanism of G Protein Activation. <i>Biochemistry</i> , 2012, 51, 3232-3240. | 2.5 | 10 |
| 92 | Dibenzophenanthridines as Inhibitors of Glutaminase C and Cancer Cell Proliferation. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 1269-1278. | 4.1 | 82 |
| 93 | A Quantitative Fluorometric Approach for Measuring the Interaction of RhoGDI with Membranes and Rho GTPases. <i>Methods in Molecular Biology</i> , 2012, 827, 107-119. | 0.9 | 1 |
| 94 | A Minimal Rac Activation Domain in the Unconventional Guanine Nucleotide Exchange Factor Dock180. <i>Biochemistry</i> , 2011, 50, 1070-1080. | 2.5 | 10 |
| 95 | Sirt5 Is a NAD-Dependent Protein Lysine Demalonylase and Desuccinylase. <i>Science</i> , 2011, 334, 806-809. | 12.6 | 1,165 |
| 96 | Microcrystallography, high-pressure cryocooling and BioSAXS at MacCHESS. <i>Journal of Synchrotron Radiation</i> , 2011, 18, 70-73. | 2.4 | 11 |
| 97 | A Dominant-negative G α Mutant That Traps a Stable Rhodopsin-G α -GTP- $\beta\gamma$ Complex. <i>Journal of Biological Chemistry</i> , 2011, 286, 12702-12711. | 3.4 | 15 |
| 98 | A Unique Role for Heat Shock Protein 70 and Its Binding Partner Tissue Transglutaminase in Cancer Cell Migration. <i>Journal of Biological Chemistry</i> , 2011, 286, 37094-37107. | 3.4 | 41 |
| 99 | Cancer cell-derived microvesicles induce transformation by transferring tissue transglutaminase and fibronectin to recipient cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 4852-4857. | 7.1 | 415 |
| 100 | Targeting Mitochondrial Glutaminase Activity Inhibits Oncogenic Transformation. <i>Cancer Cell</i> , 2010, 18, 207-219. | 16.8 | 707 |
| 101 | Glutaminase: A Hot Spot For Regulation Of Cancer Cell Metabolism?. <i>Oncotarget</i> , 2010, 1, 734-740. | 1.8 | 139 |
| 102 | Phosphorylation of the Cool-1/ β -Pix Protein Serves as a Regulatory Signal for the Migration and Invasive Activity of Src-transformed Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 18806-18816. | 3.4 | 40 |
| 103 | EGF potentiated oncogenesis requires a tissue transglutaminase-dependent signaling pathway leading to Src activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1408-1413. | 7.1 | 42 |
| 104 | Activation of the Ran GTPase Is Subject to Growth Factor Regulation and Can Give Rise to Cellular Transformation. <i>Journal of Biological Chemistry</i> , 2010, 285, 5815-5826. | 3.4 | 54 |
| 105 | Unloading RNAs in the cytoplasm. <i>Nucleus</i> , 2010, 1, 139-143. | 2.2 | 8 |
| 106 | Cdc42 and Its Cellular Functions. , 2010, , 1785-1794. | | 2 |
| 107 | Cdc42-mTOR Signaling Pathway Controls Hes5 and Pax6 Expression in Retinoic Acid-dependent Neural Differentiation. <i>Journal of Biological Chemistry</i> , 2009, 284, 5107-5118. | 3.4 | 55 |
| 108 | Tissue Transglutaminase Is an Essential Participant in the Epidermal Growth Factor-stimulated Signaling Pathway Leading to Cancer Cell Migration and Invasion. <i>Journal of Biological Chemistry</i> , 2009, 284, 17914-17925. | 3.4 | 70 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | New Insights into How the Rho Guanine Nucleotide Dissociation Inhibitor Regulates the Interaction of Cdc42 with Membranes. <i>Journal of Biological Chemistry</i> , 2009, 284, 23860-23871. | 3.4 | 82 |
| 110 | The molecular basis for the regulation of the cap-binding complex by the importins. <i>Nature Structural and Molecular Biology</i> , 2009, 16, 930-937. | 8.2 | 83 |
| 111 | Cardiac developmental defects and eccentric right ventricular hypertrophy in cardiomyocyte focal adhesion kinase (FAK) conditional knockout mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 6638-6643. | 7.1 | 115 |
| 112 | Effector Proteins Exert an Important Influence on the Signaling-active State of the Small GTPase Cdc42. <i>Journal of Biological Chemistry</i> , 2008, 283, 14153-14164. | 3.4 | 47 |
| 113 | GTP-Binding-Defective Forms of Tissue Transglutaminase Trigger Cell Death. <i>Biochemistry</i> , 2007, 46, 14819-14829. | 2.5 | 37 |
| 114 | Importance of Ca ²⁺ -Dependent Transamidation Activity in the Protection Afforded by Tissue Transglutaminase against Doxorubicin-Induced Apoptosis. <i>Biochemistry</i> , 2006, 45, 13163-13174. | 2.5 | 38 |
| 115 | Influencing Cellular Transformation by Modulating the Rates of GTP Hydrolysis by Cdc42. <i>Biochemistry</i> , 2006, 45, 7750-7762. | 2.5 | 33 |
| 116 | Cool-1 functions as an essential regulatory node for EGF receptor- and Src-mediated cell growth. <i>Nature Cell Biology</i> , 2006, 8, 945-956. | 10.3 | 121 |
| 117 | Biochemical Characterization of the Cool (Cloned Out of a Library)/Pix (Pak Interactive Exchange Factor) Proteins. <i>Methods in Enzymology</i> , 2006, 406, 58-69. | 1.0 | 15 |
| 118 | Two isoforms of tissue transglutaminase mediate opposing cellular fates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 18609-18614. | 7.1 | 91 |
| 119 | Identification of a DOCK180-related Guanine Nucleotide Exchange Factor That Is Capable of Mediating a Positive Feedback Activation of Cdc42. <i>Journal of Biological Chemistry</i> , 2006, 281, 35253-35262. | 3.4 | 50 |
| 120 | New Insights into the Role of Conserved, Essential Residues in the GTP Binding/GTP Hydrolytic Cycle of Large G Proteins. <i>Journal of Biological Chemistry</i> , 2006, 281, 9219-9226. | 3.4 | 26 |
| 121 | The Cool-2/Pix Protein Mediates a Cdc42-Rac Signaling Cascade. <i>Current Biology</i> , 2005, 15, 1-10. | 3.9 | 217 |
| 122 | A Switch 3 Point Mutation in the β Subunit of Transducin Yields a Unique Dominant-negative Inhibitor. <i>Journal of Biological Chemistry</i> , 2005, 280, 35696-35703. | 3.4 | 21 |
| 123 | Augmentation of Tissue Transglutaminase Expression and Activation by Epidermal Growth Factor Inhibit Doxorubicin-induced Apoptosis in Human Breast Cancer Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 41461-41467. | 3.4 | 98 |
| 124 | Perturbing the Linker Regions of the β -Subunit of Transducin. <i>Journal of Biological Chemistry</i> , 2004, 279, 40137-40145. | 3.4 | 27 |
| 125 | Novel regulatory mechanisms for the Dbl family guanine nucleotide exchange factor Cool-2/Pix. <i>EMBO Journal</i> , 2004, 23, 3492-3504. | 7.8 | 78 |
| 126 | Cdc42: new roads to travel. <i>Trends in Cell Biology</i> , 2004, 14, 127-132. | 7.9 | 139 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Structural Elements, Mechanism, and Evolutionary Convergence of Rho Protein α -Guanine Nucleotide Exchange Factor Complexes. <i>Biochemistry</i> , 2004, 43, 837-842. | 2.5 | 120 |
| 128 | RhoGDI Is Required for Cdc42-Mediated Cellular Transformation. <i>Current Biology</i> , 2003, 13, 1469-1479. | 3.9 | 78 |
| 129 | The Cbl proteins are binding partners for the Cool/Pix family of p21-activated kinase-binding proteins. <i>FEBS Letters</i> , 2003, 550, 119-123. | 2.8 | 29 |
| 130 | Activated Cdc42 Sequesters c-Cbl and Prevents EGF Receptor Degradation. <i>Cell</i> , 2003, 114, 715-725. | 28.9 | 187 |
| 131 | Structural basis for the guanine nucleotide-binding activity of tissue transglutaminase and its regulation of transamidation activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 2743-2747. | 7.1 | 303 |
| 132 | Regulation of the Cool/Pix Proteins. <i>Journal of Biological Chemistry</i> , 2002, 277, 5644-5650. | 3.4 | 97 |
| 133 | Iqg1p links spatial and secretion landmarks to polarity and cytokinesis. <i>Journal of Cell Biology</i> , 2002, 159, 601-611. | 5.2 | 50 |
| 134 | Antiapoptotic Cdc42 Mutants Are Potent Activators of Cellular Transformation α . <i>Biochemistry</i> , 2002, 41, 12350-12358. | 2.5 | 26 |
| 135 | Tissue Transglutaminase Protects against Apoptosis by Modifying the Tumor Suppressor Protein p110 Rb. <i>Journal of Biological Chemistry</i> , 2002, 277, 20127-20130. | 3.4 | 103 |
| 136 | Signaling to the Rho GTPases: networking with the DH domain. <i>FEBS Letters</i> , 2002, 513, 85-91. | 2.8 | 117 |
| 137 | Rac inserts its way into the immune response. <i>Nature Immunology</i> , 2001, 2, 194-196. | 14.5 | 6 |
| 138 | Multiple roles for Cdc42 in cell regulation. <i>Current Opinion in Cell Biology</i> , 2001, 13, 153-157. | 5.4 | 150 |
| 139 | The β -subunit of the coatamer complex binds Cdc42 to mediate transformation. <i>Nature</i> , 2000, 405, 800-804. | 27.8 | 214 |
| 140 | Cdc42 and Rac Stimulate Exocytosis of Secretory Granules by Activating the Ip3/Calcium Pathway in Rbl-2h3 Mast Cells. <i>Journal of Cell Biology</i> , 2000, 148, 481-494. | 5.2 | 129 |
| 141 | Structure of the Rho Family GTP-Binding Protein Cdc42 in Complex with the Multifunctional Regulator RhoGDI. <i>Cell</i> , 2000, 100, 345-356. | 28.9 | 480 |
| 142 | Specific Contributions of the Small GTPases Rho, Rac, and Cdc42 to Db1 Transformation. <i>Journal of Biological Chemistry</i> , 1999, 274, 23633-23641. | 3.4 | 164 |
| 143 | Requirement of p21-activated Kinase (PAK) for Salmonella typhimurium α -induced Nuclear Responses. <i>Journal of Experimental Medicine</i> , 1999, 189, 1479-1488. | 8.5 | 48 |
| 144 | A Tyrosine-phosphorylated Protein That Binds to an Important Regulatory Region on the Cool Family of p21-activated Kinase-binding Proteins. <i>Journal of Biological Chemistry</i> , 1999, 274, 22393-22400. | 3.4 | 197 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | The Nuclear Cap-binding Complex Is a Novel Target of Growth Factor Receptor-coupled Signal Transduction. <i>Journal of Biological Chemistry</i> , 1999, 274, 4166-4173. | 3.4 | 40 |
| 146 | PAK to the future. <i>Trends in Cell Biology</i> , 1999, 9, 350-355. | 7.9 | 359 |
| 147 | Kinetics of Cdc42 Membrane Extraction by Rho-GDI Monitored by Real-Time Fluorescence Resonance Energy Transfer. <i>Biochemistry</i> , 1999, 38, 1744-1750. | 2.5 | 59 |
| 148 | Delineation of Two Functionally Distinct γ PDE Binding Sites on the Bovine Retinal cGMP Phosphodiesterase by a Mutant γ PDE Subunit. <i>Biochemistry</i> , 1999, 38, 1293-1299. | 2.5 | 19 |
| 149 | PAK3 mutation in nonsyndromic X-linked mental retardation. <i>Nature Genetics</i> , 1998, 20, 25-30. | 21.4 | 432 |
| 150 | Structures of Cdc42 bound to the active and catalytically compromised forms of Cdc42GAP. <i>Nature Structural Biology</i> , 1998, 5, 1047-1052. | 9.7 | 181 |
| 151 | Identification of the Binding Surface on Cdc42Hs for p21-Activated Kinase. <i>Biochemistry</i> , 1998, 37, 14030-14037. | 2.5 | 38 |
| 152 | A Novel Regulator of p21-activated Kinases. <i>Journal of Biological Chemistry</i> , 1998, 273, 23633-23636. | 3.4 | 285 |
| 153 | Iqg1p, a Yeast Homologue of the Mammalian IQGAPs, Mediates Cdc42p Effects on the Actin Cytoskeleton. <i>Journal of Cell Biology</i> , 1998, 142, 443-455. | 5.2 | 91 |
| 154 | Communication between Switch II and Switch III of the Transducin β Subunit Is Essential for Target Activation. <i>Journal of Biological Chemistry</i> , 1997, 272, 21673-21676. | 3.4 | 24 |
| 155 | Real Time Conformational Changes in the Retinal Phosphodiesterase γ Subunit Monitored by Resonance Energy Transfer. <i>Journal of Biological Chemistry</i> , 1997, 272, 2714-2721. | 3.4 | 17 |
| 156 | Use of a Fluorescence Spectroscopic Readout To Characterize the Interactions of Cdc42Hs with Its Target/Effector, mPAK-3. <i>Biochemistry</i> , 1997, 36, 1173-1180. | 2.5 | 40 |
| 157 | C-terminal binding domain of Rho GDP-dissociation inhibitor directs N-terminal inhibitory peptide to GTPases. <i>Nature</i> , 1997, 387, 814-819. | 27.8 | 164 |
| 158 | The Dbl family of oncogenes. <i>Current Opinion in Cell Biology</i> , 1996, 8, 216-222. | 5.4 | 497 |
| 159 | The Pleckstrin Homology Domain Mediates Transformation by Oncogenic Dbl through Specific Intracellular Targeting. <i>Journal of Biological Chemistry</i> , 1996, 271, 19017-19020. | 3.4 | 117 |
| 160 | Identification of a Mouse p21Cdc42/Rac Activated Kinase. <i>Journal of Biological Chemistry</i> , 1995, 270, 22731-22737. | 3.4 | 383 |
| 161 | Oncogenically activated or ligand-stimulatedneukinase stimulates neurite outgrowth in PC12 cells. <i>FEBS Letters</i> , 1994, 351, 335-339. | 2.8 | 14 |
| 162 | Model Building Predicts an Additional Conformational Switch when GTP Binds to the CDC42HS Protein. <i>Protein and Peptide Letters</i> , 1994, 1, 84-91. | 0.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Identification of a novel protein with GDP dissociation inhibitor activity for the ras-like proteins CDC42Hs and Rac 1. <i>Genes Chromosomes and Cancer</i> , 1993, 8, 253-261. | 2.8 | 42 |
| 164 | Catalysis of guanine nucleotide exchange on the CDC42Hs protein by the dbl oncogene product. <i>Nature</i> , 1991, 354, 311-314. | 27.8 | 437 |
| 165 | The Mammalian β_2 -Adrenergic Receptor: Structural and Functional Characterization of the Carbohydrate Moiety. <i>Journal of Receptors and Signal Transduction</i> , 1987, 7, 257-281. | 1.2 | 31 |
| 166 | A role for Ni in the hormonal stimulation of adenylate cyclase. <i>Nature</i> , 1985, 318, 293-295. | 27.8 | 107 |
| 167 | Pure β_2 -adrenergic receptor: the single polypeptide confers catecholamine responsiveness to adenylate cyclase. <i>Nature</i> , 1983, 306, 562-566. | 27.8 | 117 |