Hitoshi Soyama

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9341989/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Surface integrity of heat treatable magnesium alloy AZ80A after cavitation peening. Journal of Materials Research and Technology, 2022, 17, 2098-2107.	5.8	8
2	Effect of compressive residual stress introduced by cavitation peening and shot peening on the improvement of fatigue strength of stainless steel. Journal of Materials Processing Technology, 2021, 288, 116877.	6.3	70
3	Luminescence intensity of vortex cavitation in a Venturi tube changing with cavitation number. Ultrasonics Sonochemistry, 2021, 71, 105389.	8.2	33
4	Laser Cavitation Peening and Its Application for Improving the Fatigue Strength of Welded Parts. Metals, 2021, 11, 531.	2.3	16
5	Depth-profiling of residual stress and microstructure for austenitic stainless steel surface treated by cavitation, shot and laser peening. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2021, 813, 141037.	5.6	36
6	Optimization of Residual Stress Measurement Conditions for a 2D Method Using X-ray Diffraction and Its Application for Stainless Steel Treated by Laser Cavitation Peening. Materials, 2021, 14, 2772.	2.9	11
7	Effect of Cavitation Peening on Fatigue Properties in Friction Stir Welded Aluminum Alloy AA5754. Metals, 2021, 11, 59.	2.3	12
8	Cavitating Jet: A Review. Applied Sciences (Switzerland), 2020, 10, 7280.	2.5	41
9	Effect of Various Peening Methods on the Fatigue Properties of Titanium Alloy Ti6Al4V Manufactured by Direct Metal Laser Sintering and Electron Beam Melting. Materials, 2020, 13, 2216.	2.9	40
10	Cavitation Peening: A Review. Metals, 2020, 10, 270.	2.3	60
11	Comparison between Shot Peening, Cavitation Peening, and Laser Peening by Observation of Crack Initiation and Crack Growth in Stainless Steel. Metals, 2020, 10, 63.	2.3	20
12	Effect of Mechanical Properties on Fatigue Life Enhancement of Additive Manufactured Titanium Alloy Treated by Various Peening Methods. Lecture Notes in Mechanical Engineering, 2020, , 88-96.	0.4	4
13	Effect of Bubble Radius on Ability of Submerged Laser Peening. Lecture Notes in Mechanical Engineering, 2020, , 283-291.	0.4	0
14	Fundamentals and Applications of Cavitation Peening Comparing with Shot Peening and Laser Peening. Lecture Notes in Mechanical Engineering, 2020, , 76-87.	0.4	1
15	Mechanical Surface Treatments of AISI 304 Stainless Steel: Effects on Surface Microrelief, Residual Stress, and Microstructure. Journal of Materials Engineering and Performance, 2019, 28, 5307-5322.	2.5	37
16	Use of an Abrasive Water Cavitating Jet and Peening Process to Improve the Fatigue Strength of Titanium Alloy 6Al-4V Manufactured by the Electron Beam Powder Bed Melting (EBPB) Additive Manufacturing Method. Jom, 2019, 71, 4311-4318.	1.9	44
17	Comparison between the improvements made to the fatigue strength of stainless steel by cavitation peening, water jet peening, shot peening and laser peening. Journal of Materials Processing Technology, 2019, 269, 65-78.	6.3	127
18	Cavitation shotless peening effects on fatigue crack growth behaviour under bending loads. Material Design and Processing Communications, 2019, , e88.	0.9	0

#	Article	IF	CITATIONS
19	Improvement of Fatigue Strength of Additive Manufactured Metals by Solid-Liquid-Gas Interfacial Phenomena Induced by Pulse Laser. IOP Conference Series: Materials Science and Engineering, 2019, 611, 012002.	0.6	2
20	Enhancement of an aggressive intensity of a cavitating jet by water flow holes near nozzle outlet. Transactions of the JSME (in Japanese), 2019, 85, 19-00280-19-00280.	0.2	2
21	Effect of heat treatment on the cavitation erosion resistance of stainless steel. Materials and Corrosion - Werkstoffe Und Korrosion, 2018, 69, 536-544.	1.5	9
22	Estimation of aggressive intensity of a cavitating jet with multiple experimental methods. Wear, 2018, 394-395, 176-186.	3.1	20
23	Electricity Generation from Rice Bran by a Microbial Fuel Cell and the Influence of Hydrodynamic Cavitation Pretreatment. ACS Omega, 2018, 3, 15267-15271.	3.5	32
24	The use of various peening methods to improve the fatigue strength of titanium alloy Ti6Al4V manufactured by electron beam melting. AIMS Materials Science, 2018, 5, 1000-1015.	1.4	43
25	Removal of Oral Biofilm on an Implant Fixture by a Cavitating Jet. Implant Dentistry, 2017, 26, 904-910.	1.3	10
26	Enhancing the aggressive intensity of hydrodynamic cavitation through a Venturi tube by increasing the pressure in the region where the bubbles collapse. AIP Advances, 2016, 6, .	1.3	54
27	A biological switch at the ocean surface as a cause of laminations in a Precambrian iron formation. Earth and Planetary Science Letters, 2016, 446, 27-36.	4.4	17
28	Enhancing the durability of spinal implant fixture applications made of Ti-6Al-4V ELI by means of cavitation peening. International Journal of Fatigue, 2016, 92, 360-367.	5.7	8
29	Using cavitation peening to enhance the fatigue strength of duralumin plate containing a hole with rounded edges. Surface and Coatings Technology, 2016, 307, 200-205.	4.8	18
30	Experimental verification of the hydrogen concentration around a crack tip using spot X-ray diffraction. International Journal of Hydrogen Energy, 2016, 41, 23188-23195.	7.1	6
31	Hydrodynamic Cavitation Reactor for Efficient Pretreatment of Lignocellulosic Biomass. Industrial & Engineering Chemistry Research, 2016, 55, 1866-1871.	3.7	76
32	Comparison between cavitation peening and shot peening for extending the fatigue life of a duralumin plate with a hole. Journal of Materials Processing Technology, 2016, 227, 80-87.	6.3	56
33	Surface mechanics design of metallic materials on mechanical surface treatments. Mechanical Engineering Reviews, 2015, 2, 14-00192-14-00192.	4.7	20
34	Preventing hydrogen embrittlement in stainless steel by means of compressive stress induced by cavitation peening. Journal of Engineering, 2015, 2015, 106-109.	1.1	2
35	Mechanical Surface Treatment of Duralumin Plate by Bubble Induced by Pulse Laser. Journal of Physics: Conference Series, 2015, 656, 012108.	0.4	3
36	Suppression of Fatigue Crack Propagation of Duralumin by Cavitation Peening. Journal of Engineering, 2015, 126-128.	1.1	2

#	Article	IF	CITATIONS
37	Surface mechanics design by cavitation peening. Journal of Engineering, 2015, 2015, 110-114.	1.1	4
38	Effect of Indentation Load on Vickers Hardness of Austenitic Stainless Steel After Hydrogen Charging. , 2014, , .		2
39	Increase in the local yield stress near surface of austenitic stainless steel due to invasion by hydrogen. International Journal of Hydrogen Energy, 2014, 39, 6095-6103.	7.1	31
40	Effect of load current density during the production of Cu2O/Cu solar cells by anodic oxidation on film quality and output power. Solid-State Electronics, 2014, 91, 130-136.	1.4	0
41	Enhancing the aggressive intensity of a cavitating jet by introducing a cavitator and a guide pipe. Journal of Fluid Science and Technology, 2014, 9, JFST0001-JFST0001.	0.6	30
42	Effect of nozzle geometry on a standard cavitation erosion test using a cavitating jet. Wear, 2013, 297, 895-902.	3.1	78
43	Comparison of mechanisms of advanced mechanical surface treatments in nickel-based superalloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 576, 346-355.	5.6	119
44	Analysis of the formation of plastic deformation layer on the surface of polycrystalline metals subjected to a micro-size high-rate shot impact. International Journal of Mechanical Sciences, 2013, 75, 316-323.	6.7	12
45	Fatigue Strength of Steel Rollers and Gears Treated by Cavitation Peening with Short Processing Time (A Case of Processing Time of 1 min and 5 min). Journal of Advanced Mechanical Design, Systems and Manufacturing, 2012, 6, 33-43.	0.7	7
46	Similarity Law on Shedding Frequency of Cavitation Cloud Induced by a Cavitating Jet. Journal of Fluid Science and Technology, 2012, 7, 405-420.	0.6	32
47	Development of peening technique using recirculating shot accelerated by water jet. Materials Science and Technology, 2012, 28, 234-239.	1.6	32
48	The effect of scanning pitch of nozzle for a cavitating jet during overlapping peening treatment. Surface and Coatings Technology, 2012, 206, 4756-4762.	4.8	12
49	Effect of the impact energy of various peening techniques on the induced plastic deformation region. Journal of Materials Processing Technology, 2012, 212, 1998-2006.	6.3	29
50	Evaluation of Equibiaxial Compressive Stress Introduced into Austenitic Stainless Steel Using an Eddy Current Method. Journal of Nondestructive Evaluation, 2012, 31, 99-107.	2.4	11
51	Suppression of hydrogen-assisted fatigue crack growth in austenitic stainless steel by cavitation peening. International Journal of Hydrogen Energy, 2012, 37, 5268-5276.	7.1	69
52	Using an eddy current method with inverse analysis to determine the thickness of the layer modified by cavitation peening at the surface of type 316 L austenitic stainless steel. NDT and E International, 2012, 46, 94-99.	3.7	4
53	Numerical simulation of the effects of residual stress on the concentration of hydrogen around a crack tip. Surface and Coatings Technology, 2012, 206, 2892-2898.	4.8	55
54	Using an indentation test to evaluate the effect of cavitation peening on the invasion of the surface of austenitic stainless steel by hydrogen. Surface and Coatings Technology, 2012, 206, 3747-3750.	4.8	19

#	Article	IF	CITATIONS
55	Estimation of the depth of surface modification layer induced by cavitation peening. Journal of Materials Processing Technology, 2012, 212, 1716-1722.	6.3	13
56	Technique for partially strengthening electrical steel sheet of IPM motor using cavitation peening. Materials Science and Technology, 2011, 27, 1422-1426.	1.6	10
57	Suppression of fatigue crack propagation with hydrogen embrittlement in stainless steel by cavitation peening. Strength, Fracture and Complexity, 2011, 7, 79-85.	0.3	14
58	Enhancing the Aggressive Strength of a Cavitating Jet and Its Practical Application. Journal of Fluid Science and Technology, 2011, 6, 510-521.	0.6	27
59	Corrosion Behavior of Pressure Vessel Steel Exposed to Residual Bubbles After Cavitation Bubble Collapse. Corrosion, 2011, 67, 025001-1-025001-8.	1.1	9
60	Enhancing the Aggressive Intensity of a Cavitating Jet by Means of the Nozzle Outlet Geometry. Journal of Fluids Engineering, Transactions of the ASME, 2011, 133, .	1.5	59
61	Evaluation of the enhanced cavitation impact energy using a PVDF transducer with an acrylic resin backing. Measurement: Journal of the International Measurement Confederation, 2011, 44, 1279-1283.	5.0	26
62	Two-step method to evaluate equibiaxial residual stress of metal surface based on micro-indentation tests. Materials & Design, 2011, 32, 3240-3247.	5.1	39
63	Introduction of compressive residual stress into stainless steel by employing a cavitating jet in air. Surface and Coatings Technology, 2011, 205, 3167-3174.	4.8	75
64	Luminescent Spots Induced by a Cavitating Jet. , 2011, , .		1
65	Sustainable surface modification using cavitation impact for enhancing fatigue strength demonstrated by a power circulating-type gear tester. International Journal of Sustainable Engineering, 2010, 3, 25-32.	3.5	39
66	A microwave probe nanostructure for atomic force microscopy. Microsystem Technologies, 2009, 15, 1195-1199.	2.0	13
67	Fretting Fatigue Behavior of Cavitation Shotless Peened Ti–6Al–4V. Tribology Letters, 2009, 36, 89-94.	2.6	17
68	Evaluation of the surface of alloy tool steel treated by cavitation shotless peening using an eddy current method. Surface and Coatings Technology, 2009, 203, 2254-2259.	4.8	16
69	Improving the fatigue strength of the elements of a steel belt for CVT by cavitation shotless peening. Journal of Materials Science, 2008, 43, 5028-5030.	3.7	37
70	Development of a nanostructural microwave probe based on GaAs. Microsystem Technologies, 2008, 14, 1021-1025.	2.0	14
71	Growth and proliferation of bone marrow mesenchymal stem cells affected by type I collagen, fibronectin and bFGF. Materials Science and Engineering C, 2008, 28, 1467-1471.	7.3	19
72	Relieving micro-strain by introducing macro-strain in a polycrystalline metal surface by cavitation shotless peening. Materials Letters, 2008, 62, 3564-3566.	2.6	25

#	Article	IF	CITATIONS
73	INTRODUCTION OF MACRO-STRAIN WITH RELEASING MICRO-STRAIN BY CAVITATION SHOTLESS PEENING. International Journal of Modern Physics B, 2008, 22, 1680-1685.	2.0	Ο
74	A nanostructual microwave probe used for atomic force microscope. , 2008, , .		0
75	Improvement of the Fatigue Strength of Stainless Steel SUS316L by a Cavitating Jet with an Associated Water Jet in Water. ISIJ International, 2008, 48, 1577-1581.	1.4	11
76	Improvement of Fatigue Strength of Stainless Steel by Using a Cavitating Jet with an Associated Water Jet in Water. Key Engineering Materials, 2007, 353-358, 162-165.	0.4	4
77	Quantitative Evaluation of Cracks under Water by Microwaves. Key Engineering Materials, 2007, 353-358, 2361-2365.	0.4	Ο
78	Fabrication of a GaAs Microwave Probe Used for Atomic Force Microscope. , 2007, , .		6
79	Molecular beam epitaxial growth and characterization of defects induced by cavitation impacts on polysilicon thin films. Journal of Physics: Conference Series, 2007, 61, 750-754.	0.4	Ο
80	Improvement of fatigue strength by using cavitating jets in air and water. Journal of Materials Science, 2007, 42, 6638-6641.	3.7	43
81	Characterization of Defects for Effective Gettering in Silicon Wafer and Polysilicon Thin Films. , 2006, , 963.		0
82	Optimization of cavitation peening parameters for fatigue performance of carburized steel using Taguchi methods. Journal of Materials Processing Technology, 2006, 178, 234-240.	6.3	20
83	Estimation of cavitation intensity from the time taken for bubbles to develop. Tribology Letters, 2006, 23, 23-26.	2.6	8
84	Microdefects induced by cavitation for gettering in silicon wafer. Journal of Materials Science, 2006, 41, 5380-5382.	3.7	1
85	High-Speed Observation of a Cavitating Jet in Air. Journal of Fluids Engineering, Transactions of the ASME, 2005, 127, 1095-1101.	1.5	53
86	Pitting damage by pressure waves in a mercury target. Journal of Nuclear Materials, 2005, 343, 70-80.	2.7	72
87	Estimation of pitting damage induced by cavitation impacts. Journal of Nuclear Materials, 2005, 343, 116-122.	2.7	13
88	Fatigue strength improvement of gears using cavitation shotless peening. Tribology Letters, 2005, 18, 181-184.	2.6	45
89	Fabrication of the Tip of GaAs Microwave Probe by Wet Etching. , 2005, , 1919.		11
90	Contactless measurement of electrical conductivity of Si wafers independent of wafer thickness. Applied Physics Letters, 2005, 87, 162102.	3.3	14

#	Article	IF	CITATIONS
91	Effect of Cavitation Number on the Improvement of Fatigue Strength of Carburized Steel Using Cavitation Shotless Peening. Key Engineering Materials, 2004, 261-263, 1245-1250.	0.4	2
92	Evaluation of the Damage for Gettering in Silicon Wafer Introduced by a Cavitating Jet. Key Engineering Materials, 2004, 261-263, 1403-1408.	0.4	0
93	Gettering of Cu in Silicon Wafer by Using Cavitation Impacts. Key Engineering Materials, 2004, 261-263, 1409-1414.	0.4	0
94	Back Side Damage Gettering of Cu Using a Cavitating Jet. Electrochemical and Solid-State Letters, 2004, 7, G51.	2.2	6
95	Introduction of Compressive Residual Stress Using a Cavitating Jet in Air. Journal of Engineering Materials and Technology, Transactions of the ASME, 2004, 126, 123-128.	1.4	65
96	Estimation of Incubation Time of Cavitation Erosion for Various Cavitating Conditions. Tribology Letters, 2004, 17, 27-30.	2.6	24
97	Compressive Residual Stress into Titanium Alloy Using Cavitation Shotless Peening Method. Tribology Letters, 2004, 17, 501-504.	2.6	43
98	Evaluation of the effectiveness of back-side damage gettering in silicon introduced by a cavitating jet. Applied Physics Letters, 2004, 85, 3935-3937.	3.3	12
99	Introduction of Compressive Residual Stress into Titanium Alloy Ti6Al4V by Cavitaion Shotless Peening. Zairyo/Journal of the Society of Materials Science, Japan, 2004, 53, 836-840.	0.2	2
100	Quantitative Evaluation of Closed Cracks on the Surface of Stainless Steel by Microwaves. Zairyo/Journal of the Society of Materials Science, Japan, 2004, 53, 900-905.	0.2	2
101	Title is missing!. Zairyo/Journal of the Society of Materials Science, Japan, 2004, 53, 826-832.	0.2	1
102	Recrystallization-etch observation of plastic deformation caused by cavitation shotless peening. Journal of Materials Science Letters, 2003, 22, 115-117.	0.5	5
103	Cavitation shotless peening for improvement of fatigue strength of carbonized steel. International Journal of Fatigue, 2003, 25, 1217-1222.	5.7	121
104	Cavitation Shotless Peening for Surface Modification of Alloy Tool Steel. JSME International Journal Series A-Solid Mechanics and Material Engineering, 2003, 46, 398-402.	0.4	16
105	Effect of an Extract from Evening-Primrose Seeds on Postprandial Blood Glucose Level and Its Active Components. Journal of the Japanese Society for Food Science and Technology, 2003, 50, 180-187.	0.1	8
106	Localized-impact damage caused by proton bombarding in mercury target. European Physical Journal Special Topics, 2003, 110, 583-588.	0.2	0
107	Improvement of Fatigue Strength of Aluminum Alloy by Cavitation Shotless Peening. Journal of Engineering Materials and Technology, Transactions of the ASME, 2002, 124, 135-139.	1.4	104
108	The Fundamental Threshold Level—a New Parameter for Predicting Cavitation Erosion Resistance. Journal of Testing and Evaluation, 2002, 30, 421-431.	0.7	34

ΗΙΤΟSΗΙ ΣΟΥΑΜΑ

#	Article	IF	CITATIONS
109	Peening by the use of cavitation impacts for the improvement of fatigue strength. Journal of Materials Science Letters, 2001, 20, 1263-1265.	0.5	74
110	Improvement in Fatigue Strength of Silicon Manganese Steel SUP7 by Using a Cavitating Jet JSME International Journal Series A-Solid Mechanics and Material Engineering, 2000, 43, 173-178.	0.4	30
111	Surface Modification of Materials by Using a Cavitating Jet. Zairyo To Kankyo/ Corrosion Engineering, 2000, 49, 332-336.	0.2	1
112	Use of Cavitating Jet for Introducing Compressive Residual Stress. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2000, 122, 83-89.	2.2	73
113	Improvement of the corrosion resistance of a carbon steel surface by a cavitating jet. Journal of Materials Science Letters, 1999, 18, 1953-1955.	0.5	19
114	Oxidation-Induced Stacking Faults Introduced by Using a Cavitating Jet for Gettering in Silicon. Electrochemical and Solid-State Letters, 1999, 3, 93.	2.2	7
115	A New Calibration Method for Dynamically Loaded Transducers and Its Application to Cavitation Impact Measurement. Journal of Fluids Engineering, Transactions of the ASME, 1998, 120, 712-718.	1.5	69
116	Useful Correlations for Cavitating Water Jet Review of High Pressure Science and Technology/Koatsuryoku No Kagaku To Gijutsu, 1998, 7, 1456-1458.	0.0	11
117	Fracture Mechanics. Improvement of Residual Stress in Stainless Steel by Cavitating Jet Zairyo/Journal of the Society of Materials Science, Japan, 1998, 47, 808-812.	0.2	5
118	Jet Structure Analyses on High-Speed Submerged Water Jets through Cavitation Noises JSME International Journal Series B, 1996, 39, 568-574.	0.3	1
119	High-speed observation of ultrahigh-speed submerged water jets. Experimental Thermal and Fluid Science, 1996, 12, 411-416.	2.7	73
120	Base-Vented Performance Simulation for Supercavitating Hydrofoils with Pseudo-Kirchhoff Noses Operating within the Subcavitating Region JSME International Journal Series B, 1995, 38, 258-264.	0.3	0
121	High-Speed Stereo-Observations of Violent Vibrations Associated with Three Types of Cavitation JSME International Journal Series B, 1995, 38, 66-72.	0.3	1
122	High-Speed Observations of the Cavitation Cloud around a High-Speed Submerged Water Jet JSME International Journal Series B, 1995, 38, 245-251.	0.3	50
123	Suitable Region of High-Speed Submerged Water Jets for Cutting and Peening JSME International Journal Series B, 1995, 38, 31-38.	0.3	49
124	Marked Change in Subcavitation-Cascade Performance Resulting from a Very Slight Modification in Leading Edges JSME International Journal Series B, 1993, 36, 524-531.	0.3	0
125	A Study on Peening by Submerged Ultra-High-Speed Water-Jets. Fluid Mechanics and Its Applications, 1992, , 413-424.	0.2	5
126	Contactless measurement of conductivity of silicon wafers by millimeter waves. , 0, , .		0

Contactless measurement of conductivity of silicon wafers by millimeter waves. , 0, , . 126

#	ARTICLE	IF	CITATIONS
127	Suppression of Fatigue Crack Growth in Austenite Stainless Steel by Cavitation Peening. Key Engineering Materials, 0, 452-453, 641-644.	0.4	1
128	Effect of Hydrogen on the Micro- and Macro-Strain near the Surface of Austenitic Stainless Steel. Advanced Materials Research, 0, 936, 1298-1302.	0.3	0