

# Knut Stavem

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9342051/publications.pdf>

Version: 2024-02-01

83  
papers

2,455  
citations

279798

23  
h-index

223800

46  
g-index

85  
all docs

85  
docs citations

85  
times ranked

3778  
citing authors

#	ARTICLE	IF	CITATIONS
1	Health-related quality of life in diabetes: The associations of complications with EQ-5D scores. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 18.	2.4	276
2	Dyspnoea, lung function and CT findings 3â€¦months after hospital admission for COVID-19. <i>European Respiratory Journal</i> , 2021, 57, 2003448.	6.7	243
3	Persistent symptoms 1.5â€“6 months after COVID-19 in non-hospitalised subjects: a population-based cohort study. <i>Thorax</i> , 2021, 76, 405-407.	5.6	220
4	Cardiopulmonary exercise capacity and limitations 3â€¦months after COVID-19 hospitalisation. <i>European Respiratory Journal</i> , 2021, 58, 2100996.	6.7	126
5	Charlson comorbidity index derived from chart review or administrative data: agreement and prediction of mortality in intensive care patients. <i>Clinical Epidemiology</i> , 2017, Volume 9, 311-320.	3.0	112
6	Prevalence and Determinants of Fatigue after COVID-19 in Non-Hospitalized Subjects: A Population-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2030.	2.6	96
7	Comparison of preference-based utilities of the 15D, EQ-5D and SF-6D in patients with HIV/AIDS. <i>Quality of Life Research</i> , 2005, 14, 971-980.	3.1	87
8	Factors associated with a prolonged length of stay after acute exacerbation of chronic obstructive pulmonary disease (AECOPD). <i>International Journal of COPD</i> , 2014, 9, 99.	2.3	84
9	Lung Transplantation in Patients With Chronic Obstructive Pulmonary Disease in a National Cohort Is Without Obvious Survival Benefit. <i>Journal of Heart and Lung Transplantation</i> , 2006, 25, 75-84.	0.6	70
10	Reliability and validity of a Norwegian version of the Epworth sleepiness scale. <i>Sleep and Breathing</i> , 2009, 13, 65-72.	1.7	58
11	Preoperative posterior tilt of at least 20Â° increased the risk of fixation failure in Garden-I and -II femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 252-256.	3.3	57
12	Can Global Initiative for Chronic Obstructive Lung Disease Stage 0 Provide Prognostic Information on Long-term Mortality in Men?. <i>Chest</i> , 2006, 130, 318-325.	0.8	52
13	Prevalence and Risk Factors for Post-Traumatic Stress in Hospitalized and Non-Hospitalized COVID-19 Patients. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2079.	2.6	52
14	LONG-TERM SEIZURES AND QUALITY OF LIFE AFTER EPILEPSY SURGERY COMPARED WITH MATCHED CONTROLS. <i>Neurosurgery</i> , 2008, 62, 326-335.	1.1	49
15	Quality of life in epilepsy: comparison of four preference measures. <i>Epilepsy Research</i> , 1998, 29, 201-209.	1.6	47
16	Cardiac Dysfunction and Arrhythmias 3ÂMonths After Hospitalization for COVIDâ€19. <i>Journal of the American Heart Association</i> , 2022, 11, e023473.	3.7	41
17	Norwegian population norms for the EQ-5D-5L: results from a general population survey. <i>Quality of Life Research</i> , 2022, 31, 517-526.	3.1	39
18	Reliability and Validity of the Canadian Neurological Scale in Retrospective Assessment of Initial Stroke Severity. <i>Cerebrovascular Diseases</i> , 2003, 16, 286-291.	1.7	37

#	ARTICLE	IF	CITATIONS
19	Long-term survival after epilepsy surgery compared with matched epilepsy controls and the general population. <i>Epilepsy Research</i> , 2005, 63, 67-75.	1.6	37
20	Comparison of hypothetical and experienced EQ-5D valuations: relative weights of the five dimensions. <i>Quality of Life Research</i> , 2012, 21, 1005-1012.	3.1	34
21	Radiological and functional outcomes 2.7 years following conservatively treated completely displaced midshaft clavicle fractures. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 17-25.	2.4	33
22	General population norms for the EQ-5D-3L in Norway: comparison of postal and web surveys. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 204.	2.4	32
23	Evaluation of three patient reported outcome measures following operative fixation of closed ankle fractures. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 134.	1.9	30
24	The effect of ICP monitoring in severe traumatic brain injury: a propensity score-weighted and adjusted regression approach. <i>Journal of Neurosurgery</i> , 2019, 131, 1896-1904.	1.6	29
25	Properties of the Cigarette Dependence Scale and the Fagerstr�m Test of Nicotine Dependence in a representative sample of smokers in Norway. <i>Addiction</i> , 2008, 103, 1441-1449.	3.3	25
26	Incidence of Cancer and Mortality in Patients from the Simvastatin and Ezetimibe in Aortic Stenosis (SEAS) Trial. <i>American Journal of Cardiology</i> , 2014, 114, 1518-1522.	1.6	21
27	Potentially Inappropriate Medications in Elderly Haemodialysis Patients Using the STOPP Criteria. <i>Drugs - Real World Outcomes</i> , 2016, 3, 359-363.	1.6	20
28	Health-related quality of life after out-of-hospital cardiac arrest – a five-year follow-up study. <i>Resuscitation</i> , 2021, 162, 372-380.	3.0	20
29	Health-related quality of life in a trial of acupuncture, sham acupuncture and conventional treatment for chronic sinusitis. <i>BMC Research Notes</i> , 2008, 1, 37.	1.4	19
30	Double reading of current chest CT examinations: Clinical importance of changes to radiology reports. <i>European Journal of Radiology</i> , 2016, 85, 199-204.	2.6	18
31	Spinal Manipulative Therapy for Acute Neck Pain: A Systematic Review and Meta-Analysis of Randomised Controlled Trials. <i>Journal of Clinical Medicine</i> , 2021, 10, 5011.	2.4	18
32	Reliability and validity of the Norwegian version of the Functional Outcomes of Sleep Questionnaire. <i>Quality of Life Research</i> , 2004, 13, 541-549.	3.1	17
33	Functional outcomes following surgical-site infections after operative fixation of closed ankle fractures. <i>Foot and Ankle Surgery</i> , 2017, 23, 311-316.	1.7	17
34	Medication regimen complexity and medication adherence in elderly patients with chronic kidney disease. <i>Hemodialysis International</i> , 2019, 23, 333-342.	0.9	17
35	Quality of life after COVID-19 without hospitalisation: Good overall, but reduced in some dimensions. <i>Journal of Infection</i> , 2021, 82, 186-230.	3.3	17
36	Predictors of pneumothorax and chest drainage after percutaneous CT-guided lung biopsy: A prospective study. <i>European Radiology</i> , 2021, 31, 4243-4252.	4.5	16

#	ARTICLE	IF	CITATIONS
37	A research agenda for post-COVID-19 fatigue. <i>Journal of Psychosomatic Research</i> , 2022, 154, 110726.	2.6	16
38	Work characteristics and morbidity as predictors of self-perceived health status in Norwegian physicians. <i>Scandinavian Journal of Public Health</i> , 2003, 31, 375-381.	2.3	14
39	Factors associated with life-sustaining treatment restriction in a general intensive care unit. <i>PLoS ONE</i> , 2017, 12, e0181312.	2.5	14
40	Elicitation of Norwegian EQ-5D-5L values for hypothetical and experience-based health states based on the EuroQol Valuation Technology (EQ-VT) protocol. <i>BMJ Open</i> , 2020, 10, e034683.	1.9	14
41	Reliability and validity of the ESRD Symptom Checklist – Transplantation Module in Norwegian kidney transplant recipients. <i>BMC Nephrology</i> , 2006, 7, 17.	1.8	13
42	A Shortcut to Mean-Based Time Tradeoff Tariffs for the EQ-5D?. <i>Medical Decision Making</i> , 2012, 32, 569-577.	2.4	12
43	Excessive daytime sleepiness in chronic migraine and chronic tension-type headache from the general population. <i>Cephalalgia</i> , 2018, 38, 993-997.	3.9	11
44	Pulmonary rehabilitation to improve physical capacity, dyspnea, and quality of life following pulmonary embolism (the PeRehab study): study protocol for a two-center randomized controlled trial. <i>Trials</i> , 2021, 22, 22.	1.6	11
45	The impact of blood ethanol concentration on the classification of head injury severity in traumatic brain injury. <i>Brain Injury</i> , 2015, 29, 1648-1653.	1.2	10
46	Influenced from the start: anchoring bias in time trade-off valuations. <i>Quality of Life Research</i> , 2016, 25, 2179-2191.	3.1	10
47	Index of microvascular resistance to assess the effect of rosuvastatin on microvascular function in women with chest pain and no obstructive coronary artery disease: A double-blind randomized study. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 94, 660-668.	1.7	10
48	Incidence of thrombotic complications in hospitalised and non-hospitalised patients after COVID-19 diagnosis. <i>British Journal of Haematology</i> , 2021, 194, 542-546.	2.5	10
49	Association of excessive daytime sleepiness with migraine and headache frequency in the general population. <i>Journal of Headache and Pain</i> , 2017, 18, 35.	6.0	9
50	Finasteride treatment and male breast cancer: a register-based cohort study in four Nordic countries. <i>Cancer Medicine</i> , 2018, 7, 254-260.	2.8	9
51	Impact of chronic headache on workdays, unemployment and disutility in the general population. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 360-367.	3.7	9
52	Risk factors for symptomatic venous thromboembolism following surgery for closed ankle fractures: A case-control study. <i>Foot and Ankle Surgery</i> , 2020, 26, 681-686.	1.7	9
53	Reliability, validity and responsiveness of a Norwegian version of the Chronic Sinusitis Survey. <i>BMC Ear, Nose and Throat Disorders</i> , 2006, 6, 9.	2.6	8
54	Respiratory symptoms and mortality in four general population cohorts over 45 years. <i>Respiratory Medicine</i> , 2020, 170, 106060.	2.9	8

#	ARTICLE	IF	CITATIONS
55	Effect of oral and transdermal oestrogen therapy on bone mineral density in functional hypothalamic amenorrhoea: a systematic review and meta-analysis. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001112.	2.9	8
56	Cross-sectional and longitudinal analyses of the association between lung function and exercise capacity in healthy Norwegian men. <i>BMC Pulmonary Medicine</i> , 2018, 18, 118.	2.0	7
57	Effectiveness of using STOPP/START criteria to identify potentially inappropriate medication in people aged ≥65 years with chronic kidney disease: a randomized clinical trial. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1503-1511.	1.9	7
58	Index of microvascular resistance after early conversion from calcineurin inhibitor to everolimus in heart transplantation: A sub-study to a 1-year randomized trial. <i>Journal of Heart and Lung Transplantation</i> , 2016, 35, 1010-1017.	0.6	6
59	Health status in subjects with suspected obstructive sleep apnea and comparison with a general population. <i>Scientific Reports</i> , 2018, 8, 5579.	3.3	6
60	Association of Body Mass Index With the Pattern of Surgically Treated Ankle Fractures Using Two Different Classification Systems. <i>Journal of Foot and Ankle Surgery</i> , 2017, 56, 314-318.	1.0	5
61	Respiratory symptoms and respiratory deaths: A multi-cohort study with 45 years observation time. <i>PLoS ONE</i> , 2021, 16, e0260416.	2.5	5
62	Relationship between cytochrome P450 polymorphisms and prescribed medication in elderly haemodialysis patients. <i>SpringerPlus</i> , 2016, 5, 350.	1.2	4
63	Molecular characteristics of <i>Staphylococcus aureus</i> associated prosthetic joint infections after hip fractures treated with hemiarthroplasty: a retrospective genome-wide association study. <i>Scientific Reports</i> , 2020, 10, 16553.	3.3	4
64	Impact of methylphenidate on sleep problems in adults with ADHD: a pilot polysomnography study. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 234-238.	1.3	4
65	Comparing the use of patient-reported outcomes in clinical studies in Europe in 2008 and 2018: a literature review. <i>Quality of Life Research</i> , 2021, , 1.	3.1	4
66	Switching from one reference biological to another in stable patients for non-medical reasons: a literature search and brief review. <i>Journal of Market Access &amp; Health Policy</i> , 2021, 9, 1964792.	1.5	4
67	Time trade-off with someone to live for: impact of having significant others on time trade-off valuations of hypothetical health states. <i>Quality of Life Research</i> , 2022, 31, 1199-1207.	3.1	4
68	Sample Size and Model Prediction Accuracy in EQ-5D-5L Valuations Studies: Expected Out-of-Sample Accuracy Based on Resampling with Different Sample Sizes and Alternative Model Specifications. <i>MDM Policy and Practice</i> , 2022, 7, 238146832210838.	0.9	4
69	Excessive daytime sleepiness in secondary chronic headache from the general population. <i>Journal of Headache and Pain</i> , 2017, 18, 85.	6.0	3
70	Pulmonary and cardiac variables associated with persistent dyspnea after pulmonary embolism. <i>Thrombosis Research</i> , 2021, 201, 90-99.	1.7	3
71	No associations established between single nucleotide polymorphisms in human Toll-like receptor 2 and Toll-interacting protein and <i>Staphylococcus aureus</i> bloodstream infections. <i>Apmis</i> , 2017, 125, 927-932.	2.0	2
72	Determinants of Health Status Three to Six Years After Surgical Treatment of Closed Ankle Fracture and Comparison with the General Population. <i>JBJS Open Access</i> , 2017, 2, e0019.	1.5	2

#	ARTICLE	IF	CITATIONS
73	Functional outcome 3â€“6 years after operative treatment of closed Weber B ankle fractures with or without syndesmotic fixation. <i>Foot and Ankle Surgery</i> , 2020, 26, 378-383.	1.7	2
74	Prophylactic placement of inferior vena cava filters and the risk of death or venous thromboembolism in severe trauma patients: a retrospective study comparing two hospitals with different approaches. <i>Acta Radiologica Open</i> , 2021, 10, 205846012199934.	0.6	2
75	Respiratory rate at rest was not associated with long-term mortality in healthy males. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 742-745.	5.0	1
76	Comparison of EQ-5D-3L and 5L versions following operative fixation of closed ankle fractures. <i>Quality of Life Research</i> , 2022, 31, 2071-2082.	3.1	1
77	Indirect CT venography of the lower extremities: impact of scan delay and patient factors on contrast enhancement and examination quality. <i>European Radiology</i> , 2022, 32, 7946-7955.	4.5	1
78	Evaluation of the Norwegian version of the Dyspnoea-12 questionnaire in patients with COPD. <i>BMJ Open Respiratory Research</i> , 2022, 9, e001262.	3.0	1
79	Comparison of simplified and comprehensive methods for assessing the index of microvascular resistance in heart transplant recipients. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 283-290.	1.7	0
80	Reply to the letter by Min et al.. <i>Cephalalgia</i> , 2018, 38, 1701-1702.	3.9	0
81	Does prophylactic inferior vena cava filter reduce the hazard of pulmonary embolism and mortality in severe trauma? A single center retrospective comparative study. <i>European Journal of Radiology Open</i> , 2021, 8, 100299.	1.6	0
82	The Oslo Ischaemia Study: cohort profile. <i>BMJ Open</i> , 2021, 11, e049111.	1.9	0
83	The course and determinants of post-traumatic stress over 12 months after hospitalization for COVID-19. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	0