## Knut Stavem

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9342051/publications.pdf

Version: 2024-02-01

		279798	223800
83	2,455	23	46
papers	citations	h-index	g-index
85	OΓ	05	2770
03	85	85	3778
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Norwegian population norms for the EQ-5D-5L: results from a general population survey. Quality of Life Research, 2022, 31, 517-526.	3.1	39
2	Time trade-off with someone to live for: impact of having significant others on time trade-off valuations of hypothetical health states. Quality of Life Research, 2022, 31, 1199-1207.	3.1	4
3	Cardiac Dysfunction and Arrhythmias 3ÂMonths After Hospitalization for COVIDâ€19. Journal of the American Heart Association, 2022, 11, e023473.	3.7	41
4	A research agenda for post-COVID-19 fatigue. Journal of Psychosomatic Research, 2022, 154, 110726.	2.6	16
5	Sample Size and Model Prediction Accuracy in EQ-5D-5L Valuations Studies: Expected Out-of-Sample Accuracy Based on Resampling with Different Sample Sizes and Alternative Model Specifications. MDM Policy and Practice, 2022, 7, 238146832210838.	0.9	4
6	Comparison of EQ-5D-3L and 5L versions following operative fixation of closed ankle fractures. Quality of Life Research, 2022, 31, 2071-2082.	3.1	1
7	Indirect CT venography of the lower extremities: impact of scan delay and patient factors on contrast enhancement and examination quality. European Radiology, 2022, 32, 7946-7955.	<b>4.</b> 5	1
8	Evaluation of the Norwegian version of the Dyspnoea-12 questionnaire in patients with COPD. BMJ Open Respiratory Research, 2022, 9, e001262.	3.0	1
9	Persistent symptoms 1.5–6 months after COVID-19 in non-hospitalised subjects: a population-based cohort study. Thorax, 2021, 76, 405-407.	5 <b>.</b> 6	220
10	Predictors of pneumothorax and chest drainage after percutaneous CT-guided lung biopsy: A prospective study. European Radiology, 2021, 31, 4243-4252.	4.5	16
11	Impact of methylphenidate on sleep problems in adults with ADHD: a pilot polysomnography study. Nordic Journal of Psychiatry, 2021, 75, 234-238.	1.3	4
12	Prevalence and Determinants of Fatigue after COVID-19 in Non-Hospitalized Subjects: A Population-Based Study. International Journal of Environmental Research and Public Health, 2021, 18, 2030.	2.6	96
13	Prevalence and Risk Factors for Post-Traumatic Stress in Hospitalized and Non-Hospitalized COVID-19 Patients. International Journal of Environmental Research and Public Health, 2021, 18, 2079.	2.6	52
14	Prophylactic placement of inferior vena cava filters and the risk of death or venous thromboembolism in severe trauma patients: a retrospective study comparing two hospitals with different approaches. Acta Radiologica Open, 2021, 10, 205846012199934.	0.6	2
15	Quality of life after COVID-19 without hospitalisation: Good overall, but reduced in some dimensions. Journal of Infection, 2021, 82, 186-230.	3.3	17
16	Incidence of thrombotic complications in hospitalised and nonâ€hospitalised patients after COVIDâ€19 diagnosis. British Journal of Haematology, 2021, 194, 542-546.	2.5	10
17	Pulmonary and cardiac variables associated with persistent dyspnea after pulmonary embolism. Thrombosis Research, 2021, 201, 90-99.	1.7	3
18	Health-related quality of life after out-of-hospital cardiac arrest – a five-year follow-up study. Resuscitation, 2021, 162, 372-380.	3.0	20

#	Article	lF	CITATIONS
19	Effect of oral and transdermal oestrogen therapy on bone mineral density in functional hypothalamic amenorrhoea: a systematic review and meta-analysis. BMJ Open Sport and Exercise Medicine, 2021, 7, e001112.	2.9	8
20	Cardiopulmonary exercise capacity and limitations 3â€months after COVID-19 hospitalisation. European Respiratory Journal, 2021, 58, 2100996.	6.7	126
21	Comparing the use of patient-reported outcomes in clinical studies in Europe in 2008 and 2018: a literature review. Quality of Life Research, 2021, , 1.	3.1	4
22	Pulmonary rehabilitation to improve physical capacity, dyspnea, and quality of life following pulmonary embolism (the PeRehab study): study protocol for a two-center randomized controlled trial. Trials, 2021, 22, 22.	1.6	11
23	Does prophylactic inferior vena cava filter reduce the hazard of pulmonary embolism and mortality in severe trauma? A single center retrospective comparative study. European Journal of Radiology Open, 2021, 8, 100299.	1.6	0
24	Switching from one reference biological to another in stable patients for non-medical reasons: a literature search and brief review. Journal of Market Access & Health Policy, 2021, 9, 1964792.	1.5	4
25	Dyspnoea, lung function and CT findings 3â€months after hospital admission for COVID-19. European Respiratory Journal, 2021, 57, 2003448.	6.7	243
26	The Oslo Ischaemia Study: cohort profile. BMJ Open, 2021, 11, e049111.	1.9	0
27	Spinal Manipulative Therapy for Acute Neck Pain: A Systematic Review and Meta-Analysis of Randomised Controlled Trials. Journal of Clinical Medicine, 2021, 10, 5011.	2.4	18
28	Respiratory symptoms and respiratory deaths: A multi-cohort study with 45 years observation time. PLoS ONE, 2021, 16, e0260416.	2.5	5
29	Functional outcome 3–6 years after operative treatment of closed Weber B ankle fractures with or without syndesmotic fixation. Foot and Ankle Surgery, 2020, 26, 378-383.	1.7	2
30	Risk factors for symptomatic venous thromboembolism following surgery for closed ankle fractures: A case-control study. Foot and Ankle Surgery, 2020, 26, 681-686.	1.7	9
31	Molecular characteristics of Staphylococcus aureus associated prosthetic joint infections after hip fractures treated with hemiarthroplasty: a retrospective genome-wide association study. Scientific Reports, 2020, 10, 16553.	3.3	4
32	Respiratory symptoms and mortality in four general population cohorts over 45 years. Respiratory Medicine, 2020, 170, 106060.	2.9	8
33	Elicitation of Norwegian EQ-5D-5L values for hypothetical and experience-based health states based on the EuroQol Valuation Technology (EQ-VT) protocol. BMJ Open, 2020, 10, e034683.	1.9	14
34	Effectiveness of using STOPP/START criteria to identify potentially inappropriate medication in people aged ≥ 65Âyears with chronic kidney disease: a randomized clinical trial. European Journal of Clinical Pharmacology, 2019, 75, 1503-1511.	1.9	7
35	Impact of chronic headache on workdays, unemployment and disutility in the general population. Journal of Epidemiology and Community Health, 2019, 73, 360-367.	3.7	9
36	Index of microvascular resistance to assess the effect of rosuvastatin on microvascular function in women with chest pain and no obstructive coronary artery disease: A doubleâ€blind randomized study. Catheterization and Cardiovascular Interventions, 2019, 94, 660-668.	1.7	10

3

#	Article	IF	CITATIONS
37	Medication regimen complexity and medication adherence in elderly patients with chronic kidney disease. Hemodialysis International, 2019, 23, 333-342.	0.9	17
38	The effect of ICP monitoring in severe traumatic brain injury: a propensity score–weighted and adjusted regression approach. Journal of Neurosurgery, 2019, 131, 1896-1904.	1.6	29
39	Health status in subjects with suspected obstructive sleep apnea and comparison with a general population. Scientific Reports, 2018, 8, 5579.	3.3	6
40	Excessive daytime sleepiness in chronic migraine and chronic tension-type headache from the general population. Cephalalgia, 2018, 38, 993-997.	3.9	11
41	Finasteride treatment and male breast cancer: a registerâ€based cohort study in four Nordic countries. Cancer Medicine, 2018, 7, 254-260.	2.8	9
42	General population norms for the EQ-5D-3ÂL in Norway: comparison of postal and web surveys. Health and Quality of Life Outcomes, 2018, 16, 204.	2.4	32
43	Reply to the letter by Min etÂal Cephalalgia, 2018, 38, 1701-1702.	3.9	0
44	Evaluation of three patient reported outcome measures following operative fixation of closed ankle fractures. BMC Musculoskeletal Disorders, 2018, 19, 134.	1.9	30
45	Cross-sectional and longitudinal analyses of the association between lung function and exercise capacity in healthy Norwegian men. BMC Pulmonary Medicine, 2018, 18, 118.	2.0	7
46	Association of excessive daytime sleepiness with migraine and headache frequency in the general population. Journal of Headache and Pain, 2017, 18, 35.	6.0	9
47	Association of Body Mass Index With the Pattern of Surgically Treated Ankle Fractures Using Two Different Classification Systems. Journal of Foot and Ankle Surgery, 2017, 56, 314-318.	1.0	5
48	Excessive daytime sleepiness in secondary chronic headache from the general population. Journal of Headache and Pain, 2017, 18, 85.	6.0	3
49	No associations established between single nucleotide polymorphisms in human Tollâ€like receptor 2 and Tollâ€interacting protein and ⟨i⟩Staphylococcus aureus⟨i⟩ bloodstream infections. Apmis, 2017, 125, 927-932.	2.0	2
50	Functional outcomes following surgical-site infections after operative fixation of closed ankle fractures. Foot and Ankle Surgery, 2017, 23, 311-316.	1.7	17
51	Determinants of Health Status Three to Six Years After Surgical Treatment of Closed Ankle Fracture and Comparison with the General Population. JBJS Open Access, 2017, 2, e0019.	1.5	2
52	Factors associated with life-sustaining treatment restriction in a general intensive care unit. PLoS ONE, 2017, 12, e0181312.	2.5	14
53	Charlson comorbidity index derived from chart review or administrative data: agreement and prediction of mortality in intensive care patients. Clinical Epidemiology, 2017, Volume 9, 311-320.	3.0	112
54	Index of microvascular resistance after early conversion from calcineurin inhibitor to everolimus in heart transplantation: A sub-study to a 1-year randomized trial. Journal of Heart and Lung Transplantation, 2016, 35, 1010-1017.	0.6	6

#	Article	IF	CITATIONS
55	Double reading of current chest CT examinations: Clinical importance of changes to radiology reports. European Journal of Radiology, 2016, 85, 199-204.	2.6	18
56	Potentially Inappropriate Medications in Elderly Haemodialysis Patients Using the STOPP Criteria. Drugs - Real World Outcomes, 2016, 3, 359-363.	1.6	20
57	Preoperative posterior tilt of at least 20° increased the risk of fixation failure in Garden-I and -II femoral neck fractures. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 252-256.	3.3	57
58	Comparison of simplified and comprehensive methods for assessing the index of microvascular resistance in heart transplant recipients. Catheterization and Cardiovascular Interventions, 2016, 87, 283-290.	1.7	0
59	Relationship between cytochrome P450 polymorphisms and prescribed medication in elderly haemodialysis patients. SpringerPlus, 2016, 5, 350.	1.2	4
60	Influenced from the start: anchoring bias in time trade-off valuations. Quality of Life Research, 2016, 25, 2179-2191.	3.1	10
61	Radiological and functional outcomes 2.7Âyears following conservatively treated completely displaced midshaft clavicle fractures. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 17-25.	2.4	33
62	The impact of blood ethanol concentration on the classification of head injury severity in traumatic brain injury. Brain Injury, 2015, 29, 1648-1653.	1.2	10
63	Factors associated with a prolonged length of stay after acute exacerbation of chronic obstructive pulmonary disease (AECOPD). International Journal of COPD, 2014, 9, 99.	2.3	84
64	Incidence of Cancer and Mortality in Patients from the Simvastatin and Ezetimibe in Aortic Stenosis (SEAS) Trial. American Journal of Cardiology, 2014, 114, 1518-1522.	1.6	21
65	A Shortcut to Mean-Based Time Tradeoff Tariffs for the EQ-5D?. Medical Decision Making, 2012, 32, 569-577.	2.4	12
66	Comparison of hypothetical and experienced EQ-5D valuations: relative weights of the five dimensions. Quality of Life Research, 2012, 21, 1005-1012.	3.1	34
67	Health-related quality of life in diabetes: The associations of complications with EQ-5D scores. Health and Quality of Life Outcomes, 2010, 8, 18.	2.4	276
68	Reliability and validity of a Norwegian version of the Epworth sleepiness scale. Sleep and Breathing, 2009, 13, 65-72.	1.7	58
69	Properties of the Cigarette Dependence Scale and the Fagerström Test of Nicotine Dependence in a representative sample of smokers in Norway. Addiction, 2008, 103, 1441-1449.	3.3	25
70	Health-related quality of life in a trial of acupuncture, sham acupuncture and conventional treatment for chronic sinusitis. BMC Research Notes, 2008, 1, 37.	1.4	19
71	LONG-TERM SEIZURES AND QUALITY OF LIFE AFTER EPILEPSY SURGERY COMPARED WITH MATCHED CONTROLS. Neurosurgery, 2008, 62, 326-335.	1.1	49
72	Respiratory rate at rest was not associated with long-term mortality in healthy males. Journal of Clinical Epidemiology, 2007, 60, 742-745.	5.0	1

#	Article	IF	CITATIONS
73	Lung Transplantation in Patients With Chronic Obstructive Pulmonary Disease in a National Cohort Is Without Obvious Survival Benefit. Journal of Heart and Lung Transplantation, 2006, 25, 75-84.	0.6	70
74	Can Global Initiative for Chronic Obstructive Lung Disease Stage 0 Provide Prognostic Information on Long-term Mortality in Men?. Chest, 2006, 130, 318-325.	0.8	52
75	Reliability and validity of the ESRD Symptom Checklist – Transplantation Module in Norwegian kidney transplant recipients. BMC Nephrology, 2006, 7, 17.	1.8	13
76	Reliability, validity and responsiveness of a Norwegian version of the Chronic Sinusitis Survey. BMC Ear, Nose and Throat Disorders, 2006, 6, 9.	2.6	8
77	Long-term survival after epilepsy surgery compared with matched epilepsy controls and the general population. Epilepsy Research, 2005, 63, 67-75.	1.6	37
78	Comparison of preference-based utilities of the 15D, EQ-5D and SF-6D in patients with HIV/AIDS. Quality of Life Research, 2005, 14, 971-980.	3.1	87
79	Reliability and validity of the Norwegian version of the Functional Outcomes of Sleep Questionnaire. Quality of Life Research, 2004, 13, 541-549.	3.1	17
80	Reliability and Validity of the Canadian Neurological Scale in Retrospective Assessment of Initial Stroke Severity. Cerebrovascular Diseases, 2003, 16, 286-291.	1.7	37
81	Work characteristics and morbidity as predictors of self-perceived health status in Norwegian physicians. Scandinavian Journal of Public Health, 2003, 31, 375-381.	2.3	14
82	Quality of life in epilepsy: comparison of four preference measures. Epilepsy Research, 1998, 29, 201-209.	1.6	47
83	The course and determinants of post-traumatic stress over $12$ months after hospitalization for COVID-19. Frontiers in Psychiatry, $0, 13, .$	2.6	O