

Richard W Vachet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9342627/richard-w-vachet-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

6,178
citations

39
h-index

75
g-index

150
ext. papers

6,848
ext. citations

6.9
avg, IF

5.72
L-index

#	Paper	IF	Citations
143	MEMBRANE PROTEIN STRUCTURES AND INTERACTIONS FROM COVALENT LABELING COUPLED WITH MASS SPECTROMETRY. <i>Mass Spectrometry Reviews</i> , 2022 , 41, 51-69	11	4
142	LA-ICP-MS and MALDI-MS image registration for correlating nanomaterial biodistributions and their biochemical effects. <i>Analyst, The</i> , 2021 , 146, 7720-7729	5	1
141	Complementary Structural Information for Stressed Antibodies from Hydrogen-Deuterium Exchange and Covalent Labeling Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2021 , 32, 1237-1248	3.5	1
140	Enhanced and Selective MALDI-MS Detection of Peptides via the Nanomaterial-Dependent Coffee Ring Effect. <i>Journal of the American Society for Mass Spectrometry</i> , 2021 , 32, 1780-1788	3.5	1
139	Utilization of Hydrophobic Microenvironment Sensitivity in Diethylpyrocarbonate Labeling for Protein Structure Prediction. <i>Analytical Chemistry</i> , 2021 , 93, 8188-8195	7.8	3
138	Nanodelivery vehicles induce remote biochemical changes in vivo. <i>Nanoscale</i> , 2021 , 13, 12623-12633	7.7	3
137	Methods Covalent Labeling and Chemical Cross-Linking Coupled With Mass Spectrometry for Studying Protein Amyloid Formation 2021 , 742-756		
136	The Cleavage Profile of Protein Substrates by ClpXP Reveals Deliberate Starts and Pauses. <i>Biochemistry</i> , 2020 , 59, 4294-4301	3.2	3
135	Covalent Labeling/Mass Spectrometry of Monoclonal Antibodies with Diethylpyrocarbonate: Reaction Kinetics for Ensuring Protein Structural Integrity. <i>Journal of the American Society for Mass Spectrometry</i> , 2020 , 31, 1223-1232	3.5	1
134	Measuring the Energy Barrier of the Structural Change That Initiates Amyloid Formation. <i>Analytical Chemistry</i> , 2020 , 92, 4731-4735	7.8	3
133	Intracellular Activation of Bioorthogonal Nanozymes through Endosomal Proteolysis of the Protein Corona. <i>ACS Nano</i> , 2020 , 14, 4767-4773	16.7	28
132	Covalent Labeling with an α -Unsaturated Carbonyl Scaffold for Studying Protein Structure and Interactions by Mass Spectrometry. <i>Analytical Chemistry</i> , 2020 , 92, 6637-6644	7.8	1
131	Protein-Ligand Affinity Determinations Using Covalent Labeling-Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2020 , 31, 1544-1553	3.5	3
130	Epigallocatechin-3-gallate Inhibits Cu(II)-Induced β -Microglobulin Amyloid Formation by Binding to the Edge of Its β -Sheets. <i>Biochemistry</i> , 2020 , 59, 1093-1103	3.2	2
129	Thermally Gated Bio-orthogonal Nanozymes with Supramolecularly Confined Porphyrin Catalysts for Antimicrobial Uses. <i>Chem</i> , 2020 , 6, 1113-1124	16.2	28
128	Higher-Order Structure Influences the Kinetics of Diethylpyrocarbonate Covalent Labeling of Proteins. <i>Journal of the American Society for Mass Spectrometry</i> , 2020 , 31, 658-665	3.5	4
127	Reconstruction, analysis, and segmentation of LA-ICP-MS imaging data using Python for the identification of sub-organ regions in tissues. <i>Analyst, The</i> , 2020 , 145, 3705-3712	5	11

126	Structural Heterogeneity in the Preamyloid Oligomers of β -Microglobulin. <i>Journal of Molecular Biology</i> , 2020 , 432, 396-409	6.5	5
125	Polymeric nanoassemblies for enrichment and detection of peptides and proteins in human breast milk. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 1027-1035	4.4	1
124	A programmable chemical switch based on triggerable Michael acceptors. <i>Chemical Science</i> , 2020 , 11, 2103-2111	9.4	8
123	Dual Mass Spectrometric Tissue Imaging of Nanocarrier Distributions and Their Biochemical Effects. <i>Analytical Chemistry</i> , 2020 , 92, 2011-2018	7.8	11
122	Rod-shape theranostic nanoparticles facilitate antiretroviral drug biodistribution and activity in human immunodeficiency virus susceptible cells and tissues. <i>Theranostics</i> , 2020 , 10, 630-656	12.1	18
121	In Vivo Editing of Macrophages through Systemic Delivery of CRISPR-Cas9-Ribonucleoprotein-Nanoparticle Nanoassemblies. <i>Advanced Therapeutics</i> , 2019 , 2, 190004	14.9	16
120	Sequential Nucleophilic "Click" Reactions for Functional Amphiphilic Homopolymers. <i>Polymer Chemistry</i> , 2019 , 10, 187-193	4.9	12
119	Covalent Labeling with Diethylpyrocarbonate: Sensitive to the Residue Microenvironment, Providing Improved Analysis of Protein Higher Order Structure by Mass Spectrometry. <i>Analytical Chemistry</i> , 2019 , 91, 8516-8523	7.8	23
118	Synergistic Structural Information from Covalent Labeling and Hydrogen-Deuterium Exchange Mass Spectrometry for Protein-Ligand Interactions. <i>Analytical Chemistry</i> , 2019 , 91, 15248-15254	7.8	11
117	Preliminary Capillary Flow Experiments with Amyloid- β Possible Needle and Capillary Adsorption, and a Proposal for Drug Evaluation Under Shear Conditions. <i>Journal of Alzheimers Disease</i> , 2019 , 72, 751-760	4.3	2
116	Efficient enrichment of glycopeptides by supramolecular nanoassemblies that use proximity-assisted covalent binding. <i>Analyst, The</i> , 2019 , 144, 6321-6326	5	1
115	Covalent labeling and mass spectrometry reveal subtle higher order structural changes for antibody therapeutics. <i>MABs</i> , 2019 , 11, 463-476	6.6	10
114	Improved mass spectrometric detection of acidic peptides by variations in the functional group pK values of reverse micelle extraction agents. <i>Analyst, The</i> , 2018 , 143, 1434-1443	5	6
113	Disruption of the open conductance in the β tongue mutants of Cytolysin A. <i>Scientific Reports</i> , 2018 , 8, 3796	4.9	2
112	Covalent labeling-mass spectrometry with non-specific reagents for studying protein structure and interactions. <i>Methods</i> , 2018 , 144, 79-93	4.6	49
111	Supramolecular Assemblies for Transporting Proteins Across an Immiscible Solvent Interface. <i>Journal of the American Chemical Society</i> , 2018 , 140, 2421-2425	16.4	15
110	Matrix Metalloproteinase-9-Responsive Nanogels for Proximal Surface Conversion and Activated Cellular Uptake. <i>Biomacromolecules</i> , 2018 , 19, 860-871	6.9	22
109	Self-assembly of random co-polymers for selective binding and detection of peptides. <i>Polymer Chemistry</i> , 2018 , 9, 1066-1071	4.9	15

108	Molecular Features Influencing the Release of Peptides from Amphiphilic Polymeric Reverse Micelles. <i>Langmuir</i> , 2018 , 34, 4595-4602	4	8
107	Lipogels for Encapsulation of Hydrophilic Proteins and Hydrophobic Small Molecules. <i>Biomacromolecules</i> , 2018 , 19, 132-140	6.9	7
106	Supramolecular Polymeric Assemblies for the Selective Depletion of Abundant Acidic Proteins in Serum. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 40443-40451	9.5	3
105	Matrix-Incorporated Polydopamine Layer as a Simple, Efficient, and Universal Coating for Laser Desorption/Ionization Time-of-Flight Mass Spectrometric Analysis. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 36361-36368	9.5	5
104	Enhanced Laser Desorption/Ionization Mass Spectrometric Detection of Biomolecules Using Gold Nanoparticles, Matrix, and the Coffee Ring Effect. <i>Analytical Chemistry</i> , 2017 , 89, 3009-3014	7.8	26
103	Increased β Sheet Dynamics and D-E Loop Repositioning Are Necessary for Cu(II)-Induced Amyloid Formation by β 2-Microglobulin. <i>Biochemistry</i> , 2017 , 56, 1095-1104	3.2	10
102	Small molecule-mediated inhibition of β 2-microglobulin-based amyloid fibril formation. <i>Journal of Biological Chemistry</i> , 2017 , 292, 10630-10638	5.4	10
101	Gradient and Patterned Protein Films Stabilized via Nanoimprint Lithography for Engineered Interactions with Cells. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 42-46	9.5	14
100	Using Covalent Labeling and Mass Spectrometry To Study Protein Binding Sites of Amyloid Inhibiting Molecules. <i>Analytical Chemistry</i> , 2017 , 89, 11583-11591	7.8	24
99	Altering the Peptide Binding Selectivity of Polymeric Reverse Micelle Assemblies via Metal Ion Loading. <i>Langmuir</i> , 2017 , 33, 14004-14010	4	3
98	Influence of Charge Density on Host-Guest Interactions within Amphiphilic Polymer Assemblies in Apolar Media. <i>Macromolecules</i> , 2017 , 50, 9734-9741	5.5	6
97	Dual-Mode Mass Spectrometric Imaging for Determination of in Vivo Stability of Nanoparticle Monolayers. <i>ACS Nano</i> , 2017 , 11, 7424-7430	16.7	26
96	A layer-by-layer assembled MoS thin film as an efficient platform for laser desorption/ionization mass spectrometry analysis of small molecules. <i>Nanoscale</i> , 2017 , 9, 10854-10860	7.7	19
95	Gas-Phase Protein Salt Bridge Stabilities from Collisional Activation and Electron Transfer Dissociation. <i>International Journal of Mass Spectrometry</i> , 2017 , 420, 51-56	1.9	11
94	Quantitative Differentiation of Cell Surface-Bound and Internalized Cationic Gold Nanoparticles Using Mass Spectrometry. <i>ACS Nano</i> , 2016 , 10, 6731-6	16.7	27
93	Polymer-mediated ternary supramolecular interactions for sensitive detection of peptides. <i>Analyst, The</i> , 2016 , 142, 118-122	5	6
92	Quantitative imaging of 2 nm monolayer-protected gold nanoparticle distributions in tissues using laser ablation inductively-coupled plasma mass spectrometry (LA-ICP-MS). <i>Analyst, The</i> , 2016 , 141, 2418-25	5.25	30
91	Surface Charge Controls the Suborgan Biodistributions of Gold Nanoparticles. <i>ACS Nano</i> , 2016 , 10, 5536-47	16.7	132

90	Facile synthesis of cationic gold nanoparticles with controlled size and surface plasmon resonance. <i>RSC Advances</i> , 2016 , 6, 92007-92010	3.7	2
89	Investigating Therapeutic Protein Structure with Diethylpyrocarbonate Labeling and Mass Spectrometry. <i>Analytical Chemistry</i> , 2015 , 87, 10627-34	7.8	23
88	Kinetics of Protein Complex Dissociation Studied by Hydrogen/Deuterium Exchange and Mass Spectrometry. <i>Analytical Chemistry</i> , 2015 , 87, 11777-83	7.8	13
87	Inkjet-printed gold nanoparticle surfaces for the detection of low molecular weight biomolecules by laser desorption/ionization mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2015 , 26, 1931-7	3.5	25
86	Enhanced Laser Desorption/Ionization Mass Spectrometric Detection of Gold Nanoparticles in Biological Samples Using the Synergy between Added Matrix and the Gold Core. <i>Analytical Chemistry</i> , 2015 , 87, 12145-50	7.8	11
85	Molecular histology: More than a picture. <i>Nature Nanotechnology</i> , 2015 , 10, 103-4	28.7	6
84	Molecular analysis of chromium and cobalt-related toxicity. <i>Scientific Reports</i> , 2014 , 4, 5729	4.9	101
83	Exploring salt bridge structures of gas-phase protein ions using multiple stages of electron transfer and collision induced dissociation. <i>Journal of the American Society for Mass Spectrometry</i> , 2014 , 25, 604-13	3.5	47
82	Unique effect of Cu(II) in the metal-induced amyloid formation of β -microglobulin. <i>Biochemistry</i> , 2014 , 53, 1263-74	3.2	15
81	Identifying Zn-bound histidine residues in metalloproteins using hydrogen-deuterium exchange mass spectrometry. <i>Analytical Chemistry</i> , 2014 , 86, 766-73	7.8	11
80	The role of surface functionality in nanoparticle exocytosis. <i>Advanced Healthcare Materials</i> , 2014 , 3, 1200-1202	12.27	27
79	26th ASMS Sanibel Conference on mass spectrometry-ion activation: fundamentals, applications and new frontiers. <i>Journal of the American Society for Mass Spectrometry</i> , 2014 , 25, 1307-9	3.5	
78	Mass spectrometric detection of nanoparticle host-guest interactions in cells. <i>Analytical Chemistry</i> , 2014 , 86, 6710-4	7.8	13
77	Label scrambling during CID of covalently labeled peptide ions. <i>Journal of the American Society for Mass Spectrometry</i> , 2014 , 25, 1739-46	3.5	9
76	Graphene-loaded nanofiber-modified electrodes for the ultrasensitive determination of dopamine. <i>Analytica Chimica Acta</i> , 2013 , 804, 84-91	6.6	47
75	Electrostatic control of peptide side-chain reactivity using amphiphilic homopolymer-based supramolecular assemblies. <i>Journal of the American Chemical Society</i> , 2013 , 135, 14179-88	16.4	15
74	Using metal complex ion-molecule reactions in a miniature rectilinear ion trap mass spectrometer to detect chemical warfare agents. <i>Journal of the American Society for Mass Spectrometry</i> , 2013 , 24, 917-25	3.5	9
73	Characterization of surface ligands on functionalized magnetic nanoparticles using laser desorption/ionization mass spectrometry (LDI-MS). <i>Nanoscale</i> , 2013 , 5, 5063-6	7.7	21

72	Effect of Al ₂ O ₃ nanoparticles on bacterial membrane amphiphilic biomolecules. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 102, 292-9	6	8
71	Multiplexed imaging of nanoparticles in tissues using laser desorption/ionization mass spectrometry. <i>Journal of the American Chemical Society</i> , 2013 , 135, 12564-7	16.4	64
70	Covalent labeling with isotopically encoded reagents for faster structural analysis of proteins by mass spectrometry. <i>Analytical Chemistry</i> , 2013 , 85, 9664-70	7.8	17
69	Effect of surface charge on the uptake and distribution of gold nanoparticles in four plant species. <i>Environmental Science & Technology</i> , 2012 , 46, 12391-8	10.3	245
68	Determination of the intracellular stability of gold nanoparticle monolayers using mass spectrometry. <i>Analytical Chemistry</i> , 2012 , 84, 4321-6	7.8	35
67	Laser desorption ionization mass spectrometric imaging of mass barcoded gold nanoparticles for security applications. <i>Chemical Communications</i> , 2012 , 48, 4543-5	5.8	37
66	The interplay of monolayer structure and serum protein interactions on the cellular uptake of gold nanoparticles. <i>Small</i> , 2012 , 8, 2659-63	11	60
65	Increased protein structural resolution from diethylpyrocarbonate-based covalent labeling and mass spectrometric detection. <i>Journal of the American Society for Mass Spectrometry</i> , 2012 , 23, 708-17	3.5	31
64	Diethylpyrocarbonate labeling for the structural analysis of proteins: label scrambling in solution and how to avoid it. <i>Journal of the American Society for Mass Spectrometry</i> , 2012 , 23, 899-907	3.5	25
63	Stability of quantum dots in live cells. <i>Nature Chemistry</i> , 2011 , 3, 963-8	17.6	107
62	Multiplexed MS/MS in a miniature rectilinear ion trap. <i>Journal of the American Society for Mass Spectrometry</i> , 2011 , 22, 683-8	3.5	9
61	Structural insights into the pre-amyloid tetramer of A β -microglobulin from covalent labeling and mass spectrometry. <i>Biochemistry</i> , 2011 , 50, 6711-22	3.2	41
60	Interaction between oxide nanoparticles and biomolecules of the bacterial cell envelope as examined by infrared spectroscopy. <i>Langmuir</i> , 2010 , 26, 18071-7	4	96
59	Matrix-assisted laser desorption ionization-mass spectrometry signal enhancement of peptides after selective extraction with polymeric reverse micelles. <i>Analytical Chemistry</i> , 2010 , 82, 3686-91	7.8	14
58	Selective enrichment and analysis of acidic peptides and proteins using polymeric reverse micelles and MALDI-MS. <i>Analytical Chemistry</i> , 2010 , 82, 8686-91	7.8	18
57	Structure of the preamyloid dimer of beta-2-microglobulin from covalent labeling and mass spectrometry. <i>Biochemistry</i> , 2010 , 49, 1522-32	3.2	55
56	Laser desorption/ionization mass spectrometry analysis of monolayer-protected gold nanoparticles. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 1025-35	4.4	53
55	Surface properties dictate uptake, distribution, excretion, and toxicity of nanoparticles in fish. <i>Small</i> , 2010 , 6, 2261-5	11	100

54	Probing protein structure by amino acid-specific covalent labeling and mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2009 , 28, 785-815	11	251
53	Correct identification of oxidized histidine residues using electron-transfer dissociation. <i>Journal of Mass Spectrometry</i> , 2009 , 44, 755-62	2.2	19
52	Copper binding to beta-2-microglobulin and its pre-amyloid oligomers. <i>Biochemistry</i> , 2009 , 48, 9871-81	3.2	42
51	Generating peptide titration-type curves using polymeric reverse micelles as selective extraction agents along with matrix-assisted laser desorption ionization-mass spectrometry detection. <i>Analytical Chemistry</i> , 2009 , 81, 5046-53	7.8	12
50	Amphiphilic nanoassemblies for the detection of peptides and proteins using fluorescence and mass spectrometry. <i>Analyst, The</i> , 2009 , 134, 635-49	5	13
49	Engineered nanoparticle surfaces for improved mass spectrometric analyses. <i>Analyst, The</i> , 2009 , 134, 2183-8	5	50
48	Selective peptide binding using facially amphiphilic dendrimers. <i>Journal of the American Chemical Society</i> , 2008 , 130, 11156-63	16.4	45
47	Protein surface mapping using diethylpyrocarbonate with mass spectrometric detection. <i>Analytical Chemistry</i> , 2008 , 80, 2895-904	7.8	86
46	Multiplexed screening of cellular uptake of gold nanoparticles using laser desorption/ionization mass spectrometry. <i>Journal of the American Chemical Society</i> , 2008 , 130, 14139-43	16.4	107
45	Constraints on anaerobic respiration in the hyperthermophilic Archaea <i>Pyrobaculum islandicum</i> and <i>Pyrobaculum aerophilum</i> . <i>Applied and Environmental Microbiology</i> , 2008 , 74, 396-402	4.8	27
44	Cu(II) organizes beta-2-microglobulin oligomers but is released upon amyloid formation. <i>Protein Science</i> , 2008 , 17, 748-59	6.3	35
43	Polymeric inverse micelles as selective peptide extraction agents for MALDI-MS analysis. <i>Analytical Chemistry</i> , 2007 , 79, 7124-30	7.8	28
42	The effect of histidine oxidation on the dissociation patterns of peptide ions. <i>Journal of the American Society for Mass Spectrometry</i> , 2007 , 18, 553-62	3.5	23
41	Improved sequencing of oxidized cysteine and methionine containing peptides using electron transfer dissociation. <i>Journal of the American Society for Mass Spectrometry</i> , 2007 , 18, 1499-506	3.5	46
40	Using metal-catalyzed oxidation reactions and mass spectrometry to identify amino acid residues within 10 Å of the metal in Cu-binding proteins. <i>Journal of the American Society for Mass Spectrometry</i> , 2006 , 17, 1552-9	3.5	31
39	Transition metal binding to cod otolith proteins. <i>Journal of Experimental Marine Biology and Ecology</i> , 2006 , 329, 135-143	2.1	47
38	Antioxidant mechanisms of enzymatic hydrolysates of beta-lactoglobulin in food lipid dispersions. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 9565-72	5.7	98
37	Mixed monolayer-protected gold nanoclusters as selective peptide extraction agents for MALDI-MS analysis. <i>Analytical Chemistry</i> , 2006 , 78, 5491-6	7.8	75

36	Transition metal-peptide binding studied by metal-catalyzed oxidation reactions and mass spectrometry. <i>Analytical Chemistry</i> , 2006 , 78, 2432-8	7.8	58
35	Using microwave-assisted metal-catalyzed oxidation reactions and mass spectrometry to increase the rate at which the copper-binding sites of a protein are determined. <i>Analytical Chemistry</i> , 2005 , 77, 4649-53	7.8	27
34	STEP (Statistical Test of Equivalent Pathways) analysis: a mass spectrometric method for carbohydrates and peptides. <i>Analytical Chemistry</i> , 2005 , 77, 5886-93	7.8	5
33	Metal-catalyzed oxidation reactions and mass spectrometry: the roles of ascorbate and different oxidizing agents in determining Cu-protein-binding sites. <i>Analytical Biochemistry</i> , 2005 , 341, 122-30	3.1	54
32	Gas-phase ion-molecule reactions of divalent metal complex ions: Toward coordination structure analysis by mass spectrometry and some intrinsic coordination chemistry along the way. <i>International Journal of Mass Spectrometry</i> , 2005 , 244, 109-124	1.9	47
31	A comparison of the gas, solution, and solid state coordination environments for the Cu(II) complexes of a series of linear aminopyridine ligands with varying ratios of 5- and 6-membered chelate rings. <i>Inorganica Chimica Acta</i> , 2004 , 357, 1141-1151	2.7	23
30	A comparison of the gas, solution, and solid state coordination environments for the Ni(II) complexes of a series of linear penta- and hexadentate aminopyridine ligands with accessible Ni(III) oxidation states. <i>Inorganica Chimica Acta</i> , 2004 , 357, 51-58	2.7	17
29	Gas-phase reactions of divalent Ni complex ions with acetonitrile: Chelate ring size, inductive, and steric effects. <i>Journal of the American Society for Mass Spectrometry</i> , 2004 , 15, 1128-1135	3.5	15
28	Effect of Coordination Geometry on the Gas-Phase Reactivity of Four-Coordinate Divalent Metal Ion Complexes. <i>Journal of Physical Chemistry A</i> , 2004 , 108, 1757-1763	2.8	34
27	Multiplexed MS/MS in a quadrupole ion trap mass spectrometer. <i>Analytical Chemistry</i> , 2004 , 76, 7346-53	7.8	23
26	Using mass spectrometry to study copper-protein binding under native and non-native conditions: beta-2-microglobulin. <i>Analytical Chemistry</i> , 2004 , 76, 3498-504	7.8	41
25	Are gas-phase reactions of five-coordinate divalent metal ion complexes affected by coordination geometry?. <i>Inorganic Chemistry</i> , 2004 , 43, 2745-53	5.1	16
24	Tandem mass spectrometry of Cu(II) complexes: the effects of ligand donor group on dissociation. <i>Journal of Mass Spectrometry</i> , 2003 , 38, 333-42	2.2	25
23	A comparison of the gas, solution, and solid state coordination environments for the copper(II) complexes of a series of aminopyridine ligands of varying coordination number. <i>Inorganica Chimica Acta</i> , 2003 , 343, 119-132	2.7	52
22	The utility of ion-molecule reactions in a quadrupole ion trap mass spectrometer for analyzing metal complex coordination structure. <i>Analytica Chimica Acta</i> , 2003 , 496, 233-248	6.6	18
21	Characterization of Cu(II)-binding ligands from the Chesapeake Bay using high-performance size-exclusion chromatography and mass spectrometry. <i>Marine Chemistry</i> , 2003 , 82, 31-45	3.7	24
20	The use of static pressures of heavy gases within a quadrupole ion trap. <i>Journal of the American Society for Mass Spectrometry</i> , 2003 , 14, 1099-109	3.5	36
19	The basics of mass spectrometry in the twenty-first century. <i>Nature Reviews Drug Discovery</i> , 2003 , 2, 140-50	64.1	232

18	Development of a methodology based on metal-catalyzed oxidation reactions and mass spectrometry to determine the metal binding sites in copper metalloproteins. <i>Analytical Chemistry</i> , 2003 , 75, 1164-72	7.8	68
17	Gas-phase ion-molecule reactions of transition metal complexes: the effect of different coordination spheres on complex reactivity. <i>Journal of the American Society for Mass Spectrometry</i> , 2002 , 13, 813-25	3.5	56
16	Quadrupole ion trap studies of the structure and reactivity of transition metal ion pair complexes. <i>Journal of Mass Spectrometry</i> , 2000 , 35, 311-20	2.2	44
15	Gas, solution, and solid state coordination environments for the nickel(II) complexes of a series of aminopyridine ligands of varying coordination number. <i>Inorganica Chimica Acta</i> , 2000 , 297, 79-87	2.7	44
14	Application of external customized waveforms to a commercial quadrupole ion trap. <i>Journal of the American Society for Mass Spectrometry</i> , 1999 , 10, 355-359	3.5	9
13	Ion-molecule reactions in a quadrupole ion trap as a probe of the gas-phase structure of metal complexes. <i>Journal of Mass Spectrometry</i> , 1998 , 33, 1209-1225	2.2	74
12	New method to study the effects of peptide sequence on the dissociation energetics of peptide ions. <i>Journal of the American Society for Mass Spectrometry</i> , 1998 , 9, 175-7	3.5	8
11	Origin of product ions in the MS/MS spectra of peptides in a quadrupole ion trap. <i>Journal of the American Society for Mass Spectrometry</i> , 1998 , 9, 341-4	3.5	64
10	Boundary-activated dissociation of peptide ions in a quadrupole ion trap. <i>Analytical Chemistry</i> , 1998 , 70, 340-6	7.8	24
9	Alkanethiolate Gold Cluster Molecules with Core Diameters from 1.5 to 5.2 nm: Core and Monolayer Properties as a Function of Core Size. <i>Langmuir</i> , 1998 , 14, 17-30	4	1636
8	Novel Peptide Dissociation: Gas-Phase Intramolecular Rearrangement of Internal Amino Acid Residues. <i>Journal of the American Chemical Society</i> , 1997 , 119, 5481-5488	16.4	111
7	Parent ion resolution in linked scans for dissociations occurring in the first field-free region of sector mass spectrometers. <i>Journal of the American Society for Mass Spectrometry</i> , 1997 , 8, 545-553	3.5	1
6	Prediction of artifact peak intensity in linked scans for dissociations occurring in the first field-free region of sector mass spectrometers. <i>Journal of the American Society for Mass Spectrometry</i> , 1997 , 8, 554-560	3.5	1
5	Strategy for pulsed ionization methods on a sector mass spectrometer. <i>Analytical Chemistry</i> , 1996 , 68, 845-9	7.8	6
4	Secondary Interactions Affecting the Dissociation Patterns of Arginine-Containing Peptide Ions. <i>Journal of the American Chemical Society</i> , 1996 , 118, 6252-6256	16.4	61
3	Correlation of kinetic energy losses in high-energy collision-induced dissociation with observed peptide product ions. <i>Analytical Chemistry</i> , 1996 , 68, 522-6	7.8	23
2	Effects of heavy gases on the tandem mass spectra of peptide ions in the quadrupole ion trap. <i>Journal of the American Society for Mass Spectrometry</i> , 1996 , 7, 1194-202	3.5	37
1	Engineering of a 129-residue tripod protein by chemoselective ligation of proline-II helices. <i>Tetrahedron</i> , 1995 , 51, 9859-9872	2.4	26

