

Mingdeng Wei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9343969/publications.pdf>

Version: 2024-02-01

169
papers

8,508
citations

36299

51
h-index

56717

83
g-index

175
all docs

175
docs citations

175
times ranked

8890
citing authors

#	ARTICLE	IF	CITATIONS
1	Metal-organic frameworks: a new promising class of materials for a high performance supercapacitor electrode. <i>Journal of Materials Chemistry A</i> , 2014, 2, 16640-16644.	10.3	505
2	Zn-doped Ni-MOF material with a high supercapacitive performance. <i>Journal of Materials Chemistry A</i> , 2014, 2, 19005-19010.	10.3	395
3	Biological impact of lead from halide perovskites reveals the risk of introducing a safe threshold. <i>Nature Communications</i> , 2020, 11, 310.	12.8	313
4	Layered Structural Co-Based MOF with Conductive Network Frames as a New Supercapacitor Electrode. <i>Chemistry - A European Journal</i> , 2017, 23, 631-636.	3.3	257
5	Rational Design and General Synthesis of Doped Hard Carbon with Tunable Doping Sites toward Excellent Na-Ion Storage Performance. <i>Advanced Materials</i> , 2018, 30, e1802035.	21.0	239
6	Valence Engineering via Selective Atomic Substitution on Tetrahedral Sites in Spinel Oxide for Highly Enhanced Oxygen Evolution Catalysis. <i>Journal of the American Chemical Society</i> , 2019, 141, 8136-8145.	13.7	220
7	Layered $H_{2}Ti_{6}O_{13}$ Nanowires: A New Promising Pseudocapacitive Material in Non-Aqueous Electrolyte. <i>Advanced Functional Materials</i> , 2012, 22, 5185-5193.	14.9	213
8	Metal-organic frameworks: promising materials for improving the open circuit voltage of dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 17259.	6.7	176
9	Additive-free synthesis of unique TiO_{2} mesocrystals with enhanced lithium-ion intercalation properties. <i>Energy and Environmental Science</i> , 2012, 5, 5408-5413.	30.8	145
10	Rational design of few-layer $MoSe_{2}$ confined within $ZnSe$ hollow porous spheres for high-performance lithium-ion and sodium-ion batteries. <i>Nanoscale</i> , 2019, 11, 6766-6775.	5.6	143
11	MoO_{2} -Ordered Mesoporous Carbon Nanocomposite as an Anode Material for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 2182-2187.	8.0	138
12	Hierarchical cerium oxide derived from metal-organic frameworks for high performance supercapacitor electrodes. <i>Electrochimica Acta</i> , 2016, 222, 773-780.	5.2	120
13	Complex spinel titanate nanowires for a high rate lithium-ion battery. <i>Energy and Environmental Science</i> , 2011, 4, 1886.	30.8	115
14	Ordered mesoporous TiO_{2} -C nanocomposite as an anode material for long-term performance lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 4293.	10.3	111
15	Metal-organic frameworks at interfaces of hybrid perovskite solar cells for enhanced photovoltaic properties. <i>Chemical Communications</i> , 2018, 54, 1253-1256.	4.1	106
16	Self-assembled nanoporous rutile TiO_{2} mesocrystals with tunable morphologies for high rate lithium-ion batteries. <i>Nano Energy</i> , 2012, 1, 466-471.	16.0	97
17	Hierarchical spheres constructed by ultrathin VS_{2} nanosheets for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 3691-3696.	10.3	94
18	A new promising Ni-MOF superstructure for high-performance supercapacitors. <i>Chemical Communications</i> , 2020, 56, 1803-1806.	4.1	93

#	ARTICLE	IF	CITATIONS
19	Hierarchical MoS ₂ @RGO nanosheets for high performance sodium storage. Journal of Power Sources, 2016, 331, 50-57.	7.8	92
20	High-Rate, Large Capacity, and Long Life Dendrite-Free Zn Metal Anode Enabled by Trifunctional Electrolyte Additive with a Wide Temperature Range. Advanced Science, 2022, 9, .	11.2	91
21	In situ simultaneous encapsulation of defective MoS ₂ nanolayers and sulfur nanodots into SPAN fibers for high rate sodium-ion batteries. Chemical Engineering Journal, 2021, 404, 126430.	12.7	90
22	Co-construction of sulfur vacancies and carbon confinement in V ₅ S ₈ /CNFs to induce an ultra-stable performance for half/full sodium-ion and potassium-ion batteries. Nanoscale, 2021, 13, 5033-5044.	5.6	90
23	Composites of V ₂ O ₃ -ordered mesoporous carbon as anode materials for lithium-ion batteries. Carbon, 2013, 62, 382-388.	10.3	89
24	V ₃ Se ₄ embedded within N/P co-doped carbon fibers for sodium/potassium ion batteries. Chemical Engineering Journal, 2021, 419, 129607.	12.7	89
25	Ge/GeO ₂ -Ordered Mesoporous Carbon Nanocomposite for Rechargeable Lithium-Ion Batteries with a Long-Term Cycling Performance. ACS Applied Materials & Interfaces, 2016, 8, 232-239.	8.0	88
26	Graphene quantum dots decorated TiO ₂ mesoporous film as an efficient electron transport layer for high-performance perovskite solar cells. Journal of Power Sources, 2018, 402, 320-326.	7.8	86
27	Structural engineering of tin sulfides anchored on nitrogen/phosphorus dual-doped carbon nanofibres in sodium/potassium-ion batteries. Carbon, 2022, 189, 46-56.	10.3	86
28	A CMK-5-encapsulated MoSe ₂ composite for rechargeable lithium-ion batteries with improved electrochemical performance. Journal of Materials Chemistry A, 2017, 5, 19632-19638.	10.3	85
29	Layered titanate nanostructures and their derivatives as negative electrode materials for lithium-ion batteries. Journal of Materials Chemistry A, 2013, 1, 4403.	10.3	84
30	In situ synthesis of GeO ₂ /reduced graphene oxide composite on Ni foam substrate as a binder-free anode for high-capacity lithium-ion batteries. Journal of Materials Chemistry A, 2015, 3, 1619-1623.	10.3	83
31	Facile synthesis of rutile TiO ₂ mesocrystals with enhanced sodium storage properties. Journal of Materials Chemistry A, 2015, 3, 17412-17416.	10.3	80
32	Co ₉ S ₈ embedded into N/S doped carbon composites: <i>in situ</i> derivation from a sulfonate-based metal-organic framework and its electrochemical properties. Journal of Materials Chemistry A, 2019, 7, 10331-10337.	10.3	75
33	Hierarchically porous TiO ₂ microspheres as a high performance anode for lithium-ion batteries. Journal of Materials Chemistry A, 2014, 2, 1102-1106.	10.3	72
34	Preparation of a Si/SiO ₂ -Ordered Mesoporous Carbon Nanocomposite as an Anode for High-Performance Lithium-Ion and Sodium-Ion Batteries. Chemistry - A European Journal, 2018, 24, 4841-4848.	3.3	70
35	An Sn doped 1T-2H MoS ₂ few-layer structure embedded in N/P co-doped bio-carbon for high performance sodium-ion batteries. Chemical Communications, 2019, 55, 3614-3617.	4.1	69
36	Metal-Organic Framework Derived Hierarchical Porous Anatase TiO ₂ as a Photoanode for Dye-Sensitized Solar Cell. Crystal Growth and Design, 2016, 16, 121-125.	3.0	68

#	ARTICLE	IF	CITATIONS
37	ZnV ₂ O ₄ @CMK nanocomposite as an anode material for rechargeable lithium-ion batteries. Journal of Materials Chemistry, 2012, 22, 14284.	6.7	67
38	Sensitive electrochemical microbial biosensor for p-nitrophenylorganophosphates based on electrode modified with cell surface-displayed organophosphorus hydrolase and ordered mesopore carbons. Biosensors and Bioelectronics, 2014, 60, 137-142.	10.1	67
39	In situ fabrication of ultrathin few-layered WSe ₂ anchored on N, P dual-doped carbon by bioreactor for half/full sodium/potassium-ion batteries with ultralong cycling lifespan. Journal of Colloid and Interface Science, 2020, 574, 217-228.	9.4	67
40	Iso-Oriented Anatase TiO ₂ Mesocages as a High Performance Anode Material for Sodium-Ion Storage. Scientific Reports, 2015, 5, 11960.	3.3	66
41	Synthesis of Mesoporous Co ²⁺ -Doped TiO ₂ Nanodisks Derived from Metal Organic Frameworks with Improved Sodium Storage Performance. ACS Applied Materials & Interfaces, 2017, 9, 32071-32079.	8.0	64
42	Hierarchical Composite of Rose-Like VS ₂ @S/N-Doped Carbon with Expanded (001) Planes for Superior Li-Ion Storage. Small, 2019, 15, e1903904.	10.0	64
43	Green synthesis of a Se/HPCF@rGO composite for Li-Se batteries with excellent long-term cycling performance. Journal of Materials Chemistry A, 2017, 5, 22997-23005.	10.3	61
44	Facile Synthesis of Ultra-Small Few-Layer Nanostructured MoSe ₂ Embedded on N, P Co-Doped Bio-Carbon for High-Performance Half/Full Sodium-Ion and Potassium-Ion Batteries. Chemistry - A European Journal, 2019, 25, 13411-13421.	3.3	61
45	Hierarchical TiO ₂ imbedded with graphene quantum dots for high-performance lithium storage. Chemical Communications, 2018, 54, 1413-1416.	4.1	60
46	Hierarchical Cobalt-Based Metal-Organic Framework for High-Performance Lithium-Ion Batteries. Chemistry - A European Journal, 2018, 24, 13362-13367.	3.3	60
47	A one-step synthesis of porous V ₂ O ₃ @C hollow spheres as a high-performance anode for lithium-ion batteries. Chemical Communications, 2018, 54, 7346-7349.	4.1	59
48	Metal-Organic Frameworks at Interfaces in Dye-Sensitized Solar Cells. ChemSusChem, 2014, 7, 2469-2472.	6.8	57
49	Metal-organic frameworks: Promising materials for enhancing electrochemical properties of nanostructured Zn ₂ SnO ₄ anode in Li-ion batteries. CrystEngComm, 2012, 14, 2112.	2.6	56
50	Facile synthesis of V ₆ O ₁₃ micro-flowers for Li-ion and Na-ion battery cathodes with good cycling performance. Journal of Colloid and Interface Science, 2014, 425, 1-4.	9.4	55
51	An in situ formed Se/CMK-3 composite for rechargeable lithium-ion batteries with long-term cycling performance. Journal of Materials Chemistry A, 2016, 4, 13646-13651.	10.3	54
52	Rational Design of Hierarchical SnS ₂ Microspheres with S Vacancy for Enhanced Sodium Storage Performance. ACS Sustainable Chemistry and Engineering, 2020, 8, 9519-9525.	6.7	52
53	Hollow SiO ₂ microspheres coated with nitrogen doped carbon layer as an anode for high performance lithium-ion batteries. Electrochimica Acta, 2019, 306, 106-112.	5.2	51
54	Electrospun VSe _{1.5} /CNF composite with excellent performance for alkali metal ion batteries. Nanoscale, 2019, 11, 16308-16316.	5.6	50

#	ARTICLE	IF	CITATIONS
55	Synthesis of hierarchical ZnV ₂ O ₄ microspheres and its electrochemical properties. CrystEngComm, 2014, 16, 10309-10313.	2.6	48
56	Carbon coated anatase TiO ₂ mesocrystals enabling ultrastable and robust sodium storage. Journal of Power Sources, 2017, 359, 64-70.	7.8	47
57	In Situ Synthesis of WSe ₂ /CMK-5 Nanocomposite for Rechargeable Lithium-Ion Batteries with a Long-Term Cycling Stability. ACS Sustainable Chemistry and Engineering, 2018, 6, 4688-4694.	6.7	47
58	SPINEL Li ₂ MTi ₃ O ₈ (M = Mg, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td) STORAGE. Functional Materials Letters, 2011, 04, 65-69.	1.2	46
59	Rutile TiO ₂ Mesocrystals/Reduced Graphene Oxide with High-Rate and Long-Term Performance for Lithium-Ion Batteries. Scientific Reports, 2015, 5, 8498.	3.3	46
60	Sulfur-Doped Anatase TiO ₂ as an Anode for High-Performance Sodium-Ion Batteries. ACS Applied Energy Materials, 2019, 2, 3791-3797.	5.1	46
61	An ultra-small few-layer MoS ₂ -hierarchical porous carbon fiber composite obtained via nanocasting synthesis for sodium-ion battery anodes with excellent long-term cycling performance. Dalton Transactions, 2019, 48, 4149-4156.	3.3	44
62	Ultrasensitive electrochemical sensor for p-nitrophenyl organophosphates based on ordered mesoporous carbons at low potential without deoxygenization. Analytica Chimica Acta, 2014, 822, 23-29.	5.4	41
63	MoS ₂ hollow spheres in ether-based electrolyte for high performance sodium ion battery. Journal of Colloid and Interface Science, 2019, 548, 20-24.	9.4	40
64	Nb-doped Rutile TiO ₂ Mesocrystals with Enhanced Lithium Storage Properties for Lithium Ion Battery. Chemistry - A European Journal, 2017, 23, 5059-5065.	3.3	39
65	Two-dimensional MoN@N-doped carbon hollow spheres as an anode material for high performance lithium-ion battery. Electrochimica Acta, 2019, 295, 246-252.	5.2	39
66	Facile fabrication of a vanadium nitride/carbon fiber composite for half/full sodium-ion and potassium-ion batteries with long-term cycling performance. Nanoscale, 2020, 12, 10693-10702.	5.6	39
67	Metal platinum-wrapped mesoporous carbon for sensitive electrochemical immunosensing based on cyclodextrin functionalized graphene nanosheets. Electrochimica Acta, 2012, 68, 158-165.	5.2	37
68	Ultrathin TiO ₂ -B nanowires with enhanced electrochemical performance for Li-ion batteries. Journal of Materials Chemistry A, 2015, 3, 10038-10044.	10.3	37
69	TiO ₂ -B nanowires <i>via</i> topological conversion with enhanced lithium-ion intercalation properties. Journal of Materials Chemistry A, 2019, 7, 3842-3847.	10.3	37
70	High-Performance Lithium-Ion-Based Dual-Ion Batteries Enabled by Few-Layer MoSe ₂ /Nitrogen-Doped Carbon. ACS Sustainable Chemistry and Engineering, 2020, 8, 5514-5523.	6.7	37
71	Rutile TiO ₂ Mesocrystals as Sulfur Host for High-Performance Lithium Sulfur Batteries. Chemistry - A European Journal, 2017, 23, 16312-16318.	3.3	36
72	Stabilizing intermediate phases <i>via</i> the efficient confinement effects of the SnS ₂ -SPAN fibre composite for ultra-stable half/full sodium/potassium-ion batteries. Journal of Materials Chemistry A, 2022, 10, 11449-11457.	10.3	36

#	ARTICLE	IF	CITATIONS
73	Facile synthesis of hierarchical MnO ₂ sub-microspheres composed of nanosheets and their application for supercapacitors. RSC Advances, 2014, 4, 40753-40757.	3.6	35
74	A multi-functional gum arabic binder for NiFe ₂ O ₄ nanotube anodes enabling excellent Li/Na-ion storage performance. Journal of Materials Chemistry A, 2017, 5, 18138-18147.	10.3	35
75	Metal-organic framework-derived hollow structure CoS ₂ /nitrogen-doped carbon spheres for high-performance lithium/sodium ion batteries. Chemical Communications, 2020, 56, 3951-3954.	4.1	35
76	Hierarchically porous anatase TiO ₂ microspheres composed of tiny octahedra with enhanced electrochemical properties in lithium-ion batteries. Journal of Materials Chemistry A, 2014, 2, 20133-20138.	10.3	34
77	Facile synthesis of ammonium vanadium oxide nanorods for Na-ion battery cathodes. Journal of Colloid and Interface Science, 2014, 428, 73-77.	9.4	34
78	Rapid and facile synthesis of hierarchically mesoporous TiO ₂ @B with enhanced reversible capacity and rate capability. Journal of Materials Chemistry A, 2018, 6, 1196-1200.	10.3	34
79	Highly Efficient Perovskite Solar Cells Based on a Zn ₂ SnO ₄ Compact Layer. ACS Applied Materials & Interfaces, 2019, 11, 36553-36559.	8.0	34
80	Reversible conversion reaction of GeO ₂ boosts lithium-ion storage <i>via</i> Fe doping. Journal of Materials Chemistry A, 2019, 7, 4574-4580.	10.3	34
81	Efficient Dye-Sensitized Solar Cells Composed of Nanostructural ZnO Doped with Ti. Catalysts, 2019, 9, 273.	3.5	34
82	Ethanol thermal reduction synthesis of hierarchical MoO ₂ @C hollow spheres with high rate performance for lithium ion batteries. RSC Advances, 2016, 6, 105558-105564.	3.6	33
83	Brookite TiO ₂ mesocrystals with enhanced lithium-ion intercalation properties. Chemical Communications, 2018, 54, 11491-11494.	4.1	33
84	Facile Deposition of Nb ₂ O ₅ Thin Film as an Electron-Transporting Layer for Highly Efficient Perovskite Solar Cells. ACS Applied Nano Materials, 2018, 1, 4101-4109.	5.0	33
85	TiO ₂ -B as an electron transporting material for highly efficient perovskite solar cells. Journal of Power Sources, 2019, 415, 8-14.	7.8	33
86	Facile synthesis of hierarchical lychee-like Zn ₃ V ₃ O ₈ @C/rGO nanospheres as high-performance anodes for lithium ion batteries. Journal of Colloid and Interface Science, 2019, 533, 627-635.	9.4	33
87	N-Doped carbon encapsulating Bi nanoparticles derived from metal-organic frameworks for high-performance sodium-ion batteries. Journal of Materials Chemistry A, 2021, 9, 22048-22055.	10.3	33
88	Nitrogen-doped carbon encapsulated zinc vanadate polyhedron engineered from a metal-organic framework as a stable anode for alkali ion batteries. Journal of Colloid and Interface Science, 2021, 593, 251-265.	9.4	33
89	Synthesis and characterization of nanosheet-shaped titanium dioxide. Journal of Materials Science, 2007, 42, 529-533.	3.7	31
90	Template-free synthesis of metallic WS ₂ hollow microspheres as an anode for the sodium-ion battery. Journal of Colloid and Interface Science, 2019, 557, 722-728.	9.4	31

#	ARTICLE	IF	CITATIONS
91	Enhanced Performance of Sn-Based Perovskite Solar Cells by Two-Dimensional Perovskite Doping. ACS Sustainable Chemistry and Engineering, 2020, 8, 8624-8628.	6.7	31
92	One-step hydrothermal synthesis of Nb doped brookite TiO ₂ nanosheets with enhanced lithium-ion intercalation properties. Journal of Materials Chemistry A, 2015, 3, 18882-18888.	10.3	30
93	Nanocomposite of Mo ₂ N Quantum Dots@MoO ₃ @Nitrogen-Doped Carbon as a High-Performance Anode for Lithium-Ion Batteries. ACS Sustainable Chemistry and Engineering, 2019, 7, 10198-10206.	6.7	30
94	Dual carbon decorated germanium-carbon composite as a stable anode for sodium/potassium-ion batteries. Journal of Colloid and Interface Science, 2021, 584, 372-381.	9.4	30
95	Facile preparation of a V ₂ O ₃ /carbon fiber composite and its application for long-term performance lithium-ion batteries. New Journal of Chemistry, 2017, 41, 5380-5386.	2.8	29
96	Hierarchical TiO ₂ -B composed of nanosheets with exposed {010} facets as a high-performance anode for lithium ion batteries. Journal of Power Sources, 2018, 392, 226-231.	7.8	29
97	ULTRATHIN Li ₄ Ti ₅ O ₁₂ NANOSHEETS AS A HIGH PERFORMANCE ANODE FOR Li-ION BATTERY. Functional Materials Letters, 2011, 04, 389-393.	1.2	28
98	Efficiency enhanced dye-sensitized Zn ₂ SnO ₄ solar cells using a facile chemical-bath deposition method. New Journal of Chemistry, 2014, 38, 4465.	2.8	28
99	Template-free fabrication of 1D core-shell MoO ₂ @MoS ₂ /nitrogen-doped carbon nanorods for enhanced lithium/sodium-ion storage. Journal of Colloid and Interface Science, 2021, 588, 804-812.	9.4	28
100	An organic sensitizer surface passivation for efficient and stable perovskite solar cells. Journal of Materials Chemistry A, 2021, 9, 25086-25093.	10.3	28
101	An inorganic stable Sn-based perovskite film with regulated nucleation for solar cell application. Journal of Materials Chemistry C, 2020, 8, 8840-8845.	5.5	27
102	Preparation of Ge/N, S co-doped ordered mesoporous carbon composite and its long-term cycling performance of lithium-ion batteries. Electrochimica Acta, 2019, 318, 737-745.	5.2	26
103	In situ synthesis of Mn ₃ O ₄ on Ni foam/graphene substrate as a newly self-supported electrode for high supercapacitive performance. Journal of Colloid and Interface Science, 2019, 534, 665-671.	9.4	26
104	Fabrication of Zn ₂ SnO ₄ microspheres with controllable shell numbers for highly efficient dye-sensitized solar cells. Solar Energy, 2019, 181, 424-429.	6.1	25
105	General Synthesis of Sulfonate-Based Metal-Organic Framework Derived Composite of M _x S _y @N-Doped Carbon for High-Performance Lithium/Sodium Ion Batteries. Chemistry - A European Journal, 2021, 27, 2104-2111.	3.3	23
106	Facile synthesis of Li ₂ MnO ₃ nanowires for lithium-ion battery cathodes. New Journal of Chemistry, 2014, 38, 584-587.	2.8	22
107	Nanocomposite of ultra-small MoO ₂ embedded in nitrogen-doped carbon: In situ derivation from an organic molybdenum complex and its superior Li-ion storage performance. Journal of Colloid and Interface Science, 2021, 592, 33-41.	9.4	22
108	Synthesis of TiO ₂ nanoparticles with tunable dominant exposed facets (010), (001) and (106). CrystEngComm, 2013, 15, 3040.	2.6	21

#	ARTICLE	IF	CITATIONS
109	Low crystalline 1T-MoS ₂ @S-doped carbon hollow spheres as an anode material for Lithium-ion battery. <i>Journal of Colloid and Interface Science</i> , 2021, 601, 411-417.	9.4	21
110	Flexible dye-sensitized ZnO quantum dots solar cells. <i>RSC Advances</i> , 2012, 2, 9565.	3.6	20
111	Hierarchical LiZnVO ₄ @C nanostructures with enhanced cycling stability for lithium-ion batteries. <i>Dalton Transactions</i> , 2015, 44, 7967-7972.	3.3	20
112	Plasmonic Effects of Silver Nanoparticles Embedded in the Counter Electrode on the Enhanced Performance of Dye-Sensitized Solar Cells. <i>Langmuir</i> , 2018, 34, 5367-5373.	3.5	20
113	Anatase TiO ₂ Quantum Dots with a Narrow Band Gap of 2.85 eV Based on Surface Hydroxyl Groups Exhibiting Significant Photodegradation Property. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1506-1510.	2.0	20
114	Facile synthesis of VN hollow spheres as an anode for lithium-ion battery. <i>Journal of Electroanalytical Chemistry</i> , 2019, 848, 113360.	3.8	20
115	Cu ₂ S hollow spheres as an anode for high-rate sodium storage performance. <i>Journal of Electroanalytical Chemistry</i> , 2020, 874, 114523.	3.8	20
116	Composite of K-doped (NH ₄) ₂ V ₃ O ₈ /graphene as an anode material for sodium-ion batteries. <i>Dalton Transactions</i> , 2015, 44, 18864-18869.	3.3	19
117	Rutile TiO ₂ mesocrystals with tunable subunits as a long-term cycling performance anode for sodium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2017, 699, 455-462.	5.5	19
118	Realization of ultra-long columnar single crystals in TiO ₂ nanotube arrays as fast electron transport channels for high efficiency dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11520-11529.	10.3	19
119	ZnO nanowires array grown on Ga-doped ZnO single crystal for dye-sensitized solar cells. <i>Scientific Reports</i> , 2015, 5, 11499.	3.3	18
120	Highly efficient Zn ₂ SnO ₄ perovskite solar cells through band alignment engineering. <i>Chemical Communications</i> , 2019, 55, 14673-14676.	4.1	18
121	Selective Synthesis of Rutile, Anatase, and Brookite Nanorods by a Hydrothermal Route. <i>Current Nanoscience</i> , 2010, 6, 479-482.	1.2	18
122	Highly Efficient Perovskite Solar Cells Based on Zn ₂ Ti ₃ O ₈ Nanoparticles as Electron Transport Material. <i>ChemSusChem</i> , 2018, 11, 424-431.	6.8	17
123	In situ synthesis of g-C ₃ N ₄ by glass-assisted annealing route to boost the efficiency of perovskite solar cells. <i>Journal of Colloid and Interface Science</i> , 2021, 591, 326-333.	9.4	17
124	Enhanced electrochemical performance of ammonium vanadium bronze through sodium cation intercalation and optimization of electrolyte. <i>Journal of Colloid and Interface Science</i> , 2014, 418, 273-276.	9.4	15
125	Synthesis of anatase TiO ₂ mesocrystals with highly exposed low-index facets for enhanced electrochemical performance. <i>Electrochimica Acta</i> , 2019, 319, 101-109.	5.2	15
126	Understanding the growth and photoelectrochemical properties of mesocrystals and single crystals: a case of anatase TiO ₂ . <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 7441-7447.	2.8	14

#	ARTICLE	IF	CITATIONS
127	Synthesis of hierarchically mesoporous TiO ₂ spheres via a emulsion polymerization route for superior lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2018, 818, 1-9.	3.8	14
128	A hierarchical composite of GeO ₂ nanotubes/N-doped carbon microspheres with high-rate and super-durable performance for lithium-ion batteries. <i>Chemical Communications</i> , 2019, 55, 14319-14322.	4.1	14
129	In situ fabrication of ZnO@MoO ₂ /C hetero-phase nanocomposite derived from MOFs with enhanced performance for lithium storage. <i>Journal of Alloys and Compounds</i> , 2020, 817, 152728.	5.5	14
130	SnS ₂ nanosheets anchored on porous carbon fibers for high performance of sodium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2020, 862, 114021.	3.8	14
131	Ionic Liquid-Assisted Crystallization and Defect Passivation for Efficient Perovskite Solar Cells with Enhanced Open-Circuit Voltage. <i>ChemSusChem</i> , 2022, 15, .	6.8	14
132	Nanocomposite Li ₃ V ₂ (PO ₄) ₃ /carbon as a cathode material with high rate performance and long-term cycling stability in lithium-ion batteries. <i>RSC Advances</i> , 2015, 5, 57127-57132.	3.6	13
133	Improving the efficiency of dye-sensitized solar cells by photoanode surface modifications. <i>Science China Materials</i> , 2016, 59, 867-883.	6.3	13
134	ZnO nanosheets encapsulating graphene quantum dots with enhanced performance for dye-sensitized solar cell. <i>Journal of Electroanalytical Chemistry</i> , 2019, 840, 160-164.	3.8	13
135	Hierarchical Porous Anatase TiO ₂ Microspheres with High-Rate and Long-Term Cycling Stability for Sodium Storage in Ether-Based Electrolyte. <i>ACS Applied Energy Materials</i> , 2020, 3, 3619-3627.	5.1	13
136	In Situ Confined Co ₅ Ge ₃ Alloy Nanoparticles in Nitrogen-Doped Carbon Nanotubes for Boosting Lithium Storage. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 46247-46253.	8.0	11
137	The optimized interface engineering of VS ₂ as cathodes for high performance all-solid-state lithium-ion battery. <i>Science China Technological Sciences</i> , 2022, 65, 1859-1866.	4.0	11
138	Heterogeneous TiO ₂ @Nb ₂ O ₅ composite as a high-performance anode for lithium-ion batteries. <i>Scientific Reports</i> , 2017, 7, 7204.	3.3	10
139	Covering effect of conductive glass: a facile route to tailor the grain growth of hybrid perovskites for highly efficient solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20289-20296.	10.3	10
140	Bis(phenothiazyl-ethynylene)-Based Organic Dyes Containing Di-Anchoring Groups with Efficiency Comparable to N719 for Dye-Sensitized Solar Cells. <i>Chemistry - an Asian Journal</i> , 2017, 12, 332-340.	3.3	9
141	Preparation of SnS ₂ /enteromorpha prolifera derived carbon composite and its performance of sodium-ion batteries. <i>Journal of Physics and Chemistry of Solids</i> , 2021, 152, 109976.	4.0	9
142	Open-framework germanates derived GeO ₂ /C nanocomposite as a long-life and high-capacity anode for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2021, 881, 160533.	5.5	9
143	Tin-based metal-phosphine complexes nanoparticles as long-cycle life electrodes for high-performance hybrid supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2022, 606, 148-157.	9.4	8
144	Dual-carbon materials coated Ge/Si composite for high performance lithium-ion batteries. <i>Electrochimica Acta</i> , 2022, 417, 140337.	5.2	8

#	ARTICLE	IF	CITATIONS
145	TiO ₂ Mesocrystals Processed at Low Temperature as the Electron Transport Material in Perovskite Solar Cells. <i>ChemSusChem</i> , 2020, 13, 5256-5263.	6.8	7
146	Stable Li-ion storage in Ge/N-doped carbon microsphere anodes. <i>Nanoscale</i> , 2021, 13, 5307-5315.	5.6	7
147	Two-dimensional MoSe ₂ /chitosan-derived nitrogen-doped carbon composite enabling stable sodium/potassium storage. <i>Journal of Physics and Chemistry of Solids</i> , 2022, 163, 110573.	4.0	7
148	Nitrogen-doped carbon coated silicon derived from a facile strategy with enhanced performance for lithium storage. <i>Functional Materials Letters</i> , 2016, 09, 1650055.	1.2	6
149	Hierarchically structural Ge encapsulated with nitrogen-doped carbon for high performance lithium storage. <i>Journal of Electroanalytical Chemistry</i> , 2019, 832, 182-188.	3.8	6
150	A composite of ultra-fine few-layer MoS ₂ structures embedded on N,P-co-doped bio-carbon for high-performance sodium-ion batteries. <i>New Journal of Chemistry</i> , 2020, 44, 2046-2052.	2.8	6
151	Facile fabrication of WS ₂ nanocrystals confined in chlorella-derived N, P co-doped bio-carbon for sodium-ion batteries with ultra-long lifespan. <i>Dalton Transactions</i> , 2021, 50, 14745-14752.	3.3	6
152	Algal residues-engaged formation of novel WVO ₄ /V ₃ Se ₄ hybrid nanostructure with carbon fiber confinement for enhanced long-term cycling stability in sodium/potassium storage. <i>Journal of Alloys and Compounds</i> , 2021, 892, 162177.	5.5	6
153	Recent Progress in Preparation and Lithium Ion Storage Properties of TiO ₂ Mesocrystals. <i>Journal of the Chinese Chemical Society</i> , 2015, 62, 209-216.	1.4	5
154	Synthesis of the Se-HPCF composite via a liquid-solution route and its stable cycling performance in Li-Se batteries. <i>Dalton Transactions</i> , 2020, 49, 14536-14542.	3.3	5
155	Hierarchical structure TiNb ₂ O ₇ microspheres derived from titanate for high-performance lithium-ion batteries. <i>CrystEngComm</i> , 2021, 23, 4905-4909.	2.6	5
156	Self-Optimizing Effect in Lithium Storage of GeO ₂ Induced by Heterointerface Regulation. <i>Small</i> , 2022, 18, e2106067.	10.0	5
157	Structure Engineering of BiSbS _x Nanocrystals Embedded within Sulfurized Polyacrylonitrile Fibers for High Performance of Potassium Ion Batteries. <i>Chemistry - A European Journal</i> , 2022, 28, .	3.3	5
158	A new neodymium phosphine compound for supercapacitors with long-term cycling stability. <i>Chemical Communications</i> , 2021, 57, 5933-5936.	4.1	4
159	Defect passivation of a perovskite film by ZnIn ₂ S ₄ nanosheets for efficient and stable perovskite solar cells. <i>Chemical Communications</i> , 2022, 58, 653-656.	4.1	4
160	A General Synthesis of Mesoporous Hollow Carbon Spheres with Extraordinary Sodium Storage Kinetics by Engineering Solvation Structure. <i>Small</i> , 2022, 18, e2106513.	10.0	4
161	Construction of FeS ₂ @C coated with reduced graphene oxide as high-performance anode for lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2022, 918, 116467.	3.8	4
162	High stability and high performance nitrogen doped carbon containers for lithium-ion batteries. <i>Journal of Colloid and Interface Science</i> , 2022, 625, 692-699.	9.4	3

#	ARTICLE	IF	CITATIONS
163	A thioacetamide interlayer anchoring TiO ₂ and (FAPbI ₃) _{1-x} (MAPbBr ₃) _x for high-performance perovskite solar cells. Journal of the American Ceramic Society, 2021, 104, 5120-5126.	3.8	2
164	In-situ Growth Mirror-Like Cobalt Sulfide Nanosheets on ITO for High Efficiency Counter Electrode of Dye-Sensitized Solar Cells**. ChemistrySelect, 2021, 6, 7537-7541.	1.5	2
165	Dual-phase TiO ₂ hollow microspheres as a superior anode for sodium ion battery. Journal of Electroanalytical Chemistry, 2021, 899, 115687.	3.8	2
166	Realizing reversible conversion-alloying of GeO ₂ /N-doped carbon nanocomposite with oxygen vacancies for lithium-ion batteries. Materials Today Nano, 2022, 18, 100196.	4.6	2
167	A composite of two dimensional GeSe ₂ /nitrogen-doped reduced graphene oxide for enhanced capacitive lithium-ion storage. Chemistry - A European Journal, 2022, , .	3.3	2
168	Conductive-free Zn ₂ GeO ₄ @multi-walled carbon nanotubes for high-performance lithium-ion storage. Journal of Alloys and Compounds, 2022, , 165720.	5.5	1
169	Highly Efficient Degradation of Tobacco Specific N-Nitrosamines by TiO ₂ Mesocrystals with Robust and Tailored Microporous Structure. ChemistrySelect, 2018, 3, 10266-10270.	1.5	0