

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9344026/publications.pdf>

Version: 2024-02-01

22
papers

1,041
citations

566801

15
h-index

676716

22
g-index

22
all docs

22
docs citations

22
times ranked

1036
citing authors

#	ARTICLE	IF	CITATIONS
1	High-Throughput Virus Screening in Crosses of South American and African Cassava Germplasm Reveals Broad-Spectrum Resistance against Viruses Causing Cassava Brown Streak Disease and Cassava Mosaic Virus Disease. <i>Agronomy</i> , 2022, 12, 1055.	1.3	7
2	Floret site utilization and reproductive tiller number are primary components of grain yield in intermediate wheatgrass spaced plants. <i>Crop Science</i> , 2021, 61, 1073-1088.	0.8	19
3	Correlation of cooking time with water absorption and changes in relative density during boiling of cassava roots. <i>International Journal of Food Science and Technology</i> , 2021, 56, 1193-1205.	1.3	11
4	Fifty years of a public cassava breeding program: evolution of breeding objectives, methods, and decision-making processes. <i>Theoretical and Applied Genetics</i> , 2021, 134, 2335-2353.	1.8	18
5	Identifying New Resistance to Cassava Mosaic Disease and Validating Markers for the CMD2 Locus. <i>Agriculture (Switzerland)</i> , 2021, 11, 829.	1.4	8
6	â€™MNâ€™Clearwaterâ€™, the first foodâ€™grade intermediate wheatgrass (<i>Kernza</i> perennial grain) cultivar. <i>Journal of Plant Registrations</i> , 2020, 14, 288-297.	0.4	58
7	Dominance and GÃ—E interaction effects improve genomic prediction and genetic gain in intermediate wheatgrass (<i>Thinopyrum intermedium</i>). <i>Plant Genome</i> , 2020, 13, e20012.	1.6	19
8	Enhancing Crop Domestication Through Genomic Selection, a Case Study of Intermediate Wheatgrass. <i>Frontiers in Plant Science</i> , 2020, 11, 319.	1.7	28
9	Characterization of Genetic Resistance to Fusarium Head Blight and Bacterial Leaf Streak in Intermediate Wheatgrass (<i>Thinopyrum intermedium</i>). <i>Agronomy</i> , 2019, 9, 429.	1.3	14
10	Genome mapping of quantitative trait loci (QTL) controlling domestication traits of intermediate wheatgrass (<i>Thinopyrum intermedium</i>). <i>Theoretical and Applied Genetics</i> , 2019, 132, 2325-2351.	1.8	30
11	Genome-Wide Association Study of Yield Component Traits in Intermediate Wheatgrass and Implications in Genomic Selection and Breeding. <i>G3: Genes, Genomes, Genetics</i> , 2019, 9, 2429-2439.	0.8	34
12	Development of the first consensus genetic map of intermediate wheatgrass (<i>Thinopyrum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td	1.8	43
13	Uncovering the Genetic Architecture of Seed Weight and Size in Intermediate Wheatgrass through Linkage and Association Mapping. <i>Plant Genome</i> , 2017, 10, plantgenome2017.03.0022.	1.6	26
14	Establishment and Optimization of Genomic Selection to Accelerate the Domestication and Improvement of Intermediate Wheatgrass. <i>Plant Genome</i> , 2016, 9, plantgenome2015.07.0059.	1.6	86
15	A Pipeline Strategy for Grain Crop Domestication. <i>Crop Science</i> , 2016, 56, 917-930.	0.8	101
16	Wheat Fhb1 encodes a chimeric lectin with agglutinin domains and a pore-forming toxin-like domain conferring resistance to Fusarium head blight. <i>Nature Genetics</i> , 2016, 48, 1576-1580.	9.4	299
17	Development and verification of wheat germplasm containing both Sr2 and Fhb1. <i>Molecular Breeding</i> , 2016, 36, 1.	1.0	32
18	Development of genotyping by sequencing (GBS)- and array-derived SNP markers for stem rust resistance gene Sr42. <i>Molecular Breeding</i> , 2015, 35, 1.	1.0	24

#	ARTICLE	IF	CITATIONS
19	Towards the understanding of end-use quality in intermediate wheatgrass (<i>Thinopyrum intermedium</i>): High-molecular-weight glutenin subunits, protein polymerization, and mixing characteristics. <i>Journal of Cereal Science</i> , 2015, 66, 81-88.	1.8	20
20	New insights into high-molecular-weight glutenin subunits and sub-genomes of the perennial crop <i>Thinopyrum intermedium</i> (Triticeae). <i>Journal of Cereal Science</i> , 2014, 59, 203-210.	1.8	22
21	Composition and functional analysis of low-molecular-weight glutenin alleles with Aroona near-isogenic lines of bread wheat. <i>BMC Plant Biology</i> , 2012, 12, 243.	1.6	68
22	New Insights into the Organization, Recombination, Expression and Functional Mechanism of Low Molecular Weight Glutenin Subunit Genes in Bread Wheat. <i>PLoS ONE</i> , 2010, 5, e13548.	1.1	74