

Karl Bang Christensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9344818/publications.pdf>

Version: 2024-02-01

176
papers

9,448
citations

61687

45
h-index

54771

88
g-index

194
all docs

194
docs citations

194
times ranked

10701
citing authors

#	ARTICLE	IF	CITATIONS
1	The effect of COVID-19 on schoolteachers's™ emotional reactions and mental health: longitudinal results from the CLASS study. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 855-865.	1.1	18
2	Validation of the Copenhagen Hip and Groin Outcome Score (HAGOS) using modern test theory across different cultures and languages: a cross-sectional study of 452 male athletes with groin pain. <i>British Journal of Sports Medicine</i> , 2022, 56, 333-339.	3.1	4
3	Patient Reported Outcome Measures for Rheumatoid Arthritis Disease Activity: a systematic review following COSMIN guidelines. <i>RMD Open</i> , 2022, 8, e002093.	1.8	2
4	Effectiveness of Adding a Large Dose of Shoulder Strengthening to Current Nonoperative Care for Subacromial Impingement: A Pragmatic, Double-Blind Randomized Controlled Trial (SExSI Trial): Response. <i>American Journal of Sports Medicine</i> , 2022, 50, NP20-NP23.	1.9	2
5	Psychological well-being and worries among pregnant women in the first trimester during the early phase of the COVID-19 pandemic in Denmark compared with a historical group: A hospital-based cross-sectional study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 232-240.	1.3	6
6	Crosswalking Patient-Reported Outcome Measures: It Matters What, Why, and How. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, e33.	1.4	0
7	The Voice-Related Quality of Life (V-RQOL) Instrument: Cross-Cultural Translation and Test of Validity and Reliability of the Danish Version. <i>Journal of Voice</i> , 2021, 35, 806.e7-806.e14.	0.6	7
8	Exploratory data structure comparisons: three new visual tools based on principal component analysis. <i>Journal of Applied Statistics</i> , 2021, 48, 1675-1695.	0.6	1
9	How to translate and locally adapt a PROM. Assessment of cross-cultural differential item functioning. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 999-1008.	1.3	24
10	Responsiveness, minimal important difference, minimal relevant difference, and optimal number of patients for a study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1239-1248.	1.3	8
11	What is a PROM and why do we need it?. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 967-971.	1.3	24
12	Psychometric validation of PROM instruments. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1225-1238.	1.3	24
13	Five-Month Follow-up Shows No Improvement in Dermatological Complications in Children With Type 1 Diabetes Using Continuous Glucose Monitoring Systems and Insulin Pumps. <i>Journal of Diabetes Science and Technology</i> , 2021, 15, 317-323.	1.3	8
14	Psychometric properties of a condition-specific PROM for the psychosocial consequences of Labelling hypertension by using Rasch analysis. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 19.	0.9	0
15	Patient safety culture improves during an in situ simulation intervention: a repeated cross-sectional intervention study at two hospital sites. <i>BMJ Open Quality</i> , 2021, 10, e001183.	0.4	10
16	The development and initial validation of the Breast Cancer Recurrence instrument (BreastCaRe)™ a patient-reported outcome measure for detecting symptoms of recurrence after breast cancer. <i>Quality of Life Research</i> , 2021, 30, 2671-2682.	1.5	2
17	Comments on "Longitudinal Analysis of Patient-Reported Outcomes in Clinical Trials: Applications of Multilevel and Multidimensional Item Response Theory"™. <i>Psychometrika</i> , 2021, 86, 778-780.	1.2	0
18	Effectiveness of Adding a Large Dose of Shoulder Strengthening to Current Nonoperative Care for Subacromial Impingement: A Pragmatic, Double-Blind Randomized Controlled Trial (SExSI Trial). <i>American Journal of Sports Medicine</i> , 2021, 49, 3040-3049.	1.9	14

#	ARTICLE	IF	CITATIONS
19	Longitudinal symptom burden in adult patients with acute leukaemia participating in the PACEâ€”AL randomised controlled exercise trialâ€”an explorative analysis. <i>European Journal of Cancer Care</i> , 2021, 30, e13462.	0.7	4
20	Lifestyle Habits among Pregnant Women in Denmark during the First COVID-19 Lockdown Compared with a Historical Periodâ€”A Hospital-Based Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7128.	1.2	8
21	Rapid decline in 51Cr-ethylenediaminetetraacetic acid-measured renal function during the first weeks following liver transplantation. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 519-526.	0.4	0
22	Incidences of obstetric outcomes and sample size calculations: A Danish national registry study based on all deliveries from 2008 to 2015. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 34-41.	1.3	6
23	â€”Same, but differentâ€”TM: A mixed-methods realist evaluation of a cluster-randomized controlled participatory organizational intervention. <i>Human Relations</i> , 2020, 73, 1339-1365.	3.8	21
24	Psychometric Validation of the Danish Version of the Oswestry Disability Index in Patients With Chronic Low Back Pain. <i>Spine</i> , 2020, 45, 1143-1150.	1.0	6
25	Effects of an exercise intervention for patients with advanced inoperable lung cancer undergoing chemotherapy: A randomized clinical trial. <i>Lung Cancer</i> , 2020, 145, 76-82.	0.9	43
26	Physical deterioration and adaptive recovery in physically inactive breast cancer patients during adjuvant chemotherapy: a randomised controlled trial. <i>Scientific Reports</i> , 2020, 10, 9710.	1.6	30
27	Effects of a physical activity program from diagnosis on cardiorespiratory fitness in children with cancer: a national non-randomized controlled trial. <i>BMC Medicine</i> , 2020, 18, 175.	2.3	18
28	Early initiated postoperative rehabilitation enhances quality of life in patients with operable lung cancer: Secondary outcomes from a randomized trial. <i>Lung Cancer</i> , 2020, 146, 285-289.	0.9	13
29	Early Prediction of One-Year Mortality in Ischemic and Haemorrhagic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104667.	0.7	13
30	Making the best of the worst: Care quality during emergency cesarean sections. <i>PLoS ONE</i> , 2020, 15, e0227988.	1.1	1
31	Felodipine and renal function in lung transplantation: A randomized placebo-controlled trial. <i>Journal of Heart and Lung Transplantation</i> , 2020, 39, 541-550.	0.3	3
32	Heavy-load resistance exercise during chemotherapy in physically inactive breast cancer survivors at risk for lymphedema: a randomized trial. <i>Acta Oncologica</i> , 2019, 58, 1667-1675.	0.8	17
33	Validation of a health screening questionnaire for primary care using Rasch models. <i>Journal of Patient-Reported Outcomes</i> , 2019, 3, 12.	0.9	3
34	Gastrointestinal motility in patients with endâ€”stage renal disease on chronic hemodialysis. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13554.	1.6	11
35	Equivalence of using a desktop virtual reality science simulation at home and in class. <i>PLoS ONE</i> , 2019, 14, e0214944.	1.1	43
36	Rasch validation of the Danish version of the shoulder pain and disability index (SPADI) in patients with rotator cuff-related disorders. <i>Quality of Life Research</i> , 2019, 28, 795-800.	1.5	16

#	ARTICLE	IF	CITATIONS
37	Relationship Between Patient-Reported Outcome Measures and the Severity of Chronic Obstructive Pulmonary Disease in the Context of an Innovative Digitally Supported 24-Hour Service: Longitudinal Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e10924.	2.1	6
38	The Strengthening Exercises in Shoulder Impingement trial (The SExSI-trial) investigating the effectiveness of a simple add-on shoulder strengthening exercise programme in patients with long-lasting subacromial impingement syndrome: Study protocol for a pragmatic, assessor blinded, parallel-group, randomised, controlled trial. <i>Trials</i> , 2018, 19, 154.	0.7	17
39	Changes in Health-Related Quality of Life During Rehabilitation in Patients With Operable Lung Cancer: A Feasibility Study (PROLUCA). <i>Integrative Cancer Therapies</i> , 2018, 17, 388-400.	0.8	18
40	Heavy-Load Lifting. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 187-195.	0.2	21
41	Measuring bothersome menopausal symptoms: development and validation of the MenoScores questionnaire. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 97.	1.0	19
42	Early initiated postoperative rehabilitation reduces fatigue in patients with operable lung cancer: A randomized trial. <i>Lung Cancer</i> , 2018, 126, 125-132.	0.9	39
43	Conservative treatment for patients with subacromial impingement: Changes in clinical core outcomes and their relation to specific rehabilitation parameters. <i>PeerJ</i> , 2018, 6, e4400.	0.9	10
44	SP426HYPOGLYCAEMIC EPISODES EVALUATED BY CONTINUOUS GLUCOSE MONITORING IN PATIENTS WITH TYPE 2 DIABETES AND DIALYSIS-DEPENDENT END-STAGE RENAL DISEASE RANDOMISED TO 12-WEEK LIRAGLUTIDE OR PLACEBO TREATMENT. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i492-i492.	0.4	0
45	Effects of a lighter, smaller football on acute match injuries in adolescent female football: a pilot cluster-randomized controlled trial. <i>Journal of Sports Medicine and Physical Fitness</i> , 2018, 58, 644-650.	0.4	2
46	Testing physical function in children undergoing intense cancer treatment—a RESPECT feasibility study. <i>Pediatric Blood and Cancer</i> , 2018, 65, e27100.	0.8	17
47	Assessing Competencies Needed to Engage With Digital Health Services: Development of the eHealth Literacy Assessment Toolkit. <i>Journal of Medical Internet Research</i> , 2018, 20, e178.	2.1	88
48	A Multidimensional Tool Based on the eHealth Literacy Framework: Development and Initial Validity Testing of the eHealth Literacy Questionnaire (eHLQ). <i>Journal of Medical Internet Research</i> , 2018, 20, e36.	2.1	167
49	Do Different Training Conditions Facilitate Team Implementation? A Quasi-Experimental Mixed Methods Study. <i>Journal of Mixed Methods Research</i> , 2017, 11, 223-247.	1.8	22
50	FGF21 Is a Sugar-Induced Hormone Associated with Sweet Intake and Preference in Humans. <i>Cell Metabolism</i> , 2017, 25, 1045-1053.e6.	7.2	169
51	A randomised, placebo-controlled trial of transcranial pulsed electromagnetic fields in patients with multiple chemical sensitivity. <i>Acta Neuropsychiatrica</i> , 2017, 29, 267-277.	1.0	8
52	Cardiorespiratory fitness and physical function in children with cancer from diagnosis throughout treatment. <i>BMJ Open Sport and Exercise Medicine</i> , 2017, 3, e000179.	1.4	25
53	Development of a written assessment for a national interprofessional cardiocography education program. <i>BMC Medical Education</i> , 2017, 17, 88.	1.0	7
54	Assessment of short and long-term outcomes of diabetes patient education using the health education impact questionnaire (HeIQ). <i>BMC Research Notes</i> , 2017, 10, 213.	0.6	22

#	ARTICLE	IF	CITATIONS
55	Repeatability of Volume and Regional Body Composition Measurements of the Lower Limb Using Dual-energy X-ray Absorptiometry. <i>Journal of Clinical Densitometry</i> , 2017, 20, 82-96.	0.5	8
56	Critical Values for Yen's Q^3 : Identification of Local Dependence in the Rasch Model Using Residual Correlations. <i>Applied Psychological Measurement</i> , 2017, 41, 178-194.	0.6	378
57	Knowledge deficit, attitude and behavior scales association to objective measures of sun exposure and sunburn in a Danish population based sample. <i>PLoS ONE</i> , 2017, 12, e0178190.	1.1	13
58	Safety and Efficacy of Liraglutide in Patients With Type 2 Diabetes and End-Stage Renal Disease: An Investigator-Initiated, Placebo-Controlled, Double-Blind, Parallel-Group, Randomized Trial. <i>Diabetes Care</i> , 2016, 39, 206-213.	4.3	62
59	Physical and emotional well-being of survivors of childhood and young adult allo-SCT: A Danish national cohort study. <i>Pediatric Transplantation</i> , 2016, 20, 697-706.	0.5	6
60	Strengthening leadership as a catalyst for enhanced patient safety culture: a repeated cross-sectional experimental study. <i>BMJ Open</i> , 2016, 6, e010180.	0.8	37
61	Hospitalization for transurethral bladder resection reduces quality of life in Danish patients with non-muscle-invasive bladder tumour. <i>Scandinavian Journal of Urology</i> , 2016, 50, 170-174.	0.6	16
62	Psychometric analysis of the Patient Health Questionnaire in Danish patients with an implantable cardioverter defibrillator (The DEFIB-WOMEN study). <i>Journal of Psychosomatic Research</i> , 2016, 90, 105-112.	1.2	15
63	Self-rated health as a predictor of outcomes of type 2 diabetes patient education programmes in Denmark. <i>Public Health</i> , 2016, 139, 170-177.	1.4	5
64	Football training in men with prostate cancer undergoing androgen deprivation therapy: activity profile and short-term skeletal and postural balance adaptations. <i>European Journal of Applied Physiology</i> , 2016, 116, 471-480.	1.2	48
65	Self-reported previous knee injury and low knee function increase knee injury risk in adolescent female football. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 919-926.	1.3	12
66	Multimodal intervention integrated into the clinical management of acute leukemia improves physical function and quality of life during consolidation chemotherapy: a randomized trial 'PACE-AL. <i>Haematologica</i> , 2016, 101, e316-e319.	1.7	22
67	The challenge of preserving cardiorespiratory fitness in physically inactive patients with colon or breast cancer during adjuvant chemotherapy: a randomised feasibility study. <i>BMJ Open Sport and Exercise Medicine</i> , 2015, 1, e000021.	1.4	30
68	The Effect of Pain on Physical Functioning After Breast Cancer Treatment. <i>Clinical Journal of Pain</i> , 2015, 31, 794-802.	0.8	25
69	Does Group-Level Commitment Predict Employee Well-Being?. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, 1141-1146.	0.9	6
70	Adaption and validation of the Safety Attitudes Questionnaire for the Danish hospital setting. <i>Clinical Epidemiology</i> , 2015, 7, 149.	1.5	39
71	The Impact of a Multidimensional Exercise Intervention on Physical and Functional Capacity, Anxiety, and Depression in Patients With Advanced-Stage Lung Cancer Undergoing Chemotherapy. <i>Integrative Cancer Therapies</i> , 2015, 14, 341-349.	0.8	82
72	Negative affect is associated with development and persistence of chemical intolerance: A prospective population-based study. <i>Journal of Psychosomatic Research</i> , 2015, 78, 509-514.	1.2	24

#	ARTICLE	IF	CITATIONS
73	Modeling local dependence in longitudinal IRT models. Behavior Research Methods, 2015, 47, 1413-1424.	2.3	11
74	Health-related quality of life in patients with high-grade gliomas: a quantitative longitudinal study. Journal of Neuro-Oncology, 2015, 124, 185-195.	1.4	41
75	Development of knowledge tests for multi-disciplinary emergency training: a review and an example. Acta Anaesthesiologica Scandinavica, 2015, 59, 123-133.	0.7	12
76	<code>%lrasch_mml</code> : A SAS Macro for Marginal Maximum Likelihood Estimation in Longitudinal Polytomous Rasch Models. Journal of Statistical Software, 2015, 67, .	1.8	6
77	Heavy resistance training and lymphedema: Prevalence of breast cancer-related lymphedema in participants of an exercise intervention utilizing heavy load resistance training. Acta Oncologica, 2014, 53, 216-225.	0.8	19
78	Football training improves lean body mass in men with prostate cancer undergoing androgen deprivation therapy. Scandinavian Journal of Medicine and Science in Sports, 2014, 24, 105-112.	1.3	69
79	Lack of consensus on tests and criteria for generalized joint hypermobility, Ehlers-Danlos syndrome: Hypermobile type and joint hypermobility syndrome. American Journal of Medical Genetics, Part A, 2014, 164, 591-596.	0.7	59
80	Analyses of Model Fit and Robustness. A New Look at the PISA Scaling Model Underlying Ranking of Countries According to Reading Literacy. Psychometrika, 2014, 79, 210-231.	1.2	103
81	A longitudinal exploration of "Four Critical Moments" during treatment trajectory in patients with operable lung cancer and the feasibility of an exercise intervention: a research protocol. Journal of Advanced Nursing, 2014, 70, 1915-1925.	1.5	8
82	High Injury Incidence in Adolescent Female Soccer. American Journal of Sports Medicine, 2014, 42, 2487-2494.	1.9	71
83	Prediction of future labour market outcome in a cohort of long-term sick-listed Danes. BMC Public Health, 2014, 14, 494.	1.2	8
84	Impact of the severity of trauma on early retirement. Injury, 2014, 45, 618-623.	0.7	10
85	Interpretation of the Skin Cancer Quality of Life Score: A Validated Quality of Life Questionnaire for Non-Melanoma Skin Cancer. Dermatology, 2014, 229, 123-129.	0.9	3
86	A multi-wave study of organizational justice at work and long-term sickness absence among employees with depressive symptoms. Scandinavian Journal of Work, Environment and Health, 2014, 40, 176-185.	1.7	19
87	Psychosocial work environment factors and weight change: a prospective study among Danish health care workers. BMC Public Health, 2013, 13, 43.	1.2	19
88	To what extent do single symptoms from a depression rating scale predict risk of long-term sickness absence among employees who are free of clinical depression?. International Archives of Occupational and Environmental Health, 2013, 86, 735-739.	1.1	2
89	Do psychosocial working conditions modify the effect of depressive symptoms on long-term sickness absence?. American Journal of Industrial Medicine, 2013, 56, 1329-1340.	1.0	11
90	Patient Activation through Counseling and Exercise "Acute Leukemia (PACE-AL)" a randomized controlled trial. BMC Cancer, 2013, 13, 446.	1.1	20

#	ARTICLE	IF	CITATIONS
91	Transcranial pulsed electromagnetic fields for multiple chemical sensitivity: study protocol for a randomized, double-blind, placebo-controlled trial. <i>Trials</i> , 2013, 14, 256.	0.7	3
92	Effects of recreational soccer in men with prostate cancer undergoing androgen deprivation therapy: study protocol for the "FC Prostate"™ randomized controlled trial. <i>BMC Cancer</i> , 2013, 13, 595.	1.1	19
93	Study protocol: rehabilitation including social and physical activity and education in children and teenagers with cancer (RESPECT). <i>BMC Cancer</i> , 2013, 13, 544.	1.1	28
94	"EXHALE" exercise as a strategy for rehabilitation in advanced stage lung cancer patients: a randomized clinical trial comparing the effects of 12 weeks supervised exercise intervention versus usual care for advanced stage lung cancer patients. <i>BMC Cancer</i> , 2013, 13, 477.	1.1	26
95	The transition between work, sickness absence and pension in a cohort of Danish colorectal cancer survivors. <i>BMJ Open</i> , 2013, 3, e002259.	0.8	35
96	At cancer diagnosis: a "window of opportunity"™ for behavioural change towards physical activity. A randomised feasibility study in patients with colon and breast cancer. <i>BMJ Open</i> , 2013, 3, e003556.	0.8	24
97	Safety and efficacy of liraglutide in patients with type 2 diabetes and end-stage renal disease: protocol for an investigator-initiated prospective, randomised, placebo-controlled, double-blinded, parallel intervention study. <i>BMJ Open</i> , 2013, 3, e002764.	0.8	11
98	Conditional Maximum Likelihood Estimation in Polytomous Rasch Models Using SAS. , 2013, 2013, 1-8.		9
99	Quality of Life in Non-Melanoma Skin Cancer"™The Skin Cancer Quality of Life (SCQoL) Questionnaire. <i>Dermatologic Surgery</i> , 2013, 39, 1784-1793.	0.4	20
100	Software for Rasch Analysis. , 2013, , 337-346.		0
101	Overall Tests of the Rasch Model. , 2013, , 105-110.		3
102	Two Tests of Local Independence. , 2013, , 131-136.		3
103	Evaluation of the Quick Environmental Exposure and Sensitivity Inventory in a Danish Population. <i>Journal of Environmental and Public Health</i> , 2012, 2012, 1-10.	0.4	38
104	Low birth weight is associated with earlier onset of end-stage renal disease in Danish patients with autosomal dominant polycystic kidney disease. <i>Kidney International</i> , 2012, 81, 919-924.	2.6	46
105	Increased Long-Term Mortality After a High Perioperative Inspiratory Oxygen Fraction During Abdominal Surgery. <i>Anesthesia and Analgesia</i> , 2012, 115, 849-854.	1.1	148
106	Diagnostic delay, quality of life and patient satisfaction among women diagnosed with endometrial or ovarian cancer: a nationwide Danish study. <i>Quality of Life Research</i> , 2012, 21, 1519-1525.	1.5	83
107	Safety and feasibility of a combined exercise intervention for inoperable lung cancer patients undergoing chemotherapy: A pilot study. <i>Lung Cancer</i> , 2012, 75, 203-208.	0.9	118
108	Transitions between sickness absence, work, unemployment, and disability in Denmark 2004"™2008. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 516-526.	1.7	82

#	ARTICLE	IF	CITATIONS
109	One-year prospective study on the effect of workplace bullying on long-term sickness absence. <i>Journal of Nursing Management</i> , 2011, 19, 752-759.	1.4	101
110	Clinical and non-clinical depressive symptoms and risk of long-term sickness absence among female employees in the Danish eldercare sector. <i>Journal of Affective Disorders</i> , 2011, 129, 87-93.	2.0	39
111	Item Screening in Graphical Loglinear Rasch Models. <i>Psychometrika</i> , 2011, 76, 228-256.	1.2	37
112	Return to work among employees with long-term sickness absence in eldercare. <i>International Journal of Rehabilitation Research</i> , 2011, 34, 249-254.	0.7	11
113	The attribution of work environment in explaining gender differences in long-term sickness absence: results from the prospective DREAM study. <i>Occupational and Environmental Medicine</i> , 2011, 68, 703-705.	1.3	24
114	Do managers experience more stress than employees? Results from the Intervention Project on Absence and Well-being (IPAW) study among Danish managers and their employees. <i>Work</i> , 2011, 38, 103-109.	0.6	55
115	Sickness absence associated with shared and open-plan offices – a national cross sectional questionnaire survey. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 376-382.	1.7	78
116	Changing Job-Related Burnout After Intervention – A Quasi-Experimental Study in Six Human Service Organizations. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 318-323.	0.9	7
117	Impact of Burnout and Psychosocial Work Characteristics on Future Long-Term Sickness Absence. Prospective Results of the Danish PUMA Study Among Human Service Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 964-970.	0.9	66
118	Monte Carlo tests of the Rasch model based on scalability coefficients. <i>British Journal of Mathematical and Statistical Psychology</i> , 2010, 63, 101-111.	1.0	19
119	The fraction of disability pensions attributable to smoking and obesity. Results from a 15-year follow-up study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2010, 18, 251-254.	0.8	5
120	Effect of physical exercise interventions on musculoskeletal pain in all body regions among office workers: A one-year randomized controlled trial. <i>Manual Therapy</i> , 2010, 15, 100-104.	1.6	124
121	The impact of self-reported exposure to whole-body-vibrations on the risk of disability pension among men: a 15 year prospective study. <i>BMC Public Health</i> , 2010, 10, 305.	1.2	17
122	New-Onset Diabetes Mellitus after Kidney Transplantation in Denmark. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 709-716.	2.2	49
123	Does training managers enhance the effects of implementing team-working? A longitudinal, mixed methods field study. <i>Human Relations</i> , 2010, 63, 1719-1741.	3.8	62
124	Impact of Physical Inactivity on Subcutaneous Adipose Tissue Metabolism in Healthy Young Male Offspring of Patients With Type 2 Diabetes. <i>Diabetes</i> , 2010, 59, 2790-2798.	0.3	26
125	Positive work-related states and long-term sickness absence: A study of register-based outcomes. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 51-58.	1.2	33
126	Precision of coherence analysis to detect cerebral autoregulation by near-infrared spectroscopy in preterm infants. <i>Journal of Biomedical Optics</i> , 2010, 15, 037002.	1.4	21

#	ARTICLE	IF	CITATIONS
127	Differences in sickness absence in Sweden and Denmark: the cross national HAKNAK study. <i>European Journal of Public Health</i> , 2009, 19, 343-349.	0.1	35
128	Self-reported noise exposure as a risk factor for long-term sickness absence. <i>Noise and Health</i> , 2009, 11, 93.	0.4	20
129	The impact of job satisfaction on the risk of disability pension. A 15-year prospective study. <i>Scandinavian Journal of Public Health</i> , 2009, 37, 778-780.	1.2	16
130	Effects of tonabersat on migraine with aura: a randomised, double-blind, placebo-controlled crossover study. <i>Lancet Neurology</i> , The, 2009, 8, 718-723.	4.9	131
131	Self-reported occupational skin contact with cleaning agents and the risk of disability pension. <i>Contact Dermatitis</i> , 2009, 60, 131-135.	0.8	8
132	Work injuries and disability. <i>Journal of Safety Research</i> , 2009, 40, 21-24.	1.7	9
133	Diagnostic delay experienced among gynecological cancer patients: a nationwide survey in Denmark. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 685-692.	1.3	18
134	The impact of ergonomic work environment exposures on the risk of disability pension: Prospective results from DWECS/DREAM. <i>Ergonomics</i> , 2009, 52, 1419-1422.	1.1	33
135	Long-term Consequences of Postoperative Cognitive Dysfunction. <i>Anesthesiology</i> , 2009, 110, 548-555.	1.3	826
136	Differences between day and nonday workers in exposure to physical and psychosocial work factors in the Danish eldercare sector. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009, 35, 48-55.	1.7	38
137	Comparison of two self-reported measures of physical work demands in hospital personnel: A cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 61.	0.8	12
138	Shift work and sickness absence. <i>Occupational Medicine</i> , 2008, 58, 302-304.	0.8	33
139	A 15-year prospective study of shift work and disability pension. <i>Occupational and Environmental Medicine</i> , 2008, 65, 283-285.	1.3	21
140	Using administrative sickness absence data as a marker of future disability pension: the prospective DREAM study of Danish private sector employees. <i>Occupational and Environmental Medicine</i> , 2008, 65, 28-31.	1.3	134
141	The impact of psychosocial work environment factors on the risk of disability pension in Denmark. <i>European Journal of Public Health</i> , 2008, 18, 235-237.	0.1	41
142	Explaining the social gradient in long-term sickness absence: a prospective study of Danish employees. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 181-183.	2.0	77
143	Severe depressive symptoms as predictor of disability pension: a 10-year follow-up study in Denmark. <i>European Journal of Public Health</i> , 2008, 18, 232-234.	0.1	72
144	Does evening work predict sickness absence among female carers of the elderly?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2008, 34, 483-486.	1.7	16

#	ARTICLE	IF	CITATIONS
145	Predictors of disability pension over a 10-year period for men and women. <i>Scandinavian Journal of Public Health</i> , 2007, 35, 78-85.	1.2	78
146	The contribution of the psychosocial work environment to sickness absence in human service workers: Results of a 3-year follow-up study. <i>Work and Stress</i> , 2007, 21, 293-311.	2.8	119
147	The fraction of long-term sickness absence attributable to work environmental factors: prospective results from the Danish Work Environment Cohort Study. <i>Occupational and Environmental Medicine</i> , 2007, 64, 487-489.	1.3	35
148	A Monte Carlo Approach to Unidimensionality Testing in Polytomous Rasch Models. <i>Applied Psychological Measurement</i> , 2007, 31, 20-30.	0.6	7
149	The Impact of Health Behaviour on Long Term Sickness Absence: Results from DWECES/DREAM. <i>Industrial Health</i> , 2007, 45, 348-351.	0.4	56
150	Validity and Objectivity in Health-Related Scales: Analysis by Graphical Loglinear Rasch Models. , 2007, , 329-346.		54
151	Latent Covariates in Generalized Linear Models: A Rasch Model Approach. , 2007, , 95-108.		4
152	Analyzing sickness absence with statistical models for survival data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 233-239.	1.7	45
153	Success or failure? Interpreting and understanding the impact of interventions in four similar worksites. <i>Work and Stress</i> , 2006, 20, 272-287.	2.8	149
154	Multilevel Analysis of Workplace and Individual Risk Factors for Long-Term Sickness Absence. <i>Journal of Occupational and Environmental Medicine</i> , 2006, 48, 923-929.	0.9	41
155	Multilevel Analysis of Individual and Contextual Factors as Predictors of Return to Work. <i>Journal of Occupational and Environmental Medicine</i> , 2006, 48, 1181-1188.	0.9	28
156	Psychosocial Work Environment Predictors of Short and Long Spells of Registered Sickness Absence During a 2-year Follow Up. <i>Journal of Occupational and Environmental Medicine</i> , 2006, 48, 591-598.	0.9	97
157	Return to work among sickness-absent Danish employees: prospective results from the Danish Work Environment Cohort Study/National Register on Social Transfer Payments. <i>International Journal of Rehabilitation Research</i> , 2006, 29, 229-235.	0.7	31
158	Eye blink frequency during different computer tasks quantified by electrooculography. <i>European Journal of Applied Physiology</i> , 2006, 99, 113-119.	1.2	62
159	Depressive symptoms and the risk of long-term sickness absence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 875-880.	1.6	141
160	Psychosocial work environment and registered absence from work: Estimating the etiologic fraction. <i>American Journal of Industrial Medicine</i> , 2006, 49, 187-196.	1.0	34
161	Physical work environment risk factors for long term sickness absence: prospective findings among a cohort of 5357 employees in Denmark. <i>BMJ: British Medical Journal</i> , 2006, 332, 449-452.	2.4	183
162	Burnout as a predictor of self-reported sickness absence among human service workers: prospective findings from three year follow up of the PUMA study. <i>Occupational and Environmental Medicine</i> , 2006, 63, 98-106.	1.3	157

#	ARTICLE	IF	CITATIONS
163	Fitting polytomous Rasch models in SAS. Journal of Applied Measurement, 2006, 7, 407-17.	0.3	7
164	Workplace Levels of Psychosocial Factors as Prospective Predictors of Registered Sickness Absence. Journal of Occupational and Environmental Medicine, 2005, 47, 933-940.	0.9	46
165	Psychosocial Work Environment Exposures as Risk Factors for Long-Term Sickness Absence Among Danish Employees: Results From DWECS/DREAM. Journal of Occupational and Environmental Medicine, 2005, 47, 1141-1147.	0.9	140
166	Psychosocial Work Characteristics as Predictors for Burnout: Findings From 3-Year Follow Up of the PUMA Study. Journal of Occupational and Environmental Medicine, 2005, 47, 1015-1025.	0.9	124
167	The Copenhagen Burnout Inventory: A new tool for the assessment of burnout. Work and Stress, 2005, 19, 192-207.	2.8	1,737
168	The effect on human eye blink frequency of exposure to limonene oxidation products and methacrolein. Toxicology Letters, 2005, 156, 241-251.	0.4	83
169	The distinction between work pace and working hours in the measurement of quantitative demands at work. Work and Stress, 2004, 18, 305-322.	2.8	123
170	Impact of the psychosocial work environment on registered absence from work: A two-year longitudinal study using the IPAWE cohort. Work and Stress, 2004, 18, 323-335.	2.8	59
171	Analysis of Local Dependence and Multidimensionality in Graphical Loglinear Rasch Models. Communications in Statistics - Theory and Methods, 2004, 33, 1239-1276.	0.6	71
172	Latent Regression in Loglinear Rasch Models. Communications in Statistics - Theory and Methods, 2004, 33, 1295-1313.	0.6	25
173	Testing the Fit of Latent Regression Models. Communications in Statistics - Theory and Methods, 2004, 33, 1341-1356.	0.6	9
174	Testing unidimensionality in polytomous Rasch models. Psychometrika, 2002, 67, 563-574.	1.2	51
175	Graphical Rasch Models. , 2002, , 187-203.		52
176	Inference in the Rasch Model. , 0, , 43-48.		0