

Andrzej Kokoszka

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9344833/andrzej-kokoszka-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

1,865

citations

18

h-index

42

g-index

81

ext. papers

2,299

ext. citations

3.9

avg, IF

4.48

L-index

#	Paper	IF	Citations
66	Diabetes Attitudes, Wishes and Needs second study (DAWN2) cross-national benchmarking of diabetes-related psychosocial outcomes for people with diabetes. <i>Diabetic Medicine</i> , 2013 , 30, 767-77	3.5	405
65	Short-form measures of diabetes-related emotional distress: the Problem Areas in Diabetes Scale (PAID)-5 and PAID-1. <i>Diabetologia</i> , 2010 , 53, 66-9	10.3	193
64	Diabetes Attitudes, Wishes and Needs second study (DAWN2) cross-national benchmarking indicators for family members living with people with diabetes. <i>Diabetic Medicine</i> , 2013 , 30, 778-88	3.5	168
63	Premature ejaculation: results from a five-country European observational study. <i>European Urology</i> , 2008 , 53, 1048-57	10.2	132
62	Monitoring of Individual Needs in Diabetes (MIND): baseline data from the Cross-National Diabetes Attitudes, Wishes, and Needs (DAWN) MIND study. <i>Diabetes Care</i> , 2011 , 34, 601-3	14.6	86
61	F85. THE RELATIONSHIP BETWEEN JUMPING TO CONCLUSIONS AND NEUROPSYCHOLOGICAL FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S252-S253	1.3	78
60	Alexithymia in schizophrenia: an exploratory study. <i>Psychological Reports</i> , 2001 , 89, 95-8	1.6	71
59	Longitudinal associations between depression and diabetes complications: a systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2019 , 36, 1562-1572	3.5	66
58	Prevalence and correlates of depressive disorders in people with Type 2 diabetes: results from the International Prevalence and Treatment of Diabetes and Depression (INTERPRET-DD) study, a collaborative study carried out in 14 countries. <i>Diabetic Medicine</i> , 2018 , 35, 760-769	3.5	58
57	Monitoring of Individual Needs in Diabetes (MIND)-2: follow-up data from the cross-national Diabetes Attitudes, Wishes, and Needs (DAWN) MIND study. <i>Diabetes Care</i> , 2012 , 35, 2128-32	14.6	55
56	Impaired discrimination between imagined and performed actions in schizophrenia. <i>Psychiatry Research</i> , 2012 , 195, 1-8	9.9	48
55	Impaired action self-monitoring in schizophrenia patients with auditory hallucinations. <i>Schizophrenia Research</i> , 2013 , 144, 72-9	3.6	44
54	Serious diabetes-specific emotional problems in patients with type 2 diabetes who have different levels of comorbid depression: a Polish study from the European Depression in Diabetes (EDID) Research Consortium. <i>European Psychiatry</i> , 2009 , 24, 425-30	6	39
53	Enhancement of taxane production in hairy root culture of <i>Taxus x media</i> var. <i>Hicksii</i> . <i>Journal of Plant Physiology</i> , 2009 , 166, 1950-4	3.6	37
52	Decreasing self-reported cognitive biases and increasing clinical insight through meta-cognitive training in patients with chronic schizophrenia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015 , 48, 98-104	2.6	32
51	Correlates of psychological outcomes in people with diabetes: results from the second Diabetes Attitudes, Wishes and Needs (DAWN2) study. <i>Diabetic Medicine</i> , 2016 , 33, 1194-203	3.5	31
50	"I Do My Best To Listen to Patients": Qualitative Insights Into DAWN2 (Diabetes Psychosocial Care From the Perspective of Health Care Professionals in the Second Diabetes Attitudes, Wishes and Needs Study). <i>Clinical Therapeutics</i> , 2015 , 37, 1986-1998.e12	3.5	30

49	Defense mechanisms in alexithymia. <i>Psychological Reports</i> , 1999 , 84, 183-7	1.6	20
48	Enhanced anger superiority effect in generalized anxiety disorder and panic disorder. <i>Journal of Anxiety Disorders</i> , 2012 , 26, 329-36	10.9	17
47	The INTERPRET-DD study of diabetes and depression: a protocol. <i>Diabetic Medicine</i> , 2015 , 32, 925-34	3.5	16
46	Information metabolism as a model of human experiences. <i>International Journal of Neuroscience</i> , 1999 , 97, 169-78	2	14
45	2021 Guidelines on the management of patients with diabetes. A position of Diabetes Poland. <i>Clinical Diabetology</i> , 2021 , 10, 1-113	2	14
44	Mental organization according to the metabolism of information model and its mathematical description. <i>International Journal of Neuroscience</i> , 2001 , 107, 173-84	2	13
43	Information metabolism as a model of consciousness. <i>International Journal of Neuroscience</i> , 1993 , 68, 165-77	2	11
42	Validation of the Polish version of WHO-5 as a screening instrument for depression in adults with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2020 , 159, 107970	7.4	11
41	The relationship between jumping to conclusions and neuropsychological functioning in schizophrenia. <i>Psychiatry Research</i> , 2019 , 273, 443-449	9.9	11
40	Meta-cognitive beliefs as a mediator for the relationship between Cloninger's temperament and character dimensions and depressive and anxiety symptoms among healthy subjects. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1029-37	7.3	10
39	A relationship between hallucination proneness and character and temperament: a mediating role of meta-cognitive beliefs in a non-clinical sample. <i>Psychiatry Research</i> , 2013 , 208, 183-5	9.9	10
38	An Integrated Model of the Main States of Consciousness. <i>Imagination, Cognition and Personality</i> , 1988 , 7, 285-294	0.8	10
37	Prevalence of depressive and anxiety disorders in dialysis patients with chronic kidney disease. <i>Archives of Psychiatry and Psychotherapy</i> , 2016 , 18, 8-13	2	10
36	An Evolutionary Levelled Model of the Main States of Consciousness. <i>Imagination, Cognition and Personality</i> , 1991 , 10, 329-343	0.8	9
35	Living with an adult who has diabetes: Qualitative insights from the second Diabetes Attitudes, Wishes and Needs (DAWN2) study. <i>Diabetes Research and Clinical Practice</i> , 2016 , 116, 270-8	7.4	9
34	Treatment adherence in patients with type 2 diabetes mellitus correlates with different coping styles, low perception of self-influence on disease, and depressive symptoms. <i>Patient Preference and Adherence</i> , 2017 , 11, 587-595	2.4	8
33	Towards a cognitive model of hallucinations in the course of alcohol dependence? A source monitoring-based pilot study. <i>Psychological Medicine</i> , 2014 , 44, 2763-73	6.9	8
32	Psychometric Properties and Configural Invariance of the Polish - Language Version of the 20-Item Toronto Alexithymia Scale in Non-clinical and Alcohol Addict Persons. <i>Frontiers in Psychology</i> , 2020 , 11, 1241	3.4	7

31	States of Consciousness 2007 ,		7
30	The protective mechanisms of the basic rest-activity cycle as an indirect manifestation of this rhythm in waking: preliminary report. <i>International Journal of Neuroscience</i> , 2003 , 113, 153-63	2	6
29	Altered States of Consciousness: A Comparison of Profoundly and Superficially Altered States. <i>Imagination, Cognition and Personality</i> , 1999 , 19, 165-184	0.8	6
28	Occurrence of Altered States of Consciousness among Students: Profoundly and Superficially Altered States in Wakefulness. <i>Imagination, Cognition and Personality</i> , 1993 , 12, 231-247	0.8	6
27	Short-term intensive psychodynamic group therapy versus cognitive-behavioral group therapy in day treatment of anxiety disorders and comorbid depressive or personality disorders: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 319	2.8	5
26	Dynamic systems theory approach to consciousness. <i>International Journal of Neuroscience</i> , 2000 , 104, 29-47	2	5
25	Do depression and anxiety mediate the relationship between meta-cognitive beliefs and psychological dimensions of auditory hallucinations and delusions in schizophrenia?. <i>Psychiatry Research</i> , 2013 , 210, 1316-9	9.9	4
24	Experience of peripheral temperature change during hypnotic analgesia. <i>International Journal of Clinical and Experimental Hypnosis</i> , 1992 , 40, 180-93	1.8	4
23	People with diabetes need a lower cut-off than others for depression screening with PHQ-9. <i>PLoS ONE</i> , 2020 , 15, e0240209	3.7	4
22	A need for intervention: Childhood adversities are a significant determinant of health-harming behavior and poor self-efficacy in patients with alcohol dependence. An observational, cross-sectional study on the population of Central Poland. <i>Advances in Clinical and Experimental Medicine</i> , 2018 , 27, 1271-1277	1.8	4
21	Group Cognitive-Behavioral Therapy for Anxiety Disorders With Personality Disorders in Day Clinic Setting. <i>Perspectives in Psychiatric Care</i> , 2016 , 52, 186-93	2.2	4
20	The bidirectional longitudinal association between depressive symptoms and HbA : A systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2021 , e14671	3.5	4
19	Factors associated with the onset of major depressive disorder in adults with type 2 diabetes living in 12 different countries: results from the INTERPRET-DD prospective study. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e134	5.1	3
18	Fluctuations in hypnotic susceptibility and imaging ability over a 16-hour period. <i>International Journal of Clinical and Experimental Hypnosis</i> , 1995 , 43, 20-33	1.8	3
17	An Evolutionary-Psychodynamic Model of the Main States of Consciousness. <i>Imagination, Cognition and Personality</i> , 1993 , 12, 387-394	0.8	3
16	On the Psychology of Experiencing Values: A Supplement to the Evolutionary Level Model of the Main States of Consciousness. <i>Imagination, Cognition and Personality</i> , 1991 , 11, 75-84	0.8	3
15	Relations between gestational diabetes and postpartum depressive disorders and symptoms. <i>Archives of Psychiatry and Psychotherapy</i> , 2017 , 19, 43-46	2	2
14	Cut-off points for Polish-language versions of depression screening tools among patients with Type 2 diabetes. <i>Primary Care Diabetes</i> , 2020 , 14, 663-671	2.4	1

- 13 Reply to Marcel D. Waldinger and Dave H. Schweitzer; Letter to the Editor re: Franis Giuliano, Donald L. Patrick, Hartmut Porst, et al. For the 3004 Study Group. Premature Ejaculation: Results from a Five-Country European Observational Study. *Eur Urol* 2008;53:1048-57. *European Urology*, 2008, 53, 1305-1306 10.2 1
- 12 PAID-PL-The Polish Version of the Problem Areas in Diabetes Scale: Perfect Reliability and a One-Factor Structure. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 2021, 14, 4433-4441 3.4 1
- 11 Defense Mechanisms in Alexithymia 1
- 10 Relationship of the patient age and intensity of type 2 diabetes treatment 2007, 117, 396-401 1
- 9 P.3.e.010 Perception of self-influence on the course of schizophrenia and adherence to antipsychotics. *European Neuropsychopharmacology*, 2008, 18, S467 1.2 0
- 8 Relations of Well-Being, Coping Styles, Perception of Self-Influence on the Diabetes Course and Sociodemographic Characteristics with HbA1c and BMI Among People with Advanced Type 2 Diabetes Mellitus.. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 2022, 15, 407-418 3.4 0
- 7 Preliminary evidence for diurnal fluctuations in visual imagery. *International Journal of Neuroscience*, 2000, 101, 1-7 2
- 6 Psychiatrie physiologique de Jan Mazurkiewicz, un nojacksonien polonais. *Evolution Psychiatrique*, 1999, 64, 531-542 0.4
- 5 The axiological dimension of psychiatric contact. *Psychiatry (New York)*, 1991, 54, 404-12 1
- 4 Beyond Cognitive-Behavioral and Psychodynamic Approaches 2002, 197-200
- 3 Letter to Editor. New assessment of the validity of the Brief Measure to Assess Perception of Self-Influence on the Disease Course: A Version for Schizophrenia. *Psychiatria Polska*, 2015, 49, 649-52 1.3
- 2 Involvement in Health Behavior After Heart Transplantation: The Role of Personal Resources and Health Status. Single-Center Observational Study.. *Frontiers in Psychology*, 2021, 12, 710870 3.4
- 1 Body self-esteem is related to subjective well-being, severity of depressive symptoms, BMI, glycated hemoglobin levels, and diabetes-related distress in type 2 diabetes.. *PLoS ONE*, 2022, 17, e0263766 3.7