Andrzej Kokoszka

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9344833/andrzej-kokoszka-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,865 18 42 g-index

81 2,299 avg, IF 4.48 L-index

#	Paper	IF	Citations
66	Relations of Well-Being, Coping Styles, Perception of Self-Influence on the Diabetes Course and Sociodemographic Characteristics with HbA1c and BMI Among People with Advanced Type 2 Diabetes Mellitus <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2022 , 15, 407-418	3.4	O
65	Body self-esteem is related to subjective well-being, severity of depressive symptoms, BMI, glycated hemoglobin levels, and diabetes-related distress in type 2 diabetes <i>PLoS ONE</i> , 2022 , 17, e026	3766	
64	PAID-PL-The Polish Version of the Problem Areas in Diabetes Scale: Perfect Reliability and a One-Factor Structure. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021 , 14, 4433-44	4 4 4	1
63	2021 Guidelines on the management of patients with diabetes. A position of Diabetes Poland. <i>Clinical Diabetology</i> , 2021 , 10, 1-113	2	14
62	The bidirectional longitudinal association between depressive symptoms and HbA: A systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2021 , e14671	3.5	4
61	Involvement in Health Behavior After Heart Transplantation: The Role of Personal Resources and Health Status. Single-Center Observational Study <i>Frontiers in Psychology</i> , 2021 , 12, 710870	3.4	
60	Cut-off points for Polish-language versions of depression screening tools among patients with Type 2 diabetes. <i>Primary Care Diabetes</i> , 2020 , 14, 663-671	2.4	1
59	Factors associated with the onset of major depressive disorder in adults with type 2 diabetes living in 12 different countries: results from the INTERPRET-DD prospective study. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e134	5.1	3
58	Psychometric Properties and Configural Invariance of the Polish - Language Version of the 20-Item Toronto Alexithymia Scale in Non-clinical and Alcohol Addict Persons. <i>Frontiers in Psychology</i> , 2020 , 11, 1241	3.4	7
57	People with diabetes need a lower cut-off than others for depression screening with PHQ-9. <i>PLoS ONE</i> , 2020 , 15, e0240209	3.7	4
56	Validation of the Polish version of WHO-5 as a screening instrument for depression in adults with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2020 , 159, 107970	7.4	11
55	Longitudinal associations between depression and diabetes complications: a systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2019 , 36, 1562-1572	3.5	66
54	The relationship between jumping to conclusions and neuropsychological functioning in schizophrenia. <i>Psychiatry Research</i> , 2019 , 273, 443-449	9.9	11
53	Prevalence and correlates of depressive disorders in people with Type 2 diabetes: results from the International Prevalence and Treatment of Diabetes and Depression (INTERPRET-DD) study, a collaborative study carried out in 14 countries. <i>Diabetic Medicine</i> , 2018 , 35, 760-769	3.5	58
52	F85. THE RELATIONSHIP BETWEEN JUMPING TO CONCLUSIONS AND NEUROPSYCHOLOGICAL FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S252-S253	1.3	78
51	A need for intervention: Childhood adversities are a significant determinant of health-harming behavior and poor self-efficacy in patients with alcohol dependence. An observational, cross-sectional study on the population of Central Poland. Advances in Clinical and Experimental	1.8	4
50	Treatment adherence in patients with type 2 diabetes mellitus correlates with different coping styles, low perception of self-influence on disease, and depressive symptoms. <i>Patient Preference and Adherence</i> , 2017 , 11, 587-595	2.4	8

(2012-2017)

49	Relations between gestational diabetes and postpartum depressive disorders and symptoms. <i>Archives of Psychiatry and Psychotherapy</i> , 2017 , 19, 43-46	2	2
48	Correlates of psychological outcomes in people with diabetes: results from the second Diabetes Attitudes, Wishes and Needs (DAWN2(II) study. <i>Diabetic Medicine</i> , 2016 , 33, 1194-203	3.5	31
47	Prevalence of depressive and anxiety disorders in dialysis patients with chronic kidney disease. <i>Archives of Psychiatry and Psychotherapy</i> , 2016 , 18, 8-13	2	10
46	Group Cognitive-Behavioral Therapy for Anxiety Disorders With Personality Disorders in Day Clinic Setting. <i>Perspectives in Psychiatric Care</i> , 2016 , 52, 186-93	2.2	4
45	Living with an adult who has diabetes: Qualitative insights from the second Diabetes Attitudes, Wishes and Needs (DAWN2) study. <i>Diabetes Research and Clinical Practice</i> , 2016 , 116, 270-8	7.4	9
44	Decreasing self-reported cognitive biases and increasing clinical insight through meta-cognitive training in patients with chronic schizophrenia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015 , 48, 98-104	2.6	32
43	"I Do My Best To Listen to Patients": Qualitative Insights Into DAWN2 (Diabetes Psychosocial Care From the Perspective of Health Care Professionals in the Second Diabetes Attitudes, Wishes and Needs Study). <i>Clinical Therapeutics</i> , 2015 , 37, 1986-1998.e12	3.5	30
42	Short-term intensive psychodynamic group therapy versus cognitive-behavioral group therapy in day treatment of anxiety disorders and comorbid depressive or personality disorders: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 319	2.8	5
41	The INTERPRET-DD study of diabetes and depression: a protocol. <i>Diabetic Medicine</i> , 2015 , 32, 925-34	3.5	16
40	Letter to Editor. New assessment of the validity of the Brief Measure to Assess Perception of Self-Influence on the Disease Course: A Version for Schizophrenia. <i>Psychiatria Polska</i> , 2015 , 49, 649-52	1.3	
39	Meta-cognitive beliefs as a mediator for the relationship between Cloninger's temperament and character dimensions and depressive and anxiety symptoms among healthy subjects. Comprehensive Psychiatry, 2014, 55, 1029-37	7.3	10
38	Towards a cognitive model of hallucinations in the course of alcohol dependence? A source monitoring-based pilot study. <i>Psychological Medicine</i> , 2014 , 44, 2763-73	6.9	8
37	Diabetes Attitudes, Wishes and Needs second study (DAWN2) cross-national benchmarking indicators for family members living with people with diabetes. <i>Diabetic Medicine</i> , 2013 , 30, 778-88	3.5	168
36	Do depression and anxiety mediate the relationship between meta-cognitive beliefs and psychological dimensions of auditory hallucinations and delusions in schizophrenia?. <i>Psychiatry Research</i> , 2013 , 210, 1316-9	9.9	4
35	A relationship between hallucination proneness and character and temperament: a mediating role of meta-cognitive beliefs in a non-clinical sample. <i>Psychiatry Research</i> , 2013 , 208, 183-5	9.9	10
34	Impaired action self-monitoring in schizophrenia patients with auditory hallucinations. <i>Schizophrenia Research</i> , 2013 , 144, 72-9	3.6	44
33	Diabetes Attitudes, Wishes and Needs second study (DAWN2) cross-national benchmarking of diabetes-related psychosocial outcomes for people with diabetes. <i>Diabetic Medicine</i> , 2013 , 30, 767-77	3.5	405
32	Impaired discrimination between imagined and performed actions in schizophrenia. <i>Psychiatry Research</i> , 2012 , 195, 1-8	9.9	48

31	Enhanced anger superiority effect in generalized anxiety disorder and panic disorder. <i>Journal of Anxiety Disorders</i> , 2012 , 26, 329-36	10.9	17
30	Monitoring of Individual Needs in Diabetes (MIND)-2: follow-up data from the cross-national Diabetes Attitudes, Wishes, and Needs (DAWN) MIND study. <i>Diabetes Care</i> , 2012 , 35, 2128-32	14.6	55
29	Monitoring of Individual Needs in Diabetes (MIND): baseline data from the Cross-National Diabetes Attitudes, Wishes, and Needs (DAWN) MIND study. <i>Diabetes Care</i> , 2011 , 34, 601-3	14.6	86
28	Short-form measures of diabetes-related emotional distress: the Problem Areas in Diabetes Scale (PAID)-5 and PAID-1. <i>Diabetologia</i> , 2010 , 53, 66-9	10.3	193
27	Enhancement of taxane production in hairy root culture of Taxus x media var. Hicksii. <i>Journal of Plant Physiology</i> , 2009 , 166, 1950-4	3.6	37
26	Serious diabetes-specific emotional problems in patients with type 2 diabetes who have different levels of comorbid depression: a Polish study from the European Depression in Diabetes (EDID) Research Consortium. <i>European Psychiatry</i> , 2009 , 24, 425-30	6	39
25	Premature ejaculation: results from a five-country European observational study. <i>European Urology</i> , 2008 , 53, 1048-57	10.2	132
24	Reply to Marcel D. Waldinger and Dave H. Schweitzers: Letter to the Editor re: Franībis Giuliano, Donald L. Patrick, Hartmut Porst, et al. For the 3004 Study Group. Premature Ejaculation: Results from a Five-Country European Observational Study. Eur Urol 2008;53:1048\(\text{B7} \). European Urology,	10.2	1
23	P.3.e.010 Perception of self-influence on the course of schizophrenia and adherence to antipsychotics. <i>European Neuropsychopharmacology</i> , 2008 , 18, S467	1.2	0
22	States of Consciousness 2007,		7
21	States of Consciousness 2007, Relationship of the patient age and intensity of type 2 diabetes treatment 2007, 117, 396-401		7
		2	
21	Relationship of the patient age and intensity of type 2 diabetes treatment 2007 , 117, 396-401 The protective mechanisms of the basic rest-activity cycle as an indirect manifestation of this	2	1
21	Relationship of the patient age and intensity of type 2 diabetes treatment 2007 , 117, 396-401 The protective mechanisms of the basic rest-activity cycle as an indirect manifestation of this rhythm in waking: preliminary report. <i>International Journal of Neuroscience</i> , 2003 , 113, 153-63	2	1
21 20 19	Relationship of the patient age and intensity of type 2 diabetes treatment 2007 , 117, 396-401 The protective mechanisms of the basic rest-activity cycle as an indirect manifestation of this rhythm in waking: preliminary report. <i>International Journal of Neuroscience</i> , 2003 , 113, 153-63 Beyond Cognitive-Behavioral and Psychodynamic Approaches 2002 , 197-200		1
21 20 19	Relationship of the patient age and intensity of type 2 diabetes treatment 2007 , 117, 396-401 The protective mechanisms of the basic rest-activity cycle as an indirect manifestation of this rhythm in waking: preliminary report. <i>International Journal of Neuroscience</i> , 2003 , 113, 153-63 Beyond Cognitive-Behavioral and Psychodynamic Approaches 2002 , 197-200 Alexithymia in schizophrenia: an exploratory study. <i>Psychological Reports</i> , 2001 , 89, 95-8 Mental organization according to the metabolism of information model and its mathematical	1.6	1 6 71
21 20 19 18	Relationship of the patient age and intensity of type 2 diabetes treatment 2007, 117, 396-401 The protective mechanisms of the basic rest-activity cycle as an indirect manifestation of this rhythm in waking: preliminary report. International Journal of Neuroscience, 2003, 113, 153-63 Beyond Cognitive-Behavioral and Psychodynamic Approaches 2002, 197-200 Alexithymia in schizophrenia: an exploratory study. Psychological Reports, 2001, 89, 95-8 Mental organization according to the metabolism of information model and its mathematical description. International Journal of Neuroscience, 2001, 107, 173-84 Preliminary evidence for diurnal fluctuations in visual imagery. International Journal of Neuroscience	1.6	1 6 71

LIST OF PUBLICATIONS

13	Information metabolism as a model of human experiences. <i>International Journal of Neuroscience</i> , 1999 , 97, 169-78	2	14
12	Psychiatrie physiologique de Jan Mazurkiewicz, un nßjacksonien polonais. <i>Evolution Psychiatrique</i> , 1999 , 64, 531-542	0.4	
11	Defense mechanisms in alexithymia. <i>Psychological Reports</i> , 1999 , 84, 183-7	1.6	20
10	Fluctuations in hypnotic susceptibility and imaging ability over a 16-hour period. <i>International Journal of Clinical and Experimental Hypnosis</i> , 1995 , 43, 20-33	1.8	3
9	Information metabolism as a model of consciousness. <i>International Journal of Neuroscience</i> , 1993 , 68, 165-77	2	11
8	Occurrence of Altered States of Consciousness among Students: Profoundly and Superficially Altered States in Wakefulness. <i>Imagination, Cognition and Personality,</i> 1993 , 12, 231-247	0.8	6
7	An Evolutionary-Psychodynamic Model of the Main States of Consciousness. <i>Imagination, Cognition and Personality</i> , 1993 , 12, 387-394	0.8	3
6	Experience of peripheral temperature change during hypnotic analgesia. <i>International Journal of Clinical and Experimental Hypnosis</i> , 1992 , 40, 180-93	1.8	4
5	An Evolutionary Leveled Model of the Main States of Consciousness. <i>Imagination, Cognition and Personality</i> , 1991 , 10, 329-343	0.8	9
4	On the Psychology of Experiencing Values: A Supplement to the Evolutionary Level Model of the Main States of Consciousness. <i>Imagination, Cognition and Personality</i> , 1991 , 11, 75-84	0.8	3
3	The axiological dimension of psychiatric contact. <i>Psychiatry (New York)</i> , 1991 , 54, 404-12	1	
2	An Integrated Model of the Main States of Consciousness. <i>Imagination, Cognition and Personality</i> , 1988 , 7, 285-294	0.8	10
1	Defense Mechanisms in Alexithymia		1