

Jian Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9344915/jian-wu-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

3,545
citations

33
h-index

56
g-index

116
ext. papers

4,344
ext. citations

6.5
avg, IF

5.68
L-index

#	Paper	IF	Citations
111	Simultaneous determination of ascorbic acid, dopamine and uric acid using high-performance screen-printed graphene electrode. <i>Biosensors and Bioelectronics</i> , 2012 , 34, 70-6	11.8	317
110	Self-Assembly of Single-Layer CoAl-Layered Double Hydroxide Nanosheets on 3D Graphene Network Used as Highly Efficient Electrocatalyst for Oxygen Evolution Reaction. <i>Advanced Materials</i> , 2016 , 28, 7640-5	24	296
109	Direct electrochemical reduction of graphene oxide on ionic liquid doped screen-printed electrode and its electrochemical biosensing application. <i>Biosensors and Bioelectronics</i> , 2011 , 28, 204-9	11.8	196
108	Impedimetric immunosensor based on gold nanoparticles modified graphene paper for label-free detection of Escherichia coli O157:H7. <i>Biosensors and Bioelectronics</i> , 2013 , 49, 492-8	11.8	152
107	Application of electrochemically reduced graphene oxide on screen-printed ion-selective electrode. <i>Analytical Chemistry</i> , 2012 , 84, 3473-9	7.8	135
106	Development of an electrochemically reduced graphene oxide modified disposable bismuth film electrode and its application for stripping analysis of heavy metals in milk. <i>Food Chemistry</i> , 2014 , 151, 65-71	8.5	128
105	Cas12aVDeT: A CRISPR/Cas12a-Based Platform for Rapid and Visual Nucleic Acid Detection. <i>Analytical Chemistry</i> , 2019 , 91, 12156-12161	7.8	124
104	Development of an all-solid-state potassium ion-selective electrode using graphene as the solid-contact transducer. <i>Electrochemistry Communications</i> , 2011 , 13, 1529-1532	5.1	116
103	Carbon nanomaterial-enabled pesticide biosensors: Design strategy, biosensing mechanism, and practical application. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 106, 62-83	14.6	78
102	Copper oxide nanoparticles and ionic liquid modified carbon electrode for the non-enzymatic electrochemical sensing of hydrogen peroxide. <i>Mikrochimica Acta</i> , 2010 , 171, 117-123	5.8	78
101	Heteronanostructure of Ag particle on titanate nanowire membrane with enhanced photocatalytic properties and bactericidal activities. <i>Journal of Hazardous Materials</i> , 2010 , 178, 1109-14	12.8	64
100	Amperometric determination of ascorbic acid on screen-printing ruthenium dioxide electrode. <i>Electrochemistry Communications</i> , 2000 , 2, 90-93	5.1	64
99	Contamination-free visual detection of SARS-CoV-2 with CRISPR/Cas12a: A promising method in the point-of-care detection. <i>Biosensors and Bioelectronics</i> , 2020 , 169, 112642	11.8	59
98	Nucleic acid amplification free biosensors for pathogen detection. <i>Biosensors and Bioelectronics</i> , 2020 , 153, 112049	11.8	52
97	Instant, Visual, and Instrument-Free Method for On-Site Screening of GTS 40-3-2 Soybean Based on Body-Heat Triggered Recombinase Polymerase Amplification. <i>Analytical Chemistry</i> , 2017 , 89, 4413-4418	7.8	50
96	Uracil-Mediated New Photospacer-Adjacent Motif of Cas12a To Realize Visualized DNA Detection at the Single-Copy Level Free from Contamination. <i>Analytical Chemistry</i> , 2019 , 91, 11362-11366	7.8	49
95	High-performance flexible potentiometric sensing devices using free-standing graphene paper. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 4781-4791	7.3	49

94	Evaluation of trace heavy metal levels in soil samples using an ionic liquid modified carbon paste electrode. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 4418-23	5.7	49
93	Development of an ionic liquid modified screen-printed graphite electrode and its sensing in determination of dopamine. <i>Electrochemistry Communications</i> , 2010 , 12, 1738-1741	5.1	49
92	Electrochemical time of flight flow sensor. <i>Sensors and Actuators A: Physical</i> , 2002 , 97-98, 68-74	3.9	48
91	An amperometric sensor based on Prussian blue and poly(o-phenylenediamine) modified glassy carbon electrode for the determination of hydrogen peroxide in beverages. <i>Food Chemistry</i> , 2011 , 126, 2005-9	8.5	45
90	A fast and sensitive quantitative lateral flow immunoassay for Cry1Ab based on a novel signal amplification conjugate. <i>Sensors</i> , 2012 , 12, 11684-96	3.8	41
89	Sensitive determination of (-)-epigallocatechin gallate in tea infusion using a novel ionic liquid carbon paste electrode. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 6333-40	5.7	38
88	Visual detection for nucleic acid-based techniques as potential on-site detection methods. A review. <i>Analytica Chimica Acta</i> , 2020 , 1099, 1-15	6.6	38
87	Determination of ascorbic acid levels in food samples by using an ionic liquid-carbon nanotube composite electrode. <i>Food Chemistry</i> , 2012 , 135, 362-7	8.5	37
86	Nanobody Based Immunoassay for Human Soluble Epoxide Hydrolase Detection Using Polymeric Horseradish Peroxidase (PolyHRP) for Signal Enhancement: The Rediscovery of PolyHRP?. <i>Analytical Chemistry</i> , 2017 , 89, 6248-6256	7.8	36
85	Rapid Fabrication of Flexible and Stretchable Strain Sensor by Chitosan-Based Water Ink for Plants Growth Monitoring. <i>Advanced Materials Technologies</i> , 2017 , 2, 1700021	6.8	35
84	End-point dual specific detection of nucleic acids using CRISPR/Cas12a based portable biosensor. <i>Biosensors and Bioelectronics</i> , 2020 , 157, 112153	11.8	35
83	Selective endpoint visualized detection of <i>Vibrio parahaemolyticus</i> with CRISPR/Cas12a assisted PCR using thermal cycler for on-site application. <i>Talanta</i> , 2020 , 214, 120818	6.2	35
82	Detection of metal ions by atomic emission spectroscopy from liquid-electrode discharge plasma. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2007 , 62, 1269-1272	3.1	35
81	All-solid-state nitrate-selective electrode and its application in drinking water. <i>Electrochimica Acta</i> , 2012 , 81, 186-190	6.7	34
80	Comparison of monomeric and polymeric horseradish peroxidase as labels in competitive ELISA for small molecule detection. <i>Mikrochimica Acta</i> , 2013 , 180, 711-717	5.8	34
79	Rapid fabrication of wearable carbon nanotube/graphite strain sensor for real-time monitoring of plant growth. <i>Carbon</i> , 2019 , 147, 295-302	10.4	33
78	Fluorescent DNA Probing Nanoscale MnO: Adsorption, Dissolution by Thiol, and Nanozyme Activity. <i>Langmuir</i> , 2018 , 34, 3094-3101	4	32
77	Phase-Dependent Fluorescence Quenching Efficiency of MoS Nanosheets and Their Applications in Multiplex Target Biosensing. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 42009-42017	9.5	31

76	Determination of trace heavy metals in milk using an ionic liquid and bismuth oxide nanoparticles modified carbon paste electrode. <i>Science Bulletin</i> , 2012 , 57, 1781-1787		30
75	Contamination-free visual detection of CaMV35S promoter amplicon using CRISPR/Cas12a coupled with a designed reaction vessel: Rapid, specific and sensitive. <i>Analytica Chimica Acta</i> , 2020 , 1096, 130-137	6.6	27
74	Versatile detection with CRISPR/Cas system from applications to challenges. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 135, 116150	14.6	27
73	A Prussian blue-based amperometric sensor for the determination of hydrogen peroxide residues in milk. <i>Ionics</i> , 2010 , 16, 523-527	2.7	26
72	Nicking enzyme-assisted amplification (NEAA) technology and its applications: A review. <i>Analytica Chimica Acta</i> , 2019 , 1050, 1-15	6.6	26
71	Amperometric determination of organophosphorus pesticide by silver electrode using an acetylcholinesterase inhibition method. <i>Analytical Methods</i> , 2014 , 6, 924-929	3.2	25
70	Tracing phosphate ions generated during DNA amplification and its simple use for visual detection of isothermal amplified products. <i>Chemical Communications</i> , 2014 , 50, 14382-5	5.8	25
69	Exploring pralidoxime chloride as a universal electrochemical probe for organophosphorus pesticides detection. <i>Analytica Chimica Acta</i> , 2017 , 982, 78-83	6.6	22
68	Recent advances in emerging DNA-based methods for genetically modified organisms (GMOs) rapid detection. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 109, 19-31	14.6	22
67	A nano-silver enzyme electrode for organophosphorus pesticide detection. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 5819-5827	4.4	21
66	Portable pH-inspired electrochemical detection of DNA amplification. <i>Chemical Communications</i> , 2014 , 50, 8416-9	5.8	21
65	Rapid, Sensitive, and Carryover Contamination-Free Loop-Mediated Isothermal Amplification-Coupled Visual Detection Method for <i>Candidatus Liberibacter asiaticus</i> <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 8302-8310	5.7	21
64	Technical aspects of nicking enzyme assisted amplification. <i>Analyst, The</i> , 2018 , 143, 1444-1453	5	20
63	Application and Research Development of Surface Plasmon Resonance-based Immunosensors for Protein Detection. <i>Chinese Journal of Analytical Chemistry</i> , 2010 , 38, 1052-1059	1.6	20
62	Advanced DNA-based methods for the detection of peanut allergens in processed food. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 114, 278-292	14.6	19
61	The detection of T-Nos, a genetic element present in GMOs, by cross-priming isothermal amplification with real-time fluorescence. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 3069-78	4.4	18
60	Micro flow sensor based on two closely spaced amperometric sensors. <i>Lab on A Chip</i> , 2005 , 5, 1344-7	7.2	18
59	Field Detection of Citrus Huanglongbing Associated with <i>Candidatus Liberibacter Asiaticus</i> by Recombinase Polymerase Amplification within 15 min. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 5473-5480	5.7	17

58	Carrying out pseudo dual nucleic acid detection from sample to visual result in a polypropylene bag with CRISPR/Cas12a. <i>Biosensors and Bioelectronics</i> , 2021 , 178, 113001	11.8	16
57	A highly specific strategy for in suit detection of DNA with nicking enzyme assisted amplification and lateral flow. <i>Sensors and Actuators B: Chemical</i> , 2017 , 253, 258-265	8.5	15
56	Writing Sensors on Solid Agricultural Products for In Situ Detection. <i>Analytical Chemistry</i> , 2015 , 87, 10703-8	7.8	15
55	Application of Electrochemical Biosensors in Fermentation. <i>Chinese Journal of Analytical Chemistry</i> , 2008 , 36, 1749-1755	1.6	15
54	Identification of pork in raw meat or cooked meatballs within 20 min using rapid PCR coupled with visual detection. <i>Food Control</i> , 2020 , 109, 106905	6.2	15
53	The glucose sensor integratable in the microchannel. <i>Sensors and Actuators B: Chemical</i> , 2001 , 78, 221-227	7.5	14
52	Dehydrated CRISPR-mediated DNA analysis for visualized animal-borne virus sensing in the unprocessed blood sample. <i>Sensors and Actuators B: Chemical</i> , 2020 , 305, 127440	8.5	14
51	Interfacing DNA Oligonucleotides with Calcium Phosphate and Other Metal Phosphates. <i>Langmuir</i> , 2018 , 34, 14975-14982	4	14
50	Unmodified screen-printed silver electrode for facile detection of organophosphorus pesticide. <i>Ionics</i> , 2015 , 21, 587-592	2.7	13
49	Magnetic particles for integrated nucleic acid purification, amplification and detection without pipetting. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 127, 115912	14.6	13
48	Determination of methyl parathion by solid-phase extraction on an ionic liquid-carbon nanotube composite electrode. <i>Analytical Methods</i> , 2014 , 6, 5886	3.2	13
47	A fast and visual method for duplex shrimp pathogens detection with high specificity using rapid PCR and molecular beacon. <i>Analytica Chimica Acta</i> , 2018 , 1040, 105-111	6.6	12
46	Enhanced electrochemical charge storage performance by doping of copper phthalocyanine-3,4,4',4'-tetrasulfonic acid tetrasodium salt into polypyrrole/multi-walled carbon nanotubes 3D-nanostructured electrodes. <i>Electrochimica Acta</i> , 2018 , 265, 594-600	6.7	11
45	A novel pH sensing membrane based on an ionic liquid-polymer composite. <i>Mikrochimica Acta</i> , 2012 , 176, 229-234	5.8	11
44	Simple screening strategy with only water bath needed for the identification of insect-resistant genetically modified rice. <i>Analytical Chemistry</i> , 2015 , 87, 1523-6	7.8	11
43	Amperometric Glucose Sensor with Enzyme Covalently Immobilized by Sol-Gel Technology.. <i>Analytical Sciences</i> , 1999 , 15, 1029-1032	1.7	11
42	Recent advances in biosensor-integrated enrichment methods for preconcentrating and detecting the low-abundant analytes in agriculture and food samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 128, 115914	14.6	11
41	The enhanced capacitance performance of the modified polypyrrole with the mixture of carbon nanomaterials. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 832, 380-384	4.1	11

40	A reversible valve-assisted chip coupling with integrated sample treatment and CRISPR/Cas12a for visual detection of <i>Vibrio parahaemolyticus</i> . <i>Biosensors and Bioelectronics</i> , 2021 , 188, 113352	11.8	11
39	A loop-mediated, isothermal amplification-based method for visual detection of <i>Vibrio parahaemolyticus</i> within only 1 h, from shrimp sampling to results. <i>Analytical Methods</i> , 2017 , 9, 1695-1701	3.2	10
38	Counting DNA molecules with visual segment-based readouts in minutes. <i>Chemical Communications</i> , 2018 , 54, 1105-1108	5.8	10
37	Construction of a carbon paste electrode based on ionic liquid for trace electrochemical detection of nitrite in food samples. <i>Analytical Methods</i> , 2013 , 5, 5146	3.2	10
36	Design and synthesis of a task-specific ionic liquid as a transducer in potentiometric sensors. <i>RSC Advances</i> , 2013 , 3, 19782	3.7	10
35	A Filter Paper-Based Nanogenerator via Water-Drop Flow. <i>Advanced Sustainable Systems</i> , 2019 , 3, 1900032	3.2	9
34	A highly integrated system with rapid DNA extraction, recombinase polymerase amplification, and lateral flow biosensor for on-site detection of genetically modified crops. <i>Analytica Chimica Acta</i> , 2020 , 1109, 158-168	6.6	9
33	On-point detection of GM rice in 20 minutes with pullulan as CPA acceleration additive. <i>Analytical Methods</i> , 2014 , 6, 9198-9201	3.2	9
32	An Amperometric Immunosensor Based on an Ionic Liquid and Single-Walled Carbon Nanotube Composite Electrode for Detection of Tetrodotoxin in Pufferfish. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 6888-94	5.7	9
31	Ultrafast visual nucleic acid detection with CRISPR/Cas12a and rapid PCR in single capillary. <i>Sensors and Actuators B: Chemical</i> , 2021 , 326, 128618	8.5	9
30	Rapid on-site detection of genetically modified soybean products by real-time loop-mediated isothermal amplification coupled with a designed portable amplifier. <i>Food Chemistry</i> , 2020 , 323, 126819	8.5	8
29	Transition Metal Dichalcogenide Nanosheets for Visual Monitoring PCR Rivaling a Real-Time PCR Instrument. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 4409-4418	9.5	8
28	Voltammetric detection of nitrate in water sample based on in situ copper-modified electrode. <i>Ionics</i> , 2013 , 19, 1171-1177	2.7	8
27	A Flexible, Recyclable, and High-Performance Pullulan-Based Triboelectric Nanogenerator (TENG). <i>Advanced Materials Technologies</i> , 2020 , 5, 1900905	6.8	8
26	A high performance and flexible in-plane asymmetric micro-supercapacitor (MSC) fabricated with functional electrochemical-exfoliated graphene. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 866, 114169	4.1	7
25	A powerless on-the-spot detection protocol for transgenic crops within 30 min, from leaf sampling up to results. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 657-62	4.4	7
24	Comparison of the free-standing flexible electrodes fabricated with metallic 1T or semiconducting 2H MoS ₂ nanosheets and high conductivity PEDOT:PSS. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 848, 113277	4.1	6
23	Electrochemical Detection of Alkaline Phosphatase Using Ionic Liquid Modified Carbon Nanotubes Electrode. <i>Chinese Journal of Analytical Chemistry</i> , 2012 , 40, 835-840	1.6	6

22	Direct electrochemistry of double strand DNA on ionic liquid modified screen-printed graphite electrode. <i>Electrochimica Acta</i> , 2011 , 56, 4154-4158	6.7	6
21	Triphenylamine as a conductive solid material for fabricating carbon electrodes. <i>Mikrochimica Acta</i> , 2011 , 172, 241-245	5.8	5
20	Development of a miniature silicon wafer fuel cell using L-ascorbic acid as fuel. <i>Journal of Zhejiang University: Science A</i> , 2008 , 9, 955-960	2.1	5
19	Screen-Printed Potentiometric Strip for Calcium Ion Determination in Water and Milk. <i>Transactions of the ASABE</i> , 2013 , 56, 739-744	0.9	4
18	Magnetic Beads Transfer Based Assay for Cry1 Ab Protein. <i>Chinese Journal of Analytical Chemistry</i> , 2011 , 39, 1318-1322	1.6	4
17	The use of the platinum electrode coated with ultrathin poly(allylamine hydrochloride)/Nafion films for selective detection of hydrogen peroxide. <i>Ionics</i> , 2011 , 17, 443-449	2.7	4
16	Integration of impedance sensors in thin layer chromatographic plates. <i>Analyst, The</i> , 2000 , 125, 1375-1377	1.7	4
15	DropCRISPR: A LAMP-Cas12a based digital method for ultrasensitive detection of nucleic acid. <i>Biosensors and Bioelectronics</i> , 2022 , 211, 114377	11.8	4
14	Nominal effective immunoreaction volume of magnetic beads at single bead level. <i>Journal of Zhejiang University: Science B</i> , 2017 , 18, 845-853	4.5	3
13	Simulation Study of Nano Aqueous Flow Sensor Based on Amperometric Measurement. <i>Sensors</i> , 2006 , 6, 473-479	3.8	3
12	Rotary Valve-Assisted Fluidic System Coupling with CRISPR/Cas12a for Fully Integrated Nucleic Acid Detection. <i>ACS Sensors</i> , 2021 , 6, 4048-4056	9.2	3
11	CRISPR/Cas12a-Based Versatile Method for Checking Quantitative Polymerase Chain Reaction Samples with Cycles of Threshold Values in the Gray Zone. <i>ACS Sensors</i> , 2021 , 6, 1963-1970	9.2	3
10	The Effect of the Closely-Spaced Working and Auxiliary Electrodes on the Performance of Electrochemical Oxygen Sensor. <i>Electroanalysis</i> , 2007 , 19, 1939-1943	3	2
9	Progress in molecular detection with high-speed nucleic acids thermocyclers. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 190, 113489	3.5	2
8	An anti-passivation ink for the preparation of electrodes for use in electrochemical immunoassays. <i>Journal of Zhejiang University: Science B</i> , 2018 , 19, 726-734	4.5	2
7	An Automated Immunoassay Based on Magnetic Microspheres for the Determination of Clenbuterol in Food. <i>Instrumentation Science and Technology</i> , 2015 , 43, 524-535	1.4	1
6	Portable and amplicon contamination prevention cartridges for DNA amplification coupled to lateral flow detection. <i>Analytical Methods</i> , 2015 , 7, 3692-3696	3.2	1
5	Automatically Identifying Fusion Events between GLUT4 Storage Vesicles and the Plasma Membrane in TIRF Microscopy Image Sequences. <i>Computational and Mathematical Methods in Medicine</i> , 2015 , 2015, 610482	2.8	1

4	Advances in amplification-free detection of nucleic acid: CRISPR/Cas system as a powerful tool.. <i>Analytical Biochemistry</i> , 2022 , 114593	3.1	1
3	Phase-dependent ion-to-electron transducing efficiency of WS nanosheets for an all-solid-state potentiometric calcium sensor. <i>Mikrochimica Acta</i> , 2020 , 187, 525	5.8	1
2	Applying CRISPR/Cas system as a signal enhancer for DNAzyme-based lead ion detection.. <i>Analytica Chimica Acta</i> , 2022 , 1192, 339356	6.6	0
1	Dipstick-based rapid nucleic acids purification and CRISPR/Cas12a-mediated isothermal amplification for visual detection of African swine fever virus.. <i>Talanta</i> , 2022 , 242, 123294	6.2	0