

Carla Morri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9345645/publications.pdf>

Version: 2024-02-01

146
papers

7,079
citations

53794

45
h-index

69250

77
g-index

146
all docs

146
docs citations

146
times ranked

5307
citing authors

#	ARTICLE	IF	CITATIONS
1	Biodiversity Monitoring in Mediterranean Marine Protected Areas: Scientific and Methodological Challenges. <i>Diversity</i> , 2022, 14, 43.	1.7	16
2	Distribution and Ecology of Decapod Crustaceans in Mediterranean Marine Caves: A Review. <i>Diversity</i> , 2022, 14, 176.	1.7	7
3	Variability between observers does not hamper detecting change over time in a temperate reef. <i>Marine Environmental Research</i> , 2022, 177, 105617.	2.5	4
4	Population structure change in a temperate reef coral after a quarter of century. <i>Estuarine, Coastal and Shelf Science</i> , 2022, 270, 107851.	2.1	5
5	Ecological status of coralligenous assemblages: Ten years of application of the ESCA index from local to wide scale validation. <i>Ecological Indicators</i> , 2021, 121, 107077.	6.3	19
6	You cannot conserve a species that has not been found: The case of the marine sponge <i>Axinella polypoides</i> in Liguria, Italy. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 737-747.	2.0	5
7	A large and erected sponge assemblage on granite outcrops in a Mediterranean Marine Protected Area (NE Sardinia). <i>Regional Studies in Marine Science</i> , 2021, 44, 101734.	0.7	7
8	RESQUE: A novel comprehensive approach to compare the performance of different indices in evaluating seagrass health. <i>Ecological Indicators</i> , 2021, 131, 108118.	6.3	6
9	The Natural Capital Value of the Seagrass <i>Posidonia oceanica</i> in the North-Western Mediterranean. <i>Diversity</i> , 2021, 13, 499.	1.7	15
10	Benthic diversity patterns and predictors: A study case with inferences for conservation. <i>Marine Pollution Bulletin</i> , 2020, 150, 110748.	5.0	10
11	Effects of a severe storm on seagrass meadows. <i>Science of the Total Environment</i> , 2020, 748, 141373.	8.0	40
12	Influence of Local Pressures on Maldivian Coral Reef Resilience Following Repeated Bleaching Events, and Recovery Perspectives. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	12
13	An Alien Invader is the Cause of Homogenization in the Recipient Ecosystem: A Simulation-Like Approach. <i>Diversity</i> , 2019, 11, 146.	1.7	21
14	Assessing the environmental status of temperate mesophotic reefs: A new, integrated methodological approach. <i>Ecological Indicators</i> , 2019, 102, 218-229.	6.3	42
15	Consequences of the marine climate and ecosystem shift of the 1980-90s on the Ligurian Sea biodiversity (NW Mediterranean)., 2019, 86, 458-487.		34
16	Abrupt Change in a Subtidal Rocky Reef Community Coincided with a Rapid Acceleration of Sea Water Warming. <i>Diversity</i> , 2019, 11, 215.	1.7	13
17	Eavesdropping on dolphins: Investigating the habits of bottlenose dolphins (<i>Tursiops truncatus</i>) through fixed acoustic stations. <i>PLoS ONE</i> , 2019, 14, e0226023.	2.5	2
18	Geospatial modelling and map analysis allowed measuring regression of the upper limit of <i>Posidonia oceanica</i> seagrass meadows under human pressure. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 217, 148-157.	2.1	16

#	ARTICLE	IF	CITATIONS
19	STAR: An integrated and standardized procedure to evaluate the ecological status of coralligenous reefs. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019, 29, 189-201.	2.0	23
20	Water circulation, and not ocean acidification, affects coral recruitment and survival at shallow hydrothermal vents. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 217, 158-164.	2.1	12
21	Thirty year ecosystem trajectories in a submerged marine cave under changing pressure regime. <i>Marine Environmental Research</i> , 2018, 137, 98-110.	2.5	22
22	A predictive approach to benthic marine habitat mapping: Efficacy and management implications. <i>Marine Pollution Bulletin</i> , 2018, 131, 218-232.	5.0	28
23	Long-term change in bioconstruction potential of Maldivian coral reefs following extreme climate anomalies. <i>Global Change Biology</i> , 2018, 24, 5629-5641.	9.5	21
24	Submerged reef terraces in the Maldivian Archipelago (Indian Ocean). <i>Geomorphology</i> , 2018, 317, 218-232.	2.6	28
25	Mediterranean Bioconstructions Along the Italian Coast. <i>Advances in Marine Biology</i> , 2018, 79, 61-136.	1.4	142
26	The park never born: Outcome of a quarter of a century of inaction on the sea-floor integrity of a proposed but not established Marine Protected Area. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018, 28, 1209-1228.	2.0	18
27	Seawater warming at the northern reach for southern species: Gulf of Genoa, NW Mediterranean. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 1-12.	0.8	39
28	Biogeomorphology of the Mediterranean <i>Posidonia oceanica</i> seagrass meadows. <i>Earth Surface Processes and Landforms</i> , 2017, 42, 42-54.	2.5	89
29	Long-term life cycle and massive blooms of the intertidal hydroid <i>Paracoryne huvei</i> in the North-western Mediterranean Sea. <i>Marine Biology Research</i> , 2017, 13, 538-550.	0.7	5
30	An ecosystem-based approach to assess the status of Mediterranean algae-dominated shallow rocky reefs. <i>Marine Pollution Bulletin</i> , 2017, 117, 311-329.	5.0	49
31	The two facets of species sensitivity: Stress and disturbance on coralligenous assemblages in space and time. <i>Marine Pollution Bulletin</i> , 2017, 117, 229-238.	5.0	38
32	Global climate change and regional biotic responses: two hydrozoan tales. <i>Marine Biology Research</i> , 2017, 13, 573-586.	0.7	7
33	What's in an index? Comparing the ecological information provided by two indices to assess the status of coralligenous reefs in the NW Mediterranean Sea. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2017, 27, 1091-1100.	2.0	19
34	An integrated method to evaluate and monitor the conservation state of coralligenous habitats: The INDEX-COR approach. <i>Marine Pollution Bulletin</i> , 2017, 120, 222-231.	5.0	30
35	Fishery maps contain approximate but useful information for inferring the distribution of marine habitats of conservation interest. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 187, 74-83.	2.1	8
36	Resilience of the Marine Animal Forest: Lessons from Maldivian Coral Reefs After the Mass Mortality of 1998. , 2017, , 1241-1269.		5

#	ARTICLE	IF	CITATIONS
37	Ecosystem Functions and Services of the Marine Animal Forests. , 2017, , 1271-1312.		12
38	Ecosystem functions and economic wealth: Trajectories of change in seagrass meadows. Journal of Cleaner Production, 2017, 168, 1108-1119.	9.3	34
39	Observational information on a temperate reef community helps understanding the marine climate and ecosystem shift of the 1980â€™90s. Marine Pollution Bulletin, 2017, 114, 528-538.	5.0	40
40	Impact of a harbour construction on the benthic community of two shallow marine caves. Marine Pollution Bulletin, 2017, 114, 35-45.	5.0	28
41	Integraci3n de el 3ndice ESCA por medio de los macro-invertebrados s3iles. Scientia Marina, 2017, 81, 283.	0.6	14
42	Seagrass on the rocks: Posidonia oceanica settled on shallow-water hard substrata withstands wave stress beyond predictions. Estuarine, Coastal and Shelf Science, 2016, 180, 114-122.	2.1	34
43	Pattern and intensity of human impact on coral reefs depend on depth along the reef profile and on the descriptor adopted. Estuarine, Coastal and Shelf Science, 2016, 178, 86-91.	2.1	23
44	Corals in high diversity reefs resist human impact. Ecological Indicators, 2016, 70, 106-113.	6.3	33
45	A new ecological index for the status of mesophotic megabenthic assemblages in the mediterranean based on ROV photography and video footage. Continental Shelf Research, 2016, 121, 13-20.	1.8	52
46	Capturing ecological complexity: OCI, a novel combination of ecological indices as applied to benthic marine habitats. Ecological Indicators, 2016, 66, 86-102.	6.3	30
47	Resilience of the Marine Animal Forest. , 2016, , 1-30.		2
48	Ecosystem Functions and Services of the Marine Animal Forests. , 2016, , 1-42.		2
49	A Permanent Automated Real-Time Passive Acoustic Monitoring System for Bottlenose Dolphin Conservation in the Mediterranean Sea. PLoS ONE, 2016, 11, e0145362.	2.5	21
50	Climate change and warmâ€™water species at the northâ€™western boundary of the Mediterranean Sea. Marine Ecology, 2015, 36, 897-909.	1.1	42
51	Ecological Change, Sliding Baselines and the Importance of Historical Data: Lessons from Combining Observational and Quantitative Data on a Temperate Reef Over 70 Years. PLoS ONE, 2015, 10, e0118581.	2.5	83
52	Coastal and marine geomorphology between Albenga and Savona(NW Mediterranean Sea, Italy). Journal of Maps, 2015, 11, 278-286.	2.0	12
53	A tale of two invaders: divergent spreading kinetics of the alien green algae Caulerpa taxifolia and Caulerpa cylindracea. Biological Invasions, 2015, 17, 2717-2728.	2.4	60
54	The exergy of a phase shift: Ecosystem functioning loss in seagrass meadows of the Mediterranean Sea. Estuarine, Coastal and Shelf Science, 2015, 156, 186-194.	2.1	33

#	ARTICLE	IF	CITATIONS
55	Coralligenous reefs state along anthropized coasts: Application and validation of the COARSE index, based on a rapid visual assessment (RVA) approach. <i>Ecological Indicators</i> , 2015, 52, 567-576.	6.3	59
56	Through bleaching and tsunamis: Coral reef recovery in the Maldives. <i>Marine Pollution Bulletin</i> , 2015, 98, 188-200.	5.0	62
57	An ecosystem-based approach to evaluate the ecological quality of Mediterranean undersea caves. <i>Ecological Indicators</i> , 2015, 54, 137-152.	6.3	34
58	The other side of rarity: recent habitat expansion and increased abundance of the horny sponge <i>Ircinia retidermata</i> (Demospongiae: Dictyoceratida) in the southeast Aegean. <i>Italian Journal of Zoology</i> , 2014, 81, 564-570.	0.6	13
59	A new synthetic index to evaluate reef coral condition. <i>Ecological Indicators</i> , 2014, 40, 1-9.	6.3	25
60	Reprint of "Evaluating change in seagrass meadows: A time-framed comparison of Side Scan Sonar maps". <i>Aquatic Botany</i> , 2014, 115, 36-44.	1.6	6
61	Towards a predictive model to assess the natural position of the <i>Posidonia oceanica</i> seagrass meadows upper limit. <i>Marine Pollution Bulletin</i> , 2014, 83, 458-466.	5.0	32
62	Climate change and Mediterranean seagrass meadows: a synopsis for environmental managers. <i>Mediterranean Marine Science</i> , 2014, 15, 462.	1.6	82
63	Thirty years after - dramatic change in the coastal marine habitats of Kos Island (Greece), 1981-2013.. <i>Mediterranean Marine Science</i> , 2014, 15, 482.	1.6	100
64	The value of the seagrass <i>Posidonia oceanica</i> : A natural capital assessment. <i>Marine Pollution Bulletin</i> , 2013, 75, 157-167.	5.0	127
65	Evaluating change in seagrass meadows: A time-framed comparison of Side Scan Sonar maps. <i>Aquatic Botany</i> , 2013, 104, 204-212.	1.6	48
66	Characterization and evaluation of a marine protected area: "Tavolara" Punta Coda Cavallo" (Sardinia, NW Mediterranean). <i>Journal of Maps</i> , 2013, 9, 279-288.	2.0	17
67	Conserving Biodiversity in a Human-Dominated World: Degradation of Marine Sessile Communities within a Protected Area with Conflicting Human Uses. <i>PLoS ONE</i> , 2013, 8, e75767.	2.5	51
68	Alien species in the Mediterranean Sea by 2012. A contribution to the application of European Union's Marine Strategy Framework Directive (MSFD). Part 2. Introduction trends and pathways. <i>Mediterranean Marine Science</i> , 2013, 13, 328.	1.6	386
69	Flowering of the seagrass <i>Posidonia oceanica</i> in NW Mediterranean: is there a link with solar activity?. <i>Mediterranean Marine Science</i> , 2013, 14, 416.	1.6	14
70	Spatial models to support the management of coastal marine ecosystems: a short review of the best practices in Liguria, Italy. <i>Mediterranean Marine Science</i> , 2013, 15, 189.	1.6	11
71	Size-structure patterns of juvenile hard corals in the Maldives. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1335-1339.	0.8	12
72	The Challenge of Managing Marine Biodiversity: A Practical Toolkit for a Cartographic, Territorial Approach. <i>Diversity</i> , 2012, 4, 419-452.	1.7	38

#	ARTICLE	IF	CITATIONS
73	Seafloor integrity down the harbor waterfront: the coralligenous shoals off Vado Ligure (NW Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.6	18
74	Understanding relationships between conflicting human uses and coastal ecosystems status: A geospatial modeling approach. <i>Ecological Indicators</i> , 2012, 19, 253-263.	6.3	100
75	Hydrodynamic constraints to the seaward development of <i>Posidonia oceanica</i> meadows. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 97, 58-65.	2.1	49
76	Alien species in the Mediterranean Sea by 2010. A contribution to the application of European Union's Marine Strategy Framework Directive (MSFD). Part I. Spatial distribution. <i>Mediterranean Marine Science</i> , 2012, 11, 381.	1.6	392
77	Seafloor integrity down the harbor waterfront: the coralligenous shoals off Vado Ligure (NW Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.6	42
78	Phenology of the Mediterranean seagrass <i>Posidonia oceanica</i> (L.) Delile: Medium and long-term cycles and climate inferences. <i>Aquatic Botany</i> , 2011, 94, 77-92.	1.6	32
79	Much damage for little advantage: Field studies and morphodynamic modelling highlight the environmental impact of an apparently minor coastal mismanagement. <i>Estuarine, Coastal and Shelf Science</i> , 2011, 94, 255-262.	2.1	17
80	Combining geomorphologic, biological and accessibility values for marine natural heritage evaluation and conservation. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2011, 21, 541-552.	2.0	18
81	Increased diversity of sessile epibenthos at subtidal hydrothermal vents: seven hypotheses based on observations at Milos Island, Aegean Sea. <i>Advances in Oceanography and Limnology</i> , 2011, 2, 1-31.	0.6	19
82	Combining literature review, acoustic mapping and in situ observations: an overview of coralligenous assemblages in Liguria (NW Mediterranean Sea). <i>Scientia Marina</i> , 2011, .	0.6	5
83	Increased diversity of sessile epibenthos at subtidal hydrothermal vents: seven hypotheses based on observations at Milos Island, Aegean Sea. <i>Advances in Oceanography and Limnology</i> , 2011, 2, 1.	0.6	4
84	Ecological stages of Maldivian reefs after the coral mass mortality of 1998. <i>Facies</i> , 2010, 56, 1-11.	1.4	34
85	Rapid assessment of epibenthic communities: A comparison between two visual sampling techniques. <i>Journal of Experimental Marine Biology and Ecology</i> , 2010, 395, 21-29.	1.5	48
86	Early warning response of <i>Posidonia oceanica</i> epiphyte community to environmental alterations (Ligurian Sea, NW Mediterranean). <i>Marine Pollution Bulletin</i> , 2010, 60, 1031-1039.	5.0	55
87	Consequences of sea water temperature anomalies on a Mediterranean submarine cave ecosystem. <i>Estuarine, Coastal and Shelf Science</i> , 2010, 86, 276-282.	2.1	45
88	Human influence on seagrass habitat fragmentation in NW Mediterranean Sea. <i>Estuarine, Coastal and Shelf Science</i> , 2010, 86, 292-298.	2.1	96
89	Reef status in the Rasfari region (North Malé Atoll, Maldives) five years before the mass mortality event of 1998. <i>Estuarine, Coastal and Shelf Science</i> , 2010, 86, 258-264.	2.1	22
90	Patterns of wide-scale substitution within meadows of the seagrass <i>Posidonia oceanica</i> in NW Mediterranean Sea: invaders are stronger than natives. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2010, 20, 507-515.	2.0	42

#	ARTICLE	IF	CITATIONS
91	The influence of coastal dynamics on the upper limit of the <i>Posidonia oceanica</i> meadow. <i>Marine Ecology</i> , 2010, 31, 546-554.	1.1	40
92	The Ligurian Sea: present status, problems and perspectives. <i>Chemistry and Ecology</i> , 2010, 26, 319-340.	1.6	78
93	Geo-environmental cartography of the Marine Protected Area "Isola di Bergeggi" (Liguria, NW) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 57 Td (M	2.0	35
94	The legacy of past disturbance: Chronic angling impairs long-term recovery of marine epibenthic communities from acute date-mussel harvesting. <i>Biological Conservation</i> , 2010, 143, 2435-2440.	4.1	25
95	<i>Acropora</i> abundance and size in the Maldives six years after the 1998 mass mortality: patterns across reef typologies and depths. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 919-922.	0.8	22
96	Hydroids (Cnidaria: Hydrozoa) from the Levant Sea (mainly Lebanon), with emphasis on alien species. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 49-62.	0.8	38
97	Legal protection is not enough: <i>Posidonia oceanica</i> meadows in marine protected areas are not healthier than those in unprotected areas of the northwest Mediterranean Sea. <i>Marine Pollution Bulletin</i> , 2009, 58, 515-519.	5.0	67
98	Size matters more than method: Visual quadrats vs photography in measuring human impact on Mediterranean rocky reef communities. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 81, 359-367.	2.1	47
99	Abiotic and Biotic Links Work Two Ways: Effects on the Deposit at the Cliff Foot Induced by Mechanical Action of Date Mussel Harvesting (<i>Lithophaga lithophaga</i>). <i>Estuaries and Coasts</i> , 2009, 32, 333-339.	2.2	13
100	Date mussel harvesting favours some blennioids. <i>Journal of Fish Biology</i> , 2008, 73, 2371-2379.	1.6	13
101	BACI design reveals the decline of the seagrass <i>Posidonia oceanica</i> induced by anchoring. <i>Marine Pollution Bulletin</i> , 2008, 56, 1637-1645.	5.0	67
102	Inconsistent responses to substratum nature in <i>Posidonia oceanica</i> meadows: An integration through complexity levels?. <i>Chemistry and Ecology</i> , 2008, 24, 83-91.	1.6	33
103	Multiscale lepidochronological analysis of <i>Posidonia oceanica</i> (L.) Delile rhizome production in a northwestern Mediterranean coastal area. <i>Chemistry and Ecology</i> , 2008, 24, 93-99.	1.6	9
104	Status of Maldivian reefs eight years after the 1998 coral mass mortality. <i>Chemistry and Ecology</i> , 2008, 24, 67-72.	1.6	26
105	Substitution and phase shift within the <i>Posidonia oceanica</i> seagrass meadows of NW Mediterranean Sea. <i>Estuarine, Coastal and Shelf Science</i> , 2007, 75, 63-71.	2.1	69
106	Urban seagrass: Status of <i>Posidonia oceanica</i> facing the Genoa city waterfront (Italy) and implications for management. <i>Marine Pollution Bulletin</i> , 2007, 54, 206-213.	5.0	54
107	Measuring change of Mediterranean coastal biodiversity: diachronic mapping of the meadow of the seagrass <i>Cymodocea nodosa</i> (Ucria) Ascherson in the Gulf of Tigullio (Ligurian Sea, NW) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 57 Td (M	2.0	35
108	Measuring change of Mediterranean coastal biodiversity: diachronic mapping of the meadow of the seagrass <i>Cymodocea nodosa</i> (Ucria) Ascherson in the Gulf of Tigullio (Ligurian Sea, NW) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 57 Td (M	2.0	35

#	ARTICLE	IF	CITATIONS
109	Response of zooxanthellae in symbiosis with the Mediterranean corals <i>Cladocora caespitosa</i> and <i>Oculina patagonica</i> to elevated temperatures. <i>Marine Biology</i> , 2006, 150, 45-55.	1.5	82
110	A new synthetic index and a protocol for monitoring the status of <i>Posidonia oceanica</i> meadows: a case study at Sanremo (Ligurian Sea, NW Mediterranean). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2006, 16, 29-42.	2.0	48
111	Anchoring damage on <i>Posidonia oceanica</i> meadow cover: A case study in Prelo cove (Ligurian Sea, NW) <i>Tj ETQq1 1 0.784314 rrgBT /Ov</i>	1.6	42
112	Effects of climate, invasive species and anthropogenic impacts on the growth of the seagrass <i>Posidonia oceanica</i> (L.) Delile in Liguria (NW Mediterranean Sea). <i>Marine Pollution Bulletin</i> , 2005, 50, 817-822.	5.0	60
113	Mating behaviour of the newly-established ornate wrasse <i>Thalassoma pavo</i> (Osteichthyes: Labridae) in the Ligurian Sea (north-western Mediterranean). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 191-196.	0.8	17
114	Tissue necrosis and mortality of the temperate coral <i>Cladocora Caespitosa</i> . <i>Italian Journal of Zoology</i> , 2005, 72, 271-276.	0.6	66
115	Epibenthic communities in a marine shallow area with hydrothermal vents (Milos Island, Aegean Sea). <i>Chemistry and Ecology</i> , 2004, 20, 89-105.	1.6	15
116	The Mediterranean coral <i>Cladocora caespitosa</i> : a proxy for past climate fluctuations?. <i>Global and Planetary Change</i> , 2004, 40, 195-200.	3.5	60
117	Living on the rocks: substrate mineralogy and the structure of subtidal rocky substrate communities in the Mediterranean Sea. <i>Marine Ecology - Progress Series</i> , 2004, 274, 57-68.	1.9	78
118	The present-day Mediterranean brachiopod fauna: diversity, life habits, biogeography and paleobiogeography. <i>Scientia Marina</i> , 2004, 68, 163-170.	0.6	41
119	Coral communities of the northwestern Gulf of Aden (Yemen): variation in framework building related to environmental factors and biotic conditions. <i>Coral Reefs</i> , 2003, 22, 475-484.	2.2	40
120	Analysis of macrobenthic communities at different taxonomic levels: an example from an estuarine environment in the Ligurian Sea (NW Mediterranean). <i>Estuarine, Coastal and Shelf Science</i> , 2003, 58, 99-106.	2.1	60
121	Global sea warming and "tropicalization" of the Mediterranean Sea: biogeographic and ecological aspects. <i>Biogeographia</i> , 2003, 24, .	0.5	84
122	Abundance and size structure of <i>Thalassoma pavo</i> (Pisces: Labridae) in the western Mediterranean Sea: variability at different spatial scales. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002, 82, 495-500.	0.8	39
123	Can Rock Composition Affect Sublittoral Epibenthic Communities?. <i>Marine Ecology</i> , 2002, 23, 65-77.	1.1	20
124	Biomass, carbonate standing stock and production of the mediterranean coral <i>Cladocora caespitosa</i> (L.). <i>Facies</i> , 2001, 44, 75-80.	1.4	43
125	The Battle is not to the Strong: Serpulid Reefs in the Lagoon of Orbetello (Tuscany, Italy). <i>Estuarine, Coastal and Shelf Science</i> , 2001, 53, 215-220.	2.1	53
126	Recent Changes in Biodiversity in the Ligurian Sea (NW Mediterranean): is there a Climatic Forcing?. , 2001, , 375-384.		30

#	ARTICLE	IF	CITATIONS
127	Spatial variability and human disturbance in shallow subtidal hard substrate assemblages: a regional approach. <i>Marine Ecology - Progress Series</i> , 2001, 212, 1-12.	1.9	115
128	Serpuloidea (Annelida: Polychaeta) from Milos, an island in the Aegean Sea with submarine hydrothermalism. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2000, 80, 259-269.	0.8	16
129	A catastrophic mass-mortality episode of gorgonians and other organisms in the Ligurian Sea (North-western Mediterranean), summer 1999. <i>Ecology Letters</i> , 2000, 3, 284-293.	6.4	505
130	Hydrothermal studies in the aegean sea. <i>Physics and Chemistry of the Earth</i> , 2000, 25, 1-8.	0.3	89
131	Marine Biodiversity of the Mediterranean Sea: Situation, Problems and Prospects for Future Research. <i>Marine Pollution Bulletin</i> , 2000, 40, 367-376.	5.0	671
132	Title is missing!. <i>Hydrobiologia</i> , 2000, 426, 113-121.	2.0	24
133	The Sponge Community of a Subtidal Area with Hydrothermal Vents: Milos Island, Aegean Sea. <i>Estuarine, Coastal and Shelf Science</i> , 2000, 51, 627-635.	2.1	25
134	Coral mortality in NW Mediterranean. <i>Coral Reefs</i> , 2000, 19, 24-24.	2.2	49
135	Anthozoa from a subtidal hydrothermal area of Milos Island (Aegean Sea), with notes on the construction potential of the scleractinian coral <i>Madracis pharensis</i> . <i>Italian Journal of Zoology</i> , 2000, 67, 319-325.	0.6	19
136	Patterns of bioconstruction in the cheilostome bryozoan <i>Schizoporella errata</i> : the influence of hydrodynamics and associated biota. <i>Marine Ecology - Progress Series</i> , 2000, 192, 153-161.	1.9	52
137	Bio-mineralogy as a structuring factor for marine epibenthic communities. <i>Marine Ecology - Progress Series</i> , 2000, 193, 241-249.	1.9	90
138	Biodiversity of marine sessile epifauna at an Aegean island subject to hydrothermal activity: Milos, eastern Mediterranean Sea. <i>Marine Biology</i> , 1999, 135, 729-739.	1.5	77
139	Skeleton growth and density pattern of the temperate, zooxanthellate scleractinian <i>Cladocora caespitosa</i> from the Ligurian Sea (NW Mediterranean). <i>Marine Ecology - Progress Series</i> , 1999, 185, 195-201.	1.9	69
140	On the Biology of Submarine Caves with Sulphur Springs: Appraisal of $^{13}C/^{12}C$ Ratios as a Guide to Trophic Relations. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1996, 76, 265-285.	0.8	43
141	'Ficopomatus' Reefs' in the Po River Delta (Northern Adriatic): Their Constructional Dynamics, Biology, and Influences on the Brackish-water Biota. <i>Marine Ecology</i> , 1996, 17, 51-66.	1.1	56
142	Localization of some neurotransmitters during developments hydroidomedusae. <i>Tissue and Cell</i> , 1994, 26, 523-538.	2.2	13
143	The Distribution of Polychaetes Along Environmental Gradients: An Example from the Orbetello Lagoon, Italy. <i>Marine Ecology</i> , 1993, 14, 35-52.	1.1	30
144	Zonation and Ecology of Epiphytic Hydroids in a Mediterranean Coastal Lagoon: The Stagnone of Marsala (North-West Sicily). <i>Marine Ecology</i> , 1990, 11, 43-60.	1.1	10

#	ARTICLE	IF	CITATIONS
145	Relationships between trophic organization of benthic communities and organic matter content in Tyrrhenian Sea sediments. <i>Hydrobiologia</i> , 1990, 207, 53-60.	2.0	18
146	An environmental investigation of a marine coastal area: Gulf of Gaeta (Tyrrhenian Sea). <i>Hydrobiologia</i> , 1989, 176-177, 171-187.	2.0	11