

Je-Kyun Park

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9346592/je-kyun-park-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

186
papers

6,215
citations

45
h-index

71
g-index

214
ext. papers

6,965
ext. citations

5.8
avg, IF

6.13
L-index

#	Paper	IF	Citations
186	Bioprinting of heterogeneous and multilayered cell-hydrogel constructs using continuous multi-material printing and aerosol-based crosslinking.. <i>STAR Protocols</i> , 2022 , 3, 101303	1.4	0
185	Pushbutton-activated microfluidic droplet dispenser for droplet digital PCR. <i>Biosensors and Bioelectronics</i> , 2021 , 181, 113159	11.8	8
184	Pushbutton-activated microfluidic cartridge as a user-friendly sample preparation tool for diagnostics. <i>Biomicrofluidics</i> , 2021 , 15, 041302	3.2	
183	Integrated pumpless microfluidic chip for the detection of foodborne pathogens by polymerase chain reaction and electrochemical analysis. <i>Sensors and Actuators B: Chemical</i> , 2021 , 329, 129130	8.5	9
182	Inertial Microfluidics-Based Separation of Microalgae Using a Contraction-Expansion Array Microchannel. <i>Micromachines</i> , 2021 , 12,	3.3	4
181	Droplet contact-based spheroid transfer technique as a multi-step assay tool for spheroid arrays. <i>Lab on A Chip</i> , 2021 , 21, 4155-4165	7.2	0
180	Assembly and Disassembly of the Micropatterned Collagen Sheets Containing Cells for Location-Based Cellular Function Analysis. <i>Biochip Journal</i> , 2021 , 15, 77-89	4	3
179	Label-free monitoring of 3D cortical neuronal growth using optical diffraction tomography. <i>Biomedical Optics Express</i> , 2021 , 12, 6928-6939	3.5	1
178	Multilayered and heterogeneous hydrogel construct printing system with crosslinking aerosol. <i>Biofabrication</i> , 2021 , 13,	10.5	2
177	Biomarker barcodes: multiplexed microfluidic immunohistochemistry enables high-throughput analysis of tissue microarray. <i>Lab on A Chip</i> , 2021 , 21, 3471-3482	7.2	3
176	Modular 3D In Vitro Artery-Mimicking Multichannel System for Recapitulating Vascular Stenosis and Inflammation.. <i>Micromachines</i> , 2021 , 12,	3.3	1
175	On-site extraction and purification of bacterial nucleic acids from blood samples using an unpowered microfluidic device. <i>Sensors and Actuators B: Chemical</i> , 2020 , 320, 128346	8.5	7
174	Reciprocating flow-assisted nucleic acid purification using a finger-actuated microfluidic device. <i>Lab on A Chip</i> , 2020 , 20, 3346-3353	7.2	7
173	Towards practical sample preparation in point-of-care testing: user-friendly microfluidic devices. <i>Lab on A Chip</i> , 2020 , 20, 1191-1203	7.2	46
172	Controlled 3D co-culture of beta cells and endothelial cells in a micropatterned collagen sheet for reproducible construction of an improved pancreatic pseudo-tissue. <i>APL Bioengineering</i> , 2020 , 4, 046103	6.6	5
171	Microfluidic channel-integrated hanging drop array chip operated by pushbuttons for spheroid culture and analysis. <i>Analyst, The</i> , 2020 , 145, 6974-6980	5	7
170	Fabrication of a Perfusable 3D In Vitro Artery-Mimicking Multichannel System for Artery Disease Models. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 5326-5336	5.5	5

169	Colorimetric Detection of O157:H7 with Signal Enhancement Using Size-Based Filtration on a Finger-Powered Microfluidic Device. <i>Sensors</i> , 2020 , 20,	3.8	7
168	Finger-Actuated Microfluidic Concentration Gradient Generator Compatible with a Microplate. <i>Micromachines</i> , 2019 , 10,	3.3	13
167	Design criteria and standardization of a microfluidic cell culture system for investigating cellular migration. <i>Journal of Micromechanics and Microengineering</i> , 2019 , 29, 043003	2	2
166	Vertically sheathing laminar flow-based immunoassay using simultaneous diffusion-driven immune reactions.. <i>RSC Advances</i> , 2019 , 9, 23791-23796	3.7	3
165	Integrated microfluidic pumps and valves operated by finger actuation. <i>Lab on A Chip</i> , 2019 , 19, 2973-2977	2.8	28
164	Finger-Actuated Microfluidic Display for Smart Blood Typing. <i>Analytical Chemistry</i> , 2019 , 91, 11636-11642	3.8	18
163	Chips-on-a-plate device for monitoring cellular migration in a microchannel-based intestinal follicle-associated epithelium model. <i>Biomicrofluidics</i> , 2019 , 13, 064127	3.2	1
162	Hand-Maneuverable Collagen Sheet with Micropatterns for 3D Modular Tissue Engineering. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 339-345	5.5	8
161	Finger-actuated microfluidic device for the blood cross-matching test. <i>Lab on A Chip</i> , 2018 , 18, 1215-1222	3.2	40
160	Microfluidic on-chip immunohistochemistry directly from a paraffin-embedded section. <i>Biomicrofluidics</i> , 2018 , 12, 044110	3.2	1
159	High-throughput culture and embedment of spheroid array using droplet contact-based spheroid transfer. <i>Biomicrofluidics</i> , 2018 , 12, 044109	3.2	7
158	Foldable paper-based analytical device for the detection of an acetylcholinesterase inhibitor using an angle-based readout. <i>Sensors and Actuators B: Chemical</i> , 2018 , 273, 322-327	8.5	10
157	Toxicity Assessment of Iron Oxide Nanoparticles Based on Cellular Magnetic Loading Using Magnetophoretic Sorting in a Trapezoidal Microchannel. <i>Analytical Chemistry</i> , 2018 , 90, 920-927	7.8	7
156	Multiplexed Detection of Foodborne Pathogens from Contaminated Lettuces Using a Handheld Multistep Lateral Flow Assay Device. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 290-297	5.7	31
155	Inertial Microfluidics-Based Cell Sorting. <i>Biochip Journal</i> , 2018 , 12, 257-267	4	26
154	Optoelectrofluidic printing system for fabricating hydrogel sheets with on-demand patterned cells and microparticles. <i>Biofabrication</i> , 2017 , 9, 015011	10.5	6
153	Pipetting-driven microfluidic immunohistochemistry to facilitate enhanced immunoreaction and effective use of antibodies. <i>Lab on A Chip</i> , 2017 , 17, 702-709	7.2	13
152	Pressed region integrated 3D paper-based microfluidic device that enables vertical flow multistep assays for the detection of C-reactive protein based on programmed reagent loading. <i>Sensors and Actuators B: Chemical</i> , 2017 , 246, 1049-1055	8.5	48

151	Lateral flow assay-based bacterial detection using engineered cell wall binding domains of a phage endolysin. <i>Biosensors and Bioelectronics</i> , 2017 , 96, 173-177	11.8	63
150	A Microfluidic Immunostaining System Enables Quality Assured and Standardized Immunohistochemical Biomarker Analysis. <i>Scientific Reports</i> , 2017 , 7, 45968	4.9	17
149	A magnetophoresis-based microfluidic detection platform under a static-fluid environment. <i>Microfluidics and Nanofluidics</i> , 2017 , 21, 1	2.8	3
148	Assembly of hydrogel units for 3D microenvironment in a poly(dimethylsiloxane) channel. <i>Micro and Nano Systems Letters</i> , 2017 , 5,	2	3
147	Visualization and label-free quantification of microfluidic mixing using quantitative phase imaging. <i>Applied Optics</i> , 2017 , 56, 6341-6347	1.7	5
146	Microfabricated cell culture system for the live cell observation of the multilayered proliferation of undifferentiated HT-29 cells. <i>Biochip Journal</i> , 2017 , 11, 308-315	4	6
145	Demonstration of Interposed Modular Hydrogel Sheet for Multicellular Analysis in a Microfluidic Assembly Platform. <i>Scientific Reports</i> , 2017 , 7, 1289	4.9	3
144	Plant array chip for the germination and growth screening of Arabidopsis thaliana. <i>Lab on A Chip</i> , 2017 , 17, 3071-3077	7.2	5
143	Extraordinary Figure-of-Merit of Magnetic Resonance from Ultrathin Silicon Nanohole Membrane as All-Dielectric Metamaterial. <i>Advanced Optical Materials</i> , 2017 , 5, 1600628	8.1	4
142	Organic Solvent and Surfactant Resistant Paper-Fluidic Devices Fabricated by One-Step Embossing of Nonwoven Polypropylene Sheet. <i>Micromachines</i> , 2017 , 8, 30	3.3	5
141	Construction of Modular Hydrogel Sheets for Micropatterned Macro-scaled 3D Cellular Architecture. <i>Journal of Visualized Experiments</i> , 2016 ,	1.6	3
140	Freestanding stacked mesh-like hydrogel sheets enable the creation of complex macroscale cellular scaffolds. <i>Biotechnology Journal</i> , 2016 , 11, 585-91	5.6	18
139	Optoelectrofluidic enhanced immunoreaction based on optically-induced dynamic AC electroosmosis. <i>Lab on A Chip</i> , 2016 , 16, 1189-96	7.2	19
138	Pressed Paper-Based Dipstick for Detection of Foodborne Pathogens with Multistep Reactions. <i>Analytical Chemistry</i> , 2016 , 88, 3781-8	7.8	76
137	Magnetophoretic Sorting of Single Cell-Containing Microdroplets. <i>Micromachines</i> , 2016 , 7,	3.3	19
136	Experimental Analysis of Porosity and Permeability in Pressed Paper. <i>Micromachines</i> , 2016 , 7,	3.3	16
135	On-chip generation of monodisperse giant unilamellar lipid vesicles containing quantum dots. <i>Electrophoresis</i> , 2016 , 37, 1353-8	3.6	5
134	Microarray-integrated optoelectrofluidic immunoassay system. <i>Biomicrofluidics</i> , 2016 , 10, 034106	3.2	4

133	Functional Packaging of Lateral Flow Strip Allows Simple Delivery of Multiple Reagents for Multistep Assays. <i>Analytical Chemistry</i> , 2016 , 88, 10374-10378	7.8	23
132	Automated measurement of multiple cancer biomarkers using quantum-dot-based microfluidic immunohistochemistry. <i>Analytical Chemistry</i> , 2015 , 87, 4177-83	7.8	25
131	User-friendly 3D bioassays with cell-containing hydrogel modules: narrowing the gap between microfluidic bioassays and clinical end-usersNeeds. <i>Lab on A Chip</i> , 2015 , 15, 2379-87	7.2	23
130	A fully automated analyzer for multiple detection of allergen-specific immunoglobulin E. <i>Analytical Methods</i> , 2015 , 7, 8889-8895	3.2	3
129	A quantum dot-based microfluidic multi-window platform for quantifying the biomarkers of breast cancer cells. <i>Integrative Biology (United Kingdom)</i> , 2014 , 6, 430-7	3.7	7
128	Inertia-activated cell sorting of immune-specifically labeled cells in a microfluidic device. <i>RSC Advances</i> , 2014 , 4, 39140-39144	3.7	15
127	Geometric effect of the hydrogel grid structure on in vitro formation of homogeneous MIN6 cell clusters. <i>Lab on A Chip</i> , 2014 , 14, 2183-90	7.2	13
126	Quantum dot-based immunoassay enhanced by high-density vertical ZnO nanowire array. <i>Biosensors and Bioelectronics</i> , 2014 , 55, 209-15	11.8	29
125	Phenotypic modulation of primary vascular smooth muscle cells by short-term culture on micropatterned substrate. <i>PLoS ONE</i> , 2014 , 9, e88089	3.7	52
124	Rapid one-step purification of single-cells encapsulated in alginate microcapsules from oil to aqueous phase using a hydrophobic filter paper: implications for single-cell experiments. <i>Biotechnology Journal</i> , 2014 , 9, 1233-40	5.6	13
123	Programmed sample delivery on a pressurized paper. <i>Biomicrofluidics</i> , 2014 , 8, 054121	3.2	41
122	Enhanced blood plasma separation by modulation of inertial lift force. <i>Sensors and Actuators B: Chemical</i> , 2014 , 190, 311-317	8.5	29
121	In situ analysis of heterogeneity in the lipid content of single green microalgae in alginate hydrogel microcapsules. <i>Analytical Chemistry</i> , 2013 , 85, 8749-56	7.8	42
120	High-throughput nanoscale lipid vesicle synthesis in a semicircular contraction-expansion array microchannel. <i>Biochip Journal</i> , 2013 , 7, 210-217	4	14
119	One-step preparation of magnetic Janus particles using controlled phase separation of polymer blends and nanoparticles. <i>RSC Advances</i> , 2013 , 3, 11801	3.7	42
118	Label-free cancer cell separation from human whole blood using inertial microfluidics at low shear stress. <i>Analytical Chemistry</i> , 2013 , 85, 6213-8	7.8	143
117	Optoelectrofluidic behavior of metal-polymer hybrid colloidal particles. <i>Applied Physics Letters</i> , 2013 , 102, 054105	3.4	7
116	Reduction in microparticle adsorption using a lateral interconnection method in a PDMS-based microfluidic device. <i>Electrophoresis</i> , 2013 , 34, 3119-25	3.6	6

115	Dielectrophoresis in a slanted microchannel for separation of microparticles and bacteria. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 7993-7	1.3	7
114	Breast cancer diagnostics using microfluidic multiplexed immunohistochemistry. <i>Methods in Molecular Biology</i> , 2013 , 949, 349-64	1.4	9
113	Mesh-integrated microdroplet array for simultaneous merging and storage of single-cell droplets. <i>Lab on A Chip</i> , 2012 , 12, 1594-7	7.2	26
112	Reliable permeability assay system in a microfluidic device mimicking cerebral vasculatures. <i>Biomedical Microdevices</i> , 2012 , 14, 1141-8	3.7	91
111	Tissue Reconstruction: Cellular Hydrogel Biopaper for Patterned 3D Cell Culture and Modular Tissue Reconstruction (Adv. Healthcare Mater. 5/2012). <i>Advanced Healthcare Materials</i> , 2012 , 1, 530-530 ^{10.1}		
110	Label-free cell separation using a tunable magnetophoretic repulsion force. <i>Analytical Chemistry</i> , 2012 , 84, 3075-81	7.8	92
109	Cellular hydrogel biopaper for patterned 3D cell culture and modular tissue reconstruction. <i>Advanced Healthcare Materials</i> , 2012 , 1, 635-9	10.1	29
108	Hydrophoretic high-throughput selection of platelets in physiological shear-stress range. <i>Lab on A Chip</i> , 2011 , 11, 413-8	7.2	55
107	Optoelectrofluidic platforms for chemistry and biology. <i>Lab on A Chip</i> , 2011 , 11, 33-47	7.2	65
106	Versatile immunoassays based on isomagnetophoresis. <i>Lab on A Chip</i> , 2011 , 11, 2045-8	7.2	28
105	In situ dynamic measurements of the enhanced SERS signal using an optoelectrofluidic SERS platform. <i>Lab on A Chip</i> , 2011 , 11, 2518-25	7.2	44
104	A simple and smart telemedicine device for developing regions: a pocket-sized colorimetric reader. <i>Lab on A Chip</i> , 2011 , 11, 120-6	7.2	86
103	Optoelectrofluidic Manipulation of Nanoparticles and Biomolecules. <i>Advances in OptoElectronics</i> , 2011 , 2011, 1-13	0.5	7
102	Quantitative proteomic profiling of breast cancers using a multiplexed microfluidic platform for immunohistochemistry and immunocytochemistry. <i>Biomaterials</i> , 2011 , 32, 1396-403	15.6	25
101	Inertial separation in a contraction-expansion array microchannel. <i>Journal of Chromatography A</i> , 2011 , 1218, 4138-43	4.5	87
100	Mechanical stimulation of bovine embryos in a microfluidic culture platform. <i>Biochip Journal</i> , 2011 , 5, 106-113	4	15
99	Paper on a disc: balancing the capillary-driven flow with a centrifugal force. <i>Lab on A Chip</i> , 2011 , 11, 3404-6	7.2	48
98	Facile and biocompatible fabrication of chemically sol-gel transitional hydrogel free-standing microarchitectures. <i>Biomacromolecules</i> , 2011 , 12, 14-8	6.9	15

97	Inertial blood plasma separation in a contraction-expansion array microchannel. <i>Applied Physics Letters</i> , 2011 , 98, 253702	3.4	57
96	Microbridge structures for uniform interval control of flowing droplets in microfluidic networks. <i>Biomicrofluidics</i> , 2011 , 5, 34117-341179	3.2	11
95	Breast cancer diagnosis using a microfluidic multiplexed immunohistochemistry platform. <i>PLoS ONE</i> , 2010 , 5, e10441	3.7	61
94	Preclinical analysis of irreversible electroporation on rat liver tissues using a microfabricated electroporator. <i>Tissue Engineering - Part C: Methods</i> , 2010 , 16, 1245-53	2.9	15
93	Two-step photolithography to fabricate multilevel microchannels. <i>Biomicrofluidics</i> , 2010 , 4, 46503	3.2	21
92	Microfluidic parallel circuit for measurement of hydraulic resistance. <i>Biomicrofluidics</i> , 2010 , 4,	3.2	25
91	Lab-on-a-Chip Technology for Integrative Bioengineering 2010 ,		1
90	Random breakup of microdroplets for single-cell encapsulation. <i>Applied Physics Letters</i> , 2010 , 97, 153703	3.4	27
89	Optoelectrofluidic sandwich immunoassays for detection of human tumor marker using surface-enhanced Raman scattering. <i>Analytical Chemistry</i> , 2010 , 82, 7603-10	7.8	56
88	Hydrophoretic Separation Method Applicable to Biological Samples. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , 2010 , 577-594	0.1	
87	Self-reference quantitative phase microscopy for microfluidic devices. <i>Optics Letters</i> , 2010 , 35, 514-6	3	60
86	Optical path-length modulation for three-dimensional particle measurement in mirror-embedded microchannels. <i>Lab on A Chip</i> , 2010 , 10, 335-40	7.2	8
85	Self-reference extended depth-of-field quantitative phase microscopy 2010 ,		1
84	Rapid multivortex mixing in an alternately formed contraction-expansion array microchannel. <i>Biomedical Microdevices</i> , 2010 , 12, 1019-26	3.7	25
83	Hepatotoxicity assay using human hepatocytes trapped in microholes of a microfluidic device. <i>Electrophoresis</i> , 2010 , 31, 3167-74	3.6	11
82	On-demand three-dimensional freeform fabrication of multi-layered hydrogel scaffold with fluidic channels. <i>Biotechnology and Bioengineering</i> , 2010 , 105, 1178-86	4.9	187
81	Plasma extraction in a capillary-driven microfluidic device using surfactant-added poly(dimethylsiloxane). <i>Sensors and Actuators B: Chemical</i> , 2010 , 145, 861-868	8.5	37
80	Microfluidic rheometer for characterization of protein unfolding and aggregation in microflows. <i>Small</i> , 2010 , 6, 1306-10	11	34

79	Programmable Cell Manipulation Using Lab-on-a-Display. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , 2010 , 595-613	0.1	
78	On-demand three-dimensional freeform fabrication of multi-layered hydrogel scaffold with fluidic channels. <i>Biotechnology and Bioengineering</i> , 2010 , n/a-n/a	4.9	1
77	Generation and manipulation of droplets in an optoelectrofluidic device integrated with microfluidic channels. <i>Applied Physics Letters</i> , 2009 , 95, 164102	3.4	15
76	Biological Applications of Programmable Optoelectrofluidic Manipulation. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1173, 20		
75	Enhanced discrimination of normal oocytes using optically induced pulling-up dielectrophoretic force. <i>Biomicrofluidics</i> , 2009 , 3, 14103	3.2	56
74	A microfluidic in vitro cultivation system for mechanical stimulation of bovine embryos. <i>Electrophoresis</i> , 2009 , 30, 3276-82	3.6	57
73	On-chip testing device for electrochemotherapeutic effects on human breast cells. <i>Biomedical Microdevices</i> , 2009 , 11, 151-9	3.7	13
72	Microfluidics: Small 19/2009. <i>Small</i> , 2009 , 5, NA-NA	11	1
71	Magnetic nanoclusters for ultrasensitive magnetophoretic assays. <i>Small</i> , 2009 , 5, 2243-6	11	12
70	Optically coated mirror-embedded microchannel to measure hydrophoretic particle ordering in three dimensions. <i>Small</i> , 2009 , 5, 2205-11	11	21
69	Magnetophoretic position detection for multiplexed immunoassay using colored microspheres in a microchannel. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 1870-6	11.8	17
68	Multi-layered culture of human skin fibroblasts and keratinocytes through three-dimensional freeform fabrication. <i>Biomaterials</i> , 2009 , 30, 1587-95	15.6	433
67	Dynamic light-activated control of local chemical concentration in a fluid. <i>Analytical Chemistry</i> , 2009 , 81, 5865-70	7.8	23
66	Hydrophoretic sorting of micrometer and submicrometer particles using anisotropic microfluidic obstacles. <i>Analytical Chemistry</i> , 2009 , 81, 50-5	7.8	58
65	Optoelectrofluidic control of colloidal assembly in an optically induced electric field. <i>Langmuir</i> , 2009 , 25, 6010-4	4	26
64	Microfluidic pycnometer for in situ analysis of fluids in microchannels. <i>Analytical Chemistry</i> , 2009 , 81, 2569-74	7.8	3
63	Measurement of molecular diffusion based on optoelectrofluidic fluorescence microscopy. <i>Analytical Chemistry</i> , 2009 , 81, 9163-7	7.8	18
62	Drug permeability assay using microhole-trapped cells in a microfluidic device. <i>Analytical Chemistry</i> , 2009 , 81, 1944-51	7.8	38

61	Microdevice for analyzing the effect of electrochemotherapy on cancer cells. <i>Analytical Chemistry</i> , 2009 , 81, 3517-22	7.8	7
60	Fabrication of a poly(dimethylsiloxane) membrane with well-defined through-holes for three-dimensional microfluidic networks. <i>Journal of Micromechanics and Microengineering</i> , 2009 , 19, 045027	7.2	25
59	Rapid laminating mixer using a contraction-expansion array microchannel. <i>Applied Physics Letters</i> , 2009 , 95, 051902	3.4	34
58	Direct rapid prototyping of PDMS from a photomask film for micropatterning of biomolecules and cells. <i>Lab on A Chip</i> , 2009 , 9, 167-70	7.2	37
57	Microfluidic self-sorting of mammalian cells to achieve cell cycle synchrony by hydrophoresis. <i>Analytical Chemistry</i> , 2009 , 81, 1964-8	7.8	81
56	Rapid and selective concentration of microparticles in an optoelectrofluidic platform. <i>Lab on A Chip</i> , 2009 , 9, 199-206	7.2	67
55	A microfluidic abacus channel for controlling the addition of droplets. <i>Lab on A Chip</i> , 2009 , 9, 207-12	7.2	25
54	Three-dimensional hydrodynamic focusing with a single sheath flow in a single-layer microfluidic device. <i>Lab on A Chip</i> , 2009 , 9, 3155-60	7.2	93
53	Tunable hydrophoretic separation using elastic deformation of poly(dimethylsiloxane). <i>Lab on A Chip</i> , 2009 , 9, 1962-5	7.2	30
52	Three-dimensional bioprinting of rat embryonic neural cells. <i>NeuroReport</i> , 2009 , 20, 798-803	1.7	128
51	Biomechanical analysis of cancerous and normal cells based on bulge generation in a microfluidic device. <i>Analyst, The</i> , 2008 , 133, 1432-9	5	28
50	Isomagnetophoresis to discriminate subtle difference in magnetic susceptibility. <i>Journal of the American Chemical Society</i> , 2008 , 130, 396-7	16.4	35
49	Mirror-embedded microchannel for three-dimensional measurement of particle position. <i>Applied Physics Letters</i> , 2008 , 93, 191909	3.4	6
48	Analysis of pressure-driven air bubble elimination in a microfluidic device. <i>Lab on A Chip</i> , 2008 , 8, 176-8	7.2	70
47	Experimental investigation of electrostatic particle-particle interactions in optoelectronic tweezers. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 9903-8	3.4	36
46	Sheathless hydrophoretic particle focusing in a microchannel with exponentially increasing obstacle arrays. <i>Analytical Chemistry</i> , 2008 , 80, 3035-9	7.8	48
45	Microfluidic self-assembly of insulin monomers into amyloid fibrils on a solid surface. <i>Langmuir</i> , 2008 , 24, 7068-71	4	21
44	Reduction of nonspecific surface-particle interactions in optoelectronic tweezers. <i>Applied Physics Letters</i> , 2008 , 92, 024108	3.4	24

43	Programmable manipulation of motile cells in optoelectronic tweezers using a grayscale image. <i>Applied Physics Letters</i> , 2008 , 93, 143901	3.4	38
42	Dielectrophoretic oocyte selection chip for in vitro fertilization. <i>Biomedical Microdevices</i> , 2008 , 10, 337-457	3.7	44
41	Continuous generation of hydrogel beads and encapsulation of biological materials using a microfluidic droplet-merging channel. <i>Microfluidics and Nanofluidics</i> , 2008 , 5, 541-549	2.8	79
40	Sheathless focusing of microbeads and blood cells based on hydrophoresis. <i>Small</i> , 2008 , 4, 634-41	11	81
39	Interactive manipulation of blood cells using a lens-integrated liquid crystal display based optoelectronic tweezers system. <i>Electrophoresis</i> , 2008 , 29, 1203-12	3.6	70
38	Microvalve-assisted patterning platform for measuring cellular dynamics based on 3D cell culture. <i>Biotechnology and Bioengineering</i> , 2008 , 101, 1005-13	4.9	21
37	Microfluidic Micropillar Arrays for 3D Cell Culture. <i>Open Biotechnology Journal</i> , 2008 , 2, 224-228	2	6
36	Microfabricated embryonic stem cell divider for large-scale propagation of human embryonic stem cells. <i>Lab on A Chip</i> , 2007 , 7, 513-5	7.2	17
35	Magnetophoretic immunoassay of allergen-specific IgE in an enhanced magnetic field gradient. <i>Analytical Chemistry</i> , 2007 , 79, 2214-20	7.8	70
34	Electrochemical detection of cardiac troponin I using a microchip with the surface-functionalized poly(dimethylsiloxane) channel. <i>Biosensors and Bioelectronics</i> , 2007 , 23, 51-9	11.8	75
33	Magnetophoretic continuous purification of single-walled carbon nanotubes from catalytic impurities in a microfluidic device. <i>Small</i> , 2007 , 3, 1784-91	11	43
32	A microfluidic platform for 3-dimensional cell culture and cell-based assays. <i>Biomedical Microdevices</i> , 2007 , 9, 25-34	3.7	149
31	Lab-on-a-display: a new microparticle manipulation platform using a liquid crystal display (LCD). <i>Microfluidics and Nanofluidics</i> , 2007 , 3, 217-225	2.8	51
30	DNA biosensor based on the electrochemiluminescence of Ru(bpy) ₃ (2+) with DNA-binding intercalators. <i>Bioelectrochemistry</i> , 2007 , 70, 228-34	5.6	43
29	Microfluidic biomechanical device for compressive cell stimulation and lysis. <i>Sensors and Actuators B: Chemical</i> , 2007 , 128, 108-116	8.5	51
28	Continuous blood cell separation by hydrophoretic filtration. <i>Lab on A Chip</i> , 2007 , 7, 1532-8	7.2	161
27	Continuous hydrophoretic separation and sizing of microparticles using slanted obstacles in a microchannel. <i>Lab on A Chip</i> , 2007 , 7, 890-7	7.2	127
26	A microfluidic magnetophoresis chip for continuous single-walled carbon nanotube purification from magnetic force-induced superparamagnetic metal catalyst 2007 ,		1

25	DNA chip replication for a personalized DNA chip. <i>New Biotechnology</i> , 2006 , 23, 129-34		0
24	A bio-fluidic device for adaptive sample pretreatment and its application to measurements of <i>Escherichia coli</i> concentrations. <i>Biotechnology and Bioprocess Engineering</i> , 2006 , 11, 54-60	3.1	5
23	Lab-on-a-Display: Microparticles Manipulation using Liquid Crystal Display 2006 ,		1
22	Microchannel Integrated Comb-Type Electrode System for Electrochemical Detection 2006 ,		2
21	In situ electrochemical enzyme immunoassay on a microchip with surface-functionalized poly(dimethylsiloxane) channel. <i>Enzyme and Microbial Technology</i> , 2006 , 39, 1122-1127	3.8	27
20	Superparamagnetic nanoparticle-based nanobiomolecular detection in a microfluidic channel. <i>Current Applied Physics</i> , 2006 , 6, 976-981	2.6	4
19	Microfluidic system for dielectrophoretic separation based on a trapezoidal electrode array. <i>Lab on A Chip</i> , 2005 , 5, 1161-7	7.2	146
18	Magnetic force-based multiplexed immunoassay using superparamagnetic nanoparticles in microfluidic channel. <i>Lab on A Chip</i> , 2005 , 5, 657-64	7.2	181
17	Development of a microplate reader compatible microfluidic device for enzyme assay. <i>Sensors and Actuators B: Chemical</i> , 2005 , 107, 980-985	8.5	19
16	Moldless electroplating for cylindrical microchannel fabrication. <i>Electrochemistry Communications</i> , 2005 , 7, 913-917	5.1	10
15	Cytotoxicity test based on electrochemical impedance measurement of HepG2 cultured in microfabricated cell chip. <i>Analytical Biochemistry</i> , 2005 , 341, 308-15	3.1	85
14	Development of a test strip reader for a lateral flow membrane-based immunochromatographic assay. <i>Biotechnology and Bioprocess Engineering</i> , 2004 , 9, 127-131	3.1	18
13	Submicro photopatterning of alkanethiolate self-assembled monolayer using a negative mask and its application in the fabrication of biomolecular photodiode. <i>Materials Science and Engineering C</i> , 2004 , 24, 91-94	8.3	5
12	Microfabricated Conductometric Urea Biosensor Based on Sol-Gel Immobilized Urease. <i>Electroanalysis</i> , 2000 , 12, 78-82	3	41
11	Sol-gel-derived thick-film conductometric biosensor for urea determination in serum. <i>Analytica Chimica Acta</i> , 2000 , 404, 195-203	6.6	97
10	Disposable liposome immunosensor for theophylline combining an immunochromatographic membrane and a thick-film electrode. <i>Analytica Chimica Acta</i> , 1999 , 380, 17-26	6.6	53
9	Determination of breath alcohol using a differential-type amperometric biosensor based on alcohol dehydrogenase. <i>Analytica Chimica Acta</i> , 1999 , 390, 83-91	6.6	83
8	In vivo nitric oxide sensor using non-conducting polymer-modified carbon fiber. <i>Biosensors and Bioelectronics</i> , 1998 , 13, 1187-95	11.8	88

7	Disposable thick-film amperometric biosensor with multiple working electrodes fabricated on a single substrate. <i>Sensors and Actuators B: Chemical</i> , 1996 , 34, 490-492	8.5	4
6	Amperometric biosensor for determination of ethanol vapor. <i>Biosensors and Bioelectronics</i> , 1995 , 10, 587-594	11.8	35
5	Flow Injection Analysis of Glucose, Fructose, and Sucrose Using a Biosensor Constructed with Permeabilized <i>Zymomonas mobilis</i> and Invertase. <i>Biotechnology Progress</i> , 1995 , 11, 58-63	2.8	9
4	A new biosensor for specific determination of sucrose using an oxidoreductase of <i>Zymomonas mobilis</i> and invertase. <i>Biotechnology and Bioengineering</i> , 1991 , 38, 217-23	4.9	17
3	A new biosensor for specific determination of glucose or fructose using an oxidoreductase of <i>Zymomonas mobilis</i> . <i>Biotechnology and Bioengineering</i> , 1990 , 36, 744-9	4.9	13
2	Nanobiotechnology for Stem Cell Culture and Maintenance 291-310		
1	Direct Microextrusion Printing of a Low Viscosity Hydrogel on a Supportive Microstructured Bioprinting Substrate for the Vasculogenesis of Endothelial Cells. <i>Advanced Materials Technologies</i> , 2013, 26	6.8	1