

Peter M Glazer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9348238/peter-m-glazer-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

184
papers

9,770
citations

56
h-index

93
g-index

195
ext. papers

10,985
ext. citations

8.4
avg, IF

6.18
L-index

#	Paper	IF	Citations
184	Regulation of the Cell-Intrinsic DNA Damage Response by the Innate Immune Machinery. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
183	Cooperation between oncogenic Ras and wild-type p53 stimulates STAT non-cell autonomously to promote tumor radioresistance. <i>Communications Biology</i> , 2021 , 4, 374	6.7	6
182	Nanoparticles for delivery of agents to fetal lungs. <i>Acta Biomaterialia</i> , 2021 , 123, 346-353	10.8	5
181	Targeting the Hypoxic and Acidic Tumor Microenvironment with pH-Sensitive Peptides. <i>Cells</i> , 2021 , 10,	7.9	9
180	Tumor-selective, antigen-independent delivery of a pH sensitive peptide-topoisomerase inhibitor conjugate suppresses tumor growth without systemic toxicity. <i>NAR Cancer</i> , 2021 , 3, zcab021	5.2	2
179	The NIH Somatic Cell Genome Editing program. <i>Nature</i> , 2021 , 592, 195-204	50.4	21
178	Clinical Activity and Safety of Cediranib and Olaparib Combination in Patients with Metastatic Pancreatic Ductal Adenocarcinoma without BRCA Mutation. <i>Oncologist</i> , 2021 , 26, e1104-e1109	5.7	2
177	Peptide nucleic acids and their role in gene regulation and editing. <i>Biopolymers</i> , 2021 , e23460	2.2	5
176	BBIT20 inhibits homologous DNA repair with disruption of the BRCA1-BARD1 interaction in breast and ovarian cancer. <i>British Journal of Pharmacology</i> , 2021 , 178, 3627-3647	8.6	4
175	Clinical Efficacy of Olaparib in Mutant Mesenchymal Sarcomas.. <i>JCO Precision Oncology</i> , 2021 , 5, 466-472	3.6	11
174	Vulnerability of IDH1-Mutant Cancers to Histone Deacetylase Inhibition via Orthogonal Suppression of DNA Repair. <i>Molecular Cancer Research</i> , 2021 , 19, 2057-2067	6.6	2
173	Oncometabolites suppress DNA repair by disrupting local chromatin signalling. <i>Nature</i> , 2020 , 582, 586-590	30.4	82
172	Ku80-Targeted pH-Sensitive Peptide-PNA Conjugates Are Tumor Selective and Sensitize Cancer Cells to Ionizing Radiation. <i>Molecular Cancer Research</i> , 2020 , 18, 873-882	6.6	9
171	Pharmacological methods to transcriptionally modulate double-strand break DNA repair. <i>International Review of Cell and Molecular Biology</i> , 2020 , 354, 187-213	6	1
170	Peptide Nucleic Acids and Gene Editing: Perspectives on Structure and Repair. <i>Molecules</i> , 2020 , 25,	4.8	24
169	Abstract 6249: CBX-12: A low pH targeting alpha α exatecan conjugate for the treatment of solid tumors 2020 ,		2
168	Tumor-Targeted, Cytoplasmic Delivery of Large, Polar Molecules Using a pH-Low Insertion Peptide. <i>Molecular Pharmaceutics</i> , 2020 , 17, 461-471	5.6	8

167	Tumor-targeted pH-low insertion peptide delivery of theranostic gadolinium nanoparticles for image-guided nanoparticle-enhanced radiation therapy. <i>Translational Oncology</i> , 2020 , 13, 100839	4.9	6
166	Hypoxia Induces Resistance to EGFR Inhibitors in Lung Cancer Cells via Upregulation of FGFR1 and the MAPK Pathway. <i>Cancer Research</i> , 2020 , 80, 4655-4667	10.1	17
165	Impact of hypoxia on DNA repair and genome integrity. <i>Mutagenesis</i> , 2020 , 35, 61-68	2.8	25
164	Poly(Lactic-co-Glycolic Acid) Nanoparticle Delivery of Peptide Nucleic Acids In Vivo. <i>Methods in Molecular Biology</i> , 2020 , 2105, 261-281	1.4	8
163	Cediranib suppresses homology-directed DNA repair through down-regulation of BRCA1/2 and RAD51. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	69
162	Synthetic lethality of a cell-penetrating anti-RAD51 antibody in PTEN-deficient melanoma and glioma cells. <i>Oncotarget</i> , 2019 , 10, 1272-1283	3.3	14
161	Optimizing biodegradable nanoparticle size for tissue-specific delivery. <i>Journal of Controlled Release</i> , 2019 , 314, 92-101	11.7	23
160	Suppressing miR-21 activity in tumor-associated macrophages promotes an antitumor immune response. <i>Journal of Clinical Investigation</i> , 2019 , 129, 5518-5536	15.9	56
159	Unlocking PARP inhibitor efficacy for HRD-negative cancers using the alphalex tumor targeting platform inhibitor efficacy for HRD-negative cancers using the alphalex tumor targeting platform.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e14664-e14664	2.2	1
158	High-throughput Evaluation of Protein Migration and Localization after Laser Micro-Irradiation. <i>Scientific Reports</i> , 2019 , 9, 3148	4.9	3
157	Mitochondrial DNA Stress Signalling Protects the Nuclear Genome. <i>Nature Metabolism</i> , 2019 , 1, 1209-1218	14.6	34
156	The hypoxic tumor microenvironment in vivo selects the cancer stem cell fate of breast cancer cells. <i>Breast Cancer Research</i> , 2018 , 20, 16	8.3	63
155	Peptide Nucleic Acids as a Tool for Site-Specific Gene Editing. <i>Molecules</i> , 2018 , 23,	4.8	51
154	Krebs-cycle-deficient hereditary cancer syndromes are defined by defects in homologous-recombination DNA repair. <i>Nature Genetics</i> , 2018 , 50, 1086-1092	36.3	92
153	Suppression of homology-dependent DNA double-strand break repair induces PARP inhibitor sensitivity in -deficient human renal cell carcinoma. <i>Oncotarget</i> , 2018 , 9, 4647-4660	3.3	14
152	Electron-Mediated Aminyl and Iminyl Radicals from C5 Azido-Modified Pyrimidine Nucleosides Augment Radiation Damage to Cancer Cells. <i>Organic Letters</i> , 2018 , 20, 7400-7404	6.2	12
151	Pathologic Oxidation of PTPN12 Underlies ABL1 Phosphorylation in Hereditary Leiomyomatosis and Renal Cell Carcinoma. <i>Cancer Research</i> , 2018 , 78, 6539-6548	10.1	9
150	Mcp1 Promotes Macrophage-Dependent Cyst Expansion in Autosomal Dominant Polycystic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2471-2481	12.7	43

149	Debugging the genetic code: non-viral delivery of therapeutic genome editing technologies. <i>Current Opinion in Biomedical Engineering</i> , 2018 , 7, 24-32	4.4	6
148	PTEN Regulates Nonhomologous End Joining By Epigenetic Induction of NHEJ1/XLF. <i>Molecular Cancer Research</i> , 2018 , 16, 1241-1254	6.6	18
147	In utero nanoparticle delivery for site-specific genome editing. <i>Nature Communications</i> , 2018 , 9, 2481	17.4	87
146	Hypoxia Promotes Resistance to EGFR Inhibition in NSCLC Cells via the Histone Demethylases, LSD1 and PLU-1. <i>Molecular Cancer Research</i> , 2018 , 16, 1458-1469	6.6	38
145	2-Hydroxyglutarate produced by neomorphic IDH mutations suppresses homologous recombination and induces PARP inhibitor sensitivity. <i>Science Translational Medicine</i> , 2017 , 9,	17.5	283
144	Regulation of DNA Repair by Hypoxia 2017 , 169-188		
143	DNA Polymerase Beta Germline Variant Confers Cellular Response to Cisplatin Therapy. <i>Molecular Cancer Research</i> , 2017 , 15, 269-280	6.6	15
142	Nickel induces transcriptional down-regulation of DNA repair pathways in tumorigenic and non-tumorigenic lung cells. <i>Carcinogenesis</i> , 2017 , 38, 627-637	4.6	24
141	A cell-penetrating antibody inhibits human RAD51 via direct binding. <i>Nucleic Acids Research</i> , 2017 , 45, 11782-11799	20.1	13
140	Anti-tumor Activity of miniPEG-Modified PNAs to Inhibit MicroRNA-210 for Cancer Therapy. <i>Molecular Therapy - Nucleic Acids</i> , 2017 , 9, 111-119	10.7	45
139	Therapeutic Peptide Nucleic Acids: Principles, Limitations, and Opportunities. <i>Yale Journal of Biology and Medicine</i> , 2017 , 90, 583-598	2.4	61
138	Induction of a BRCAness state by oncometabolites and exploitation by PARP inhibitors.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 11586-11586	2.2	
137	In vivo correction of anaemia in β -thalassemic mice by gRNA-mediated gene editing with nanoparticle delivery. <i>Nature Communications</i> , 2016 , 7, 13304	17.4	107
136	Nanotechnology for delivery of peptide nucleic acids (PNAs). <i>Journal of Controlled Release</i> , 2016 , 240, 302-311	11.7	39
135	miR-155 Overexpression Promotes Genomic Instability by Reducing High-fidelity Polymerase Delta Expression and Activating Error-Prone DSB Repair. <i>Molecular Cancer Research</i> , 2016 , 14, 363-73	6.6	23
134	Genomic predictors of biochemical failure following radical prostatectomy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 114-114	2.2	
133	Precise Genome Modification Using Triplex Forming Oligonucleotides and Peptide Nucleic Acids. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 93-110	3.6	1
132	Tumor suppressor p53 stole the AKT in hypoxia. <i>Journal of Clinical Investigation</i> , 2015 , 125, 2264-6	15.9	5

131	YU238259 Is a Novel Inhibitor of Homology-Dependent DNA Repair That Exhibits Synthetic Lethality and Radiosensitization in Repair-Deficient Tumors. <i>Molecular Cancer Research</i> , 2015 , 13, 1389-97	6.6	16
130	Nanoparticles that deliver triplex-forming peptide nucleic acid molecules correct F508del CFTR in airway epithelium. <i>Nature Communications</i> , 2015 , 6, 6952	17.4	88
129	Mechanism of action studies of lomaiviticin A and the monomeric lomaiviticin aglycon. Selective and potent activity toward DNA double-strand break repair-deficient cell lines. <i>Journal of the American Chemical Society</i> , 2015 , 137, 5741-7	16.4	12
128	LKB1 preserves genome integrity by stimulating BRCA1 expression. <i>Nucleic Acids Research</i> , 2015 , 43, 259-71	20.1	12
127	Multifaceted control of DNA repair pathways by the hypoxic tumor microenvironment. <i>DNA Repair</i> , 2015 , 32, 180-189	4.3	89
126	MicroRNA silencing for cancer therapy targeted to the tumour microenvironment. <i>Nature</i> , 2015 , 518, 107-10	50.4	591
125	Modified poly(lactic-co-glycolic acid) nanoparticles for enhanced cellular uptake and gene editing in the lung. <i>Advanced Healthcare Materials</i> , 2015 , 4, 361-6	10.1	31
124	DNA-dependent targeting of cell nuclei by a lupus autoantibody. <i>Scientific Reports</i> , 2015 , 5, 12022	4.9	25
123	Therapeutic genome mutagenesis using synthetic donor DNA and triplex-forming molecules. <i>Methods in Molecular Biology</i> , 2015 , 1239, 39-73	1.4	5
122	Triplex-mediated genome targeting and editing. <i>Methods in Molecular Biology</i> , 2014 , 1114, 115-42	1.4	2
121	The cytotoxicity of (-)-lomaiviticin A arises from induction of double-strand breaks in DNA. <i>Nature Chemistry</i> , 2014 , 6, 504-10	17.6	60
120	Interplay between DNA repair and inflammation, and the link to cancer. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2014 , 49, 116-39	8.7	95
119	Silencing of the DNA mismatch repair gene MLH1 induced by hypoxic stress in a pathway dependent on the histone demethylase LSD1. <i>Cell Reports</i> , 2014 , 8, 501-13	10.6	46
118	microRNAs in cancer cell response to ionizing radiation. <i>Antioxidants and Redox Signaling</i> , 2014 , 21, 293-312	3.1	66
117	HDAC6 deacetylates and ubiquitinates MSH2 to maintain proper levels of MutSβ. <i>Molecular Cell</i> , 2014 , 55, 31-46	17.6	78
116	Targeted genome modification via triple helix formation. <i>Methods in Molecular Biology</i> , 2014 , 1176, 89-104	10.4	15
115	Hypoxic stress facilitates acute activation and chronic downregulation of fanconi anemia proteins. <i>Molecular Cancer Research</i> , 2014 , 12, 1016-28	6.6	31
114	Single-stranded BNAs for in vivo site-specific genome editing via Watson-Crick recognition. <i>Current Gene Therapy</i> , 2014 , 14, 331-42	4.3	36

113	Peptide nucleic acid-mediated recombination for targeted genomic repair and modification. <i>Methods in Molecular Biology</i> , 2014 , 1050, 207-22	1.4	3
112	Radiation sensitivity and sensitization in melanoma. <i>Pigment Cell and Melanoma Research</i> , 2013 , 26, 928-30	4.0	6
111	Triplex-forming peptide nucleic acids induce heritable elevations in gamma-globin expression in hematopoietic progenitor cells. <i>Molecular Therapy</i> , 2013 , 21, 580-7	11.7	13
110	Nanoparticle for delivery of antisense PNA oligomers targeting CCR5. <i>Artificial DNA, PNA & XNA</i> , 2013 , 4, 49-57		27
109	Site-specific Genome Editing in PBMCs With PLGA Nanoparticle-delivered PNAs Confers HIV-1 Resistance in Humanized Mice. <i>Molecular Therapy - Nucleic Acids</i> , 2013 , 2, e135	10.7	29
108	Hypoxia and DNA repair. <i>Yale Journal of Biology and Medicine</i> , 2013 , 86, 443-51	2.4	19
107	Genetic Instability Induced by Hypoxic Stress 2013 , 151-181		2
106	Hypoxia-induced protein CAIX is associated with somatic loss of BRCA1 protein and pathway activity in triple negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012 , 136, 67-75	4.4	41
105	Preclinical evaluation of Laromustine for use in combination with radiation therapy in the treatment of solid tumors. <i>International Journal of Radiation Biology</i> , 2012 , 88, 277-85	2.9	10
104	Targeting cancer with a lupus autoantibody. <i>Science Translational Medicine</i> , 2012 , 4, 157ra142	17.5	59
103	Targeted gene modification of hematopoietic progenitor cells in mice following systemic administration of a PNA-peptide conjugate. <i>Molecular Therapy</i> , 2012 , 20, 109-18	11.7	37
102	Molecular and cellular pharmacology of the hypoxia-activated prodrug TH-302. <i>Molecular Cancer Therapeutics</i> , 2012 , 11, 740-51	6.1	149
101	Nanoparticles deliver triplex-forming PNAs for site-specific genomic recombination in CD34+ human hematopoietic progenitors. <i>Molecular Therapy</i> , 2011 , 19, 172-80	11.7	70
100	Polymer delivery systems for site-specific genome editing. <i>Journal of Controlled Release</i> , 2011 , 155, 312-6	61.7	14
99	Targeted disruption of the CCR5 gene in human hematopoietic stem cells stimulated by peptide nucleic acids. <i>Chemistry and Biology</i> , 2011 , 18, 1189-98		45
98	New translational possibilities for microenvironmental modulation of radiosensitivity. <i>Radiation Research</i> , 2011 , 176, 412-4	3.1	2
97	Radiation Resistance in Cancer Therapy: Meeting Summary and Research Opportunities Report of an NCI Workshop held September 13, 2010. <i>Radiation Research</i> , 2011 , 176, e0016-e0021	3.1	3
96	Inhibition of hypoxia-induced miR-155 radiosensitizes hypoxic lung cancer cells. <i>Cancer Biology and Therapy</i> , 2011 , 12, 908-14	4.6	100

95	Functional and physical interaction between the mismatch repair and FA-BRCA pathways. <i>Human Molecular Genetics</i> , 2011 , 20, 4395-410	5.6	36
94	Reduced level of ribonucleotide reductase R2 subunits increases dependence on homologous recombination repair of cisplatin-induced DNA damage. <i>Molecular Pharmacology</i> , 2011 , 80, 1000-12	4.3	16
93	Hypoxia-induced epigenetic regulation and silencing of the BRCA1 promoter. <i>Molecular and Cellular Biology</i> , 2011 , 31, 3339-50	4.8	102
92	Radiation Resistance in Cancer Therapy: meeting summary and research opportunities. Report of an NCI Workshop held September 1-3, 2010. <i>Radiation Research</i> , 2011 , 176, e0016-21	3.1	1
91	MicroRNA-210 regulates mitochondrial free radical response to hypoxia and krebs cycle in cancer cells by targeting iron sulfur cluster protein ISCU. <i>PLoS ONE</i> , 2010 , 5, e10345	3.7	243
90	Potential of temozolomide cytotoxicity by inhibition of DNA polymerase beta is accentuated by BRCA2 mutation. <i>Cancer Research</i> , 2010 , 70, 409-17	10.1	30
89	Inhibition of poly(ADP-ribose) polymerase down-regulates BRCA1 and RAD51 in a pathway mediated by E2F4 and p130. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 2201-6	11.5	161
88	Emergence of rationally designed therapeutic strategies for breast cancer targeting DNA repair mechanisms. <i>Breast Cancer Research</i> , 2010 , 12, 203	8.3	32
87	The tumor microenvironment and DNA repair. <i>Seminars in Radiation Oncology</i> , 2010 , 20, 282-7	5.5	37
86	Emerging roles of microRNAs in the molecular responses to hypoxia. <i>Current Pharmaceutical Design</i> , 2009 , 15, 3861-6	3.3	70
85	Src-Induced cisplatin resistance mediated by cell-to-cell communication. <i>Cancer Research</i> , 2009 , 69, 3619-24	12.1	28
84	Targeted correction of a thalassemia-associated beta-globin mutation induced by pseudo-complementary peptide nucleic acids. <i>Nucleic Acids Research</i> , 2009 , 37, 3635-44	20.1	43
83	MicroRNA regulation of DNA repair gene expression in hypoxic stress. <i>Cancer Research</i> , 2009 , 69, 1221-9	10.1	349
82	Repair of DNA lesions associated with triplex-forming oligonucleotides. <i>Molecular Carcinogenesis</i> , 2009 , 48, 389-99	5	56
81	Hypoxic tumor microenvironment and cancer cell differentiation. <i>Current Molecular Medicine</i> , 2009 , 9, 425-34	2.5	128
80	MEN1 and FANCD2 mediate distinct mechanisms of DNA crosslink repair. <i>DNA Repair</i> , 2008 , 7, 476-86	4.3	8
79	Chronic hypoxia decreases synthesis of homologous recombination proteins to offset chemoresistance and radioresistance. <i>Cancer Research</i> , 2008 , 68, 605-14	10.1	244
78	Correction of a splice-site mutation in the beta-globin gene stimulated by triplex-forming peptide nucleic acids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 13514-9	11.5	75

77	Triplex-mediated gene modification. <i>Methods in Molecular Biology</i> , 2008 , 435, 175-90	1.4	22
76	Repair and recombination induced by triple helix DNA. <i>Frontiers in Bioscience - Landmark</i> , 2007 , 12, 4288-98		53
75	Hypoxia-induced genetic instability--a calculated mechanism underlying tumor progression. <i>Journal of Molecular Medicine</i> , 2007 , 85, 139-48	5.5	119
74	Regulation of DNA repair in hypoxic cancer cells. <i>Cancer and Metastasis Reviews</i> , 2007 , 26, 249-60	9.6	153
73	Site-directed gene mutation at mixed sequence targets by psoralen-conjugated pseudo-complementary peptide nucleic acids. <i>Nucleic Acids Research</i> , 2007 , 35, 7604-13	20.1	32
72	Co-repression of mismatch repair gene expression by hypoxia in cancer cells: role of the Myc/Max network. <i>Cancer Letters</i> , 2007 , 252, 93-103	9.9	78
71	Mlh1-dependent suppression of specific mutations induced in vivo by the food-borne carcinogen 2-amino-1-methyl-6-phenylimidazo [4,5-b] pyridine (PhIP). <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2006 , 594, 101-12	3.3	7
70	Basal repression of BRCA1 by multiple E2Fs and pocket proteins at adjacent E2F sites. <i>Cancer Biology and Therapy</i> , 2006 , 5, 1400-7	4.6	30
69	Differing patterns of genetic instability in mice deficient in the mismatch repair genes Pms2, Mlh1, Msh2, Msh3 and Msh6. <i>Carcinogenesis</i> , 2006 , 27, 2402-8	4.6	53
68	Triplex-stimulated intermolecular recombination at a single-copy genomic target. <i>Molecular Therapy</i> , 2006 , 14, 392-400	11.7	30
67	CHK2-dependent phosphorylation of BRCA1 in hypoxia. <i>Radiation Research</i> , 2006 , 166, 646-51	3.1	27
66	Site-specific gene modification by PNAs conjugated to psoralen. <i>Biochemistry</i> , 2006 , 45, 314-23	3.2	30
65	Targeted cross-linking of the human beta-globin gene in living cells mediated by a triple helix forming oligonucleotide. <i>Biochemistry</i> , 2006 , 45, 1970-8	3.2	34
64	Induction of aberrant crypt foci in DNA mismatch repair-deficient mice by the food-borne carcinogen 2-amino-1-methyl-6-phenylimidazo [4,5-b] pyridine (PhIP). <i>Cancer Letters</i> , 2006 , 244, 79-85	9.9	4
63	Overexpression of the DNA mismatch repair factor, PMS2, confers hypermutability and DNA damage tolerance. <i>Cancer Letters</i> , 2006 , 244, 195-202	9.9	28
62	Repair of DNA interstrand cross-links: interactions between homology-dependent and homology-independent pathways. <i>DNA Repair</i> , 2006 , 5, 566-74	4.3	37
61	Development of a statewide hospital plan for radiologic emergencies. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 16-24	4	13
60	Triplex-induced recombination and repair in the pyrimidine motif. <i>Nucleic Acids Research</i> , 2005 , 33, 3492-502		35

59	Hypoxia down-regulates DNA double strand break repair gene expression in prostate cancer cells. <i>Radiotherapy and Oncology</i> , 2005 , 76, 168-76	5.3	156
58	Distance and affinity dependence of triplex-induced recombination. <i>Biochemistry</i> , 2005 , 44, 3856-64	3.2	31
57	Hypoxia-induced phosphorylation of Chk2 in an ataxia telangiectasia mutated-dependent manner. <i>Cancer Research</i> , 2005 , 65, 10734-41	10.1	81
56	Alterations in DNA repair gene expression under hypoxia: elucidating the mechanisms of hypoxia-induced genetic instability. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1059, 184-95	6.5	61
55	Targeted genome modification via triple helix formation. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1058, 151-61	6.5	35
54	Gene therapy for autosomal dominant disorders of keratin. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2005 , 10, 47-61	1.1	31
53	Genetic instability and the tumor microenvironment: towards the concept of microenvironment-induced mutagenesis. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005 , 569, 75-85	3.3	121
52	Triplex-forming oligonucleotides as potential tools for modulation of gene expression. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2005 , 5, 319-26		48
51	Hypoxia-induced down-regulation of BRCA1 expression by E2Fs. <i>Cancer Research</i> , 2005 , 65, 11597-604	10.1	269
50	Peptide nucleic acids as agents to modify target gene expression and function. <i>International Journal of Peptide Research and Therapeutics</i> , 2005 , 10, 335-345	2.1	
49	Peptide conjugates for chromosomal gene targeting by triplex-forming oligonucleotides. <i>Nucleic Acids Research</i> , 2004 , 32, 6595-604	20.1	37
48	Cell-interdependent cisplatin killing by Ku/DNA-dependent protein kinase signaling transduced through gap junctions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 6134-9	11.5	76
47	Targeted gene modification using triplex-forming oligonucleotides. <i>Methods in Molecular Biology</i> , 2004 , 262, 173-94	1.4	19
46	Down-regulation of Rad51 and decreased homologous recombination in hypoxic cancer cells. <i>Molecular and Cellular Biology</i> , 2004 , 24, 8504-18	4.8	291
45	Targeted Genome Modification Via Triple Helix Formation 2004 , 27-43		
44	Molecular markers in clinical radiation oncology. <i>Oncogene</i> , 2003 , 22, 5915-25	9.2	43
43	Decreased expression of the DNA mismatch repair gene Mlh1 under hypoxic stress in mammalian cells. <i>Molecular and Cellular Biology</i> , 2003 , 23, 3265-73	4.8	231
42	Peptide nucleic acids as agents to modify target gene expression and function. <i>International Journal of Peptide Research and Therapeutics</i> , 2003 , 10, 335-345	2.1	1

41	Transcription dependence of chromosomal gene targeting by triplex-forming oligonucleotides. <i>Journal of Biological Chemistry</i> , 2003 , 278, 3357-62	5.4	26
40	The potential for gene repair via triple helix formation. <i>Journal of Clinical Investigation</i> , 2003 , 112, 487-94	5.9	119
39	Peptide nucleic acids as agents to modify target gene expression and function. <i>International Journal of Peptide Research and Therapeutics</i> , 2003 , 10, 335-345		
38	Human XPA and RPA DNA repair proteins participate in specific recognition of triplex-induced helical distortions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 5848-53	11.5	97
37	Triplex-forming oligonucleotides: principles and applications. <i>Quarterly Reviews of Biophysics</i> , 2002 , 35, 89-107	7	114
36	IGF1 receptor expression protects against microenvironmental stress found in the solid tumor. <i>Radiation Research</i> , 2002 , 158, 174-80	3.1	34
35	Outcome of conservatively managed early-onset breast cancer by BRCA1/2 status. <i>Lancet, The</i> , 2002 , 359, 1471-7	4.0	251
34	Site-directed recombination via bifunctional PNA-DNA conjugates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 16695-700	11.5	92
33	Genomic instability in cancer. <i>Novartis Foundation Symposium</i> , 2001 , 240, 133-42; discussion 142-51		16
32	Gene targeting via triple-helix formation. <i>Progress in Molecular Biology and Translational Science</i> , 2001 , 67, 163-92		62
31	Triplex-induced recombination in human cell-free extracts. Dependence on XPA and HsRad51. <i>Journal of Biological Chemistry</i> , 2001 , 276, 18018-23	5.4	78
30	Chromosome targeting at short polypurine sites by cationic triplex-forming oligonucleotides. <i>Journal of Biological Chemistry</i> , 2001 , 276, 38536-41	5.4	64
29	Directed gene modification via triple helix formation. <i>Current Molecular Medicine</i> , 2001 , 1, 391-9	2.5	14
28	Mutant p53 protein overexpression in women with ipsilateral breast tumor recurrence following lumpectomy and radiation therapy 2000 , 88, 1091-1098		26
27	Prognostic significance of cyclin D1 protein levels in early-stage larynx cancer treated with primary radiation. <i>International Journal of Cancer</i> , 2000 , 90, 22-8	7.5	24
26	Cyclin D1 expression and early breast cancer recurrence following lumpectomy and radiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000 , 47, 1169-76	4	29
25	Mutagenesis in PMS2- and MSH2-deficient mice indicates differential protection from transversions and frameshifts. <i>Carcinogenesis</i> , 2000 , 21, 1291-1296	4.6	39
24	Triple-helix formation induces recombination in mammalian cells via a nucleotide excision repair-dependent pathway. <i>Molecular and Cellular Biology</i> , 2000 , 20, 990-1000	4.8	115

23	Activation of human gamma-globin gene expression via triplex-forming oligonucleotide (TFO)-directed mutations in the gamma-globin gene 5Rflanking region. <i>Gene</i> , 2000 , 242, 219-28	3.8	25
22	Specific mutations induced by triplex-forming oligonucleotides in mice. <i>Science</i> , 2000 , 290, 530-3	33.3	228
21	Mutagenesis in PMS2- and MSH2-deficient mice indicates differential protection from transversions and frameshifts. <i>Carcinogenesis</i> , 2000 , 21, 1291-1296	4.6	2
20	BRCA1/BRCA2 germline mutations in locally recurrent breast cancer patients after lumpectomy and radiation therapy: implications for breast-conserving management in patients with BRCA1/BRCA2 mutations. <i>Journal of Clinical Oncology</i> , 1999 , 17, 3017-24	2.2	106
19	Chromosomal mutations induced by triplex-forming oligonucleotides in mammalian cells. <i>Nucleic Acids Research</i> , 1999 , 27, 1176-81	20.1	89
18	Targeted correction of an episomal gene in mammalian cells by a short DNA fragment tethered to a triplex-forming oligonucleotide. <i>Journal of Biological Chemistry</i> , 1999 , 274, 11541-8	5.4	83
17	Triplex formation by oligonucleotides containing 5-(1-propynyl)-2Rdeoxyuridine: decreased magnesium dependence and improved intracellular gene targeting. <i>Biochemistry</i> , 1999 , 38, 1893-901	3.2	53
16	Genome Modification by Triplex-Forming Oligonucleotides. <i>Perspectives in Antisense Science</i> , 1999 , 167-179		1
15	Mutagenesis Mediated by Triple HelixForming Oligonucleotides Conjugated to Psoralen: Effects of Linker Arm Length and Sequence Context. <i>Photochemistry and Photobiology</i> , 1998 , 67, 289-294	3.6	17
14	Targeted gene knockout mediated by triple helix forming oligonucleotides. <i>Nature Genetics</i> , 1998 , 20, 212-4	36.3	148
13	Mutagenesis induced by the tumor microenvironment. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1998 , 400, 439-46	3.3	92
12	Targeted mutagenesis mediated by the triple helix formation. <i>Methods in Molecular Biology</i> , 1996 , 57, 109-18	1.4	4
11	Frequent spontaneous deletions at a shuttle vector locus in transgenic mice. <i>Mutagenesis</i> , 1996 , 11, 49-56	1.68	31
10	Rec-A protein-mediated irreversible fixation of an oligodeoxyribonucleotide to specific site in DNA. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1996 , 351, 117-24	3.3	2
9	Triplex-mediated, in vitro targeting of psoralen photoadducts within the genome of a transgenic mouse. <i>Photochemistry and Photobiology</i> , 1996 , 63, 207-12	3.6	19
8	Tissue specificity of spontaneous point mutations in lambda supF transgenic mice. <i>Environmental and Molecular Mutagenesis</i> , 1996 , 28, 459-64	3.2	23
7	Altered repair of targeted psoralen photoadducts in the context of an oligonucleotide-mediated triple helix. <i>Journal of Biological Chemistry</i> , 1995 , 270, 22595-601	5.4	60
6	Induction of p53 in mouse cells decreases mutagenesis by UV radiation. <i>Carcinogenesis</i> , 1995 , 16, 2295-300	1.0	32

5	Frequent T:A-->G:C transversions in X-irradiated mouse cells. <i>Carcinogenesis</i> , 1995 , 16, 83-8	4.6	20
4	Site-specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucleic Acids Research</i> , 1994 , 22, 2845-52 ²⁰¹		54
3	High efficiency, restriction-deficient in vitro packaging extracts for bacteriophage lambda DNA using a new E.coli lysogen. <i>Nucleic Acids Research</i> , 1993 , 21, 3903-4	20.1	44
2	Lambda phage shuttle vectors for analysis of mutations in mammalian cells in culture and in transgenic mice. <i>Mutation Research - Reviews in Genetic Toxicology</i> , 1989 , 220, 263-8		17
1	Oncogene expression in isogenic, EBV-positive and -negative Burkitt lymphoma cell lines. <i>Intervirology</i> , 1985 , 23, 82-9	2.5	7