

# Ana I Robles

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9352/publications.pdf>

Version: 2024-02-01

81  
papers

9,740  
citations

50170

46  
h-index

54797

84  
g-index

85  
all docs

85  
docs citations

85  
times ranked

14513  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Genetic variation in microRNA networks: the implications for cancer research. <i>Nature Reviews Cancer</i> , 2010, 10, 389-402.  | 12.8 | 1,184     |
| 2  | Predicting hepatitis B virus-“positive metastatic hepatocellular carcinomas using gene expression profiling and supervised machine learning. <i>Nature Medicine</i> , 2003, 9, 416-423.  | 15.2 | 805       |
| 3  | Integrated Proteogenomic Characterization of Clear Cell Renal Cell Carcinoma. <i>Cell</i> , 2019, 179, 964-983.e31.  | 13.5 | 430       |
| 4  | Proteogenomic Characterization Reveals Therapeutic Vulnerabilities in Lung Adenocarcinoma. <i>Cell</i> , 2020, 182, 200-225.e35.   | 13.5 | 410       |
| 5  | Mutant p53 cancers reprogram macrophages to tumor supporting macrophages via exosomal miR-1246. <i>Nature Communications</i> , 2018, 9, 771.   | 5.8  | 356       |
| 6  | Proteogenomic and metabolomic characterization of human glioblastoma. <i>Cancer Cell</i> , 2021, 39, 509-528.e20.  | 7.7  | 327       |
| 7  | p53-Induced Up-Regulation of MnSOD and GPx but not Catalase Increases Oxidative Stress and Apoptosis. <i>Cancer Research</i> , 2004, 64, 2350-2356.  | 0.4  | 326       |
| 8  | Proteogenomic Characterization of Endometrial Carcinoma. <i>Cell</i> , 2020, 180, 729-748.e26.   | 13.5 | 296       |
| 9  | Hsp90 inhibitor PU-H71, a multimodal inhibitor of malignancy, induces complete responses in triple-negative breast cancer models. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 8368-8373.       | 3.3  | 286       |
| 10 | Proteogenomic Landscape of Breast Cancer Tumorigenesis and Targeted Therapy. <i>Cell</i> , 2020, 183, 1436-1456.e31.   | 13.5 | 273       |
| 11 | Interaction between the microbiome and TP53 in human lung cancer. <i>Genome Biology</i> , 2018, 19, 123.   | 3.8  | 247       |
| 12 | Clinical Outcomes and Correlates of TP53 Mutations and Cancer. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010, 2, a001016-a001016.   | 2.3  | 237       |
| 13 | Proteogenomic characterization of pancreatic ductal adenocarcinoma. <i>Cell</i> , 2021, 184, 5031-5052.e26.  | 13.5 | 236       |
| 14 | Reduced skin tumor development in cyclin D1-deficient mice highlights the oncogenic ras pathway in vivo. <i>Genes and Development</i> , 1998, 12, 2469-2474.   | 2.7  | 202       |
| 15 | Integrated Proteogenomic Characterization across Major Histological Types of Pediatric Brain Cancer. <i>Cell</i> , 2020, 183, 1962-1985.e31.   | 13.5 | 177       |
| 16 | A proteogenomic portrait of lung squamous cell carcinoma. <i>Cell</i> , 2021, 184, 4348-4371.e40.  | 13.5 | 170       |
| 17 | p53-Mediated apoptosis is attenuated in Werner syndrome cells. <i>Genes and Development</i> , 1999, 13, 1355-1360.   | 2.7  | 161       |
| 18 | Expression of cyclin D1 in epithelial tissues of transgenic mice results in epidermal hyperproliferation and severe thymic hyperplasia.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 7634-7638. | 3.3  | 155       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | A purine scaffold Hsp90 inhibitor destabilizes BCL-6 and has specific antitumor activity in BCL-6-dependent B cell lymphomas. <i>Nature Medicine</i> , 2009, 15, 1369-1376.   | 15.2 | 149       |
| 20 | The p53 network in lung carcinogenesis. <i>Oncogene</i> , 2002, 21, 6898-6907.  | 2.6  | 130       |
| 21 | Functional Interaction of p53 and BLM DNA Helicase in Apoptosis. <i>Journal of Biological Chemistry</i> , 2001, 276, 32948-32955.   | 1.6  | 129       |
| 22 | Downregulation of splicing factor SRSF3 induces p53 <sup>Δ2</sup> , an alternatively spliced isoform of p53 that promotes cellular senescence. <i>Oncogene</i> , 2013, 32, 2792-2798.                                     | 2.6  | 127       |
| 23 | Laser capture microdissection and microarray expression analysis of lung adenocarcinoma reveals tobacco smoking- and prognosis-related molecular profiles. <i>Cancer Research</i> , 2002, 62, 3244-50.                    | 0.4  | 123       |
| 24 | Microenvironmental modulation of asymmetric cell division in human lung cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2195-2200.                      | 3.3  | 122       |
| 25 | Long Noncoding RNA PURPL Suppresses Basal p53 Levels and Promotes Tumorigenicity in Colorectal Cancer. <i>Cell Reports</i> , 2017, 20, 2408-2423.   | 2.9  | 120       |
| 26 | Functional interaction between BLM helicase and 53BP1 in a Chk1-mediated pathway during S-phase arrest. <i>Journal of Cell Biology</i> , 2004, 166, 801-813.  | 2.3  | 118       |
| 27 | Novel Indenoisoquinolines NSC 725776 and NSC 724998 Produce Persistent Topoisomerase I Cleavage Complexes and Overcome Multidrug Resistance. <i>Cancer Research</i> , 2007, 67, 10397-10405.                              | 0.4  | 118       |
| 28 | A Flexible Reporter System for Direct Observation and Isolation of Cancer Stem Cells. <i>Stem Cell Reports</i> , 2015, 4, 155-169.  | 2.3  | 110       |
| 29 | Regulation of gene expression by the BLM helicase correlates with the presence of G-quadruplex DNA motifs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 9905-9910. | 3.3  | 108       |
| 30 | An Integrated Prognostic Classifier for Stage I Lung Adenocarcinoma Based on mRNA, microRNA, and DNA Methylation Biomarkers. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1037-1048.                                   | 0.5  | 103       |
| 31 | The p53 Tumor Suppressor Network Is a Key Responder to Microenvironmental Components of Chronic Inflammatory Stress. <i>Cancer Research</i> , 2005, 65, 10255-10264.  | 0.4  | 93        |
| 32 | WNT16B Is a New Marker of Cellular Senescence That Regulates p53 Activity and the Phosphoinositide 3-Kinase/AKT Pathway. <i>Cancer Research</i> , 2009, 69, 9183-9191.  | 0.4  | 91        |
| 33 | Early overexpression of cyclin D1 protein in mouse skin carcinogenesis. <i>Carcinogenesis</i> , 1995, 16, 781-786.  | 1.3  | 87        |
| 34 | rs4919510 in hsa-mir-608 Is Associated with Outcome but Not Risk of Colorectal Cancer. <i>PLoS ONE</i> , 2012, 7, e36306.   | 1.1  | 85        |
| 35 | The Werner syndrome RECQ helicase targets G4 DNA in human cells to modulate transcription. <i>Human Molecular Genetics</i> , 2016, 25, 2060-2069.   | 1.4  | 81        |
| 36 | Expression and clinical significance of genes frequently mutated in small cell lung cancers defined by whole exome/RNA sequencing. <i>Carcinogenesis</i> , 2015, 36, 616-621.   | 1.3  | 73        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | HSP90 inhibitor, DMAG, synergizes with radiation of lung cancer cells by interfering with base excision and ATM-mediated DNA repair. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 1985-1992.   | 1.9 | 70        |
| 38 | Germline variation in <i>NCF4</i> , an innate immunity gene, is associated with an increased risk of colorectal cancer. <i>International Journal of Cancer</i> , 2014, 134, 1399-1407.  | 2.3 | 70        |
| 39 | Inflammation-Mediated Genetic and Epigenetic Alterations Drive Cancer Development in the Neighboring Epithelium upon Stromal Abrogation of TGF- $\beta$ Signaling. <i>PLoS Genetics</i> , 2013, 9, e1003251.  | 1.5 | 69        |
| 40 | 3'-UTR and Functional Secretor Haplotypes in Mannose-Binding Lectin 2 Are Associated with Increased Colon Cancer Risk in African Americans. <i>Cancer Research</i> , 2012, 72, 1467-1477.   | 0.4 | 68        |
| 41 | Apoptotic Signaling Pathways Induced by Nitric Oxide in Human Lymphoblastoid Cells Expressing Wild-Type or Mutant p53. <i>Cancer Research</i> , 2004, 64, 3022-3029.  | 0.4 | 64        |
| 42 | Methylation analyses in liquid biopsy. <i>Translational Lung Cancer Research</i> , 2016, 5, 492-504.  | 1.3 | 58        |
| 43 | Identification of a Functional SNP in the 3'-UTR of CXCR2 That Is Associated with Reduced Risk of Lung Cancer. <i>Cancer Research</i> , 2015, 75, 566-575.  | 0.4 | 53        |
| 44 | Combination of Protein Coding and Noncoding Gene Expression as a Robust Prognostic Classifier in Stage I Lung Adenocarcinoma. <i>Cancer Research</i> , 2013, 73, 3821-3832.   | 0.4 | 52        |
| 45 | Clinical Outcomes of TP53 Mutations in Cancers. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2016, 6, a026294.  | 2.9 | 49        |
| 46 | miR-133p53 represses p53-inducible senescence genes and enhances the generation of human induced pluripotent stem cells. <i>Cell Death and Differentiation</i> , 2017, 24, 1017-1028.   | 5.0 | 49        |
| 47 | Drug-induced apoptosis is delayed and reduced in XPD lymphoblastoid cell lines: possible role of TFIIH in p53-mediated apoptotic cell death. <i>Oncogene</i> , 1999, 18, 4681-4688.   | 2.6 | 48        |
| 48 | Proteogenomic Characterization of Ovarian HGSC Implicates Mitotic Kinases, Replication Stress in Observed Chromosomal Instability. <i>Cell Reports Medicine</i> , 2020, 1, 100004.  | 3.3 | 46        |
| 49 | Integration of multiple omic biomarkers: A precision medicine strategy for lung cancer. <i>Lung Cancer</i> , 2017, 107, 50-58.  | 0.9 | 45        |
| 50 | Accelerated Preclinical Testing Using Transplanted Tumors from Genetically Engineered Mouse Breast Cancer Models. <i>Clinical Cancer Research</i> , 2007, 13, 2168-2177.  | 3.2 | 44        |
| 51 | Targeted Disruption of Ing2 Results in Defective Spermatogenesis and Development of Soft-Tissue Sarcomas. <i>PLoS ONE</i> , 2010, 5, e15541.  | 1.1 | 43        |
| 52 | A small protein encoded by a putative lncRNA regulates apoptosis and tumorigenicity in human colorectal cancer cells. <i>ELife</i> , 2020, 9, .   | 2.8 | 43        |
| 53 | Functional Interaction of Tumor Suppressor DLC1 and Caveolin-1 in Cancer Cells. <i>Cancer Research</i> , 2012, 72, 4405-4416.   | 0.4 | 42        |
| 54 | Schedule-Dependent Synergy between the Heat Shock Protein 90 Inhibitor 17-(Dimethylaminoethylamino)-17-Demethoxygeldanamycin and Doxorubicin Restores Apoptosis to p53-Mutant Lymphoma Cell Lines. <i>Clinical Cancer Research</i> , 2006, 12, 6547-6556. | 3.2 | 35        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Epigenetic predictive biomarkers for response or outcome to platinum-based chemotherapy in non-small cell lung cancer, current state-of-art. <i>Pharmacogenomics Journal</i> , 2019, 19, 5-14.      | 0.9 | 34        |
| 56 | Cigarette smoke mediates epigenetic repression of miR-217 during esophageal adenocarcinogenesis. <i>Oncogene</i> , 2015, 34, 5548-5559.   | 2.6 | 32        |
| 57 | Contribution of genetic factors to platinum-based chemotherapy sensitivity and prognosis of non-small cell lung cancer. <i>Mutation Research - Reviews in Mutation Research</i> , 2017, 771, 32-58. | 2.4 | 30        |
| 58 | Positive immunohistochemical staining of p53 and cyclin D in advanced mouse skin tumors, but not in precancerous lesions produced by benzo[a]pyrene. <i>Carcinogenesis</i> , 1995, 16, 1629-1635.   | 1.3 | 28        |
| 59 | Liquid biopsy in early stage lung cancer. <i>Translational Lung Cancer Research</i> , 2016, 5, 517-524.   | 1.3 | 28        |
| 60 | KRAS-LCS6 Genotype as a Prognostic Marker in Early-Stage CRCâ€“Letter. <i>Clinical Cancer Research</i> , 2012, 18, 3487-3488.   | 3.2 | 27        |
| 61 | A Two-Gene Prognostic Classifier for Early-Stage Lung Squamous Cell Carcinoma in Multiple Large-Scale and Geographically Diverse Cohorts. <i>Journal of Thoracic Oncology</i> , 2017, 12, 65-76.    | 0.5 | 26        |
| 62 | A <i>DRD1</i> Polymorphism Predisposes to Lung Cancer among Those Exposed to Secondhand Smoke during Childhood. <i>Cancer Prevention Research</i> , 2014, 7, 1210-1218.                             | 0.7 | 25        |
| 63 | The Expression of Four Genes as a Prognostic Classifier for Stage I Lung Adenocarcinoma in 12 Independent Cohorts. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2884-2894.      | 1.1 | 24        |
| 64 | MDM2 SNP285 does not antagonize the effect of SNP309 in lung cancer. <i>International Journal of Cancer</i> , 2012, 131, 2710-2716.   | 2.3 | 20        |
| 65 | Interleukins as new prognostic genetic biomarkers in non-small cell lung cancer. <i>Surgical Oncology</i> , 2017, 26, 278-285.  | 0.8 | 20        |
| 66 | A novel ING2 isoform, ING2b, synergizes with ING2a to prevent cell cycle arrest and apoptosis. <i>FEBS Letters</i> , 2008, 582, 3868-3874.  | 1.3 | 19        |
| 67 | p53. <i>Chest</i> , 2004, 125, 83S-85S.   | 0.4 | 16        |
| 68 | Harnessing genetically engineered mouse models for preclinical testing. <i>Chemico-Biological Interactions</i> , 2008, 171, 159-164.  | 1.7 | 15        |
| 69 | Nitric Oxide Is a Signaling Molecule that Regulates Gene Expression. <i>Methods in Enzymology</i> , 2005, 396, 326-340.   | 0.4 | 14        |
| 70 | A Nucleolar Stressâ€“Specific p53â€“miR-101 Molecular Circuit Functions as an Intrinsic Tumor-Suppressor Network. <i>EBioMedicine</i> , 2018, 33, 33-48.  | 2.7 | 14        |
| 71 | Inverse association of vitamin D <sub>3</sub> levels with lung cancer mediated by genetic variation. <i>Cancer Medicine</i> , 2018, 7, 2764-2775.   | 1.3 | 14        |
| 72 | HOXA9 methylation and blood vessel invasion in FFPE tissues for prognostic stratification of stage I lung adenocarcinoma patients. <i>Lung Cancer</i> , 2018, 122, 151-159.                         | 0.9 | 13        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Low frequency of codon 61 Ha-ras mutations and lack of keratin 13 expression in 7,12-dimethylbenz[a]-anthracene-induced hamster skin tumors. <i>Molecular Carcinogenesis</i> , 1993, 7, 94-98. | 1.3  | 9         |
| 74 | KRT81 miR-SNP rs3660 is associated with risk and survival of NSCLC. <i>Annals of Oncology</i> , 2016, 27, 360-361.   | 0.6  | 8         |
| 75 | miRNA Signature of Mouse Helper T Cell Hyper-Proliferation. <i>PLoS ONE</i> , 2013, 8, e66709.   | 1.1  | 8         |
| 76 | A primate-specific microRNA enters the lung cancer landscape. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 18748-18749.                 | 3.3  | 6         |
| 77 | Sputum-based DNA methylation biomarkers to guide lung cancer screening decisions. <i>Journal of Thoracic Disease</i> , 2017, 9, 4308-4310.   | 0.6  | 4         |
| 78 | Prenatal smoke exposure, DNA methylation and a link between DRD1 and lung cancer. <i>International Journal of Epidemiology</i> , 2019, 48, 1377-1378.  | 0.9  | 2         |
| 79 | Synergy of the Purine-Scaffold HSP90 Inhibitor, PU-H71, with Doxorubicin in Non-Hodgkin's Lymphoma Cell Lines. <i>Blood</i> , 2007, 110, 1399-1399.  | 0.6  | 2         |
| 80 | Gene expression classifier for prognosis of early-stage squamous cell carcinoma of the lung. <i>Journal of Thoracic Oncology</i> , 2016, 11, S38-S39.  | 0.5  | 1         |
| 81 | Seeing the Forest through the Phylogenetic Tree. <i>New England Journal of Medicine</i> , 2017, 376, 2190-2191.  | 13.9 | 1         |