## Jayanth R Arnold

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9352152/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Pheochromocytoma Is Characterized byÂCatecholamine-Mediated Myocarditis, Focal and Diffuse<br>Myocardial Fibrosis, andÂMyocardial Dysfunction. Journal of the American College of Cardiology, 2016,<br>67, 2364-2374.   | 1.2 | 139       |
| 2  | With the "Universal Definition,―Measurement of Creatine Kinase-Myocardial Band Rather Than<br>Troponin Allows More Accurate Diagnosis of Periprocedural Necrosis and Infarction After Coronary<br>Intervention. Journal of the American College of Cardiology, 2011, 57, 653-661. | 1.2 | 114       |
| 3  | GH replacement does not increase the risk of recurrence in patients with craniopharyngioma. Clinical<br>Endocrinology, 2006, 64, 556-560.   | 1.2 | 108       |
| 4  | The role of Intravascular Ultrasound in the management of spontaneous coronary artery dissection.<br>Cardiovascular Ultrasound, 2008, 6, 24.  | 0.5 | 105       |
| 5  | Relationship Between Regional Myocardial Oxygenation and Perfusion in Patients With Coronary<br>Artery Disease. Circulation: Cardiovascular Imaging, 2010, 3, 32-40.  | 1.3 | 92        |
| 6  | Myocardial Oxygenation in Coronary Artery Disease. Journal of the American College of Cardiology, 2012, 59, 1954-1964.  | 1.2 | 77        |
| 7  | Relationship Between Focal and DiffuseÂFibrosis Assessed by CMR and Clinical Outcomes in Heart<br>Failure WithÂPreserved Ejection Fraction. JACC: Cardiovascular Imaging, 2019, 12, 2291-2301.  | 2.3 | 77        |
| 8  | Diagnostic and prognostic utility of cardiovascular magnetic resonance imaging in heart failure with<br>preserved ejection fraction – implications for clinical trials. Journal of Cardiovascular Magnetic<br>Resonance, 2018, 20, 4.   | 1.6 | 62        |
| 9  | Patients With Syndrome X Have Normal Transmural Myocardial Perfusion and Oxygenation.<br>Circulation: Cardiovascular Imaging, 2012, 5, 194-200.   | 1.3 | 52        |
| 10 | Cardiovascular magnetic resonance: applications and practical considerations for the general cardiologist. Heart, 2020, 106, 174-181.   | 1.2 | 51        |
| 11 | GH replacement in patients with nonâ€functioning pituitary adenoma (NFA) treated solely by surgery is<br>not associated with increased risk of tumour recurrence. Clinical Endocrinology, 2009, 70, 435-438.  | 1.2 | 47        |
| 12 | Early Diagnosis of Perioperative Myocardial Infarction After Coronary Bypass Grafting: A Study Using<br>Biomarkers and Cardiac Magnetic Resonance Imaging. Annals of Thoracic Surgery, 2011, 92, 2046-2053.   | 0.7 | 47        |
| 13 | Adenosine Stress Myocardial Contrast Echocardiography for the Detection of Coronary Artery Disease. JACC: Cardiovascular Imaging, 2010, 3, 934-943.   | 2.3 | 44        |
| 14 | Tolerance and safety of adenosine stress perfusion cardiovascular magnetic resonance imaging in patients with severe coronary artery disease. International Journal of Cardiovascular Imaging, 2009, 25, 277-283.   | 0.7 | 43        |
| 15 | Rationale and design of the Medical Research Council's Precision Medicine with Zibotentan in<br>Microvascular Angina (PRIZE) trial. American Heart Journal, 2020, 229, 70-80.   | 1.2 | 40        |
| 16 | Left atrial ejection fraction and outcomes in heart failure with preserved ejection fraction.<br>International Journal of Cardiovascular Imaging, 2020, 36, 101-110.  | 0.7 | 35        |
| 17 | Chronic infarct size after spontaneous coronary artery dissection: implications for pathophysiology and clinical management. European Heart Journal, 2020, 41, 2197-2205.   | 1.0 | 35        |
| 18 | Combined use of trimethylamine N-oxide with BNP for risk stratification in heart failure with preserved ejection fraction: findings from the DIAMONDHFpEF study. European Journal of Preventive Cardiology, 2020, 27, 2159-2162.  | 0.8 | 32        |

JAYANTH R ARNOLD

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Myocardial Injury following Coronary Artery Surgery versus Angioplasty (MICASA): a randomised trial using biochemical markers and cardiac magnetic resonance imaging. EuroIntervention, 2011, 6, 703-710.  | 1.4 | 30        |
| 20 | Characterizing heart failure with preserved and reduced ejection fraction: An imaging and plasma biomarker approach. PLoS ONE, 2020, 15, e0232280.   | 1.1 | 28        |
| 21 | Prevalence and Prognostic Significance of Microvascular Dysfunction in HeartÂFailure With<br>Preserved EjectionAFraction. JACC: Cardiovascular Imaging, 2022, 15, 1001-1011.   | 2.3 | 25        |
| 22 | Comparison of global myocardial strain assessed by cardiovascular magnetic resonance tagging and<br>feature tracking to infarct size at predicting remodelling following STEMI. BMC Cardiovascular<br>Disorders, 2017, 17, 7.  | 0.7 | 22        |
| 23 | ls Helicobacter pylori a Factor in Coronary Atherosclerosis?. Journal of Clinical Microbiology, 1999,<br>37, 1651-1651.  | 1.8 | 20        |
| 24 | Myocardial Perfusion Imaging After Coronary Artery Bypass Surgery Using Cardiovascular Magnetic<br>Resonance. Circulation: Cardiovascular Imaging, 2011, 4, 312-318.   | 1.3 | 16        |
| 25 | Differential left ventricular and left atrial remodelling in heart failure with preserved ejection<br>fraction patients with and without diabetes. Therapeutic Advances in Endocrinology and Metabolism,<br>2019, 10, 204201881986159.   | 1.4 | 16        |
| 26 | Plasma Tenascin-C: a prognostic biomarker in heart failure with preserved ejection fraction.<br>Biomarkers, 2020, 25, 556-565.   | 0.9 | 15        |
| 27 | Fibroblastâ€growthâ€factorâ€23 in heart failure with preserved ejection fraction: relation to exercise capacity and outcomes. ESC Heart Failure, 2020, 7, 4089-4099.   | 1.4 | 14        |
| 28 | Residual Ischemia After Revascularization in Multivessel Coronary Artery Disease. Circulation:<br>Cardiovascular Interventions, 2013, 6, 237-245.  | 1.4 | 13        |
| 29 | Inter-study repeatability of circumferential strain and diastolic strain rate by CMR tagging, feature<br>tracking and tissue tracking in ST-segment elevation myocardial infarction. International Journal of<br>Cardiovascular Imaging, 2020, 36, 1133-1146.  | 0.7 | 13        |
| 30 | Long term outcome of elective day case percutaneous coronary intervention in patients with stable angina. International Journal of Cardiology, 2008, 128, 272-274.   | 0.8 | 12        |
| 31 | Left ventricular lipomatous metaplasia following myocardial infarction. International Journal of<br>Cardiology, 2009, 137, e11-e12.  | 0.8 | 12        |
| 32 | Prevalence of right ventricular dysfunction and prognostic significance in heart failure with preserved ejection fraction. International Journal of Cardiovascular Imaging, 2021, 37, 255-266.   | 0.7 | 12        |
| 33 | Microvascular Dysfunction in Heart Failure with Preserved Ejection Fraction: Pathophysiology,<br>Assessment, Prevalence and Prognosis. Cardiac Failure Review, 0, 8, .   | 1.2 | 12        |
| 34 | Systemic levels of endothelin correlate with systemic inflammation and not with myocardial injury or left ventricular ejection fraction in patients undergoing percutaneous coronary intervention and on-pump coronary artery bypass grafting. Interactive Cardiovascular and Thoracic Surgery, 2011, 13, 585-590. | 0.5 | 11        |
| 35 | Plasma Pâ€selectin is a predictor of mortality in heart failure with preserved ejection fraction. ESC Heart Failure, 2021, 8, 2328-2333.   | 1.4 | 9         |
| 36 | Does stress perfusion imaging improve the diagnostic accuracy of late gadolinium enhanced cardiac magnetic resonance for establishing the etiology of heart failure?. BMC Cardiovascular Disorders, 2017, 17, 98.  | 0.7 | 8         |

JAYANTH R ARNOLD

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Diabetic cardiomyopathy: a controversial entity. European Heart Journal, 2008, 29, 564-564.  | 1.0 | 6         |
| 38 | Emerging glucose-lowering therapies: a guide for cardiologists. Heart, 2020, 106, 18-23.   | 1.2 | 6         |
| 39 | Intra-study and inter-technique validation of cardiovascular magnetic resonance imaging derived left<br>atrial ejection fraction as a prognostic biomarker in heart failure with preserved ejection fraction.<br>International Journal of Cardiovascular Imaging, 2020, 36, 921-928. | 0.7 | 6         |
| 40 | The Interfield Strength Agreement of Left Ventricular Strain Measurements at 1. <scp>5ÂT</scp> and<br><scp>3ÂT</scp> Using Cardiac <scp>MRI</scp> Feature Tracking. Journal of Magnetic Resonance Imaging,<br>2023, 57, 1250-1261.   | 1.9 | 6         |
| 41 | Ventricular septal rupture following abciximab infusion. European Journal of Echocardiography, 2006, 9, 60-2.  | 2.3 | 5         |
| 42 | Haemodynamic effects of pharmacologic stress with adenosine in patients with left ventricular systolic dysfunction. International Journal of Cardiology, 2019, 278, 157-161.   | 0.8 | 4         |
| 43 | Early invasive versus non-invasive assessment in patients with suspected non-ST-elevation acute coronary syndrome. Heart, 2021, , heartjnl-2020-318778.  | 1.2 | 4         |
| 44 | Effects of late, repetitive remote ischaemic conditioning on myocardial strain in patients with acute myocardial infarction. Basic Research in Cardiology, 2022, 117, 23.  | 2.5 | 3         |
| 45 | Thrombotic occlusion of a drug-eluting stent - is IVUS mandatory. Journal of Invasive Cardiology, 2006, 18, E238-40.   | 0.4 | 2         |
| 46 | Should patients undergoing PCI still be consented for emergency bypass?. International Journal of Cardiology, 2009, 132, 447-448.  | 0.8 | 1         |
| 47 | Noninvasive Imaging Post–ST-Segment–Elevation Myocardial Infarction. Circulation: Cardiovascular<br>Imaging, 2017, 10, .   | 1.3 | 1         |
| 48 | Detection of Coronary Stenosis at RestÂUsingÂBOLD-CMR. JACC: Cardiovascular Imaging, 2017, 10, 600-601.  | 2.3 | 1         |
| 49 | Redefining cardiomyopathies: the role of cardiovascular magnetic resonance imaging. European Heart<br>Journal, 2007, 28, 3094-3095.  | 1.0 | Ο         |
| 50 | Multi-parametric cardiovascular magnetic resonance imaging detects subclinical myocardial<br>involvement in patients diagnosed with phaeochromocytoma. Journal of Cardiovascular Magnetic<br>Resonance, 2015, 17, P271.  | 1.6 | 0         |
| 51 | Ischemia and Infarction in Isolated Chronic Total Coronary Artery Occlusion Assessed by Cardiovascular Magnetic Resonance. JACC: Cardiovascular Imaging, 2021, 14, 501-502.  | 2.3 | 0         |
| 52 | 22â€Inter-field strength agreement of left ventricular strain and strain rate using Tissue Tracking and AI<br>derived global longitudinal shortening. , 2021, , .  |     | 0         |
| 53 | 3â€Rationale and design of the Medical Research Council Precision medicine with Zibotentan in microvascular angina (PRIZE) trial MRI sub-study. , 2021, , .  |     | 0         |