

Giles J Toogood

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9352988/giles-j-toogood-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

3,917
citations

37
h-index

60
g-index

105
ext. papers

4,433
ext. citations

5.4
avg, IF

4.9
L-index

#	Paper	IF	Citations
96	Preoperative neutrophil-to-lymphocyte ratio as a prognostic predictor after curative resection for hepatocellular carcinoma. <i>World Journal of Surgery</i> , 2008 , 32, 1757-62	3.3	328
95	A randomised trial of the effect of omega-3 polyunsaturated fatty acid supplements on the human intestinal microbiota. <i>Gut</i> , 2018 , 67, 1974-1983	19.2	200
94	Correlation between postoperative infective complications and long-term outcomes after hepatic resection for colorectal liver metastasis. <i>Annals of Surgery</i> , 2010 , 251, 91-100	7.8	161
93	Preoperative prognostic score for predicting survival after hepatic resection for colorectal liver metastases. <i>Annals of Surgery</i> , 2007 , 246, 806-14	7.8	160
92	Outcomes after major hepatectomy in elderly patients. <i>Journal of the American College of Surgeons</i> , 2006 , 203, 677-83	4.4	131
91	Impact of systemic inflammation on outcome following resection for intrahepatic cholangiocarcinoma. <i>Journal of Surgical Oncology</i> , 2008 , 97, 513-8	2.8	129
90	Liver transplantation following donation after cardiac death: an analysis using matched pairs. <i>Liver Transplantation</i> , 2009 , 15, 1072-82	4.5	127
89	Liver metastases in candidates for hepatic resection: comparison of helical CT and gadolinium- and SPIO-enhanced MR imaging. <i>Radiology</i> , 2005 , 237, 170-80	20.5	126
88	Resection margin in patients undergoing hepatectomy for colorectal liver metastasis: a critical appraisal of the 1cm rule. <i>European Journal of Surgical Oncology</i> , 2006 , 32, 557-63	3.6	120
87	Cell carriage, delivery, and selective replication of an oncolytic virus in tumor in patients. <i>Science Translational Medicine</i> , 2012 , 4, 138ra77	17.5	112
86	Pretransplant MELD score and post liver transplantation survival in the UK and Ireland. <i>Liver Transplantation</i> , 2004 , 10, 903-7	4.5	106
85	One-millimeter cancer-free margin is curative for colorectal liver metastases: a propensity score case-match approach. <i>Annals of Surgery</i> , 2014 , 259, 543-8	7.8	92
84	Increased morbidity in overweight and obese liver transplant recipients: a single-center experience of 1325 patients from the United Kingdom. <i>Liver Transplantation</i> , 2013 , 19, 551-62	4.5	87
83	Hepatic resection and transplantation for primary carcinoid tumors of the liver. <i>Annals of Surgery</i> , 2004 , 239, 210-9	7.8	80
82	Colorectal hepatic metastases: detection with SPIO-enhanced breath-hold MR imaging--comparison of optimized sequences. <i>Radiology</i> , 2003 , 228, 709-18	20.5	77
81	Anticolorectal cancer activity of the omega-3 polyunsaturated fatty acid eicosapentaenoic acid. <i>Gut</i> , 2014 , 63, 1760-8	19.2	69
80	Inferior vena cava resection with hepatectomy: challenging but justified. <i>Hpb</i> , 2011 , 13, 802-10	3.8	69

79	A systematic review and meta-analysis of portal vein ligation versus portal vein embolization for elective liver resection. <i>Surgery</i> , 2015 , 157, 690-8	3.6	68
78	The effect of the selective cyclooxygenase-2 inhibitor rofecoxib on human colorectal cancer liver metastases. <i>Gastroenterology</i> , 2003 , 125, 716-29	13.3	68
77	Left hepatic trisectionectomy for hepatobiliary malignancy: results and an appraisal of its current role. <i>Annals of Surgery</i> , 2005 , 242, 267-75	7.8	60
76	Donor risk index and MELD interactions in predicting long-term graft survival: a single-centre experience. <i>Transplantation</i> , 2009 , 87, 1858-63	1.8	57
75	Bile duct strictures after hepatobiliary surgery: assessment with MR cholangiography. <i>Radiology</i> , 2004 , 231, 101-8	20.5	56
74	Surgical treatment of hilar cholangiocarcinoma in a new era: comparison among leading Eastern and Western centers, Leeds. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2010 , 17, 497-504	2.8	49
73	Surgical technique and systemic inflammation influences long-term disease-free survival following hepatic resection for colorectal metastasis. <i>Journal of Surgical Oncology</i> , 2008 , 98, 371-6	2.8	49
72	Covert dissemination of carbapenemase-producing <i>Klebsiella pneumoniae</i> (KPC) in a successfully controlled outbreak: long- and short-read whole-genome sequencing demonstrate multiple genetic modes of transmission. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 3025-3034	5.1	48
71	Reovirus-associated reduction of microRNA-let-7d is related to the increased apoptotic death of cancer cells in clinical samples. <i>Modern Pathology</i> , 2012 , 25, 1333-44	9.8	48
70	Hepatocellular carcinoma within a noncirrhotic, nonfibrotic, seronegative liver: surgical approaches and outcomes. <i>Journal of the American College of Surgeons</i> , 2012 , 214, 174-83	4.4	45
69	Hepatic artery pseudoaneurysm after liver transplantation: treatment with percutaneous thrombin injection. <i>Transplantation</i> , 2003 , 75, 1755-57	1.8	44
68	Cytotoxic and immune-mediated killing of human colorectal cancer by reovirus-loaded blood and liver mononuclear cells. <i>International Journal of Cancer</i> , 2013 , 132, 2327-38	7.5	42
67	Acceptable outcome after kidney transplantation using "expanded criteria donor" grafts. <i>Transplantation</i> , 2010 , 89, 88-96	1.8	42
66	Xanthogranulomatous cholecystitis: a European and global perspective. <i>Hpb</i> , 2014 , 16, 448-58	3.8	41
65	Prognostic utility of postoperative C-reactive protein for posthepatectomy liver failure. <i>Archives of Surgery</i> , 2008 , 143, 247-53; discussion 253		41
64	Large hepatocellular carcinoma: time to stop preoperative biopsy. <i>Journal of the American College of Surgeons</i> , 2007 , 205, 453-62	4.4	40
63	Predictors of blood transfusion requirement in elective liver resection. <i>Hpb</i> , 2010 , 12, 50-5	3.8	39
62	Emergency subtotal hepatectomy: a new concept for acetaminophen-induced acute liver failure: temporary hepatic support by auxiliary orthotopic liver transplantation enables long-term success. <i>Annals of Surgery</i> , 2008 , 247, 238-49	7.8	39

61	Radical operation for hilar cholangiocarcinoma in comparable Eastern and Western centers: Outcome analysis and prognostic factors. <i>Surgery</i> , 2017 , 162, 500-514	3.6	38
60	Right hepatic trisectionectomy for hepatobiliary diseases: results and an appraisal of its current role. <i>Annals of Surgery</i> , 2007 , 246, 1065-74	7.8	38
59	Evolution of the surgical management of perihilar cholangiocarcinoma in a Western centre demonstrates improved survival with endoscopic biliary drainage and reduced use of blood transfusion. <i>Hpb</i> , 2011 , 13, 483-93	3.8	37
58	Hepatic resection for metastatic gastrointestinal and pancreatic neuroendocrine tumours: outcome and prognostic predictors. <i>Hpb</i> , 2007 , 9, 345-51	3.8	35
57	Calcium carbonate gallstones in children. <i>Journal of Pediatric Surgery</i> , 2007 , 42, 1677-82	2.6	35
56	Does the extent of lymphadenectomy, number of lymph nodes, positive lymph node ratio and neutrophil-lymphocyte ratio impact surgical outcome of perihilar cholangiocarcinoma?. <i>European Journal of Gastroenterology and Hepatology</i> , 2014 , 26, 1047-54	2.2	34
55	Oncolytic reovirus as a combined antiviral and anti-tumour agent for the treatment of liver cancer. <i>Gut</i> , 2018 , 67, 562-573	19.2	33
54	Indication for treatment and long-term outcome of focal nodular hyperplasia. <i>Hpb</i> , 2007 , 9, 368-72	3.8	31
53	Control of fecal incontinence: continued success with the Malone procedure. <i>Surgery</i> , 1997 , 122, 626-31	3.6	30
52	Venous Thromboembolism Prophylaxis in Liver Surgery. <i>Journal of Gastrointestinal Surgery</i> , 2016 , 20, 221-9	3.3	25
51	Hepatic resection for colorectal metastasis: impact of tumour size. <i>Annals of Surgical Oncology</i> , 2006 , 13, 1493-9	3.1	25
50	Cytomegalovirus infection and colonic perforation in renal transplant patients. <i>Transplant International</i> , 1996 , 9, 248-251	3	25
49	Withdrawal of immunosuppression in liver allograft recipients. <i>Liver Transplantation</i> , 1998 , 4, 242-8		23
48	A Randomized Controlled Trial Comparing Epidural Analgesia Versus Continuous Local Anesthetic Infiltration Via Abdominal Wound Catheter in Open Liver Resection. <i>Annals of Surgery</i> , 2019 , 269, 413-419	7.8	22
47	Impact of margin status and neoadjuvant chemotherapy on survival, recurrence after liver resection for colorectal liver metastasis. <i>Annals of Surgical Oncology</i> , 2015 , 22, 173-9	3.1	22
46	Treatment and surveillance of polypoid lesions of the gallbladder in the United Kingdom. <i>Hpb</i> , 2012 , 14, 435-40	3.8	22
45	Interaction of tumour biology and tumour burden in determining outcome after hepatic resection for colorectal metastases. <i>Hpb</i> , 2010 , 12, 84-93	3.8	20
44	A combined liver-pancreas en-bloc transplant in a patient with cystic fibrosis. <i>Transplantation</i> , 2005 , 80, 605-7	1.8	20

43	Cyclooxygenase-2 expression in colorectal cancer liver metastases. <i>Clinical and Experimental Metastasis</i> , 2000 , 18, 21-7	4.7	20
42	Variation in the Use of Resection for Colorectal Cancer Liver Metastases. <i>Annals of Surgery</i> , 2019 , 270, 892-898	7.8	20
41	Ablation or Resection for Colorectal Liver Metastases? A Systematic Review of the Literature. <i>Frontiers in Oncology</i> , 2019 , 9, 1052	5.3	19
40	Patient views through the keyhole: new perspectives on single-incision vs. multiport laparoscopic cholecystectomy. <i>Hpb</i> , 2012 , 14, 242-6	3.8	18
39	A critical appraisal of the role of neoadjuvant chemotherapy for colorectal liver metastases: a case-controlled study. <i>Annals of Surgical Oncology</i> , 2007 , 14, 3519-26	3.1	17
38	Outcomes in right liver lobe transplantation: a matched pair analysis. <i>Transplant International</i> , 2008 , 21, 1045-51	3	16
37	The effect of Liver Transplantation on the quality of life of the recipient's main caregiver - a systematic review. <i>Liver International</i> , 2017 , 37, 794-801	7.9	15
36	Delayed referral to specialist centre increases morbidity in patients with bile duct injury (BDI) after laparoscopic cholecystectomy (LC). <i>International Journal of Surgery</i> , 2017 , 44, 82-86	7.5	15
35	Aggressive surgical resection for the management of hepatic metastases from gastrointestinal stromal tumours: a single centre experience. <i>Hpb</i> , 2007 , 9, 64-70	3.8	15
34	Thrombotic complications following liver resection for colorectal metastases are preventable. <i>Hpb</i> , 2008 , 10, 311-4	3.8	14
33	A cost effective analysis of a laparoscopic versus an open left lateral sectionectomy in a liver transplant unit. <i>Hpb</i> , 2015 , 17, 332-6	3.8	13
32	Impact of parenchymal preserving surgery on survival and recurrence after liver resection for colorectal liver metastasis. <i>ANZ Journal of Surgery</i> , 2018 , 88, 66-70	1	13
31	Measurement of red blood cell eicosapentaenoic acid (EPA) levels in a randomised trial of EPA in patients with colorectal cancer liver metastases. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2016 , 115, 60-66	2.8	13
30	Urothelial differentiation in chronically urine-deprived bladders of patients with end-stage renal disease. <i>Kidney International</i> , 2005 , 68, 1032-40	9.9	13
29	Repeat liver resection after a hepatic or extended hepatic trisectionectomy for colorectal liver metastasis. <i>Hpb</i> , 2014 , 16, 212-9	3.8	11
28	The value of MELD and sodium in assessing potential liver transplant recipients in the United Kingdom. <i>Transplant International</i> , 2007 , 20, 331-7	3	11
27	Index admission laparoscopic cholecystectomy for patients with acute biliary symptoms: results from a specialist centre. <i>Hpb</i> , 2010 , 12, 270-6	3.8	9
26	Cytomegalovirus infection and colonic perforation in renal transplant patients. <i>Transplant International</i> , 1996 , 9, 248-51	3	9

25	Segment 2/3 Hypertrophy is Greater When Right Portal Vein Embolisation is Extended to Segment 4 in Patients with Colorectal Liver Metastases: A Retrospective Cohort Study. <i>CardioVascular and Interventional Radiology</i> , 2019 , 42, 552-559	2.7	8
24	Redefining major hepatic resection for colorectal liver metastases: Analysis of 1111 liver resections. <i>International Journal of Surgery</i> , 2016 , 25, 172-7	7.5	8
23	Endovascular management of arterial conduit pseudoaneurysm after liver transplantation: a report of two cases. <i>Transplantation</i> , 2005 , 79, 1763-5	1.8	7
22	COVID-19 research priorities in surgery (PRODUCE study): A modified Delphi process. <i>British Journal of Surgery</i> , 2020 , 107, e538-e540	5.3	7
21	The Impact of Advancing Age on Recurrence and Survival Following Major Hepatectomy for Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2017 , 21, 266-274	3.3	6
20	Regional differences in prostaglandin E ₂ metabolism in human colorectal cancer liver metastases. <i>BMC Cancer</i> , 2013 , 13, 92	4.8	6
19	Hepatocellular carcinoma in variegate porphyria: a case report and literature review. <i>Annals of Clinical Biochemistry</i> , 2015 , 52, 407-12	2.2	6
18	A simple prophylaxis regimen for MRSA: its impact on the incidence of infection in patients undergoing liver resection. <i>Annals of the Royal College of Surgeons of England</i> , 2009 , 91, 35-8	1.4	5
17	Relationship between primary colorectal tumour and location of colorectal liver metastases. <i>ANZ Journal of Surgery</i> , 2016 , 86, 408-10	1	5
16	The impact of age on post-operative liver function following right hepatectomy: a retrospective, single centre experience. <i>Hpb</i> , 2020 , 22, 151-160	3.8	5
15	Role of quantification of hepatic steatosis and future remnant volume in predicting hepatic dysfunction and complications after liver resection for colorectal metastases: a pilot study. <i>Hpb</i> , 2012 , 14, 194-200	3.8	4
14	Immunohistochemical measurement of endothelial cell apoptosis and proliferation in formalin-fixed, paraffin-embedded human cancer tissue. <i>Angiogenesis</i> , 2006 , 9, 193-200	10.6	4
13	Impact of blood transfusion on outcomes following resection for colorectal liver metastases in the modern era. <i>ANZ Journal of Surgery</i> , 2018 , 88, 765	1	3
12	Anaesthetic and pharmacological techniques to decrease blood loss in liver surgery: a systematic review. <i>ANZ Journal of Surgery</i> , 2015 , 85, 923-30	1	3
11	Infrahepatic inferior vena cava clamping for reduction of central venous pressure and blood loss during hepatic resection: a randomized controlled trial. <i>Annals of Surgery</i> , 2015 , 261, e8	7.8	3
10	Laparoscopic left lateral sectionectomy: surgical technique and our results from Leeds. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2009 , 19, 29-32	2.1	3
9	A modification of isolated Roux loop reconstruction after pancreaticoduodenectomy. <i>Australian and New Zealand Journal of Surgery</i> , 1999 , 69, 363-4		3
8	Outcomes of liver resection for hepatocellular carcinoma in octogenarians. <i>Hpb</i> , 2020 , 22, 1324-1329	3.8	2

7	Making large-scale surgical trials possible: collaboration and the role of surgical trainees. <i>Trials</i> , 2021 , 22, 567	2.8	1
6	Luminal Bioavailability of Orally Administered ω 3 PUFAs in the Distal Small Intestine, and Associated Changes to the Ileal Microbiome, in Humans with a Temporary Ileostomy. <i>Journal of Nutrition</i> , 2021 , 151, 2142-2152	4.1	0
5	PWE-141 Hepatocellular carcinoma and microvascular invasion in cirrhotic and non-cirrhotic livers: are they different diseases?. <i>Gut</i> , 2012 , 61, A353.3-A354	19.2	
4	OC-058 Increased morbidity in overweight and obese liver transplant recipients—single centre experience with 1325 patients. <i>Gut</i> , 2012 , 61, A25.2-A26	19.2	
3	PTU-064 Pre-liver transplant biopsy in hepatocellular carcinoma: a potential exclusion criterion for transplantation?. <i>Gut</i> , 2012 , 61, A210.1-A210	19.2	
2	OC-135 Liver resection for colorectal metastases: is there variation in referral practice between colorectal MDTs in a cancer network? A prospective study. <i>Gut</i> , 2012 , 61, A58.2-A58	19.2	
1	Biliary Dyskinesia1561-1572		