

# Sung-Liang Yu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9353135/sung-liang-yu-publications-by-citations.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158 papers	7,226 citations	41 h-index	81 g-index
168 ext. papers	8,288 ext. citations	6.5 avg, IF	5.31 L-index

#	Paper	IF	Citations
158	A five-gene signature and clinical outcome in non-small-cell lung cancer. <i>New England Journal of Medicine</i> , <b>2007</b> , 356, 11-20	59.2	754
157	MicroRNA signature predicts survival and relapse in lung cancer. <i>Cancer Cell</i> , <b>2008</b> , 13, 48-57	24.3	695
156	Pretreatment epidermal growth factor receptor (EGFR) T790M mutation predicts shorter EGFR tyrosine kinase inhibitor response duration in patients with non-small-cell lung cancer. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 433-40	2.2	420
155	Cancer-associated fibroblasts regulate the plasticity of lung cancer stemness via paracrine signalling. <i>Nature Communications</i> , <b>2014</b> , 5, 3472	17.4	246
154	Titanium dioxide nanoparticles induce emphysema-like lung injury in mice. <i>FASEB Journal</i> , <b>2006</b> , 20, 2393-5	3.5	242
153	MicroRNA-18a prevents estrogen receptor-alpha expression, promoting proliferation of hepatocellular carcinoma cells. <i>Gastroenterology</i> , <b>2009</b> , 136, 683-93	13.3	219
152	Opposite Effects of M1 and M2 Macrophage Subtypes on Lung Cancer Progression. <i>Scientific Reports</i> , <b>2015</b> , 5, 14273	4.9	189
151	MicroRNA in lung cancer. <i>British Journal of Cancer</i> , <b>2010</b> , 103, 1144-8	8.7	184
150	Curcumin inhibits lung cancer cell invasion and metastasis through the tumor suppressor HLJ1. <i>Cancer Research</i> , <b>2008</b> , 68, 7428-38	10.1	171
149	MicroRNA expression aberration as potential peripheral blood biomarkers for schizophrenia. <i>PLoS ONE</i> , <b>2011</b> , 6, e21635	3.7	171
148	MicroRNA-519c suppresses hypoxia-inducible factor-1alpha expression and tumor angiogenesis. <i>Cancer Research</i> , <b>2010</b> , 70, 2675-85	10.1	163
147	Claudin-1 is a metastasis suppressor and correlates with clinical outcome in lung adenocarcinoma. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2009</b> , 179, 123-33	10.2	131
146	Slug confers resistance to the epidermal growth factor receptor tyrosine kinase inhibitor. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2011</b> , 183, 1071-9	10.2	129
145	Enterovirus-induced miR-141 contributes to shutoff of host protein translation by targeting the translation initiation factor eIF4E. <i>Cell Host and Microbe</i> , <b>2011</b> , 9, 58-69	23.4	121
144	Galectin-1 promotes lung cancer progression and chemoresistance by upregulating p38 MAPK, ERK, and cyclooxygenase-2. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 4037-47	12.9	111
143	Anti-invasive gene expression profile of curcumin in lung adenocarcinoma based on a high throughput microarray analysis. <i>Molecular Pharmacology</i> , <b>2004</b> , 65, 99-110	4.3	103
142	Inhibition of miR-146a prevents enterovirus-induced death by restoring the production of type I interferon. <i>Nature Communications</i> , <b>2014</b> , 5, 3344	17.4	102

141	Sorafenib relieves cell-intrinsic and cell-extrinsic inhibitions of effector T cells in tumor microenvironment to augment antitumor immunity. <i>International Journal of Cancer</i> , <b>2014</b> , 134, 319-31	7.5	87
140	Differential gene expression in gram-negative and gram-positive sepsis. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2004</b> , 169, 1135-43	10.2	79
139	Curcumin induces EGFR degradation in lung adenocarcinoma and modulates p38 activation in intestine: the versatile adjuvant for gefitinib therapy. <i>PLoS ONE</i> , <b>2011</b> , 6, e23756	3.7	78
138	Cyclosporine A regulate oxidative stress-induced apoptosis in cardiomyocytes: mechanisms via ROS generation, iNOS and Hsp70. <i>British Journal of Pharmacology</i> , <b>2002</b> , 137, 771-81	8.6	77
137	Induction of DNA damage-inducible gene GADD45beta contributes to sorafenib-induced apoptosis in hepatocellular carcinoma cells. <i>Cancer Research</i> , <b>2010</b> , 70, 9309-18	10.1	69
136	A novel function of YWHAZ/Eatenin axis in promoting epithelial-mesenchymal transition and lung cancer metastasis. <i>Molecular Cancer Research</i> , <b>2012</b> , 10, 1319-31	6.6	69
135	Arsenic suppresses gene expression in promyelocytic leukemia cells partly through Sp1 oxidation. <i>Blood</i> , <b>2005</b> , 106, 304-10	2.2	66
134	Proteogenomics of Non-smoking Lung Cancer in East Asia Delineates Molecular Signatures of Pathogenesis and Progression. <i>Cell</i> , <b>2020</b> , 182, 226-244.e17	56.2	65
133	Cancer cells increase endothelial cell tube formation and survival by activating the PI3K/Akt signalling pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2017</b> , 36, 27	12.8	63
132	R331W Missense Mutation of Oncogene YAP1 Is a Germline Risk Allele for Lung Adenocarcinoma With Medical Actionability. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 2303-10	2.2	62
131	MicroRNA-133a suppresses multiple oncogenic membrane receptors and cell invasion in non-small cell lung carcinoma. <i>PLoS ONE</i> , <b>2014</b> , 9, e96765	3.7	61
130	Identification of five driver gene mutations in patients with treatment-naïve lung adenocarcinoma in Taiwan. <i>PLoS ONE</i> , <b>2015</b> , 10, e0120852	3.7	58
129	Dynamic plasma EGFR mutation status as a predictor of EGFR-TKI efficacy in patients with EGFR-mutant lung adenocarcinoma. <i>Journal of Thoracic Oncology</i> , <b>2015</b> , 10, 603-10	8.9	55
128	miRNA-34b as a tumor suppressor in estrogen-dependent growth of breast cancer cells. <i>Breast Cancer Research</i> , <b>2011</b> , 13, R116	8.3	55
127	Multiple gene sequencing for risk assessment in patients with early-onset or familial breast cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 8310-20	3.3	53
126	The Relationship Between Air Pollution and Lung Cancer in Nonsmokers in Taiwan. <i>Journal of Thoracic Oncology</i> , <b>2019</b> , 14, 784-792	8.9	51
125	Crosstalk between CLCb/Dyn1-Mediated Adaptive Clathrin-Mediated Endocytosis and Epidermal Growth Factor Receptor Signaling Increases Metastasis. <i>Developmental Cell</i> , <b>2017</b> , 40, 278-288.e5	10.2	50
124	IL-8 confers resistance to EGFR inhibitors by inducing stem cell properties in lung cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 10415-31	3.3	49

123	Target identification of microRNAs expressed highly in human embryonic stem cells. <i>Journal of Cellular Biochemistry</i> , <b>2009</b> , 106, 1020-30	4.7	48
122	IKZF1 deletions predict a poor prognosis in children with B-cell progenitor acute lymphoblastic leukemia: a multicenter analysis in Taiwan. <i>Cancer Science</i> , <b>2011</b> , 102, 1874-81	6.9	47
121	Phenanthrene-based tylophorine-1 (PBT-1) inhibits lung cancer cell growth through the Akt and NF-kappaB pathways. <i>Journal of Medicinal Chemistry</i> , <b>2009</b> , 52, 1903-11	8.3	46
120	Unique MicroRNA signature and clinical outcome of cancers. <i>DNA and Cell Biology</i> , <b>2007</b> , 26, 283-92	3.6	43
119	EGFR mutation, smoking, and gender in advanced lung adenocarcinoma. <i>Oncotarget</i> , <b>2017</b> , 8, 98384-98393	3.3	43
118	A four-gene signature from NCI-60 cell line for survival prediction in non-small cell lung cancer. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 7309-15	12.9	42
117	Upregulation of microRNA-137 expression by Slug promotes tumor invasion and metastasis of non-small cell lung cancer cells through suppression of TFAP2C. <i>Cancer Letters</i> , <b>2017</b> , 402, 190-202	9.9	37
116	The HLJ1-targeting drug screening identified Chinese herb andrographolide that can suppress tumour growth and invasion in non-small-cell lung cancer. <i>Carcinogenesis</i> , <b>2013</b> , 34, 1069-80	4.6	36
115	Identification of microRNAs expressed highly in pancreatic islet-like cell clusters differentiated from human embryonic stem cells. <i>Cell Biology International</i> , <b>2011</b> , 35, 29-37	4.5	36
114	Curcumin Suppresses Metastasis via Sp-1, FAK Inhibition, and E-Cadherin Upregulation in Colorectal Cancer. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2013</b> , 2013, 541695	2.3	35
113	Characterization of the distal tail fiber locus and determination of the receptor for phage AR1, which specifically infects Escherichia coli O157:H7. <i>Journal of Bacteriology</i> , <b>2000</b> , 182, 5962-8	3.5	35
112	High PD-L1 expression correlates with primary resistance to EGFR-TKIs in treatment naïve advanced EGFR-mutant lung adenocarcinoma patients. <i>Lung Cancer</i> , <b>2019</b> , 127, 37-43	5.9	35
111	Knockdown of GALNT1 suppresses malignant phenotype of hepatocellular carcinoma by suppressing EGFR signaling. <i>Oncotarget</i> , <b>2015</b> , 6, 5650-65	3.3	34
110	Gene expression profiles in hypoxic preconditioning using cDNA microarray analysis: altered expression of an angiogenic factor, carcinoembryonic antigen-related cell adhesion molecule 1. <i>Shock</i> , <b>2005</b> , 24, 124-31	3.4	33
109	Antitumor agents 288: design, synthesis, SAR, and biological studies of novel heteroatom-incorporated antofine and cryptopleurine analogues as potent and selective antitumor agents. <i>Journal of Medicinal Chemistry</i> , <b>2011</b> , 54, 5097-107	8.3	32
108	Identification of microRNAs regulated by activin A in human embryonic stem cells. <i>Journal of Cellular Biochemistry</i> , <b>2010</b> , 109, 93-102	4.7	30
107	MicroRNA and Pathogenesis of Enterovirus Infection. <i>Viruses</i> , <b>2016</b> , 8,	6.2	30
106	Induction of Bim expression contributes to the antitumor synergy between sorafenib and mitogen-activated protein kinase/extracellular signal-regulated kinase kinase inhibitor CI-1040 in hepatocellular carcinoma. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 5820-8	12.9	29

105	Expression and prognostic significance of the apoptotic genes BCL2L13, Livin, and CASP8AP2 in childhood acute lymphoblastic leukemia. <i>Leukemia Research</i> , <b>2010</b> , 34, 18-23	2.7	29
104	Clustered genomic alterations in chromosome 7p dictate outcomes and targeted treatment responses of lung adenocarcinoma with EGFR-activating mutations. <i>Journal of Clinical Oncology</i> , <b>2011</b> , 29, 3435-42	2.2	28
103	Transcriptome analysis in blastocyst hatching by cDNA microarray. <i>Human Reproduction</i> , <b>2005</b> , 20, 2492-501	5.1	28
102	The Association of Acquired T790M Mutation with Clinical Characteristics after Resistance to First-Line Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor in Lung Adenocarcinoma. <i>Cancer Research and Treatment</i> , <b>2018</b> , 50, 1294-1303	5.2	28
101	Slug is temporally regulated by cyclin E in cell cycle and controls genome stability. <i>Oncogene</i> , <b>2015</b> , 34, 1116-25	9.2	27
100	HOXA5 and p53 cooperate to suppress lung cancer cell invasion and serve as good prognostic factors in non-small cell lung cancer. <i>Journal of Cancer</i> , <b>2017</b> , 8, 1071-1081	4.5	27
99	Shisa3 is associated with prolonged survival through promoting Eatenin degradation in lung cancer. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2014</b> , 190, 433-44	10.2	27
98	Modulated expression of human peripheral blood microRNAs from infancy to adulthood and its role in aging. <i>Aging Cell</i> , <b>2014</b> , 13, 679-89	9.9	27
97	Protocadherin 10 suppresses tumorigenesis and metastasis in colorectal cancer and its genetic loss predicts adverse prognosis. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2593-603	7.5	27
96	Extended O6-methylguanine methyltransferase promoter hypermethylation following n-butylidenephthalide combined with 1,3-bis(2-chloroethyl)-1-nitrosourea (BCNU) on inhibition of human hepatocellular carcinoma cell growth. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 1630-8	5.7	27
95	Genome-wide analysis of three-way interplay among gene expression, cancer cell invasion and anti-cancer compound sensitivity. <i>BMC Medicine</i> , <b>2013</b> , 11, 106	11.4	26
94	Development of novel antibacterial agents against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Bioorganic and Medicinal Chemistry</i> , <b>2012</b> , 20, 4653-60	3.4	26
93	MicroRNA expression aberration associated with bronchopulmonary dysplasia in preterm infants: a preliminary study. <i>Respiratory Care</i> , <b>2013</b> , 58, 1527-35	2.1	26
92	Single-walled carbon nanotubes induce airway hyperreactivity and parenchymal injury in mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , <b>2012</b> , 46, 257-67	5.7	26
91	Role of GlnR in acid-mediated repression of genes encoding proteins involved in glutamine and glutamate metabolism in <i>Streptococcus mutans</i> . <i>Applied and Environmental Microbiology</i> , <b>2010</b> , 76, 2478-86	4.8	25
90	Rutin, a Flavonoid That Is a Main Component of <i>Saussurea involucreata</i> , Attenuates the Senescence Effect in D-Galactose Aging Mouse Model. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2012</b> , 2012, 980276	2.3	25
89	HOXA5 inhibits metastasis via regulating cytoskeletal remodelling and associates with prolonged survival in non-small-cell lung carcinoma. <i>PLoS ONE</i> , <b>2015</b> , 10, e0124191	3.7	24
88	miR-146a and miR-370 coordinate enterovirus 71-induced cell apoptosis through targeting SOS1 and GADD45. <i>Cellular Microbiology</i> , <b>2015</b> , 17, 802-18	3.9	23

87	NDST4 is a novel candidate tumor suppressor gene at chromosome 4q26 and its genetic loss predicts adverse prognosis in colorectal cancer. <i>PLoS ONE</i> , <b>2013</b> , 8, e67040	3.7	23
86	Clinicopathological and genomic comparisons between different histologic components in combined small cell lung cancer and non-small cell lung cancer. <i>Lung Cancer</i> , <b>2018</b> , 125, 282-290	5.9	23
85	Tumor suppressor HLJ1 binds and functionally alters nucleophosmin via activating enhancer binding protein 2alpha complex formation. <i>Cancer Research</i> , <b>2010</b> , 70, 1656-67	10.1	22
84	JAG1 Is Associated with Poor Survival through Inducing Metastasis in Lung Cancer. <i>PLoS ONE</i> , <b>2016</b> , 11, e0150355	3.7	22
83	Inducing hair follicle neogenesis with secreted proteins enriched in embryonic skin. <i>Biomaterials</i> , <b>2018</b> , 167, 121-131	15.6	21
82	HLJ1 is a novel caspase-3 substrate and its expression enhances UV-induced apoptosis in non-small cell lung carcinoma. <i>Nucleic Acids Research</i> , <b>2010</b> , 38, 6148-58	20.1	21
81	SP110b Controls Host Immunity and Susceptibility to Tuberculosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2017</b> , 195, 369-382	10.2	21
80	SPANXA suppresses EMT by inhibiting c-JUN/SNAI2 signaling in lung adenocarcinoma. <i>Oncotarget</i> , <b>2016</b> , 7, 44417-44429	3.3	21
79	ChemiRs: a web application for microRNAs and chemicals. <i>BMC Bioinformatics</i> , <b>2016</b> , 17, 167	3.6	19
78	DNA Hypermethylation of SHISA3 in Colorectal Cancer: An Independent Predictor of Poor Prognosis. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22 Suppl 3, S1481-9	3.1	18
77	Biomarkers and transcriptome profiling of lung cancer. <i>Respirology</i> , <b>2012</b> , 17, 620-6	3.6	18
76	Absence of biallelic TCR $\beta$ deletion predicts induction failure and poorer outcomes in childhood T-cell acute lymphoblastic leukemia. <i>Pediatric Blood and Cancer</i> , <b>2012</b> , 58, 846-51	3	18
75	Talbot holographic illumination nonscanning (THIN) fluorescence microscopy. <i>Laser and Photonics Reviews</i> , <b>2014</b> , 8, L71-L75	8.3	17
74	The emergence of T790M mutation in EGFR-mutant lung adenocarcinoma patients having a history of acquired resistance to EGFR-TKI: focus on rebiopsy timing and long-term existence of T790M. <i>Oncotarget</i> , <b>2016</b> , 7, 48059-48069	3.3	17
73	Characteristics and Predictive Value of PD-L1 Status in Real-World Non-Small Cell Lung Cancer Patients. <i>Journal of Immunotherapy</i> , <b>2018</b> , 41, 292-299	5	16
72	Smoking-related microRNAs and mRNAs in human peripheral blood mononuclear cells. <i>Toxicology and Applied Pharmacology</i> , <b>2016</b> , 305, 169-175	4.6	16
71	PARVA promotes metastasis by modulating ILK signalling pathway in lung adenocarcinoma. <i>PLoS ONE</i> , <b>2015</b> , 10, e0118530	3.7	16
70	Molecular gene signature and prognosis of non-small cell lung cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 51898-51907	3.3	15



69	Comparative proteomic profiling of human lung adenocarcinoma cells (CL 1-0) expressing miR-372. <i>Electrophoresis</i> , <b>2012</b> , 33, 675-88	3.6	14
68	FAM198B Is Associated with Prolonged Survival and Inhibits Metastasis in Lung Adenocarcinoma via Blockage of ERK-Mediated MMP-1 Expression. <i>Clinical Cancer Research</i> , <b>2018</b> , 24, 916-926	12.9	14
67	Isochailulactone protects PC12 cell against H(2)O(2) induced oxidative stress and exerts the potent anti-aging effects in D-galactose aging mouse model. <i>Acta Pharmacologica Sinica</i> , <b>2010</b> , 31, 1532-40	8.40	13
66	Antitumor agents 283. Further elaboration of desmosdumotin C analogs as potent antitumor agents: activation of spindle assembly checkpoint as possible mode of action. <i>Bioorganic and Medicinal Chemistry</i> , <b>2011</b> , 19, 1816-22	3.4	13
65	EGFR-activating mutations, DNA copy number abundance of ErbB family, and prognosis in lung adenocarcinoma. <i>Oncotarget</i> , <b>2016</b> , 7, 9017-25	3.3	13
64	Tumor mutation burden and recurrent tumors in hereditary lung cancer. <i>Cancer Medicine</i> , <b>2019</b> , 8, 2179-2187	4.187	12
63	Prior EGFR tyrosine-kinase inhibitor therapy did not influence the efficacy of subsequent pemetrexed plus platinum in advanced chemonaive patients with EGFR-mutant lung adenocarcinoma. <i>OncoTargets and Therapy</i> , <b>2014</b> , 7, 799-805	4.4	12
62	Potential Therapeutic Role of Z-Isochailulactone in Lung Cancer through Induction of Apoptosis via Notch Signaling. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2012</b> , 2012, 809204	2.3	12
61	A feeder-free culture using autogeneic conditioned medium for undifferentiated growth of human embryonic stem cells: comparative expression profiles of mRNAs, microRNAs and proteins among different feeders and conditioned media. <i>BMC Cell Biology</i> , <b>2010</b> , 11, 76		12
60	Oncogenic miR-137 contributes to cisplatin resistance via repressing CASP3 in lung adenocarcinoma. <i>American Journal of Cancer Research</i> , <b>2016</b> , 6, 1317-30	4.4	12
59	Perinatal polychlorinated biphenyls and polychlorinated dibenzofurans exposure are associated with DNA methylation changes lasting to early adulthood: Findings from Yucheng second generation. <i>Environmental Research</i> , <b>2019</b> , 170, 481-486	7.9	12
58	Hypoxia-induced Slug SUMOylation enhances lung cancer metastasis. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2019</b> , 38, 5	12.8	12
57	Do interleukin-10 and superoxide ions predict outcomes of cardiac extracorporeal membrane oxygenation patients?. <i>Antioxidants and Redox Signaling</i> , <b>2014</b> , 20, 60-8	8.4	11
56	Comparative expression profiles of mRNAs and microRNAs among human mesenchymal stem cells derived from breast, face, and abdominal adipose tissues. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2010</b> , 26, 113-22	2.4	11
55	Assay of HIV-1 protease activity by use of crude preparations of enzyme and biotinylated substrate. <i>Journal of Virological Methods</i> , <b>1995</b> , 53, 63-73	2.6	11
54	A Double Negative Loop Comprising ETV6/RUNX1 and MIR181A1 Contributes to Differentiation Block in t(12;21)-Positive Acute Lymphoblastic Leukemia. <i>PLoS ONE</i> , <b>2015</b> , 10, e0142863	3.7	11
53	HLJ1 is an endogenous Src inhibitor suppressing cancer progression through dual mechanisms. <i>Oncogene</i> , <b>2016</b> , 35, 5674-5685	9.2	11
52	EGFR mutation and lobar location of lung adenocarcinoma. <i>Carcinogenesis</i> , <b>2016</b> , 37, 157-162	4.6	10

51	Focal amplification of HOXD-harboring chromosome region is implicated in multiple-walled carbon nanotubes-induced carcinogenicity. <i>Nano Letters</i> , <b>2013</b> , 13, 4632-41	11.5	10
50	Impact of EGFR mutation detection methods on the efficacy of erlotinib in patients with advanced EGFR-wild type lung adenocarcinoma. <i>PLoS ONE</i> , <b>2014</b> , 9, e107160	3.7	10
49	PCDH10 exerts tumor-suppressor functions through modulation of EGFR/AKT axis in colorectal cancer. <i>Cancer Letters</i> , <b>2021</b> , 499, 290-300	9.9	10
48	Mutational monitoring of EGFR T790M in cfDNA for clinical outcome prediction in EGFR-mutant lung adenocarcinoma. <i>PLoS ONE</i> , <b>2018</b> , 13, e0207001	3.7	10
47	Gene expression of MAGE-A3 and PRAME tumor antigens and EGFR mutational status in Taiwanese non-small cell lung cancer patients. <i>Asia-Pacific Journal of Clinical Oncology</i> , <b>2017</b> , 13, e212-e223	1.9	9
46	Potential therapeutic benefit of combining gefitinib and tamoxifen for treating advanced lung adenocarcinoma. <i>BioMed Research International</i> , <b>2015</b> , 2015, 642041	3	9
45	Characterization of a phage specific to hemorrhagic Escherichia coli O157:H7 and disclosure of variations in host outer membrane protein ompC. <i>Journal of Biomedical Science</i> , <b>1998</b> , 5, 370-82	13.3	9
44	Rhomycin A, a novel Src-targeted compound, can suppress lung cancer cell progression via modulating Src-related pathways. <i>Oncotarget</i> , <b>2015</b> , 6, 26252-65	3.3	9
43	Implementation and Quality Control of Lung Cancer EGFR Genetic Testing by MALDI-TOF Mass Spectrometry in Taiwan Clinical Practice. <i>Scientific Reports</i> , <b>2016</b> , 6, 30944	4.9	9
42	Host relieves Inc-IRAK3-3-sequestered miR-891b to attenuate apoptosis in Enterovirus 71 infection. <i>Cellular Microbiology</i> , <b>2019</b> , 21, e13043	3.9	8
41	Characterization of a Phage Specific to Hemorrhagic Escherichia coli O157:H7 and Disclosure of Variations in Host Outer Membrane Protein OmpC. <i>Journal of Biomedical Science</i> , <b>1998</b> , 5, 370-382	13.3	8
40	ALK variants, PD-L1 expression, and their association with outcomes in ALK-positive NSCLC patients. <i>Scientific Reports</i> , <b>2020</b> , 10, 21063	4.9	8
39	Rapid Sputum Multiplex Detection of the M. tuberculosis Complex (MTBC) and Resistance Mutations for Eight Antibiotics by Nucleotide MALDI-TOF MS. <i>Scientific Reports</i> , <b>2017</b> , 7, 41486	4.9	7
38	Multiplex reverse transcription-polymerase chain reaction as diagnostic molecular screening of 4 common fusion chimeric genes in Taiwanese children with acute lymphoblastic leukemia. <i>Journal of Pediatric Hematology/Oncology</i> , <b>2010</b> , 32, e323-30	1.2	7
37	Phosphatase of regenerating liver-3 inhibits invasiveness and proliferation in non-small cell lung cancer by regulating the epithelial-mesenchymal transition. <i>Oncotarget</i> , <b>2016</b> , 7, 21799-811	3.3	7
36	EGFR-Mutant SCLC Exhibits Heterogeneous Phenotypes and Resistance to Common Antineoplastic Drugs. <i>Journal of Thoracic Oncology</i> , <b>2019</b> , 14, 513-526	8.9	7
35	Targeting the insulin-like growth factor-1 receptor in MTAP-deficient renal cell carcinoma. <i>Signal Transduction and Targeted Therapy</i> , <b>2019</b> , 4, 2	21	6
34	Predicting outcome in patients under extracorporeal membrane oxygenation due to cardiogenic shock through dynamic change of lymphocytes and interleukins. <i>IJC Metabolic &amp; Endocrine</i> , <b>2015</b> , 7, 36-44		6



33	Proteomic comparison of human embryonic stem cells with their differentiated fibroblasts: Identification of 206 genes targeted by hES cell-specific microRNAs. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2011</b> , 27, 299-306	2.4	6
32	Higher frequency but random distribution of EGFR mutation subtypes in familial lung cancer patients. <i>Oncotarget</i> , <b>2016</b> , 7, 53299-53308	3.3	6
31	A kinetic-dynamic model for regulatory RNA processing. <i>Journal of Biotechnology</i> , <b>2007</b> , 127, 488-95	3.7	5
30	Comparative Profiling of mRNA and microRNA Expression in Human Mesenchymal Stem Cells Derived from Adult Adipose and Lipoma Tissues. <i>Open Stem Cell Journal</i> , <b>2009</b> , 1, 1-9	2	5
29	Intercalated Treatment Following Rebiopsy Is Associated with a Shorter Progression-Free Survival of Osimertinib Treatment. <i>Cancer Research and Treatment</i> , <b>2018</b> , 50, 1164-1174	5.2	4
28	Liquid biopsy for detection of EGFR T790M mutation in nonsmall cell lung cancer: An experience of proficiency testing in Taiwan. <i>Journal of the Chinese Medical Association</i> , <b>2019</b> , 82, 473-476	2.8	4
27	Primary Tumor Resection Is Associated with a Better Outcome among Advanced EGFR-Mutant Lung Adenocarcinoma Patients Receiving EGFR-TKI Treatment. <i>Oncology</i> , <b>2021</b> , 99, 32-40	3.6	4
26	Genome-Wide Epigenetic Landscape of Lung Adenocarcinoma Links HOXB9 DNA Methylation to Intrinsic EGFR-TKI Resistance and Heterogeneous Responses. <i>JCO Precision Oncology</i> , <b>2021</b> , 5,	3.6	4
25	Landscape of Mitochondria Genome and Clinical Outcomes in Stage 1 Lung Adenocarcinoma. <i>Cancers</i> , <b>2020</b> , 12,	6.6	3
24	Intra-abdominal adhesion formation induces anti-oxidative injury, enhances cell proliferation, and prevents complement-mediated lysis. <i>Wound Repair and Regeneration</i> , <b>2008</b> , 16, 388-98	3.6	3
23	Genome-Wide Scan for Copy Number Alteration Association with Relapse-Free Survival in Colorectal Cancer with Liver Metastasis Patients. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	3
22	A Celecoxib Derivative Eradicates Antibiotic-Resistant and Biofilms by Targeting YidC2 Translocase. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	2
21	Copy Number Alterations of Depressed Colorectal Neoplasm Predict the Survival and Response to Oxaliplatin in Proximal Colon Cancer. <i>Cancers</i> , <b>2020</b> , 12,	6.6	2
20	MITF functions as a tumor suppressor in non-small cell lung cancer beyond the canonically oncogenic role. <i>Aging</i> , <b>2020</b> , 13, 646-674	5.6	2
19	Long-term outcomes and left ventricular diastolic function of sarcomere mutation-positive and mutation-negative patients with hypertrophic cardiomyopathy: a prospective cohort study. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2020</b> ,	4.1	2
18	FPGS relapse-specific mutations in relapsed childhood acute lymphoblastic leukemia. <i>Scientific Reports</i> , <b>2020</b> , 10, 12074	4.9	2
17	Philadelphia chromosome-negative B-cell acute lymphoblastic leukaemia with kinase fusions in Taiwan. <i>Scientific Reports</i> , <b>2021</b> , 11, 5802	4.9	2
16	The impact of different first-line EGFR-TKIs on the clinical outcome of sequential osimertinib treatment in advanced NSCLC with secondary T790M. <i>Scientific Reports</i> , <b>2021</b> , 11, 12084	4.9	2

15	Prognostic Characteristics and Immunotherapy Response of Patients With Nonsquamous NSCLC With Mutation in East Asian Populations: A Single-Center Cohort Study in Taiwan. <i>JTO Clinical and Research Reports</i> , <b>2021</b> , 2, 100140	1.4	2
14	Organization of HIV-1 pol is critical for Pol polyprotein processing. <i>Journal of Biomedical Science</i> , <b>1999</b> , 6, 333-41	13.3	1
13	Predilection of contralateral upper lung metastasis in upper lobe lung adenocarcinoma patients. <i>Journal of Thoracic Disease</i> , <b>2016</b> , 8, 86-92	2.6	1
12	Statin-induced microRNAome alterations modulating inflammation pathways of peripheral blood mononuclear cells in patients with hypercholesterolemia. <i>Bioscience Reports</i> , <b>2020</b> , 40,	4.1	1
11	Primary Tumor Radiotherapy During EGFR-TKI Disease Control Improves Survival of Treatment Naïve Advanced EGFR-Mutant Lung Adenocarcinoma Patients. <i>OncoTargets and Therapy</i> , <b>2021</b> , 14, 2139-2148	4.4	1
10	Transthyretin as a Biomarker to Predict and Monitor Major Depressive Disorder Identified by Whole-Genome Transcriptomic Analysis in Mouse Models. <i>Biomedicines</i> , <b>2021</b> , 9,	4.8	1
9	The Difference in Clinical Outcomes Between Osimertinib and Afatinib for First-Line Treatment in Patients with Advanced and Recurrent EGFR-Mutant Non-Small Cell Lung Cancer in Taiwan.. <i>Targeted Oncology</i> , <b>2022</b> , 1	5	1
8	IKK $\beta$ isoform switching governs the immune response against EV71 infection. <i>Communications Biology</i> , <b>2021</b> , 4, 663	6.7	0
7	The relative importance of predictive factors for single first-generation EGFR-TKI use for more than 5 years in patients with advanced non-small cell lung cancer: Taiwan multicenter TIPS-5 study. <i>Therapeutic Advances in Medical Oncology</i> , <b>2021</b> , 13, 17588359211018022	5.4	0
6	Extracorporeal Life Support Enhances the Forward Pressure Wave to Cause a Mismatch between Cardiac Oxygen Demand and Supply. <i>Scientific Reports</i> , <b>2019</b> , 9, 13882	4.9	
5	Organization of HIV-1 pol Is Critical for Pol Polyprotein Processing. <i>Journal of Biomedical Science</i> , <b>1999</b> , 6, 333-341	13.3	
4	Improvement of NGS uniformity of single cell sequencing in CTCs by WGA QC and increased sequencing throughput.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, e21176-e21176	2.2	
3	Multiplex ALK, RET, and ROS1 fusion mutation detection in FFPE from lung cancer patients by MALDI-TOF mass spectrometry.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, e13103-e13103	2.2	
2	MicroRNA Expression in Childhood Acute Lymphoblastic Leukemia (ALL). <i>Blood</i> , <b>2008</b> , 112, 4467-4467	2.2	
1	Screening of early-staged colorectal neoplasia by clonal hematopoiesis-based liquid biopsy and machine-learning.. <i>American Journal of Cancer Research</i> , <b>2022</b> , 12, 1088-1101	4.4	