Kyriacos Kalli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9355573/publications.pdf

Version: 2024-02-01

| 188 | 3,818 citations | 34 | 57 |
|----------|-----------------|--------------|----------------|
| papers | | h-index | g-index |
| pupero | Citationo | II IIIQOX | 5 macx |
| 189 | 189 | 189 | 2316 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Temperature-Insensitive Curvature Sensor With Plane-by-Plane Inscription of Off-Center Tilted Bragg Gratings in CYTOP Fibers. IEEE Sensors Journal, 2022, 22, 11725-11731. | 4.7 | 6 |
| 2 | Strain Measurement in Hyrax Appliances Using FBG Sensors in a 3D-Printed Human Maxillary Model. IEEE Photonics Technology Letters, 2022, 34, 811-814. | 2.5 | 1 |
| 3 | Generation of a Conjoint Surface Plasmon by an Infrared Nanoâ€Antenna Array. Advanced Photonics Research, 2021, 2, 2000003. | 3.6 | 2 |
| 4 | Single Peak Fiber Bragg Grating Sensors in Tapered Multimode Polymer Optical Fibers. Journal of Lightwave Technology, 2021, 39, 6934-6941. | 4.6 | 13 |
| 5 | Femtosecond Laser Plane-by-Plane Inscribed Cavity Mirrors for Monolithic Fiber Lasers in Thulium-Doped Fiber. Sensors, 2021, 21, 1928. | 3.8 | 1 |
| 6 | In-Situ Relative Humidity Sensing for Ultra-High-Performance Concrete Using Polymer Fiber Bragg Gratings. IEEE Sensors Journal, 2021, 21, 16086-16092. | 4.7 | 11 |
| 7 | Distributed polymer optical fiber sensors: a review and outlook. Photonics Research, 2021, 9, 1719. | 7.0 | 47 |
| 8 | Femtosecond laser direct inscribed $45 \hat{A}^{\circ}$ tilted fiber grating for a net-normal-dispersion mode-locked Er-doped fiber laser. Optics and Laser Technology, 2021, 143, 107358. | 4.6 | 4 |
| 9 | Comparative Study of \hat{I}^3 - and e-Radiation-Induced Effects on FBGs Using Different Femtosecond Laser Inscription Methods. Sensors, 2021, 21, 8379. | 3.8 | 6 |
| 10 | Recent trends and advances of fibre Bragg grating sensors in CYTOP polymer optical fibres. Optical Fiber Technology, 2020, 54, 102079. | 2.7 | 58 |
| 11 | All-in-Fiber Fabrication of Cladding Devices and Components Using Femtosecond Laser Pulses. , 2020, , . | | O |
| 12 | Perfluorinated fiber material properties following femtosecond laser inscription. Optical Materials, 2020, 109, 110412. | 3.6 | 3 |
| 13 | Effective Cleaving Parameters for Multimode Gradient Index CYTOP Polymer Fiber. Polymers, 2020, 12, 2491. | 4.5 | 2 |
| 14 | FPI-POFBG Angular Movement Sensor Inscribed in CYTOP Fibers With Dynamic Angle Compensator. IEEE Sensors Journal, 2020, 20, 5962-5969. | 4.7 | 21 |
| 15 | Bragg Gratings Inscribed in Solid-Core Microstructured Single-Mode Polymer Optical Fiber Drawn From a 3D-Printed Polycarbonate Preform. IEEE Sensors Journal, 2020, 20, 12744-12757. | 4.7 | 13 |
| 16 | Optimizing Linearity and Sensitivity of 3D-Printed Diaphragms With Chirped FBGs in CYTOP Fibers. IEEE Access, 2020, 8, 31983-31991. | 4.2 | 28 |
| 17 | Femtosecond Laser Inscribed Tilted Gratings for Leaky Mode Excitation in Optical Fibers. Journal of Lightwave Technology, 2020, 38, 1921-1928. | 4.6 | 9 |
| 18 | Multimode Fiber Interferometer Based on Graded-Index Polymer CYTOP Fiber. Journal of Lightwave Technology, 2020, 38, 1439-1445. | 4.6 | 19 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Generation of Dissipative Soliton in Er-doped All-fiber Oscillator Based on a Femtosecond Laser Inscribed $45\hat{A}^\circ$ Tilted Fiber Grating. , 2020, , . | | 0 |
| 20 | Femtosecond Laser Inscribed Optical Fiber Components Applied to Lasers and Sensors. , 2020, , . | | 0 |
| 21 | Fiber Bragg Based Sensors for Foot Plantar Pressure Analysis. Communications in Computer and Information Science, 2019, , 3-25. | 0.5 | 2 |
| 22 | CYTOP Fibre Bragg Grating Sensors for Harsh Radiation Environments. Sensors, 2019, 19, 2853. | 3.8 | 27 |
| 23 | Twist dependencies of strain and temperature sensitivities of perfluorinated graded-index polymer optical fiber Bragg gratings. Applied Physics Express, 2019, 12, 082007. | 2.4 | 7 |
| 24 | All-Fiber Mode-Locked Thulium Doped Fiber Laser using a Novel Femtosecond Laser Inscribed 45 \hat{A}° Tilted Fiber Grating. , 2019, , . | | 0 |
| 25 | All fiber mode-locked thulium-doped fiber laser using a novel femtosecond-laser-inscribed 45°-plane-by-plane-tilted fiber grating. Laser Physics Letters, 2019, 16, 095104. | 1.4 | 14 |
| 26 | All-in-Fiber Cladding Interferometric and Bragg Grating Components Made via Plane-by-Plane Femtosecond Laser Inscription. Journal of Lightwave Technology, 2019, 37, 4864-4871. | 4.6 | 24 |
| 27 | Er/Yb Double-Clad Fiber Laser With fs-Laser Inscribed Plane-by-Plane Chirped FBG Laser Mirrors. IEEE Photonics Technology Letters, 2019, 31, 409-412. | 2.5 | 18 |
| 28 | Plane-by-Plane Written, Low-Loss Polymer Optical Fiber Bragg Grating Arrays for Multiparameter Sensing in a Smart Walker. IEEE Sensors Journal, 2019, 19, 9221-9228. | 4.7 | 22 |
| 29 | Potential of Discriminative Sensing of Strain and Temperature Using Perfluorinated Polymer FBG. IEEE Sensors Journal, 2019, 19, 4458-4462. | 4.7 | 12 |
| 30 | Quasi-Distributed Torque and Displacement Sensing on a Series Elastic Actuator's Spring Using FBG Arrays Inscribed in CYTOP Fibers. IEEE Sensors Journal, 2019, 19, 4054-4061. | 4.7 | 70 |
| 31 | Femtosecond Laser Written Plane-by-Plane Bragg Grating Sensors in Bioresorbable Phosphate Optical Fibres. Journal of Lightwave Technology, 2019, 37, 2363-2369. | 4.6 | 7 |
| 32 | Low-loss Polymer Optical Components and Cladding Interferometric Devices Inscribed Using Femtosecond Laser Inscription., 2019,,. | | 0 |
| 33 | All-fiber Passively Mode-locked Femtosecond Laser Based on a Femtosecond Laser Inscribed 45 \hat{A}^o Tilted Fiber Grating. , 2019, , . | | 1 |
| 34 | Lorentzian demodulation algorithm for multimode polymer optical fiber Bragg gratings. Japanese Journal of Applied Physics, 2019, 58, 028003. | 1.5 | 5 |
| 35 | Simultaneous Measurement of Axial Strain, Bending and Torsion With a Single Fiber Bragg Grating in CYTOP Fiber. Journal of Lightwave Technology, 2019, 37, 971-980. | 4.6 | 85 |
| 36 | Low-dimensional nano-patterned surface fabricated by direct-write UV-chemically induced geometric inscription technique. Optics Letters, 2019, 44, 195. | 3.3 | 2 |

3

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | All-fiber passively mode-locked ultrafast laser based on a femtosecond-laser-inscribed in-fiber Brewster device. Optics Letters, 2019, 44, 5177. | 3.3 | 9 |
| 38 | Long period grating in a multimode cyclic transparent optical polymer fiber inscribed using a femtosecond laser. Optics Letters, 2019, 44, 5346. | 3.3 | 36 |
| 39 | Femtosecond laser plane-by-plane Bragg gratings for monolithic Thulium-doped fibre laser operating at 1970 nm. , 2019, , . | | 1 |
| 40 | Carbon coated FBGs inscribed using the plane-by-plane femtosecond laser inscription method. , 2019, , . | | 1 |
| 41 | Multi-core optical fibre shape sensing with femtosecond laser inscribed bridging cladding waveguides. , 2019, , . | | 0 |
| 42 | Fibre cladding interferometers and Bragg gratings made via plane by plane femtosecond laser inscription. , $2019, \dots$ | | 1 |
| 43 | Multimode fiber interferometer with embedded long period grating. , 2019, , . | | 0 |
| 44 | Multimode CYTOP fiber interferometer: an experimental study. , 2019, , . | | 0 |
| 45 | Monolithic fibre lasers developed using the plane-by-plane femtosecond laser inscription method. , 2019, , . | | 0 |
| 46 | Design of a temperature-sensing smart textile based on Fiber Bragg Grating sensor in CYTOP fiber. , 2019, , . | | 0 |
| 47 | Carbon Cantilever Beam Health Inspection Using a Polymer Fiber Bragg Grating Array. Journal of Lightwave Technology, 2018, 36, 986-992. | 4.6 | 54 |
| 48 | Laser-sculpted hybrid photonic magnetometer with nanoscale magnetostrictive interaction. Sensors and Actuators A: Physical, 2018, 269, 545-555. | 4.1 | 0 |
| 49 | Bragg Gratings and Fabry-Perot Cavities in Low-Loss Multimode CYTOP Polymer Fiber. IEEE Photonics Technology Letters, 2018, 30, 857-860. | 2.5 | 47 |
| 50 | Strain dependence of perfluorinated polymer optical fiber Bragg grating measured at different wavelengths. Japanese Journal of Applied Physics, 2018, 57, 038002. | 1.5 | 12 |
| 51 | Methane detection scheme based upon the changing optical constants of a zinc oxide/platinum matrix created by a redox reaction and their effect upon surface plasmons. Sensors and Actuators B: Chemical, 2018, 255, 843-853. | 7.8 | 9 |
| 52 | All-Fiber Passively Mode-Locked Erbium-Doped Fiber Laser Using a Femtosecond Laser Inscribed 45 \hat{A}° -Tilted Fiber Grating. , 2018, , . | | 0 |
| 53 | Characterisation of silicon fibre Bragg grating in nearâ€infrared band for strain and temperature sensing. Electronics Letters, 2018, 54, 1393-1395. | 1.0 | 9 |
| 54 | Fiber Bragg Gratings in CYTOP Fibers Embedded in a 3D-Printed Flexible Support for Assessment of Human–Robot Interaction Forces. Materials, 2018, 11, 2305. | 2.9 | 60 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | Improvements on the cross-correlation algorithm used for tracking fractional Bragg grating wavelength shifts in multimode fibres. Optical Fiber Technology, 2018, 46, 36-42. | 2.7 | 4 |
| 56 | Higher-order cladding mode excitation of femtosecond-laser-inscribed tilted FBGs. Optics Letters, 2018, 43, 2169. | 3.3 | 11 |
| 57 | Optical sensors for bond-slip characterization and monitoring of RC structures. Sensors and Actuators A: Physical, 2018, 280, 332-339. | 4.1 | 23 |
| 58 | Polymer Optical Fiber Bragg Gratings in CYTOP Fibers for Angle Measurement with Dynamic Compensation. Polymers, 2018, 10, 674. | 4.5 | 76 |
| 59 | Thermal Treatments and Compensation Techniques for the Improved Response of FBG Sensors in POFs. Journal of Lightwave Technology, 2018, 36, 3611-3617. | 4.6 | 15 |
| 60 | Compensation Method for Temperature Cross-Sensitivity in Transverse Force Applications With FBG Sensors in POFs. Journal of Lightwave Technology, 2018, 36, 3660-3665. | 4.6 | 74 |
| 61 | Monolithic Er/Yb double-clad fibre laser with FBG inscribed using the direct-write plane-by-plane fs-laser inscription method. , 2018 , , . | | 3 |
| 62 | L-band CYTOP Bragg gratings for ultrasound sensing. , 2018, , . | | 1 |
| 63 | Characterization of a new polymer optical fiber with enhanced sensing capabilities using a Bragg grating. Optics Letters, 2018, 43, 4799. | 3.3 | 66 |
| 64 | Foot Plantar Pressure Monitoring with CYTOP Bragg Gratings Sensing System. , 2018, , . | | 7 |
| 65 | Zero-crossing algorithm for the demodulation of FBGs inscribed in gradient index multimode fibres. , 2018, , . | | 0 |
| 66 | Plasmonic gas sensing in the C+L bands using femtosecond laser inscribed TFBGs. , 2018, , . | | 0 |
| 67 | Femtosecond laser inscription of ultra-compact Mach-Zehnder fibre cladding interferometer incorporating FBG. , 2018, , . | | 2 |
| 68 | Flexible direct write inscription of tilted fibre Bragg gratings using a femtosecond laser., 2018,,. | | 0 |
| 69 | Sensing capabilities of higher order cladding modes. , 2018, , . | | 2 |
| 70 | Femtosecond laser processing of optical fibres for novel sensor development. Proceedings of SPIE, 2017, , . | 0.8 | 4 |
| 71 | Femtosecond laser micromachining of compound parabolic concentrator fiber tipped glucose sensors. Journal of Biomedical Optics, 2017, 22, 037003. | 2.6 | 4 |
| 72 | Health monitoring of carbon cantilever using femtosecond laser inscribed FBG array in gradient-index CYTOP polymer fibre., 2017,,. | | 0 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Accurate and Fast Demodulation Algorithm for Multipeak FBG Reflection Spectra Using a Combination of Cross Correlation and Hilbert Transformation. Journal of Lightwave Technology, 2017, 35, 3956-3962. | 4.6 | 28 |
| 74 | Silica-Embedded Silicon Nanophotonic On-Chip Networks. IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems, 2017, 36, 978-991. | 2.7 | 1 |
| 75 | Plane-by-Plane Femtosecond Laser Inscription Method for Single-Peak Bragg Gratings in Multimode CYTOP Polymer Optical Fiber. Journal of Lightwave Technology, 2017, 35, 5404-5410. | 4.6 | 103 |
| 76 | Perfluorinated graded-index plastic optical fiber Bragg gratings: Observation and theoretical analysis of unique dependence on pressure. , 2017 , , . | | 0 |
| 77 | Pressure Dependence of Fiber Bragg Grating Inscribed in Perfluorinated Polymer Fiber. IEEE Photonics Technology Letters, 2017, 29, 2167-2170. | 2.5 | 53 |
| 78 | Real-time kinetic binding studies at attomolar concentrations in solution phase using a single-stage opto-biosensing platform based upon infrared surface plasmons. Optics Express, 2017, 25, 39. | 3.4 | 13 |
| 79 | Laser structuring, stress modification and Bragg grating inscription in silicon-core glass fibers. Optical Materials Express, 2017, 7, 1589. | 3.0 | 43 |
| 80 | Direct writing of plane-by-plane tilted fiber Bragg gratings using a femtosecond laser. Optics Letters, 2017, 42, 5198. | 3.3 | 75 |
| 81 | POFBG-Embedded Cork Insole for Plantar Pressure Monitoring. Sensors, 2017, 17, 2924. | 3.8 | 75 |
| 82 | Modified fs-Laser Inscribed FBG Array for Rapid Mode Shape Capture of Free-Free Vibrating Beams. IEEE Photonics Technology Letters, 2016, 28, 1509-1512. | 2.5 | 75 |
| 83 | Low loss polymer fiber Bragg gratings sensors for effective optical sensing of strain and temperature. , $2016, , .$ | | 1 |
| 84 | Photonic gas sensors exploiting directly the optical properties of hybrid carbon nanotube localized surface plasmon structures. Light: Science and Applications, 2016, 5, e16036-e16036. | 16.6 | 67 |
| 85 | Femtosecond laser waveguide and FBG inscription in four-core optical fibre. Proceedings of SPIE, 2016, | 0.8 | 3 |
| 86 | Femtosecond laser inscribed Bragg grating arrays in long lengths of polymer optical fibres; a route to practical sensing with POF. Electronics Letters, 2016, 52, 1626-1627. | 1.0 | 41 |
| 87 | Fabrication and characterisation of FBG sensors in low loss polymer optical fibre. Proceedings of SPIE, 2016, , . | 0.8 | 0 |
| 88 | Modified femtosecond laser inscription method for tailored grating sensors in encapsulated silica and low-loss polymer optical fibres. , 2016 , , . | | 0 |
| 89 | Femtosecond-Laser-Based Inscription Technique for Post-Fiber-Bragg Grating Inscription in an Extrinsic Fabry–Perot Interferometer Pressure Sensor. IEEE Sensors Journal, 2016, 16, 3396-3402. | 4.7 | 25 |
| 90 | Femtosecond Laser Inscription of Multiplexed FBG Sensors in CYTOP Polymer Optical Fibres., 2016,,. | | 2 |

| # | Article | IF | Citations |
|-----|---|-------------|-----------|
| 91 | Evidence of Chemical Complexity and Laser-Driven Autocatalysis in Type IA FBGs. , 2016, , . | | O |
| 92 | Fs Lasers for Complex Gratings, Integrated Circuits and Beam Shaping with Silica and Polymer Optical Fibres. , $2016, , .$ | | 0 |
| 93 | Designing High-Performance, Power-Efficient NoCs With Embedded Silicon-in-Silica Nanophotonics. , 2015, , . | | 1 |
| 94 | Recent Improvement of Medical Optical Fibre Pressure and Temperature Sensors. Biosensors, 2015, 5, 432-449. | 4.7 | 35 |
| 95 | Oscillatory behaviour in Type IA FBG: ruling out chemical complexity. , 2015, , . | | 0 |
| 96 | Design of high-performance, power-efficient optical NoCs using Silica-embedded silicon nanophotonics. , 2015, , . | | 1 |
| 97 | Femtosecond Laser Inscribed Bragg Gratings in Low Loss CYTOP Polymer Optical Fiber. IEEE Photonics Technology Letters, 2015, 27, 693-696. | 2.5 | 146 |
| 98 | Flat fibre and femtosecond laser technology as a novel photonic integration platform for optofluidic based biosensing devices and lab-on-chip applications: Current results and future perspectives. Sensors and Actuators B: Chemical, 2015, 209, 1030-1040. | 7.8 | 31 |
| 99 | Towards High-Performance and Power-Efficient Optical NoCs Using Silicon-in-Silica Photonic Components., 2015,,. | | 1 |
| 100 | Optimization of a horizontal slot waveguide biosensor to detect DNA hybridization. Applied Optics, 2015, 54, 4881. | 2.1 | 45 |
| 101 | Multi FBG femtosecond laser inscription in FPI based pressure sensors for temperature distribution. , 2015, , . | | 1 |
| 102 | Femtosecond laser inscription of Bragg and complex gratings in coated and encapsulated silica and low-loss polymer optical fibers., 2015,,. | | 0 |
| 103 | Femtosecond Laser Inscription of Bragg and Complex Gratings in Low-Loss Polymer and Silica Optical Fibers. , 2015, , . | | 0 |
| 104 | Microfluidic Flows and Heat Transfer and Their Influence on Optical Modes in Microstructure Fibers. Materials, 2014, 7, 7566-7582. | 2.9 | 8 |
| 105 | Novel FBG femtosecond laser inscription method for improved FPI sensors for medical applications. , 2014, , . | | 4 |
| 106 | Characterization of polymer nanowires fabricated using the nanoimprint method. Proceedings of SPIE, $2014, \ldots$ | 0.8 | 2 |
| 107 | Highly sensitive, localized surface plasmon resonance fiber device for environmental sensing, based upon a structured bi-metal array of nano-wires. Optics Letters, 2014, 39, 5798. | 3. 3 | 6 |
| 108 | Flexible glass flat-fibre chips and femtosecond laser inscription as enabling technologies for photonic devices. , 2014, , . | | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Microfluidics in Microstructure Optical Fibers: Heat Flux and Pressure-driven and Other Flows. Procedia IUTAM, 2014, 11, 23-33. | 1.2 | 4 |
| 110 | Dispersion characteristics of plasmonic waveguides for THz waves. , 2013, , . | | 1 |
| 111 | Advances in femtosecond laser micro-inscription and ablation of optical coherence tomography and optical coherence elastography phantoms., 2013,,. | | 0 |
| 112 | Synergistic effects of buffer layer processing additives for enhanced hole carrier selectivity in inverted Organic Photovoltaics. Organic Electronics, 2013, 14, 3123-3130. | 2.6 | 32 |
| 113 | Physical characteristics of localized surface plasmons resulting from nano-scale structured multi-layer thin films deposited on D-shaped optical fiber. Optics Express, 2013, 21, 18765. | 3.4 | 9 |
| 114 | Femtosecond laser inscribed phase masks for fibre Bragg grating sensor inscription. , 2012, , . | | 2 |
| 115 | Hydrostatic pressure sensing using a polymer optical fibre Bragg gratings. Proceedings of SPIE, 2012, , . | 0.8 | 19 |
| 116 | Femtosecond laser microstructuring through optical fibre end faces: inscription of surface gratings and sub-surface splitters. Proceedings of SPIE, 2012 , , . | 0.8 | 1 |
| 117 | Low-loss multimode interference couplers for terahertz waves. Proceedings of SPIE, 2012, , . | 0.8 | 3 |
| 118 | Highly Radiation Sensitive Type IA FBGs for Future Dosimetry Applications. IEEE Transactions on Nuclear Science, 2012, 59, 1180-1185. | 2.0 | 12 |
| 119 | Femtosecond and UV inscribed grating characterization in photonic crystal fibres: optimization for sensing applications. Proceedings of SPIE, 2012, , . | 0.8 | 0 |
| 120 | Formation and Characterization of Ultra-Sensitive Surface Plasmon Resonance Sensor Based Upon a Nano-Scale Corrugated Multi-Layered Coated D-Shaped Optical Fiber. IEEE Journal of Quantum Electronics, 2012, 48, 394-405. | 1.9 | 25 |
| 121 | Spectral characteristics and thermal evolution of long-period gratings in photonic crystal fibers fabricated with a near-IR radiation femtosecond laser using point-by-point inscription. Journal of the Optical Society of America B: Optical Physics, 2011, 28, 2105. | 2.1 | 23 |
| 122 | Characterizing femtosecond laser inscribed Bragg grating spectra. Optics Express, 2011, 19, 342. | 3.4 | 26 |
| 123 | Characterisation and performance of a Terfenol-D coated femtosecond laser inscribed optical fibre Bragg sensor with a laser ablated microslot for the detection of static magnetic fields. Optics Express, 2011, 19, 363. | 3.4 | 45 |
| 124 | Humidity insensitive TOPAS polymer fiber Bragg grating sensor. Optics Express, 2011, 19, 19731. | 3.4 | 236 |
| 125 | 870nm Bragg grating in single mode TOPAS microstructured polymer optical fibre. Proceedings of SPIE, $2011,\ldots$ | 0.8 | 5 |
| 126 | Highly refractive index sensitive femtosecond laser inscribed long period gratings., 2011,,. | | 0 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | Polymer PCF Bragg grating sensors based on poly(methyl methacrylate) and TOPAS cyclic olefin copolymer., 2011,,. | | 6 |
| 128 | UV inscribed long period gratings with femtosecond ablated axial fibre slots for polarization control. Proceedings of SPIE, 2011, , . | 0.8 | 0 |
| 129 | Sensing properties of femtosecond laser-inscribed long period gratings in photonic crystal fiber. Photonic Sensors, 2011, 1, 228-233. | 5.0 | 5 |
| 130 | Research at the University of Kent and subsequent research activities. Photonic Sensors, 2011, 1, 362-381. | 5.0 | 0 |
| 131 | Embedded multiplexed polymer optical fiber sensor for esophageal manometry. , 2011, , . | | 1 |
| 132 | Photonic crystal fiber Bragg grating based sensors: opportunities for applications in healthcare. Proceedings of SPIE, 2011, , . | 0.8 | 5 |
| 133 | Utilisation of thermal annealing to record multiplexed FBG sensors in multimode microstructured polymer optical fibre. , 2011, , . | | 9 |
| 134 | Optical fibre Bragg grating recorded in TOPAS cyclic olefin copolymer. Electronics Letters, 2011, 47, 271. | 1.0 | 92 |
| 135 | Photonic crystal fiber Bragg grating based sensors – opportunities for applications in healthcare. , 2011, , . | | 1 |
| 136 | Polymer Fiber Bragg Gratings., 2011,, 292-312. | | 13 |
| 137 | Multiplexed FBG sensor recorded in multimode microstructured polymer optical fibre. Proceedings of SPIE, 2010, , . | 0.8 | 23 |
| 138 | 827â€nm Bragg grating sensor in multimode microstructured polymer optical fibre. Electronics Letters, 2010, 46, 1217. | 1.0 | 47 |
| 139 | Highly Sensitive Bend Sensor Based on Bragg Grating in Eccentric Core Polymer Fiber. IEEE Photonics Technology Letters, 2010, 22, 850-852. | 2.5 | 126 |
| 140 | Point-by-point fiber Bragg grating inscription in free-standing step-index and photonic crystal fibers using near-IR femtosecond laser. Optics Letters, 2010, 35, 1647. | 3.3 | 78 |
| 141 | Multilayered coated infra-red surface plasmon resonance fibre sensors for aqueous chemical sensing. Optical Fiber Technology, 2009, 15, 477-482. | 2.7 | 11 |
| 142 | Demonstration of inscription and ablation of phase masks for the production of 1st, 2nd, and 3rd order FBG gratings using a femtosecond laser. Proceedings of SPIE, 2009, , . | 0.8 | 4 |
| 143 | Long period gratings written into a photonic crystal fibre by a femtosecond laser as directional bend sensors. Optics Communications, 2008, 281, 5092-5096. | 2.1 | 65 |
| 144 | Characterisation of femtosecond laser inscribed long period gratings in photonic crystal fibre. Proceedings of SPIE, 2008, , . | 0.8 | 0 |

| # | Article | IF | CITATIONS |
|--------------------------|---|------------|-------------------|
| 145 | Temperature sensitivity of Bragg gratings in PMMA and TOPAS microstructured polymer optical fibres. Proceedings of SPIE, 2008, , . | 0.8 | 13 |
| 146 | Recent developments of Bragg gratings in PMMA and TOPAS polymer optical fibers. Proceedings of SPIE, 2008, , . | 0.8 | 6 |
| 147 | Development of an electrically tuneable Bragg grating filter in polymer optical fibre operating at 1.55 µm. Measurement Science and Technology, 2007, 18, 3155-3164. | 2.6 | 29 |
| 148 | Numerical modeling of sensors based on long period gratings in photonic crystal fibres., 2007,,. | | 0 |
| 149 | Electrically tunable Bragg gratings in single-mode polymer optical fiber. Optics Letters, 2007, 32, 214. | 3.3 | 31 |
| 150 | Thermal response of Bragg gratings in PMMA microstructured optical fibers. Optics Express, 2007, 15, 8844. | 3.4 | 119 |
| 151 | Sensitivity of LPGs in PCFs Fabricated by an Electric Arc to Temperature, Strain, and External Refractive Index. Journal of Lightwave Technology, 2007, 25, 1306-1312. | 4.6 | 70 |
| 152 | Nondestructive index profiling of long period gratings in photonic crystal fibres. Optical and Quantum Electronics, 2007, 38, 913-920. | 3.3 | 4 |
| 153 | Instrumentation for the monitoring of toxic pollutants in water resources by means of neural network analysis of absorption and fluorescence spectra. Sensors and Actuators B: Chemical, 2007, 121, 231-237. | 7.8 | 18 |
| 154 | | | |
| 154 | Fibre Bragg Gratings., 2006, , 189-269. | | 75 |
| 155 | Spectral modification of type IA fibre Bragg gratings by high power near infra-red lasers. , 2006, , . | | 0 |
| | | | |
| 155 | Spectral modification of type IA fibre Bragg gratings by high power near infra-red lasers. , 2006, , . Annealing and temperature coefficient study of type IA fibre Bragg gratings inscribed under strain and | 2.1 | 0 |
| 155 156 | Spectral modification of type IA fibre Bragg gratings by high power near infra-red lasers., 2006,,. Annealing and temperature coefficient study of type IA fibre Bragg gratings inscribed under strain and no strain: implications to optical fibre component reliability., 2006,,. Measured sensitivity of arc-induced long-period grating sensors in photonic crystal fibre. Optics | 2.1 | 0 |
| 155 156 157 | Spectral modification of type IA fibre Bragg gratings by high power near infra-red lasers., 2006,,. Annealing and temperature coefficient study of type IA fibre Bragg gratings inscribed under strain and no strain: implications to optical fibre component reliability., 2006,,. Measured sensitivity of arc-induced long-period grating sensors in photonic crystal fibre. Optics Communications, 2006, 260, 184-191. Multiple Period Resonances in Long Period Gratings in Photonic Crystal Fibres. Optical and Quantum | | 0 1 84 |
| 155 156 157 158 | Spectral modification of type IA fibre Bragg gratings by high power near infra-red lasers., 2006,,. Annealing and temperature coefficient study of type IA fibre Bragg gratings inscribed under strain and no strain: implications to optical fibre component reliability., 2006,,. Measured sensitivity of arc-induced long-period grating sensors in photonic crystal fibre. Optics Communications, 2006, 260, 184-191. Multiple Period Resonances in Long Period Gratings in Photonic Crystal Fibres. Optical and Quantum Electronics, 2006, 38, 209-216. Tailoring the temperature and strain coefficients of Type I and Type IA dual grating sensorsâ€"the impact | 3.3 | 0 1 84 4 |
| 155 156 157 158 | Spectral modification of type IA fibre Bragg gratings by high power near infra-red lasers., 2006,,. Annealing and temperature coefficient study of type IA fibre Bragg gratings inscribed under strain and no strain: implications to optical fibre component reliability., 2006,,. Measured sensitivity of arc-induced long-period grating sensors in photonic crystal fibre. Optics Communications, 2006, 260, 184-191. Multiple Period Resonances in Long Period Gratings in Photonic Crystal Fibres. Optical and Quantum Electronics, 2006, 38, 209-216. Tailoring the temperature and strain coefficients of Type I and Type IA dual grating sensorsâ€"the impact of hydrogenation conditions. Measurement Science and Technology, 2006, 17, 949-954. Spectral modification of type IA fibre Bragg gratings by high-power near-infrared lasers. Measurement | 3.3 2.6 | 0 1 84 4 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Blank beam fabrication of regenerated type IA gratings. Measurement Science and Technology, 2004, 15, 1665-1669. | 2.6 | 21 |
| 164 | Temperature insensitive long-period grating sensors in photonic crystal fiber., 2004, 5579, 66. | | 3 |
| 165 | Gratings in novel fibre geometry for applications in shape sensing. , 2004, , . | | O |
| 166 | Type $1A$ fibre Bragg grating photosensitivity and the development of optimum temperature invariant type I-type IA strain sensors. , 2004, , . | | 1 |
| 167 | Sensing applications of long-period gratings in various fibre types. , 2004, 5502, 104. | | 1 |
| 168 | Design issues for directional coupler- and MMI-based optical microring resonator filters on InP. , 2004, , . | | 0 |
| 169 | Round-robin for fiber Bragg grating metrology during COST270 action. , 2004, , . | | 3 |
| 170 | Design issues for an ultra compact tapered MMI coupler based on 3 dB splitter., 2003,,. | | 0 |
| 171 | Design issues for optical microring filters on deeply etched GalnAsP-InP waveguides. , 2003, , . | | 0 |
| 172 | Characterization of reflectivity inversion, \hat{l}_{z} - and \hat{l}_{z} -phase transitions and nanostructure formation in hydrogen activated thin Pd films on silicon based substrates. Journal of Applied Physics, 2002, 91, 3829-3840. | 2.5 | 39 |
| 173 | Bragg gratings in optical fibers. , 2001, , 367-480. | | 7 |
| 174 | Optically thin palladium films on silicon-based substrates and nanostructure formation: effects of hydrogen. Applied Surface Science, 2000, 161, 54-60. | 6.1 | 18 |
| 175 | Nondestructive evaluation of metal contaminated silicon wafers using radiometric measurements. Journal of Applied Physics, 1999, 86, 3064-3067. | 2.5 | 1 |
| 176 | Temperature-induced reflectivity changes and activation of hydrogen sensitive optically thin palladium films on silicon oxide. Review of Scientific Instruments, 1998, 69, 3331-3338. | 1.3 | 7 |
| 177 | Photomodulated thermoreflectance detection of hydrogen gas using optically thin palladium film on silicon oxide. Review of Scientific Instruments, 1998, 69, 1505-1511. | 1.3 | 3 |
| 178 | Hydrogen gas detection via photothermal deflection measurement. Review of Scientific Instruments, 1997, 68, 3544-3552. | 1.3 | 9 |
| 179 | Extended-range, low coherence dual wavelength interferometry using a superfluorescent fibre source and chirped fibre Bragg gratings. Optics Communications, 1997, 134, 341-348. | 2.1 | 9 |
| 180 | Spatially-multiplexed fibre-optic Bragg grating strain and temperature sensor system based on interferometric wavelength-shift detection. Electronics Letters, 1995, 31, 1009-1010. | 1.0 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Investigation and applications of all-fiber brillouin ring resonator lasers. Fiber and Integrated Optics, 1995, 14, 303-330. | 2.5 | 5 |
| 182 | Dynamic response of high-resolution ring resonator optical spectrometers to time-varying input signals. Fiber and Integrated Optics, 1995, 14, 211-223. | 2.5 | 1 |
| 183 | Simultaneous interrogation of interferometric and Bragg grating sensors. Optics Letters, 1995, 20, 1340. | 3.3 | 22 |
| 184 | Wavelength-division and spatial multiplexing using tandem interferometers for Bragg grating sensor networks. Optics Letters, 1995, 20, 2544. | 3.3 | 13 |
| 185 | Analysis of the dynamic response of a ring resonator to a time-varying input signal. Optics Letters, 1993, 18, 465. | 3.3 | 18 |
| 186 | Ring resonator optical spectrum analyzer with 20-kHz resolution. Optics Letters, 1992, 17, 1090. | 3.3 | 34 |
| 187 | Tunable fiber frequency shifter that uses an all-fiber ring resonator. Optics Letters, 1992, 17, 1243. | 3.3 | 3 |
| 188 | Fiber frequency shifter based on generation of stimulated Brillouin scattering in high-finesse ring resonators. Optics Letters, 1991, 16, 1538. | 3.3 | 18 |