

Hsin-Fu Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/935617/publications.pdf>

Version: 2024-02-01

43
papers

1,117
citations

471061

17
h-index

414034

32
g-index

45
all docs

45
docs citations

45
times ranked

1757
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Thromboembolic, Bleeding, and Mortality Risks of Rivaroxaban and Dabigatran in Asians With Nonvalvular Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1389-1401. | 1.2 | 148 |
| 2 | Efficacy and Safety of Apixaban, Dabigatran, Rivaroxaban, and Warfarin in Asians With Nonvalvular Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2018, 7, . | 1.6 | 113 |
| 3 | Effectiveness and Safety of Four Direct Oral Anticoagulants in Asian Patients With Nonvalvular Atrial Fibrillation. <i>Chest</i> , 2019, 156, 529-543. | 0.4 | 94 |
| 4 | Cardiovascular, Bleeding, and Mortality Risks of Dabigatran in Asians With Nonvalvular Atrial Fibrillation. <i>Stroke</i> , 2016, 47, 441-449. | 1.0 | 81 |
| 5 | Acute Kidney Injury in Asians With Atrial Fibrillation Treated With Dabigatran or Warfarin. <i>Journal of the American College of Cardiology</i> , 2016, 68, 2272-2283. | 1.2 | 64 |
| 6 | Off-label dosing of non-vitamin K antagonist oral anticoagulants and clinical outcomes in Asian patients with atrial fibrillation. <i>Heart Rhythm</i> , 2020, 17, 2102-2110. | 0.3 | 62 |
| 7 | Effectiveness and Safety of Non-vitamin K Antagonist Oral Anticoagulant and Warfarin in Cirrhotic Patients With Nonvalvular Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2019, 8, e011112. | 1.6 | 54 |
| 8 | Dipeptidyl peptidase-4 inhibitor decreases the risk of atrial fibrillation in patients with type 2 diabetes: a nationwide cohort study in Taiwan. <i>Cardiovascular Diabetology</i> , 2017, 16, 159. | 2.7 | 44 |
| 9 | Incremental prognostic value of global myocardial work over ejection fraction and global longitudinal strain in patients with heart failure and reduced ejection fraction. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 348-356. | 0.5 | 42 |
| 10 | Prognostic value of global left ventricular strain for conservatively treated patients with symptomatic aortic stenosis. <i>Journal of Cardiology</i> , 2013, 62, 301-306. | 0.8 | 31 |
| 11 | The effectiveness and safety of low-dose rivaroxaban in Asians with non-valvular atrial fibrillation. <i>International Journal of Cardiology</i> , 2018, 261, 78-83. | 0.8 | 31 |
| 12 | Association of Blood Group A with Coronary Artery Disease in Young Adults in Taiwan. <i>Internal Medicine</i> , 2012, 51, 1815-1820. | 0.3 | 27 |
| 13 | Ratio of transmitral early filling velocity to early diastolic strain rate predicts outcomes in patients with systolic heart failure. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 79-85. | 0.5 | 26 |
| 14 | Effectiveness, safety, and major adverse limb events in atrial fibrillation patients with concomitant diabetes mellitus treated with non-vitamin K antagonist oral anticoagulants. <i>Cardiovascular Diabetology</i> , 2020, 19, 63. | 2.7 | 26 |
| 15 | Prognostic significance of dilated inferior vena cava in advanced decompensated heart failure. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1289-1295. | 0.7 | 25 |
| 16 | Real-world Comparisons of Direct Oral Anticoagulants for Stroke Prevention in Asian Patients with Non-valvular Atrial Fibrillation: a Systematic Review and Meta-analysis. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 701-710. | 1.3 | 24 |
| 17 | Major adverse cardiovascular and limb events in patients with diabetes and concomitant peripheral artery disease treated with sodium glucose cotransporter 2 inhibitor versus dipeptidyl peptidase-4 inhibitor. <i>Cardiovascular Diabetology</i> , 2020, 19, 160. | 2.7 | 20 |
| 18 | Effectiveness and Safety of Direct Oral Anticoagulants in an Asian Population with Atrial Fibrillation Undergoing Dialysis: A Population-Based Cohort Study and Meta-Analysis. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 975-986. | 1.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Clinical Outcomes in Atrial Fibrillation Patients With a History of Cancer Treated With Non-Vitamin K Antagonist Oral Anticoagulants. <i>Stroke</i> , 2021, 52, 3132-3141. | 1.0 | 20 |
| 20 | Comparisons of Rivaroxaban Following Different Dosage Criteria (ROCKET AF or Jâ€ROCKET AF Trials) in Asian Patients With Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2019, 8, e013053. | 1.6 | 19 |
| 21 | Non-vitamin K antagonist oral anticoagulants and warfarin in atrial fibrillation patients with concomitant peripheral artery disease. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 50-58. | 1.4 | 18 |
| 22 | Young Male Patients with Atrial Fibrillation and CHA2DS2-VASc Score of 1 May Not Need Anticoagulants: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2016, 11, e0151485. | 1.1 | 17 |
| 23 | Balloon-expandable versus self-expanding transcatheter aortic valve replacement for bioprosthetic dysfunction: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2020, 15, e0233894. | 1.1 | 16 |
| 24 | Glycemic status and risks of thromboembolism and major bleeding in patients with atrial fibrillation. <i>Cardiovascular Diabetology</i> , 2020, 19, 30. | 2.7 | 16 |
| 25 | A comparison between angiotensin converting enzyme inhibitors and angiotensin receptor blockers on end stage renal disease and major adverse cardiovascular events in diabetic patients: a population-based dynamic cohort study in Taiwan. <i>Cardiovascular Diabetology</i> , 2016, 15, 56. | 2.7 | 13 |
| 26 | Crusade Microcatheter-Facilitated Reverse Wire Technique for Revascularization of Bifurcation Lesions of Coronary Arteries. <i>Acta Cardiologica Sinica</i> , 2018, 34, 31-36. | 0.1 | 13 |
| 27 | Dialysis Patients with Implanted Drug-Eluting Stents Have Lower Major Cardiac Events and Mortality than Those with Implanted Bare-Metal Stents: A Taiwanese Nationwide Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0146343. | 1.1 | 10 |
| 28 | Direct Oral Anticoagulants in Atrial Fibrillation Patients With Concomitant Hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 2893-2904. | 1.8 | 7 |
| 29 | Intravenous iron supplementation does not increase infectious disease risk in hemodialysis patients: a nationwide cohort-based case-crossover study. <i>BMC Nephrology</i> , 2019, 20, 327. | 0.8 | 6 |
| 30 | Low bone mineral density may be associated with long-term risk of cancer in the middle-aged population: A retrospective observational study from a single center. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 339-345. | 0.8 | 5 |
| 31 | High Nighttime Heart Rate is Associated with Increased Risk of All-Cause Mortality in Patients with Heart Failure and Reduced Ejection Fraction. <i>International Heart Journal</i> , 2020, 61, 289-294. | 0.5 | 5 |
| 32 | Endâ€stage renal disease patients using angiotensinâ€converting enzyme inhibitors and angiotensin receptor blockers may reduce the risk of mortality: a Taiwanese Nationwide cohort study. <i>Internal Medicine Journal</i> , 2018, 48, 1123-1132. | 0.5 | 4 |
| 33 | Microenvironment of saphenous vein graft preservation prior to coronary artery bypass grafting. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2019, 28, 71-78. | 0.5 | 4 |
| 34 | Impact of Chronic Kidney Disease on Long-Term Outcome in Coronary Bypass Candidates Treated with Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2017, 47, 50. | 0.7 | 3 |
| 35 | Oral Anticoagulants and Antiplatelet Agents in Patients With Atrial Fibrillation and Concomitant Critical Limb Ischemia: A Nationwide Cohort Study. <i>Canadian Journal of Cardiology</i> , 2021, 37, 113-121. | 0.8 | 3 |
| 36 | Impact of chronic kidney disease on long-term outcomes for coronary in-stent restenosis after drug-coated balloon angioplasty. <i>Journal of Cardiology</i> , 2021, 78, 564-570. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Using Rivaroxaban as Thrombolytic Treatment for a Patient of Pedal Arch Arterial Thrombosis with Suboptimal Result of Endovascular Therapy. <i>Acta Cardiologica Sinica</i> , 2016, 32, 623-626. | 0.1 | 2 |
| 38 | Postoperative Stroke After Type A Aortic Dissection Repair: Hemorrhage Versus Ischemia. <i>World Journal of Surgery</i> , 2022, 46, 690-700. | 0.8 | 2 |
| 39 | Response to Letter to the Editor. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 456. | 0.8 | 0 |
| 40 | Title is missing!. , 2020, 15, e0233894. | | 0 |
| 41 | Title is missing!. , 2020, 15, e0233894. | | 0 |
| 42 | Title is missing!. , 2020, 15, e0233894. | | 0 |
| 43 | Title is missing!. , 2020, 15, e0233894. | | 0 |