

Alistair R R Forrest

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9356555/alistair-r-r-forrest-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

19,526
citations

56
h-index

139
g-index

161
ext. papers

23,812
ext. citations

12.4
avg, IF

5.64
L-index

#	Paper	IF	Citations
151	Functional validation of variants of unknown significance using CRISPR gene editing and transcriptomics: A Kleefstra syndrome case study.. <i>Gene</i> , 2022 , 821, 146287	3.8	0
150	Discovery of widespread transcription initiation at microsatellites predictable by sequence-based deep neural network. <i>Nature Communications</i> , 2021 , 12, 3297	17.4	3
149	Improved CRISPR/Cas9 gene editing in primary human myoblasts using low confluency cultures on Matrigel. <i>Skeletal Muscle</i> , 2021 , 11, 23	5.1	1
148	Intra- and intertumoral heterogeneity of liver metastases in a patient with uveal melanoma revealed by single-cell RNA sequencing. <i>Journal of Physical Education and Sports Management</i> , 2021 , 7,	2.8	2
147	Systematic assessment of tissue dissociation and storage biases in single-cell and single-nucleus RNA-seq workflows. <i>Genome Biology</i> , 2020 , 21, 130	18.3	117
146	Comprehensive Characterization of Transcriptional Activity during Influenza A Virus Infection Reveals Biases in Cap-Snatching of Host RNA Sequences. <i>Journal of Virology</i> , 2020 , 94,	6.6	6
145	Stromal cell diversity associated with immune evasion in human triple-negative breast cancer. <i>EMBO Journal</i> , 2020 , 39, e104063	13	66
144	Predicting cell-to-cell communication networks using NATMI. <i>Nature Communications</i> , 2020 , 11, 5011	17.4	25
143	Human genetics and genomics meetings going virtual: practical lessons learned from two international meetings in early 2020. <i>Human Genomics</i> , 2020 , 14, 27	6.8	4
142	Functional annotation of human long noncoding RNAs via molecular phenotyping. <i>Genome Research</i> , 2020 , 30, 1060-1072	9.7	41
141	Comparative transcriptomics of primary cells in vertebrates. <i>Genome Research</i> , 2020 , 30, 951-961	9.7	12
140	Brain-Enriched Coding and Long Non-coding RNA Genes Are Overrepresented in Recurrent Neurodevelopmental Disorder CNVs. <i>Cell Reports</i> , 2020 , 33, 108307	10.6	10
139	Molecular Insights Into Regulatory T-Cell Adaptation to Self, Environment, and Host Tissues: Plasticity or Loss of Function in Autoimmune Disease. <i>Frontiers in Immunology</i> , 2020 , 11, 1269	8.4	4
138	Identification of novel cerebellar developmental transcriptional regulators with motif activity analysis. <i>BMC Genomics</i> , 2019 , 20, 718	4.5	3
137	scMatch: a single-cell gene expression profile annotation tool using reference datasets. <i>Bioinformatics</i> , 2019 , 35, 4688-4695	7.2	50
136	Myoglobinopathy is an adult-onset autosomal dominant myopathy with characteristic sarcoplasmic inclusions. <i>Nature Communications</i> , 2019 , 10, 1396	17.4	7
135	Sensitization to immune checkpoint blockade through activation of a STAT1/NK axis in the tumor microenvironment. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	83

134	Expression Levels of Therapeutic Targets as Indicators of Sensitivity to Targeted Therapeutics. <i>Molecular Cancer Therapeutics</i> , 2019 , 18, 2480-2489	6.1	3
133	Antisense Transcription in Loci Associated to Hereditary Neurodegenerative Diseases. <i>Molecular Neurobiology</i> , 2019 , 56, 5392-5415	6.2	15
132	Unravelling the molecular basis for regulatory T-cell plasticity and loss of function in disease. <i>Clinical and Translational Immunology</i> , 2018 , 7, e1011	6.8	14
131	Discovery of Transcription Factors Novel to Mouse Cerebellar Granule Cell Development Through Laser-Capture Microdissection. <i>Cerebellum</i> , 2018 , 17, 308-325	4.3	1
130	Transcriptional landscape of Mycobacterium tuberculosis infection in macrophages. <i>Scientific Reports</i> , 2018 , 8, 6758	4.9	41
129	Shared activity patterns arising at genetic susceptibility loci reveal underlying genomic and cellular architecture of human disease. <i>PLoS Computational Biology</i> , 2018 , 14, e1005934	5	8
128	Conserved temporal ordering of promoter activation implicates common mechanisms governing the immediate early response across cell types and stimuli. <i>Open Biology</i> , 2018 , 8,	7	3
127	Integration of genetics and miRNA-target gene network identified disease biology implicated in tissue specificity. <i>Nucleic Acids Research</i> , 2018 , 46, 11898-11909	20.1	26
126	Bi-allelic mutations in MYL1 cause a severe congenital myopathy. <i>Human Molecular Genetics</i> , 2018 , 27, 4263-4272	5.6	17
125	An atlas of human long non-coding RNAs with accurate 5'ends. <i>Nature</i> , 2017 , 543, 199-204	50.4	581
124	Linking FANTOM5 CAGE peaks to annotations with CAGEscan. <i>Scientific Data</i> , 2017 , 4, 170147	8.2	10
123	Transcriptome Analysis Uncovers a Growth-Promoting Activity of Orosomucoid-1 on Hepatocytes. <i>EBioMedicine</i> , 2017 , 24, 257-266	8.8	13
122	The FANTOM5 collection, a data series underpinning mammalian transcriptome atlases in diverse cell types. <i>Scientific Data</i> , 2017 , 4, 170113	8.2	35
121	Systematic analysis of transcription start sites in avian development. <i>PLoS Biology</i> , 2017 , 15, e2002887	9.7	22
120	Analysis of the human monocyte-derived macrophage transcriptome and response to lipopolysaccharide provides new insights into genetic aetiology of inflammatory bowel disease. <i>PLoS Genetics</i> , 2017 , 13, e1006641	6	64
119	An integrated expression atlas of miRNAs and their promoters in human and mouse. <i>Nature Biotechnology</i> , 2017 , 35, 872-878	44.5	282
118	FANTOM5 CAGE profiles of human and mouse samples. <i>Scientific Data</i> , 2017 , 4, 170112	8.2	88
117	Monitoring transcription initiation activities in rat and dog. <i>Scientific Data</i> , 2017 , 4, 170173	8.2	4

116	Integrative CAGE and DNA Methylation Profiling Identify Epigenetically Regulated Genes in NSCLC. <i>Molecular Cancer Research</i> , 2017 , 15, 1354-1365	6.6	20
115	Update of the FANTOM web resource: high resolution transcriptome of diverse cell types in mammals. <i>Nucleic Acids Research</i> , 2017 , 45, D737-D743	20.1	80
114	Transcriptional Dynamics During Human Adipogenesis and Its Link to Adipose Morphology and Distribution. <i>Diabetes</i> , 2017 , 66, 218-230	0.9	19
113	A Transcriptional Switch Point During Hematopoietic Stem and Progenitor Cell Ontogeny. <i>Stem Cells and Development</i> , 2017 , 26, 314-327	4.4	3
112	New era in genetics of early-onset muscle disease: Breakthroughs and challenges. <i>Seminars in Cell and Developmental Biology</i> , 2017 , 64, 160-170	7.5	20
111	Transcription start site profiling of 15 anatomical regions of the Macaca mulatta central nervous system. <i>Scientific Data</i> , 2017 , 4, 170163	8.2	2
110	YY1 binding association with sex-biased transcription revealed through X-linked transcript levels and allelic binding analyses. <i>Scientific Reports</i> , 2016 , 6, 37324	4.9	16
109	Transcription Factor NKX6.3 Sheds Light on Gastric Cancer Progression. <i>EBioMedicine</i> , 2016 , 9, 9-10	8.8	2
108	FANTOM5 transcriptome catalog of cellular states based on Semantic MediaWiki. <i>Database: the Journal of Biological Databases and Curation</i> , 2016 , 2016,	5	44
107	CAGEd-oPOSSUM: motif enrichment analysis from CAGE-derived TSSs. <i>Bioinformatics</i> , 2016 , 32, 2858-60	7.2	11
106	Reinforcing the association between distal 1q CNVs and structural brain disorder: A case of a complex 1q43-q44 CNV and a review of the literature. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171B, 458-67	3.5	18
105	A predictive computational framework for direct reprogramming between human cell types. <i>Nature Genetics</i> , 2016 , 48, 331-5	36.3	184
104	Transcriptome Analysis of Recurrently Deregulated Genes across Multiple Cancers Identifies New Pan-Cancer Biomarkers. <i>Cancer Research</i> , 2016 , 76, 216-26	10.1	56
103	Functional annotation of the vlinc class of non-coding RNAs using systems biology approach. <i>Nucleic Acids Research</i> , 2016 , 44, 3233-52	20.1	21
102	On-the-fly selection of cell-specific enhancers, genes, miRNAs and proteins across the human body using SlideBase. <i>Database: the Journal of Biological Databases and Curation</i> , 2016 , 2016,	5	12
101	Transcriptome analysis of periodontitis-associated fibroblasts by CAGE sequencing identified DLX5 and RUNX2 long variant as novel regulators involved in periodontitis. <i>Scientific Reports</i> , 2016 , 6, 33666	4.9	14
100	DeepCAGE transcriptomics identify HOXD10 as a transcription factor regulating lymphatic endothelial responses to VEGF-C. <i>Journal of Cell Science</i> , 2016 , 129, 2573-85	5.3	11
99	Gateways to the FANTOM5 promoter level mammalian expression atlas. <i>Genome Biology</i> , 2015 , 16, 22	18.3	443

98	The frequent evolutionary birth and death of functional promoters in mouse and human. <i>Genome Research</i> , 2015 , 25, 1546-57	9.7	33
97	A draft network of ligand-receptor-mediated multicellular signalling in human. <i>Nature Communications</i> , 2015 , 6, 7866	17.4	393
96	Transcriptional dynamics reveal critical roles for non-coding RNAs in the immediate-early response. <i>PLoS Computational Biology</i> , 2015 , 11, e1004217	5	15
95	CAGEr: precise TSS data retrieval and high-resolution promoterome mining for integrative analyses. <i>Nucleic Acids Research</i> , 2015 , 43, e51	20.1	117
94	Retinoic acid potentiates inflammatory cytokines in human mast cells: identification of mast cells as prominent constituents of the skin retinoid network. <i>Molecular and Cellular Endocrinology</i> , 2015 , 406, 49-59	4.4	20
93	Technical Advance: Transcription factor, promoter, and enhancer utilization in human myeloid cells. <i>Journal of Leukocyte Biology</i> , 2015 , 97, 985-995	6.5	17
92	Redefining the transcriptional regulatory dynamics of classically and alternatively activated macrophages by deepCAGE transcriptomics. <i>Nucleic Acids Research</i> , 2015 , 43, 6969-82	20.1	38
91	Complementing tissue characterization by integrating transcriptome profiling from the Human Protein Atlas and from the FANTOM5 consortium. <i>Nucleic Acids Research</i> , 2015 , 43, 6787-98	20.1	61
90	CAGE profiling of ncRNAs in hepatocellular carcinoma reveals widespread activation of retroviral LTR promoters in virus-induced tumors. <i>Genome Research</i> , 2015 , 25, 1812-24	9.7	40
89	Promoter-level expression clustering identifies time development of transcriptional regulatory cascades initiated by ErbB receptors in breast cancer cells. <i>Scientific Reports</i> , 2015 , 5, 11999	4.9	24
88	Hierarchical folding and reorganization of chromosomes are linked to transcriptional changes in cellular differentiation. <i>Molecular Systems Biology</i> , 2015 , 11, 852	12.2	229
87	DeepCAGE Transcriptomics Reveal an Important Role of the Transcription Factor MAFB in the Lymphatic Endothelium. <i>Cell Reports</i> , 2015 , 13, 1493-1504	10.6	25
86	Mapping Mammalian Cell-type-specific Transcriptional Regulatory Networks Using KD-CAGE and CHIP-seq Data in the TC-YIK Cell Line. <i>Frontiers in Genetics</i> , 2015 , 6, 331	4.5	11
85	Expression analysis of the long non-coding RNA antisense to Uchl1 (AS Uchl1) during dopaminergic cells differentiation in vitro and in neurochemical models of Parkinson's disease. <i>Frontiers in Cellular Neuroscience</i> , 2015 , 9, 114	6.1	99
84	The Constrained Maximal Expression Level Owing to Haploidy Shapes Gene Content on the Mammalian X Chromosome. <i>PLoS Biology</i> , 2015 , 13, e1002315	9.7	17
83	Application of Gene Expression Trajectories Initiated from ErbB Receptor Activation Highlights the Dynamics of Divergent Promoter Usage. <i>PLoS ONE</i> , 2015 , 10, e0144176	3.7	1
82	Transcribed enhancers lead waves of coordinated transcription in transitioning mammalian cells. <i>Science</i> , 2015 , 347, 1010-4	33.3	384
81	The statistical geometry of transcriptome divergence in cell-type evolution and cancer. <i>Nature Communications</i> , 2015 , 6, 6066	17.4	33

80	Interactive visualization and analysis of large-scale sequencing datasets using ZENBU. <i>Nature Biotechnology</i> , 2014 , 32, 217-9	44.5	124
79	A promoter-level mammalian expression atlas. <i>Nature</i> , 2014 , 507, 462-70	50.4	1301
78	An atlas of active enhancers across human cell types and tissues. <i>Nature</i> , 2014 , 507, 455-461	50.4	1595
77	CAGEExploreR: an R package for the analysis and visualization of promoter dynamics across multiple experiments. <i>Bioinformatics</i> , 2014 , 30, 1183-1184	7.2	5
76	The enhancer and promoter landscape of human regulatory and conventional T-cell subpopulations. <i>Blood</i> , 2014 , 123, e68-78	2.2	58
75	Analysis of the DNA methylome and transcriptome in granulopoiesis reveals timed changes and dynamic enhancer methylation. <i>Blood</i> , 2014 , 123, e79-89	2.2	59
74	Comparison of CAGE and RNA-seq transcriptome profiling using clonally amplified and single-molecule next-generation sequencing. <i>Genome Research</i> , 2014 , 24, 708-17	9.7	66
73	Deep transcriptome profiling of mammalian stem cells supports a regulatory role for retrotransposons in pluripotency maintenance. <i>Nature Genetics</i> , 2014 , 46, 558-66	36.3	203
72	Transcription and enhancer profiling in human monocyte subsets. <i>Blood</i> , 2014 , 123, e90-9	2.2	101
71	Specific mesothelial signature marks the heterogeneity of mesenchymal stem cells from high-grade serous ovarian cancer. <i>Stem Cells</i> , 2014 , 32, 2998-3011	5.8	14
70	CCL2 enhances pluripotency of human induced pluripotent stem cells by activating hypoxia related genes. <i>Scientific Reports</i> , 2014 , 4, 5228	4.9	14
69	Effects of cytosine methylation on transcription factor binding sites. <i>BMC Genomics</i> , 2014 , 15, 119	4.5	156
68	Chromatin states reveal functional associations for globally defined transcription start sites in four human cell lines. <i>BMC Genomics</i> , 2014 , 15, 120	4.5	15
67	RECLU: a pipeline to discover reproducible transcriptional start sites and their alternative regulation using capped analysis of gene expression (CAGE). <i>BMC Genomics</i> , 2014 , 15, 269	4.5	37
66	High-throughput transcription profiling identifies putative epigenetic regulators of hematopoiesis. <i>Blood</i> , 2014 , 123, e46-57	2.2	19
65	Transcriptional profiling of the human fibrillin/LTBP gene family, key regulators of mesenchymal cell functions. <i>Molecular Genetics and Metabolism</i> , 2014 , 112, 73-83	3.7	25
64	CAGE-defined promoter regions of the genes implicated in Rett Syndrome. <i>BMC Genomics</i> , 2014 , 15, 1177	4.5	7
63	Redefinition of the human mast cell transcriptome by deep-CAGE sequencing. <i>Blood</i> , 2014 , 123, e58-67	2.2	126

62	Deep sequencing blood transcriptomes. <i>Blood</i> , 2014 , 123, 2595-6	2.2	
61	Ceruloplasmin is a novel adipokine which is overexpressed in adipose tissue of obese subjects and in obesity-associated cancer cells. <i>PLoS ONE</i> , 2014 , 9, e80274	3.7	36
60	A simple metric of promoter architecture robustly predicts expression breadth of human genes suggesting that most transcription factors are positive regulators. <i>Genome Biology</i> , 2014 , 15, 413	18.3	17
59	Differential roles of epigenetic changes and Foxp3 expression in regulatory T cell-specific transcriptional regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 5289-94	11.5	85
58	A transient disruption of fibroblastic transcriptional regulatory network facilitates trans-differentiation. <i>Nucleic Acids Research</i> , 2014 , 42, 8905-13	20.1	23
57	The evolution of human cells in terms of protein innovation. <i>Molecular Biology and Evolution</i> , 2014 , 31, 1364-74	8.3	13
56	Mesencephalic dopaminergic neurons express a repertoire of olfactory receptors and respond to odorant-like molecules. <i>BMC Genomics</i> , 2014 , 15, 729	4.5	36
55	Long non-coding antisense RNA controls Uchl1 translation through an embedded SINEB2 repeat. <i>Nature</i> , 2012 , 491, 454-7	50.4	684
54	Stranded RNA-Seq: Strand-Specific Shotgun Sequencing of RNA 2012 , 91-108		
53	Automated workflow for preparation of cDNA for cap analysis of gene expression on a single molecule sequencer. <i>PLoS ONE</i> , 2012 , 7, e30809	3.7	18
52	LRRN4 and UPK3B are markers of primary mesothelial cells. <i>PLoS ONE</i> , 2011 , 6, e25391	3.7	49
51	CC chemokine ligand 2 and leukemia inhibitory factor cooperatively promote pluripotency in mouse induced pluripotent cells. <i>Stem Cells</i> , 2011 , 29, 1196-205	5.8	16
50	Unamplified cap analysis of gene expression on a single-molecule sequencer. <i>Genome Research</i> , 2011 , 21, 1150-9	9.7	143
49	Update of the FANTOM web resource: from mammalian transcriptional landscape to its dynamic regulation. <i>Nucleic Acids Research</i> , 2011 , 39, D856-60	20.1	45
48	Induction of microRNAs, mir-155, mir-222, mir-424 and mir-503, promotes monocytic differentiation through combinatorial regulation. <i>Leukemia</i> , 2010 , 24, 460-6	10.7	205
47	Building promoter aware transcriptional regulatory networks using siRNA perturbation and deepCAGE. <i>Nucleic Acids Research</i> , 2010 , 38, 8141-8	20.1	11
46	An atlas of combinatorial transcriptional regulation in mouse and man. <i>Cell</i> , 2010 , 140, 744-52	56.2	555
45	An Atlas of Combinatorial Transcriptional Regulation in Mouse and Man. <i>Cell</i> , 2010 , 141, 369	56.2	3

44	The combination of gene perturbation assay and ChIP-chip reveals functional direct target genes for IRF8 in THP-1 cells. <i>Molecular Immunology</i> , 2010 , 47, 2295-302	4.3	25
43	MiR-107 and MiR-185 can induce cell cycle arrest in human non small cell lung cancer cell lines. <i>PLoS ONE</i> , 2009 , 4, e6677	3.7	173
42	Whole genome transcriptome analysis. <i>RNA Biology</i> , 2009 , 6, 107-12	4.8	42
41	Annotating non-coding transcription using functional genomics strategies. <i>Briefings in Functional Genomics & Proteomics</i> , 2009 , 8, 437-43		5
40	Tiny RNAs associated with transcription start sites in animals. <i>Nature Genetics</i> , 2009 , 41, 572-8	36.3	302
39	The regulated retrotransposon transcriptome of mammalian cells. <i>Nature Genetics</i> , 2009 , 41, 563-71	36.3	601
38	The transcriptional network that controls growth arrest and differentiation in a human myeloid leukemia cell line. <i>Nature Genetics</i> , 2009 , 41, 553-62	36.3	356
37	Regulatory interdependence of myeloid transcription factors revealed by Matrix RNAi analysis. <i>Genome Biology</i> , 2009 , 10, R121	18.3	14
36	FANTOM4 EdgeExpressDB: an integrated database of promoters, genes, microRNAs, expression dynamics and regulatory interactions. <i>Genome Biology</i> , 2009 , 10, R39	18.3	56
35	The FANTOM web resource: from mammalian transcriptional landscape to its dynamic regulation. <i>Genome Biology</i> , 2009 , 10, R40	18.3	65
34	Stem cell transcriptome profiling via massive-scale mRNA sequencing. <i>Nature Methods</i> , 2008 , 5, 613-9	21.6	841
33	The miR-17-5p microRNA is a key regulator of the G1/S phase cell cycle transition. <i>Genome Biology</i> , 2008 , 9, R127	18.3	228
32	A rescue strategy for multimapping short sequence tags refines surveys of transcriptional activity by CAGE. <i>Genomics</i> , 2008 , 91, 281-8	4.3	82
31	A novel corepressor, BCoR-L1, represses transcription through an interaction with CtBP. <i>Journal of Biological Chemistry</i> , 2007 , 282, 15248-57	5.4	53
30	PhosphoregDB: the tissue and sub-cellular distribution of mammalian protein kinases and phosphatases. <i>BMC Bioinformatics</i> , 2006 , 7, 82	3.6	16
29	Pseudo-messenger RNA: phantoms of the transcriptome. <i>PLoS Genetics</i> , 2006 , 2, e23	6	51
28	The abundance of short proteins in the mammalian proteome. <i>PLoS Genetics</i> , 2006 , 2, e52	6	159
27	Transcript annotation in FANTOM3: mouse gene catalog based on physical cDNAs. <i>PLoS Genetics</i> , 2006 , 2, e62	6	138

26	Alternate transcription of the Toll-like receptor signaling cascade. <i>Genome Biology</i> , 2006 , 7, R10	18.3	63
25	Genome-wide review of transcriptional complexity in mouse protein kinases and phosphatases. <i>Genome Biology</i> , 2006 , 7, R5	18.3	41
24	Subcellular localization of mammalian type II membrane proteins. <i>Traffic</i> , 2006 , 7, 613-25	5.7	17
23	Genome-wide analysis of mammalian promoter architecture and evolution. <i>Nature Genetics</i> , 2006 , 38, 626-35	36.3	1021
22	The transcriptional landscape of the mammalian genome. <i>Science</i> , 2005 , 309, 1559-63	33.3	2807
21	Pax9 and Jagged1 act downstream of Gli3 in vertebrate limb development. <i>Mechanisms of Development</i> , 2005 , 122, 1218-33	1.7	84
20	Analysis of complementary expression profiles following WT1 induction versus repression reveals the cholesterol/fatty acid synthetic pathways as a possible major target of WT1. <i>Oncogene</i> , 2004 , 23, 3067-79	9.2	21
19	Characterizing embryonic gene expression patterns in the mouse using nonredundant sequence-based selection. <i>Genome Research</i> , 2003 , 13, 2609-20	9.7	24
18	Exploration of the cell-cycle genes found within the RIKEN FANTOM2 data set. <i>Genome Research</i> , 2003 , 13, 1366-75	9.7	12
17	14-3-3 acts as an intramolecular bridge to regulate cdc25B localization and activity. <i>Journal of Biological Chemistry</i> , 2003 , 278, 28580-7	5.4	59
16	Systematic characterization of the zinc-finger-containing proteins in the mouse transcriptome. <i>Genome Research</i> , 2003 , 13, 1430-42	9.7	79
15	Phosphoregulators: protein kinases and protein phosphatases of mouse. <i>Genome Research</i> , 2003 , 13, 1443-54	9.7	39
14	Novel genes regulated by Sonic Hedgehog in pluripotent mesenchymal cells. <i>Oncogene</i> , 2002 , 21, 8196-205	9.7	101
13	Analysis of the mouse transcriptome based on functional annotation of 60,770 full-length cDNAs. <i>Nature</i> , 2002 , 420, 563-73	50.4	1350
12	Generation of diversity in the innate immune system: macrophage heterogeneity arises from gene-autonomous transcriptional probability of individual inducible genes. <i>Journal of Immunology</i> , 2002 , 168, 44-50	5.3	84
11	Tissue-specific gene expression in soybean (<i>Glycine max</i>) detected by cDNA microarray analysis. <i>Journal of Plant Physiology</i> , 2002 , 159, 1361-1374	3.6	36
10	Cdc25-dependent activation of cyclin A/cdk2 is blocked in G2 phase arrested cells independently of ATM/ATR. <i>Oncogene</i> , 2001 , 20, 921-32	9.2	82
9	Cdc25B activity is regulated by 14-3-3. <i>Oncogene</i> , 2001 , 20, 4393-401	9.2	88

8	Regulation of CDC25B phosphatases subcellular localization. <i>Oncogene</i> , 2000 , 19, 2179-85	9.2	92
7	Multiple splicing variants of <i>cdc25B</i> regulate G2/M progression. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 260, 510-5	3-4	59
6	MaxHiC: robust estimation of chromatin interaction frequency in Hi-C and capture Hi-C experiments		1
5	CAGEd-oPOSSUM: motif enrichment analysis from CAGE-derived TSSs		1
4	Shared activity patterns arising at genetic susceptibility loci reveal underlying genomic and cellular architecture of human disease		2
3	Single-cell analysis reveals diverse stromal subsets associated with immune evasion in triple-negative breast cancer		2
2	Functional Annotation of Human Long Non-Coding RNAs via Molecular Phenotyping		6
1	Systematic assessment of tissue dissociation and storage biases in single-cell and single-nucleus RNA-seq workflows		9