

# Yanjuan Sun

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9356646/yanjuan-sun-publications-by-citations.pdf>

**Version:** 2023-11-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

289  
papers

23,730  
citations

85  
h-index

145  
g-index

299  
ext. papers

27,986  
ext. citations

10.7  
avg, IF

7.64  
L-index

#	Paper	IF	Citations
289	Graphitic carbon nitride based nanocomposites: a review. <i>Nanoscale</i> , <b>2015</b> , 7, 15-37	7.7	1212
288	In situ construction of g-C <sub>3</sub> N <sub>4</sub> /g-C <sub>3</sub> N <sub>4</sub> metal-free heterojunction for enhanced visible-light photocatalysis. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 11392-401	9.5	872
287	Efficient synthesis of polymeric g-C <sub>3</sub> N <sub>4</sub> layered materials as novel efficient visible light driven photocatalysts. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 15171		825
286	Bridging the g-C <sub>3</sub> N <sub>4</sub> Interlayers for Enhanced Photocatalysis. <i>ACS Catalysis</i> , <b>2016</b> , 6, 2462-2472	13.1	624
285	Anionic Group Self-Doping as a Promising Strategy: Band-Gap Engineering and Multi-Functional Applications of High-Performance CO <sub>2</sub> -Doped Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> . <i>ACS Catalysis</i> , <b>2015</b> , 5, 4094-4103	13.1	596
284	In situ assembly of BiOI@Bi <sub>2</sub> O <sub>3</sub> /Bi <sub>2</sub> O <sub>3</sub> p-n junction: charge induced unique front-lateral surfaces coupling heterostructure with high exposure of BiOI {001} active facets for robust and nonselective photocatalysis. <i>Applied Catalysis B: Environmental</i> , <b>2016</b> , 199, 75-86	21.8	494
283	An Advanced Semimetal-Organic Bi Spheres-g-C <sub>3</sub> N <sub>4</sub> Nanohybrid with SPR-Enhanced Visible-Light Photocatalytic Performance for NO Purification. <i>Environmental Science &amp; Technology</i> , <b>2015</b> , 49, 12432-40	10.3	393
282	Noble Metal-Like Behavior of Plasmonic Bi Particles as a Cocatalyst Deposited on (BiO) <sub>2</sub> CO <sub>3</sub> Microspheres for Efficient Visible Light Photocatalysis. <i>ACS Catalysis</i> , <b>2014</b> , 4, 4341-4350	13.1	391
281	Immobilization of polymeric g-C <sub>3</sub> N <sub>4</sub> on structured ceramic foam for efficient visible light photocatalytic air purification with real indoor illumination. <i>Environmental Science &amp; Technology</i> , <b>2014</b> , 48, 10345-53	10.3	355
280	Three-in-One Oxygen Vacancies: Whole Visible-Spectrum Absorption, Efficient Charge Separation, and Surface Site Activation for Robust CO Photoreduction. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 3880-3884	16.4	329
279	Enhancement of the Visible Light Photocatalytic Activity of C-Doped TiO <sub>2</sub> Nanomaterials Prepared by a Green Synthetic Approach. <i>Journal of Physical Chemistry C</i> , <b>2011</b> , 115, 13285-13292	3.8	321
278	Bi <sub>2</sub> O <sub>2</sub> (OH)(NO <sub>3</sub> ) as a desirable [Bi <sub>2</sub> O <sub>2</sub> ] <sup>2+</sup> layered photocatalyst: strong intrinsic polarity, rational band structure and {001} active facets co-beneficial for robust photooxidation capability. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 24547-24556	13	310
277	Room temperature synthesis and highly enhanced visible light photocatalytic activity of porous BiOI/BiOCl composites nanoplates microflowers. <i>Journal of Hazardous Materials</i> , <b>2012</b> , 219-220, 26-34	12.8	296
276	Water-assisted production of honeycomb-like g-C <sub>3</sub> N <sub>4</sub> with ultralong carrier lifetime and outstanding photocatalytic activity. <i>Nanoscale</i> , <b>2015</b> , 7, 2471-9	7.7	288
275	Enhanced visible light photocatalytic activity and oxidation ability of porous graphene-like g-C <sub>3</sub> N <sub>4</sub> nanosheets via thermal exfoliation. <i>Applied Surface Science</i> , <b>2015</b> , 358, 393-403	6.7	280
274	Engineering the nanoarchitecture and texture of polymeric carbon nitride semiconductor for enhanced visible light photocatalytic activity. <i>Journal of Colloid and Interface Science</i> , <b>2013</b> , 401, 70-9	9.3	260
273	Template-free precursor-surface-etching route to porous, thin g-C <sub>3</sub> N <sub>4</sub> nanosheets for enhancing photocatalytic reduction and oxidation activity. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 17452-17463	13	260

272	In situ co-pyrolysis fabrication of CeO <sub>2</sub> /g-C <sub>3</sub> N <sub>4</sub> nB type heterojunction for synchronously promoting photo-induced oxidation and reduction properties. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 17120-17129	13	256
271	A semimetal bismuth element as a direct plasmonic photocatalyst. <i>Chemical Communications</i> , <b>2014</b> , 50, 10386-9	5.8	241
270	Chlorine intercalation in graphitic carbon nitride for efficient photocatalysis. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 203, 465-474	21.8	241
269	Hybridization of rutile TiO <sub>2</sub> (rTiO <sub>2</sub> ) with g-C <sub>3</sub> N <sub>4</sub> quantum dots (CN QDs): An efficient visible-light-driven Z-scheme hybridized photocatalyst. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 202, 611-619	21.8	238
268	One-Step Green Synthetic Approach for Mesoporous C-Doped Titanium Dioxide with Efficient Visible Light Photocatalytic Activity. <i>Journal of Physical Chemistry C</i> , <b>2009</b> , 113, 16717-16723	3.8	238
267	Characterization and photocatalytic activities of C, N and S co-doped TiO(2) with 3D nanostructure prepared by the nano-confinement effect. <i>Nanotechnology</i> , <b>2008</b> , 19, 365607	3.4	237
266	Rational design on 3D hierarchical bismuth oxyiodides via in situ self-template phase transformation and phase-junction construction for optimizing photocatalysis against diverse contaminants. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 203, 879-888	21.8	230
265	Single-unit-cell layer established Bi <sub>2</sub> WO <sub>6</sub> 3D hierarchical architectures: Efficient adsorption, photocatalysis and dye-sensitized photoelectrochemical performance. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 219, 526-537	21.8	217
264	Facile transformation of low cost thiourea into nitrogen-rich graphitic carbon nitride nanocatalyst with high visible light photocatalytic performance. <i>Catalysis Science and Technology</i> , <b>2012</b> , 2, 1332	5.5	205
263	Novel in situ N-doped (BiO) <sub>2</sub> CO <sub>3</sub> hierarchical microspheres self-assembled by nanosheets as efficient and durable visible light driven photocatalyst. <i>Langmuir</i> , <b>2012</b> , 28, 766-73	4	201
262	Theoretical and experimental investigation of highly photocatalytic performance of CuInZnS nanoporous structure for removing the NO gas. <i>Journal of Catalysis</i> , <b>2018</b> , 357, 100-107	7.3	187
261	Visible-light-induced charge transfer pathway and photocatalysis mechanism on Bi semimetal@defective BiOBr hierarchical microspheres. <i>Journal of Catalysis</i> , <b>2018</b> , 357, 41-50	7.3	187
260	Highly enhanced visible light photocatalysis and in situ FT-IR studies on Bi metal@defective BiOCl hierarchical microspheres. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 225, 218-227	21.8	178
259	The Spatially Oriented Charge Flow and Photocatalysis Mechanism on Internal van der Waals Heterostructures Enhanced g-C <sub>3</sub> N <sub>4</sub> . <i>ACS Catalysis</i> , <b>2018</b> , 8, 8376-8385	13.1	174
258	Bi Cocatalyst/Bi <sub>2</sub> MoO <sub>6</sub> Microspheres Nanohybrid with SPR-Promoted Visible-Light Photocatalysis. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 11889-11898	3.8	169
257	Nitrogen defect structure and NO <sup>+</sup> intermediate promoted photocatalytic NO removal on H <sub>2</sub> treated g-C <sub>3</sub> N <sub>4</sub> . <i>Chemical Engineering Journal</i> , <b>2020</b> , 379, 122282	14.7	161
256	Local spatial charge separation and proton activation induced by surface hydroxylation promoting photocatalytic hydrogen evolution of polymeric carbon nitride. <i>Nano Energy</i> , <b>2018</b> , 50, 383-392	17.1	158
255	Efficient C <sub>3</sub> N <sub>4</sub> /graphene oxide macroscopic aerogel visible-light photocatalyst. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 7823-7829	13	153

254	Visible-Light Photocatalytic Removal of NO in Air over BiOX (X = Cl, Br, I) Single-Crystal Nanoplates Prepared at Room Temperature. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2013</b> , 52, 6740-6746	3.9	150
253	Facets and defects cooperatively promote visible light plasmonic photocatalysis with Bi nanowires@BiOCl nanosheets. <i>Journal of Catalysis</i> , <b>2016</b> , 344, 401-410	7.3	149
252	Role of graphene on the band structure and interfacial interaction of Bi <sub>2</sub> WO <sub>6</sub> /graphene composites with enhanced photocatalytic oxidation of NO. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 16623-16631	13	147
251	Steering the interlayer energy barrier and charge flow via bioriented transportation channels in g-C <sub>3</sub> N <sub>4</sub> : Enhanced photocatalysis and reaction mechanism. <i>Journal of Catalysis</i> , <b>2017</b> , 352, 351-360	7.3	147
250	Highly Efficient Performance and Conversion Pathway of Photocatalytic NO Oxidation on SrO-Clusters@Amorphous Carbon Nitride. <i>Environmental Science &amp; Technology</i> , <b>2017</b> , 51, 10682-10690	10.3	146
249	Synthesis of Bi <sub>2</sub> WO <sub>6</sub> with gradient oxygen vacancies for highly photocatalytic NO oxidation and mechanism study. <i>Chemical Engineering Journal</i> , <b>2019</b> , 361, 129-138	14.7	145
248	Rose-like monodisperse bismuth subcarbonate hierarchical hollow microspheres: one-pot template-free fabrication and excellent visible light photocatalytic activity and photochemical stability for NO removal in indoor air. <i>Journal of Hazardous Materials</i> , <b>2011</b> , 195, 346-54	12.8	142
247	Directional electron delivery via a vertical channel between g-C <sub>3</sub> N <sub>4</sub> layers promotes photocatalytic efficiency. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 9358-9364	13	140
246	Identification of Active Hydrogen Species on Palladium Nanoparticles for an Enhanced Electrocatalytic Hydrodechlorination of 2,4-Dichlorophenol in Water. <i>Environmental Science &amp; Technology</i> , <b>2017</b> , 51, 7599-7605	10.3	138
245	Efficient and Durable Visible Light Photocatalytic Performance of Porous Carbon Nitride Nanosheets for Air Purification. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2014</b> , 53, 2318-2330	3.9	136
244	Monodisperse bismuth nanoparticles decorated graphitic carbon nitride: Enhanced visible-light-response photocatalytic NO removal and reaction pathway. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 205, 532-540	21.8	135
243	Template-free fabrication and growth mechanism of uniform (BiO) <sub>2</sub> CO <sub>3</sub> hierarchical hollow microspheres with outstanding photocatalytic activities under both UV and visible light irradiation. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 12428		133
242	Activation of amorphous Bi <sub>2</sub> WO <sub>6</sub> with synchronous Bi metal and Bi <sub>2</sub> O <sub>3</sub> coupling: Photocatalysis mechanism and reaction pathway. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 232, 340-347	21.8	130
241	Facet-dependent interfacial charge separation and transfer in plasmonic photocatalysts. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 226, 269-277	21.8	127
240	Unraveling the Mechanisms of Visible Light Photocatalytic NO Purification on Earth-Abundant Insulator-Based Core-Shell Heterojunctions. <i>Environmental Science &amp; Technology</i> , <b>2018</b> , 52, 1479-1487	10.3	124
239	Controlling interfacial contact and exposed facets for enhancing photocatalysis via 2D-2D heterostructures. <i>Chemical Communications</i> , <b>2015</b> , 51, 8249-52	5.8	123
238	Rare-Earth Single-Atom La-N Charge-Transfer Bridge on Carbon Nitride for Highly Efficient and Selective Photocatalytic CO Reduction. <i>ACS Nano</i> , <b>2020</b> , 14, 15841-15852	16.7	123
237	Visible light induced electron transfer process over nitrogen doped TiO <sub>2</sub> nanocrystals prepared by oxidation of titanium nitride. <i>Journal of Hazardous Materials</i> , <b>2008</b> , 157, 57-63	12.8	123

236	Band structure and visible light photocatalytic activity of multi-type nitrogen doped TiO <sub>2</sub> nanoparticles prepared by thermal decomposition. <i>Journal of Hazardous Materials</i> , <b>2009</b> , 162, 763-70	12.8	122
235	Synergistic integration of Bi metal and phosphate defects on hexagonal and monoclinic BiPO <sub>4</sub> : Enhanced photocatalysis and reaction mechanism. <i>Applied Catalysis B: Environmental</i> , <b>2019</b> , 243, 313-321	21.8	121
234	Fabrication, modification and application of (BiO) <sub>2</sub> CO <sub>3</sub> -based photocatalysts: A review. <i>Applied Surface Science</i> , <b>2016</b> , 365, 314-335	6.7	119
233	Fe-ions modified mesoporous Bi <sub>2</sub> WO <sub>6</sub> nanosheets with high visible light photocatalytic activity. <i>Journal of Colloid and Interface Science</i> , <b>2012</b> , 369, 373-80	9.3	114
232	Tailoring the rate-determining step in photocatalysis via localized excess electrons for efficient and safe air cleaning. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 239, 187-195	21.8	113
231	Probing ring-opening pathways for efficient photocatalytic toluene decomposition. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 3366-3374	13	110
230	Growth of BiOBr nanosheets on C <sub>3</sub> N <sub>4</sub> nanosheets to construct two-dimensional nanojunctions with enhanced photoreactivity for NO removal. <i>Journal of Colloid and Interface Science</i> , <b>2014</b> , 418, 317-23	9.3	110
229	Enhancing ROS generation and suppressing toxic intermediate production in photocatalytic NO oxidation on O/Ba co-functionalized amorphous carbon nitride. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 237, 938-946	21.8	110
228	Rational nanostructure design of graphitic carbon nitride for photocatalytic applications. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 11584-11612	13	109
227	Facile synthesis of surface N-doped Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> : Origin of visible light photocatalytic activity and in situ DRIFTS studies. <i>Journal of Hazardous Materials</i> , <b>2016</b> , 307, 163-72	12.8	109
226	Readily achieving concentration-tunable oxygen vacancies in Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> : Triple-functional role for efficient visible-light photocatalytic redox performance. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 226, 441-450	21.8	108
225	Three dimensional Z-scheme (BiO) <sub>2</sub> CO <sub>3</sub> /MoS <sub>2</sub> with enhanced visible light photocatalytic NO removal. <i>Applied Catalysis B: Environmental</i> , <b>2016</b> , 199, 87-95	21.8	107
224	Transformation pathway and toxic intermediates inhibition of photocatalytic NO removal on designed Bi metal@defective Bi <sub>2</sub> O <sub>2</sub> SiO <sub>3</sub> . <i>Applied Catalysis B: Environmental</i> , <b>2019</b> , 241, 187-195	21.8	105
223	Activation of amorphous bismuth oxide via plasmonic Bi metal for efficient visible-light photocatalysis. <i>Journal of Catalysis</i> , <b>2017</b> , 352, 102-112	7.3	103
222	Reactant activation and photocatalysis mechanisms on Bi-metal@Bi <sub>2</sub> GeO <sub>5</sub> with oxygen vacancies: A combined experimental and theoretical investigation. <i>Chemical Engineering Journal</i> , <b>2019</b> , 370, 1366-1375	14.7	103
221	Bi metal prevents the deactivation of oxygen vacancies in Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> for stable and efficient photocatalytic NO abatement. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 264, 118545	21.8	102
220	KCl-mediated dual electronic channels in layered g-CN for enhanced visible light photocatalytic NO removal. <i>Nanoscale</i> , <b>2018</b> , 10, 8066-8074	7.7	101
219	Identification of Halogen-Associated Active Sites on Bismuth-Based Perovskite Quantum Dots for Efficient and Selective CO-to-CO Photoreduction. <i>ACS Nano</i> , <b>2020</b> , 14, 13103-13114	16.7	101

218	Synchronously Achieving Plasmonic Bi Metal Deposition and I(-) Doping by Utilizing BiOIO <sub>3</sub> as the Self-Sacrificing Template for High-Performance Multifunctional Applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 27925-33	9.5	99
217	The activation of reactants and intermediates promotes the selective photocatalytic NO conversion on electron-localized Sr-intercalated g-C <sub>3</sub> N <sub>4</sub> . <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 232, 69-76	21.8	98
216	Defective Bi <sub>4</sub> MoO <sub>9</sub> /Bi metal core/shell heterostructure: Enhanced visible light photocatalysis and reaction mechanism. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 239, 619-627	21.8	97
215	Band structure engineering and efficient charge transport in oxygen substituted g-C <sub>3</sub> N <sub>4</sub> for superior photocatalytic hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 230, 115-124	21.8	94
214	In situ decoration of plasmonic Ag nanocrystals on the surface of (BiO) <sub>2</sub> CO <sub>3</sub> hierarchical microspheres for enhanced visible light photocatalysis. <i>Dalton Transactions</i> , <b>2014</b> , 43, 9468-80	4.3	92
213	Noble metal-free Bi nanoparticles supported on TiO <sub>2</sub> with plasmon-enhanced visible light photocatalytic air purification. <i>Environmental Science: Nano</i> , <b>2016</b> , 3, 1306-1317	7.1	91
212	Promoting ring-opening efficiency for suppressing toxic intermediates during photocatalytic toluene degradation via surface oxygen vacancies. <i>Science Bulletin</i> , <b>2019</b> , 64, 669-678	10.6	90
211	In situ synthesis of a C-doped (BiO) <sub>2</sub> CO <sub>3</sub> hierarchical self-assembly effectively promoting visible light photocatalysis. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 6118-6127	13	90
210	Multifunctional g-C <sub>3</sub> N <sub>4</sub> /graphene oxide wrapped sponge monoliths as highly efficient adsorbent and photocatalyst. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 235, 17-25	21.8	89
209	New insights into how Pd nanoparticles influence the photocatalytic oxidation and reduction ability of g-C <sub>3</sub> N <sub>4</sub> nanosheets. <i>Catalysis Science and Technology</i> , <b>2016</b> , 6, 6448-6458	5.5	89
208	Mechanism of visible light photocatalytic NO(x) oxidation with plasmonic Bi cocatalyst-enhanced (BiO) <sub>2</sub> CO <sub>3</sub> hierarchical microspheres. <i>Physical Chemistry Chemical Physics</i> , <b>2015</b> , 17, 10383-90	3.6	88
207	Highly Efficient Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> Single-Crystal Lamellas with Dominantly Exposed {001} Facets. <i>Crystal Growth and Design</i> , <b>2015</b> , 15, 534-537	3.5	88
206	2D g-C <sub>3</sub> N <sub>4</sub> for advancement of photo-generated carrier dynamics: Status and challenges. <i>Materials Today</i> , <b>2020</b> , 41, 270-303	21.8	87
205	Simultaneously promoting charge separation and photoabsorption of BiOX (X = Cl, Br) for efficient visible-light photocatalysis and photosensitization by compositing low-cost biochar. <i>Applied Surface Science</i> , <b>2016</b> , 386, 285-295	6.7	87
204	Improving g-C <sub>3</sub> N <sub>4</sub> photocatalysis for NO <sub>x</sub> removal by Ag nanoparticles decoration. <i>Applied Surface Science</i> , <b>2015</b> , 358, 356-362	6.7	85
203	Facile synthesis of organic-inorganic layered nanojunctions of g-C <sub>3</sub> N <sub>4</sub> /(BiO) <sub>2</sub> CO <sub>3</sub> as efficient visible light photocatalyst. <i>Dalton Transactions</i> , <b>2014</b> , 43, 12026-36	4.3	82
202	A general method for type I and type II g-C <sub>3</sub> N <sub>4</sub> /g-C <sub>3</sub> N <sub>4</sub> metal-free isotype heterostructures with enhanced visible light photocatalysis. <i>New Journal of Chemistry</i> , <b>2015</b> , 39, 4737-4744	3.6	81
201	Easily and Synchronously Ameliorating Charge Separation and Band Energy Level in Porous g-C <sub>3</sub> N <sub>4</sub> for Boosting Photooxidation and Photoreduction Ability. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 10381-10389	3.8	81

200	From semiconductors to semimetals: bismuth as a photocatalyst for NO oxidation in air. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 11065-11072	13	79
199	Directional electron delivery and enhanced reactants activation enable efficient photocatalytic air purification on amorphous carbon nitride co-functionalized with O/La. <i>Applied Catalysis B: Environmental</i> , <b>2019</b> , 242, 19-30	21.8	79
198	In situ FT-IR investigation on the reaction mechanism of visible light photocatalytic NO oxidation with defective g-C <sub>3</sub> N <sub>4</sub> . <i>Science Bulletin</i> , <b>2018</b> , 63, 117-125	10.6	79
197	Enhanced visible light photocatalytic activity of novel Pt/C-doped TiO <sub>2</sub> /PtCl <sub>4</sub> three-component nanojunction system for degradation of toluene in air. <i>Journal of Hazardous Materials</i> , <b>2011</b> , 187, 509-16	12.8	76
196	Unraveling the mechanism of binary channel reactions in photocatalytic formaldehyde decomposition for promoted mineralization. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 260, 118130	21.8	75
195	Bi metal sphere/graphene oxide nanohybrids with enhanced direct plasmonic photocatalysis. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 214, 148-157	21.8	74
194	Enhancing the photocatalytic activity of bulk g-C <sub>3</sub> N <sub>4</sub> by introducing mesoporous structure and hybridizing with graphene. <i>Journal of Colloid and Interface Science</i> , <b>2014</b> , 436, 29-36	9.3	74
193	(NH <sub>4</sub> ) <sub>2</sub> CO <sub>3</sub> mediated hydrothermal synthesis of N-doped (BiO) <sub>2</sub> CO <sub>3</sub> hollow nanoplates microspheres as high-performance and durable visible light photocatalyst for air cleaning. <i>Chemical Engineering Journal</i> , <b>2013</b> , 214, 198-207	14.7	74
192	Template synthesis of carbon self-doped g-C <sub>3</sub> N <sub>4</sub> with enhanced visible to near-infrared absorption and photocatalytic performance. <i>RSC Advances</i> , <b>2015</b> , 5, 39549-39556	3.7	73
191	One-pot template-free synthesis, growth mechanism and enhanced photocatalytic activity of monodisperse (BiO) <sub>2</sub> CO <sub>3</sub> hierarchical hollow microspheres self-assembled with single-crystalline nanosheets. <i>CrystEngComm</i> , <b>2012</b> , 14, 3534	3.3	72
190	Marked enhancement of photocatalytic activity and photochemical stability of N-doped TiO <sub>2</sub> nanocrystals by Fe <sup>3+</sup> /Fe <sup>2+</sup> surface modification. <i>Journal of Colloid and Interface Science</i> , <b>2010</b> , 343, 200-8	8.3	71
189	The pivotal roles of spatially separated charge localization centers on the molecules activation and photocatalysis mechanism. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 262, 118251	21.8	70
188	Synergistic effects of crystal structure and oxygen vacancy on Bi <sub>2</sub> O <sub>3</sub> polymorphs: intermediates activation, photocatalytic reaction efficiency, and conversion pathway. <i>Science Bulletin</i> , <b>2020</b> , 65, 467-476	10.6	67
187	Bismuth spheres assembled on graphene oxide: Directional charge transfer enhances plasmonic photocatalysis and in situ DRIFTS studies. <i>Applied Catalysis B: Environmental</i> , <b>2018</b> , 221, 482-489	21.8	67
186	Electrocatalytic hydrodechlorination of 2,4-dichlorophenol over palladium nanoparticles and its pH-mediated tug-of-war with hydrogen evolution. <i>Chemical Engineering Journal</i> , <b>2018</b> , 348, 26-34	14.7	65
185	New insights into how RGO influences the photocatalytic performance of BiOIO <sub>3</sub> /RGO nanocomposites under visible and UV irradiation. <i>Journal of Colloid and Interface Science</i> , <b>2015</b> , 447, 16-24	9.3	64
184	Cu supported on polymeric carbon nitride for selective CO <sub>2</sub> reduction into CH <sub>4</sub> : a combined kinetics and thermodynamics investigation. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 17014-17021	13	63
183	Efficient visible light photocatalytic oxidation of NO in air with band-gap tailored (BiO) <sub>2</sub> CO <sub>3</sub> BiOI solid solutions. <i>Chemical Engineering Journal</i> , <b>2014</b> , 255, 650-658	14.7	63

182	Synergistic integration of thermocatalysis and photocatalysis on black defective (BiO) <sub>2</sub> CO <sub>3</sub> microspheres. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 18466-18474	13	62
181	Surface oxygen-vacancy induced photocatalytic activity of La(OH) <sub>3</sub> nanorods prepared by a fast and scalable method. <i>Physical Chemistry Chemical Physics</i> , <b>2015</b> , 17, 16058-66	3.6	62
180	Controlled synthesis, growth mechanism and highly efficient solar photocatalysis of nitrogen-doped bismuth subcarbonate hierarchical nanosheets architectures. <i>Dalton Transactions</i> , <b>2012</b> , 41, 8270-84	4.3	62
179	Achieving tunable photocatalytic activity enhancement by elaborately engineering composition-adjustable polynary heterojunctions photocatalysts. <i>Applied Catalysis B: Environmental</i> , <b>2016</b> , 194, 62-73	21.8	61
178	Plasmonic Bi metal as cocatalyst and photocatalyst: The case of Bi/(BiO)CO and Bi particles. <i>Journal of Colloid and Interface Science</i> , <b>2017</b> , 485, 1-10	9.3	60
177	Theoretical design and experimental investigation on highly selective Pd particles decorated CN for safe photocatalytic NO purification. <i>Journal of Hazardous Materials</i> , <b>2020</b> , 392, 122357	12.8	59
176	Three-dimensional MoS <sub>2</sub> /reduced graphene oxide aerogel as a macroscopic visible-light photocatalyst. <i>Chinese Journal of Catalysis</i> , <b>2017</b> , 38, 313-320	11.3	58
175	Single Precursor Mediated-Synthesis of Bi Semimetal Deposited N-Doped (BiO) <sub>2</sub> CO <sub>3</sub> Superstructures for Highly Promoted Photocatalysis. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2016</b> , 4, 2969-2979	8.3	58
174	2D BiOCl/Bi <sub>12</sub> O <sub>17</sub> Cl <sub>2</sub> nanojunction: Enhanced visible light photocatalytic NO removal and in situ DRIFTS investigation. <i>Applied Surface Science</i> , <b>2018</b> , 430, 571-577	6.7	57
173	Mass-Controlled Direct Synthesis of Graphene-like Carbon Nitride Nanosheets with Exceptional High Visible Light Activity. Less is Better. <i>Scientific Reports</i> , <b>2015</b> , 5, 14643	4.9	57
172	Boosting Visible-Light-Driven Photo-oxidation of BiOCl by Promoted Charge Separation via Vacancy Engineering. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 3010-3017	8.3	57
171	The activation of oxygen through oxygen vacancies in BiOCl/PPy to inhibit toxic intermediates and enhance the activity of photocatalytic nitric oxide removal. <i>Nanoscale</i> , <b>2019</b> , 11, 6360-6367	7.7	56
170	Synergistic photo-thermal catalytic NO purification of MnO <sub>x</sub> /g-C <sub>3</sub> N <sub>4</sub> : Enhanced performance and reaction mechanism. <i>Chinese Journal of Catalysis</i> , <b>2018</b> , 39, 619-629	11.3	56
169	Photocatalytic NO oxidation on N-doped TiO <sub>2</sub> /g-C <sub>3</sub> N <sub>4</sub> heterojunction: Enhanced efficiency, mechanism and reaction pathway. <i>Applied Surface Science</i> , <b>2018</b> , 458, 77-85	6.7	56
168	Effects of Morphology and Crystallinity on the Photocatalytic Activity of (BiO) <sub>2</sub> CO <sub>3</sub> Nano/microstructures. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2014</b> , 53, 15002-15011	3.9	55
167	Solvent-assisted synthesis of porous g-C <sub>3</sub> N <sub>4</sub> with efficient visible-light photocatalytic performance for NO removal. <i>Chinese Journal of Catalysis</i> , <b>2017</b> , 38, 372-378	11.3	54
166	Enhancement of the visible light photocatalytic performance of C-doped TiO <sub>2</sub> by loading with V <sub>2</sub> O <sub>5</sub> . <i>Catalysis Communications</i> , <b>2009</b> , 11, 82-86	3.2	53
165	The pivotal effects of oxygen vacancy on Bi <sub>2</sub> MoO <sub>6</sub> : Promoted visible light photocatalytic activity and reaction mechanism. <i>Chinese Journal of Catalysis</i> , <b>2019</b> , 40, 647-655	11.3	52



164	Oxygen vacancy engineering of self-doped SnO <sub>2</sub> nanocrystals for ultrasensitive NO <sub>2</sub> detection. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 487-494	7.1	52
163	Ba-vacancy induces semiconductor-like photocatalysis on insulator BaSO <sub>4</sub> . <i>Applied Catalysis B: Environmental</i> , <b>2019</b> , 253, 293-299	21.8	51
162	Highly enhanced visible-light photocatalytic NO <sub>x</sub> purification and conversion pathway on self-structurally modified g-C <sub>3</sub> N <sub>4</sub> nanosheets. <i>Science Bulletin</i> , <b>2018</b> , 63, 609-620	10.6	51
161	SnO <sub>2</sub> quantum dots anchored on g-C <sub>3</sub> N <sub>4</sub> for enhanced visible-light photocatalytic removal of NO and toxic NO <sub>2</sub> inhibition. <i>Applied Surface Science</i> , <b>2019</b> , 496, 143630	6.7	51
160	Hydrothermal formation of N-doped (BiO) <sub>2</sub> CO <sub>3</sub> honeycomb-like microspheres photocatalysts with bismuth citrate and dicyandiamide as precursors. <i>Journal of Colloid and Interface Science</i> , <b>2013</b> , 408, 33-42	9.3	51
159	An anion-exchange strategy for 3D hierarchical (BiO) <sub>2</sub> CO <sub>3</sub> /amorphous Bi <sub>2</sub> S <sub>3</sub> heterostructures with increased solar absorption and enhanced visible light photocatalysis. <i>RSC Advances</i> , <b>2015</b> , 5, 11714-11723	3.7	51
158	Bi quantum dots implanted 2D C-doped BiOCl nanosheets: Enhanced visible light photocatalysis efficiency and reaction pathway. <i>Chinese Journal of Catalysis</i> , <b>2020</b> , 41, 1430-1438	11.3	50
157	Interlayer-I-doped BiOIO <sub>3</sub> nanoplates with an optimized electronic structure for efficient visible light photocatalysis. <i>Chemical Communications</i> , <b>2016</b> , 52, 8243-6	5.8	50
156	Efficient visible light photocatalytic oxidation of NO with hierarchical nanostructured 3D flower-like BiOCl <sub>x</sub> Br <sub>1-x</sub> solid solutions. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 671, 318-327	5.7	50
155	Monolayer Epitaxial Heterostructures for Selective Visible-Light-Driven Photocatalytic NO Oxidation. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1808084	15.6	50
154	Iodide surface decoration: a facile and efficacious approach to modulating the band energy level of semiconductors for high-performance visible-light photocatalysis. <i>Chemical Communications</i> , <b>2016</b> , 52, 354-7	5.8	49
153	N-Doped Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> /Graphene Quantum Dot Composite Photocatalyst: Enhanced Visible-Light Photocatalytic NO Oxidation and In Situ DRIFTS Studies. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 12168-12179	3.8	49
152	Synergistic Photocatalytic Decomposition of a Volatile Organic Compound Mixture: High Efficiency, Reaction Mechanism, and Long-Term Stability. <i>ACS Catalysis</i> , <b>2020</b> , 10, 7230-7239	13.1	49
151	Pivotal roles of artificial oxygen vacancies in enhancing photocatalytic activity and selectivity on Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> nanosheets. <i>Chinese Journal of Catalysis</i> , <b>2019</b> , 40, 620-630	11.3	48
150	Tailoring Active Sites via Synergy between Graphitic and Pyridinic N for Enhanced Catalytic Efficiency of a Carbocatalyst. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 19861-19869	9.5	47
149	Heterostructured BiOI@La(OH) <sub>3</sub> nanorods with enhanced visible light photocatalytic NO removal. <i>Chinese Journal of Catalysis</i> , <b>2017</b> , 38, 217-226	11.3	46
148	Synergistic integration of metallic Bi and defects on BiOI: Enhanced photocatalytic NO removal and conversion pathway. <i>Chinese Journal of Catalysis</i> , <b>2019</b> , 40, 826-836	11.3	46
147	A Bi/BiOI/(BiO) <sub>2</sub> CO <sub>3</sub> heterostructure for enhanced photocatalytic NO removal under visible light. <i>Chinese Journal of Catalysis</i> , <b>2019</b> , 40, 362-370	11.3	46

146	Ternary Ag/AgCl/BiOIO <sub>3</sub> composites for enhanced visible-light-driven photocatalysis. <i>Chinese Journal of Catalysis</i> , <b>2015</b> , 36, 2155-2163	11.3	46
145	The importance of intermediates ring-opening in preventing photocatalyst deactivation during toluene decomposition. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 272, 118977	21.8	46
144	Efficient and stable photocatalytic NO removal on C self-doped g-C <sub>3</sub> N <sub>4</sub> : electronic structure and reaction mechanism. <i>Catalysis Science and Technology</i> , <b>2018</b> , 8, 3387-3394	5.5	44
143	Facile synthesis of Bi <sub>12</sub> O <sub>17</sub> Br <sub>2</sub> and Bi <sub>4</sub> O <sub>5</sub> Br <sub>2</sub> nanosheets: In situ DRIFTS investigation of photocatalytic NO oxidation conversion pathway. <i>Chinese Journal of Catalysis</i> , <b>2017</b> , 38, 2030-2038	11.3	44
142	A new strategy for utilization of NIR from solar energy: Promotion effect generated from photothermal effect of Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> for photocatalytic oxidation of NO. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 204, 584-592	21.8	43
141	Efficient visible light photocatalytic NO <sub>x</sub> removal with cationic Ag clusters-grafted (BiO)CO hierarchical superstructures. <i>Journal of Hazardous Materials</i> , <b>2017</b> , 322, 223-232	12.8	42
140	Integrating the merits of two-dimensional structure and heteroatom modification into semiconductor photocatalyst to boost NO removal. <i>Chemical Engineering Journal</i> , <b>2019</b> , 370, 944-951	14.7	42
139	Tuning the reaction pathway of photocatalytic NO oxidation process to control the secondary pollution on monodisperse Au nanoparticles@g-C <sub>3</sub> N <sub>4</sub> . <i>Chemical Engineering Journal</i> , <b>2019</b> , 378, 122184	14.7	42
138	Synergistic effect of manganese dioxide and diatomite for fast decolorization and high removal capacity of methyl orange. <i>Journal of Colloid and Interface Science</i> , <b>2016</b> , 484, 1-9	9.3	41
137	Growth mechanism and photocatalytic activity of self-organized N-doped (BiO)CO hierarchical nanosheet microspheres from bismuth citrate and urea. <i>Dalton Transactions</i> , <b>2014</b> , 43, 6631-42	4.3	41
136	Pt quantum dots deposited on N-doped (BiO) <sub>2</sub> CO <sub>3</sub> : enhanced visible light photocatalytic NO removal and reaction pathway. <i>Catalysis Science and Technology</i> , <b>2017</b> , 7, 1324-1332	5.5	40
135	Enhanced extrinsic absorption promotes the visible light photocatalytic activity of wide band-gap (BiO) <sub>2</sub> CO <sub>3</sub> hierarchical structure. <i>RSC Advances</i> , <b>2014</b> , 4, 56307-56312	3.7	40
134	Three-in-One Oxygen Vacancies: Whole Visible-Spectrum Absorption, Efficient Charge Separation, and Surface Site Activation for Robust CO <sub>2</sub> Photoreduction. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 3920-3924	3.6	40
133	Mesoporous Ni-Doped Bi <sub>2</sub> O <sub>3</sub> Microspheres for Enhanced Solar-Driven Photocatalysis: A Combined Experimental and Theoretical Investigation. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 9394-9401	3.8	39
132	Enhanced plasmonic photocatalysis by SiO <sub>2</sub> @Bi microspheres with hot-electron transportation channels via Bi <sub>2</sub> S <sub>3</sub> linkages. <i>Chinese Journal of Catalysis</i> , <b>2017</b> , 38, 1174-1183	11.3	39
131	TiC MXene modified g-CN with enhanced visible-light photocatalytic performance for NO purification. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 575, 443-451	9.3	39
130	Improving visible-light-driven photocatalytic NO oxidation over BiOBr nanoplates through tunable oxygen vacancies. <i>Chinese Journal of Catalysis</i> , <b>2018</b> , 39, 779-789	11.3	38
129	One-step preparation of a novel SrCO/g-CN nano-composite and its application in selective adsorption of crystal violet.. <i>RSC Advances</i> , <b>2018</b> , 8, 6315-6325	3.7	38

128	Exploring the photocatalysis mechanism on insulators. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 219, 450-458	21.8	38
127	BaWO <sub>4</sub> /g-C <sub>3</sub> N <sub>4</sub> heterostructure with excellent bifunctional photocatalytic performance. <i>Chemical Engineering Journal</i> , <b>2020</b> , 385, 123833	14.7	38
126	Dual redox couples Ag/Ag <sup>+</sup> and W(IV)/W(VI) self-sacrificed transformation for realizing multiplex hierarchical architectures with universally powerful photocatalytic performance. <i>Applied Catalysis B: Environmental</i> , <b>2017</b> , 200, 620-632	21.8	37
125	Ag/AgCl nanoparticles assembled on BiOCl/Bi <sub>2</sub> O <sub>7</sub> nanosheets: Enhanced plasmonic visible light photocatalysis and in situ DRIFTS investigation. <i>Applied Surface Science</i> , <b>2018</b> , 455, 236-243	6.7	37
124	Facet-dependent photocatalytic NO conversion pathways predetermined by adsorption activation patterns. <i>Nanoscale</i> , <b>2019</b> , 11, 2366-2373	7.7	36
123	Light-Induced Generation and Regeneration of Oxygen Vacancies in BiSbO for Sustainable Visible Light Photocatalysis. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 47984-47991	9.5	36
122	Facile Synthesis of Flower-like (BiO) <sub>2</sub> CO <sub>3</sub> @MnO <sub>2</sub> and Bi <sub>2</sub> O <sub>3</sub> @MnO <sub>2</sub> Nanocomposites for Supercapacitors. <i>Electrochimica Acta</i> , <b>2015</b> , 168, 97-103	6.7	35
121	Mechanistic understanding of ternary Ag/AgCl@La(OH) <sub>3</sub> nanorods as novel visible light plasmonic photocatalysts. <i>Catalysis Science and Technology</i> , <b>2016</b> , 6, 5003-5010	5.5	35
120	Synthesis of BiOBr/graphene and BiOBr/graphene oxide nanocomposites with enhanced visible light photocatalytic performance. <i>Ceramics International</i> , <b>2014</b> , 40, 9003-9008	5.1	35
119	Bi-based photocatalysts for light-driven environmental and energy applications: Structural tuning, reaction mechanisms, and challenges. <i>EcoMat</i> , <b>2020</b> , 2, e12047	9.4	35
118	Nature-inspired CaCO <sub>3</sub> loading TiO <sub>2</sub> composites for efficient and durable photocatalytic mineralization of gaseous toluene. <i>Science Bulletin</i> , <b>2020</b> , 65, 1626-1634	10.6	34
117	Fe(III) cluster-grafted (BiO) <sub>2</sub> CO <sub>3</sub> superstructures: in situ DRIFTS investigation on IFCT-enhanced visible light photocatalytic NO oxidation. <i>Environmental Science: Nano</i> , <b>2017</b> , 4, 604-612	7.1	33
116	Carbonate-intercalated defective bismuth tungstate for efficiently photocatalytic NO removal and promotion mechanism study. <i>Applied Catalysis B: Environmental</i> , <b>2019</b> , 254, 206-213	21.8	33
115	Controlled deposition of Au on (BiO) <sub>2</sub> CO <sub>3</sub> microspheres: the size and content of Au nanoparticles matter. <i>Dalton Transactions</i> , <b>2015</b> , 44, 8805-11	4.3	33
114	Capture of atmospheric CO <sub>2</sub> into (BiO) <sub>2</sub> CO <sub>3</sub> /graphene or graphene oxide nanocomposites with enhanced photocatalytic performance. <i>Applied Surface Science</i> , <b>2015</b> , 358, 75-83	6.7	33
113	Visible light induced electron transfer from a semiconductor to an insulator enables efficient photocatalytic activity on insulator-based heterojunctions. <i>Nanoscale</i> , <b>2018</b> , 10, 15513-15520	7.7	33
112	Mechanisms of Interfacial Charge Transfer and Photocatalytic NO Oxidation on BiOBr/SnO p-n Heterojunctions. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 43741-43749	9.5	33
111	A self-sacrifice template route to iodine modified BiOIO <sub>3</sub> : band gap engineering and highly boosted visible-light active photoreactivity. <i>Physical Chemistry Chemical Physics</i> , <b>2016</b> , 18, 7851-9	3.6	32

110	Promoted reactants activation and charge separation leading to efficient photocatalytic activity on phosphate/potassium co-functionalized carbon nitride. <i>Chinese Chemical Letters</i> , <b>2019</b> , 30, 875-880	8.1	31
109	Simultaneous introduction of oxygen vacancies and Bi metal onto the {001} facet of BiOCl woven nanobelts for synergistically enhanced photocatalysis. <i>Nanoscale</i> , <b>2018</b> , 10, 16928-16934	7.7	31
108	Enhanced Visible Light Photocatalytic Activity of V <sub>2</sub> O <sub>5</sub> Cluster Modified N-Doped TiO <sub>2</sub> for Degradation of Toluene in Air. <i>International Journal of Photoenergy</i> , <b>2012</b> , 2012, 1-10	2.1	31
107	Facile synthesis of CeO <sub>2</sub> /g-C <sub>3</sub> N <sub>4</sub> nanocomposites with significantly improved visible-light photocatalytic activity for hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 16154-16163	6.7	29
106	Photocatalytic Platforms for Removal of Ammonia from Gaseous and Aqueous Matrixes: Status and Challenges. <i>ACS Catalysis</i> , <b>2020</b> , 10, 8683-8716	13.1	29
105	Synthesis of mesoporous polymeric carbon nitride exhibiting enhanced and durable visible light photocatalytic performance. <i>Science Bulletin</i> , <b>2014</b> , 59, 688-698		27
104	Interfacial activation of reactants and intermediates on CaSO <sub>4</sub> insulator-based heterostructure for efficient photocatalytic NO removal. <i>Chemical Engineering Journal</i> , <b>2020</b> , 390, 124609	14.7	26
103	Hydrothermal fabrication of N-doped (BiO) <sub>2</sub> CO <sub>3</sub> : Structural and morphological influence on the visible light photocatalytic activity. <i>Applied Surface Science</i> , <b>2014</b> , 319, 256-264	6.7	26
102	Single-Atom Ru-Implanted Metal-Organic Framework/MnO <sub>2</sub> for the Highly Selective Oxidation of NO <sub>x</sub> by Plasma Activation. <i>ACS Catalysis</i> , <b>2020</b> , 10, 10185-10196	13.1	26
101	La-doping induced localized excess electrons on (BiO)CO for efficient photocatalytic NO removal and toxic intermediates suppression. <i>Journal of Hazardous Materials</i> , <b>2020</b> , 400, 123174	12.8	25
100	Ammonia induced formation of N-doped (BiO) <sub>2</sub> CO <sub>3</sub> hierarchical microspheres: the effect of hydrothermal temperature on the morphology and photocatalytic activity. <i>CrystEngComm</i> , <b>2013</b> , 15, 10522	3.3	25
99	Ternary Ag/AgCl-(BiO) <sub>2</sub> CO <sub>3</sub> composites as high-performance visible-light plasmonic photocatalysts. <i>Catalysis Today</i> , <b>2017</b> , 284, 67-76	5.3	25
98	Unveiling the unconventional roles of methyl number on the ring-opening barrier in photocatalytic decomposition of benzene, toluene and o-xylene. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 278, 119318	21.8	25
97	SrTiO <sub>3</sub> /BiOI heterostructure: Interfacial charge separation, enhanced photocatalytic activity, and reaction mechanism. <i>Chinese Journal of Catalysis</i> , <b>2020</b> , 41, 710-718	11.3	24
96	The rapid synthesis of photocatalytic (BiO) <sub>2</sub> CO <sub>3</sub> single-crystal nanosheets via an eco-friendly approach. <i>CrystEngComm</i> , <b>2014</b> , 16, 3592-3604	3.3	24
95	Graphene oxide mediated co-generation of C-doping and oxygen defects in BiWO nanosheets: a combined DRIFTS and DFT investigation. <i>Nanoscale</i> , <b>2019</b> , 11, 20562-20570	7.7	24
94	Anion intercalated layered-double-hydroxide structure for efficient photocatalytic NO remove. <i>Green Energy and Environment</i> , <b>2019</b> , 4, 270-277	5.7	24
93	In situ growth of Au nanoparticles on 3D Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> for surface plasmon enhanced visible light photocatalysis. <i>New Journal of Chemistry</i> , <b>2015</b> , 39, 8446-8453	3.6	23

92	The high selectivity for benzoic acid formation on Ca <sub>2</sub> Sb <sub>2</sub> O <sub>7</sub> enables efficient and stable toluene mineralization. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 271, 118948	21.8	23
91	Photocatalytic removal of NO by intercalated carbon nitride: The effect of group IIA element ions. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 273, 119007	21.8	23
90	Facile construction of Bi <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> @Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> heterojunctions for enhanced photocatalytic efficiency toward NO removal and study of the conversion process. <i>Chinese Journal of Catalysis</i> , <b>2020</b> , 41, 268-275	11.3	23
89	Oxygen vacancies on the BiOCl surface promoted photocatalytic complete NO oxidation via superoxide radicals. <i>Chinese Chemical Letters</i> , <b>2020</b> , 31, 2737-2741	8.1	22
88	The Multiple Effects of Precursors on the Properties of Polymeric Carbon Nitride. <i>International Journal of Photoenergy</i> , <b>2013</b> , 2013, 1-9	2.1	22
87	Synergetic effect of BiOCl/Bi <sub>2</sub> O <sub>3</sub> and MoS <sub>2</sub> : in situ DRIFTS investigation on photocatalytic NO oxidation pathway. <i>Rare Metals</i> , <b>2019</b> , 38, 437-445	5.5	21
86	C <sub>3</sub> N <sub>4</sub> with engineered three coordinated (N <sub>3</sub> C) nitrogen vacancy boosts the production of 1O <sub>2</sub> for Efficient and stable NO photo-oxidation. <i>Chemical Engineering Journal</i> , <b>2020</b> , 389, 124421	14.7	21
85	Simultaneous Pd <sup>2+</sup> doping and Pd metal deposition on (BiO) <sub>2</sub> CO <sub>3</sub> microspheres for enhanced and stable visible light photocatalysis. <i>Applied Catalysis A: General</i> , <b>2016</b> , 510, 161-170	5.1	19
84	Non-noble metal plasmonic photocatalysis in semimetal bismuth films for photocatalytic NO oxidation. <i>Physical Chemistry Chemical Physics</i> , <b>2017</b> , 19, 25610-25616	3.6	19
83	Bismuth nanoparticles and oxygen vacancies synergistically attired Zn <sub>2</sub> SnO <sub>4</sub> with optimized visible-light-active performance. <i>Nano Energy</i> , <b>2021</b> , 80, 105415	17.1	19
82	Facile synthesis of in situ phosphorus-doped g-C <sub>3</sub> N <sub>4</sub> with enhanced visible light photocatalytic property for NO purification. <i>RSC Advances</i> , <b>2016</b> , 6, 88085-88089	3.7	18
81	Enhanced plasmonic photocatalytic disinfection on noble-metal-free bismuth nanospheres/graphene nanocomposites. <i>Catalysis Science and Technology</i> , <b>2018</b> , 8, 4600-4603	5.5	18
80	Inhibition of the toxic byproduct during photocatalytic NO oxidation via La doping in ZnO. <i>Chinese Chemical Letters</i> , <b>2020</b> , 31, 751-754	8.1	18
79	A Cost-Effective Solid-State Approach to Synthesize g-C <sub>3</sub> N <sub>4</sub> Coated TiO <sub>2</sub> Nanocomposites with Enhanced Visible Light Photocatalytic Activity. <i>International Journal of Photoenergy</i> , <b>2013</b> , 2013, 1-7	2.1	17
78	Ultrathin Two-Dimensional Bi-Based photocatalysts: Synthetic strategies, surface defects, and reaction mechanisms. <i>Chemical Engineering Journal</i> , <b>2021</b> , 417, 129305	14.7	17
77	In situ loading of MoO <sub>3</sub> clusters on ultrathin Bi <sub>2</sub> MoO <sub>6</sub> nanosheets for synergistically enhanced photocatalytic NO abatement. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 292, 120159	21.8	17
76	Atomic interfacial structure and charge transfer mechanism on in-situ formed BiOI/Bi <sub>2</sub> O <sub>2</sub> SO <sub>4</sub> p/n heterojunctions with highly promoted photocatalysis. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 297, 120492	21.8	17
75	Selective breakage of C-H bonds in the key oxidation intermediates of gaseous formaldehyde on self-doped CaSn(OH) <sub>6</sub> cubes for safe and efficient photocatalysis. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 277, 119214	21.8	16

74	Synthesis of flower-like, pinon-like and faceted nanoplates (BiO) <sub>2</sub> CO <sub>3</sub> micro/nanostructures with morphology-dependent photocatalytic activity. <i>Materials Chemistry and Physics</i> , <b>2013</b> , 142, 381-386	4.4	16
73	(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> -assisted polycondensation of dicyandiamide for porous g-C <sub>3</sub> N <sub>4</sub> with enhanced photocatalytic NO removal. <i>RSC Advances</i> , <b>2016</b> , 6, 96334-96338	3.7	16
72	Growth of g-C <sub>3</sub> N <sub>4</sub> Layer on Commercial TiO <sub>2</sub> for Enhanced Visible Light Photocatalytic Activity. <i>Journal of Nanomaterials</i> , <b>2014</b> , 2014, 1-8	3.2	15
71	An atomic insight into BiOBr/La <sub>2</sub> Ti <sub>2</sub> O <sub>7</sub> p-n heterojunctions: interfacial charge transfer pathway and photocatalysis mechanism. <i>Catalysis Science and Technology</i> , <b>2020</b> , 10, 826-834	5.5	15
70	Zn-doping mediated formation of oxygen vacancies in SnO <sub>2</sub> with unique electronic structure for efficient and stable photocatalytic toluene degradation. <i>Chinese Journal of Catalysis</i> , <b>2021</b> , 42, 1195-1204	11.3	15
69	Oxygen activation of noble-metal-free g-C <sub>3</sub> N <sub>4</sub> /Ni(OH) <sub>2</sub> to control the toxic byproduct of photocatalytic nitric oxide removal. <i>Chemical Engineering Journal</i> , <b>2020</b> , 382, 123029	14.7	15
68	Carbonate doped BiMoO hierarchical nanostructure with enhanced transformation of active radicals for efficient photocatalytic removal of NO. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 557, 816-824	9.3	14
67	High visible-light photocatalytic performance of stable lead-free Cs <sub>2</sub> AgBiBr <sub>6</sub> double perovskite nanocrystals. <i>Journal of Catalysis</i> , <b>2021</b> , 397, 27-35	7.3	14
66	Sulfur-doping synchronously ameliorating band energy structure and charge separation achieving decent visible-light photocatalysis of Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> . <i>RSC Advances</i> , <b>2016</b> , 6, 94361-94364	3.7	14
65	In situ DRIFT investigation on the photocatalytic NO oxidation mechanism with thermally exfoliated porous g-C <sub>3</sub> N <sub>4</sub> nanosheets. <i>RSC Advances</i> , <b>2017</b> , 7, 19280-19287	3.7	13
64	High-surface energy enables efficient and stable photocatalytic toluene degradation via the suppression of intermediate byproducts. <i>Catalysis Science and Technology</i> , <b>2019</b> , 9, 2952-2959	5.5	13
63	Controlling the secondary pollutant on B-doped g-C <sub>3</sub> N <sub>4</sub> during photocatalytic NO removal: a combined DRIFTS and DFT investigation. <i>Catalysis Science and Technology</i> , <b>2019</b> , 9, 4531-4537	5.5	13
62	Insights for optimum cation defects in photocatalysis: A case study of hematite nanostructures. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 264, 118506	21.8	13
61	Uncovering the synergy between Mn substitution and O vacancy in ZnAl-LDH photocatalyst for efficient toluene removal. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 296, 120376	21.8	13
60	Controlled hydrogenation into defective interlayer bismuth oxychloride via vacancy engineering. <i>Communications Chemistry</i> , <b>2020</b> , 3,	6.3	12
59	High-efficiency photocatalytic decomposition of toluene over defective InOOH: Promotive role of oxygen vacancies in ring opening process. <i>Chemical Engineering Journal</i> , <b>2021</b> , 413, 127389	14.7	12
58	Quantifying the activation energies of ROS-induced NO <sub>x</sub> conversion: Suppressed toxic intermediates generation and clarified reaction mechanism. <i>Chemical Engineering Journal</i> , <b>2019</b> , 375, 122026	14.7	11
57	Grand Challenges for Catalytic Remediation in Environmental and Energy Applications Toward a Cleaner and Sustainable Future. <i>Frontiers in Environmental Chemistry</i> , <b>2020</b> , 1,	3	11

56	Optimizing the Electronic Structure of BiOBr Nanosheets via Combined Ba Doping and Oxygen Vacancies for Promoted Photocatalysis. <i>Journal of Physical Chemistry C</i> , <b>2021</b> , 125, 8597-8605	3.8	11
55	Highly durable isotypic heterojunction generated by covalent cross-linking with organic linkers for improving visible-light-driven photocatalytic performance. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 260, 118182	21.8	11
54	Efficient $\beta$ -MnO with (2 1 0) facet exposed for catalytic oxidation of toluene at low temperature: A combined in-situ DRIFTS and theoretical investigation. <i>Chemosphere</i> , <b>2021</b> , 263, 128103	8.4	11
53	Novel CaCO <sub>3</sub> /g-C <sub>3</sub> N <sub>4</sub> composites with enhanced charge separation and photocatalytic activity. <i>Journal of Saudi Chemical Society</i> , <b>2019</b> , 23, 1109-1118	4.3	10
52	Heterojunction interface of zinc oxide and zinc sulfide promoting reactive molecules activation and carrier separation toward efficient photocatalysis. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 588, 826-837	9.3	10
51	Lower treating temperature leading to higher air purification activity. <i>Chemical Engineering Journal</i> , <b>2017</b> , 314, 640-649	14.7	9
50	Mo Promotes Interfacial Interaction and Induces Oxygen Vacancies in 2D/2D of Mo-g-C <sub>3</sub> N <sub>4</sub> and Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> Photocatalyst for Enhanced NO Oxidation. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 9509-9518	3.9	9
49	Enhanced Visible Light Photocatalytic Activity of Br-Doped Bismuth Oxide Formate Nanosheets. <i>Molecules</i> , <b>2015</b> , 20, 19189-202	4.8	9
48	Light-Induced Dynamic Stability of Oxygen Vacancies in BiSbO <sub>4</sub> for Efficient Photocatalytic Formaldehyde Degradation. <i>Energy and Environmental Materials</i> ,	13	9
47	Enhanced Photocatalytic VOCs Mineralization via Special Ga-O-H Charge Transfer Channel in $\beta$ -Ga <sub>2</sub> O <sub>3</sub> /MgAl-LDH Heterojunction. <i>ACS ES&amp;T Engineering</i> , <b>2021</b> , 1, 501-511		8
46	Perovskite Nanocrystals-Based Heterostructures: Synthesis Strategies, Interfacial Effects, and Photocatalytic Applications. <i>Solar Rrl</i> , <b>2021</b> , 5, 2000419	7.1	8
45	Motivated surface reaction thermodynamics on the bismuth oxyhalides with lattice strain for enhanced photocatalytic NO oxidation. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 284, 119694	21.8	8
44	Rapid Self-Decomposition of g-C <sub>3</sub> N <sub>4</sub> During Gas/Solid Photocatalytic CO <sub>2</sub> Reduction and Its Effects on Performance Assessment. <i>ACS Catalysis</i> , 4560-4570	13.1	8
43	Surface Hydrogen Atoms Promote Oxygen Activation for Solar Light-Driven NO Oxidation over Monolithic $\beta$ -Ni(OH)/Ni Foam. <i>Environmental Science &amp; Technology</i> , <b>2020</b> , 54, 16221-16230	10.3	7
42	Humidity-Independent Photocatalytic Toluene Mineralization Benefits from the Utilization of Edge Hydroxyls in Layered Double Hydroxides (LDHs): A Combined Operando and Theoretical Investigation. <i>ACS Catalysis</i> , <b>2021</b> , 11, 8132-8139	13.1	7
41	Tuning the Active Sites of Atomically Thin Defective BiOCl via Incorporation of Subnanometer Clusters. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 9216-9223	9.5	7
40	An ion-exchange strategy for I-doped BiOCOOH nanoplates with enhanced visible light photocatalytic NO <sub>x</sub> removal. <i>Pure and Applied Chemistry</i> , <b>2018</b> , 90, 353-361	2.1	7
39	Identification of deactivation-resistant origin of In(OH) for efficient and durable photodegradation of benzene, toluene and their mixtures. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 416, 126208	12.8	7

38	The structural differences of perovskite $\text{ATiO}_3$ ( $\text{A}=\text{Ca, Sr}$ ) dictate the photocatalytic VOCs mineralization efficiency. <i>Chemical Engineering Journal</i> , <b>2021</b> , 425, 130613	14.7	7
37	Tuning the Morphological Structure and Photocatalytic Activity of Nitrogen-Doped $(\text{BiO})_2\text{CO}_3$ by the Hydrothermal Temperature. <i>Journal of Nanomaterials</i> , <b>2014</b> , 2014, 1-10	3.2	6
36	OH/Na co-functionalized carbon nitride: directional charge transfer and enhanced photocatalytic oxidation ability. <i>Catalysis Science and Technology</i> , <b>2020</b> , 10, 529-535	5.5	6
35	Optimizing the metal-support interactions at the Pd-polymer carbon nitride Mott-Schottky heterojunction interface for an enhanced electrocatalytic hydrodechlorination reaction. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 411, 125119	12.8	6
34	Controllable synthesis of a 3D $\text{ZnS}@\text{MoO}_3$ heterojunction via a hydrothermal method towards efficient NO purification under visible light. <i>CrystEngComm</i> , <b>2020</b> , 22, 257-266	3.3	5
33	$\text{CsPbBr}_3$ Perovskite Nanocrystal: A Robust Photocatalyst for Realizing NO Abatement. <i>ACS ES&amp;T Engineering</i> , <b>2021</b> , 1, 1021-1027		5
32	Photocatalytic reaction mechanisms at a gas/solid interface for typical air pollutant decomposition. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 20184-20210	13	5
31	Promote reactants activation and key intermediates formation for facilitated toluene photodecomposition via Ba active sites construction. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 297, 120489	21.8	5
30	Photocatalytic destruction of volatile aromatic compounds by platinumized titanium dioxide in relation to the relative effect of the number of methyl groups on the benzene ring.. <i>Science of the Total Environment</i> , <b>2022</b> , 822, 153605	10.2	4
29	Enhanced photocatalytic NO removal with the superior selectivity for $\text{NO}_2/\text{NO}_3^-$ species of $\text{Bi}_2\text{GeO}_5$ -based composites via a ball-milling treatment: Synergetic effect of surface oxygen vacancies and n-p heterojunctions. <i>Composites Part B: Engineering</i> , <b>2022</b> , 231, 109600	10	4
28	Efficient photocatalytic toluene degradation over heterojunction of $\text{GQDs}@/\text{BiOCl}$ ultrathin nanosheets with selective benzoic acid activation. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 420, 126577	12.8	4
27	Crystal-structure dependent reaction pathways in photocatalytic formaldehyde mineralization on $\text{BiPO}_4$ . <i>Journal of Hazardous Materials</i> , <b>2021</b> , 420, 126633	12.8	4
26	Doping and facet effects synergistically mediated interfacial reaction mechanism and selectivity in photocatalytic NO abatement. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 604, 624-634	9.3	4
25	Thermocatalytic oxidation of gaseous benzene by a titanium dioxide supported platinum catalyst. <i>Chemical Engineering Journal</i> , <b>2022</b> , 428, 131090	14.7	4
24	$\text{BiOBr}$ with oxygen vacancies capture 0D black phosphorus quantum dots for high efficient photocatalytic ofloxacin degradation. <i>Applied Surface Science</i> , <b>2022</b> , 593, 153422	6.7	4
23	Activating earth-abundant insulator $\text{BaSO}_4$ for visible-light induced degradation of tetracycline. <i>Applied Catalysis B: Environmental</i> , <b>2022</b> , 307, 121182	21.8	3
22	Highly enhanced photocatalytic toluene degradation and in situ FT-IR investigation on designed Sn-doped $\text{BiOCl}$ nanosheets. <i>Applied Surface Science</i> , <b>2022</b> , 578, 152002	6.7	3
21	Photocatalytic reaction mechanisms at the gas/solid interface for environmental and energy applications. <i>Catalysis Science and Technology</i> , <b>2021</b> , 11, 7807-7839	5.5	3



20	Alkali/alkaline-earth metal intercalated g-C <sub>3</sub> N <sub>4</sub> induced charge redistribution and optimized photocatalysis: status and challenges. <i>JPhys Energy</i> , <b>2021</b> , 3, 032008	4.9	3
19	Photochemical Transformation Pathways of Nitrates from Photocatalytic NO <sub>x</sub> Oxidation: Implications for Controlling Secondary Pollutants. <i>Environmental Science and Technology Letters</i> ,	11	3
18	B doped Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> hierarchical microspheres: Enhanced photocatalytic performance and reaction mechanism for NO removal. <i>Catalysis Today</i> , <b>2021</b> , 380, 230-236	5.3	3
17	The mechanisms of interfacial charge transfer and photocatalysis reaction over Cs <sub>3</sub> Bi <sub>2</sub> Cl <sub>9</sub> QD/(BiO) <sub>2</sub> CO <sub>3</sub> heterojunction. <i>Chemical Engineering Journal</i> , <b>2022</b> , 430, 132974	14.7	2
16	Enhanced Reactant Activation and Transformation for Efficient Photocatalytic Acetone Degradation on SnO <sub>2</sub> via Hf Doping. <i>Advanced Sustainable Systems</i> , <b>2021</b> , 5, 2100115	5.9	2
15	Highly efficient photocatalytic NO removal and in situ DRIFTS investigation on SrSn(OH) <sub>6</sub> . <i>Chinese Chemical Letters</i> , <b>2021</b> ,	8.1	2
14	Bismuth metal and semiconductor-based photocatalysts: structure tuning, activity enhancement, and reaction mechanism. <i>Interface Science and Technology</i> , <b>2020</b> , 31, 349-377	2.3	1
13	Insights into peroxymonosulfate activation under visible Light: Sc <sub>2</sub> O <sub>3</sub> @C <sub>3</sub> N <sub>4</sub> mediated photoexcited electron transfer. <i>Chemical Engineering Journal</i> , <b>2022</b> , 435, 134836	14.7	1
12	Porous Mn-doped Co <sub>3</sub> O <sub>4</sub> nanosheets: Gas sensing performance and interfacial mechanism investigation with In situ DRIFTS. <i>Sensors and Actuators B: Chemical</i> , <b>2022</b> , 353, 131155	8.5	1
11	Reheat treatment under vacuum induces pre-calcined βMnO with oxygen vacancy as efficient catalysts for toluene oxidation. <i>Chemosphere</i> , <b>2021</b> , 289, 133081	8.4	1
10	Crystal-Structure-Dependent Photocatalytic Redox Activity and Reaction Pathways over GaO Polymorphs. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 50975-50987	9.5	1
9	Efficient visible light photocatalytic NO abatement over SrSn(OH) nanowires loaded with Ag/AgO cocatalyst. <i>Environmental Research</i> , <b>2021</b> , 201, 111521	7.9	1
8	Light-induced secondary hydroxyl defects in Sr <sub>1-x</sub> Sn(OH) <sub>6</sub> enable sustained and efficient photocatalytic toluene mineralization. <i>Chemical Engineering Journal</i> , <b>2022</b> , 427, 131764	14.7	1
7	Optimizing the GasSolid Photocatalytic Reactions for Air Purification. <i>ACS ES&amp;T Engineering</i> ,		1
6	Unveiling the collective effects of moisture and oxygen on the photocatalytic degradation of m-Xylene using a titanium dioxide supported platinum catalyst. <i>Chemical Engineering Journal</i> , <b>2022</b> , 439, 135747	14.7	1
5	Efficient NO removal and photocatalysis mechanism over Bi-metal@Bi <sub>2</sub> O <sub>2</sub> [BO <sub>2</sub> (OH)] with oxygen vacancies. <i>Journal of Hazardous Materials</i> , <b>2022</b> , 129271	12.8	1
4	Tailoring unique neural-network-type carbon nanofibers inserted in CoP/NC polyhedra for robust hydrogen evolution reaction. <i>Nanoscale</i> , <b>2021</b> , 13, 14705-14712	7.7	0
3	Design and mechanism of photocatalytic oxidation for the removal of air pollutants: a review. <i>Environmental Chemistry Letters</i> ,1	13.3	0

- 2 A new strategy for plasma-catalytic reduction of NO to N<sub>2</sub> on the surface of modified Bi<sub>2</sub>MoO<sub>6</sub>. *Chemical Engineering Journal*, **2022**, 440, 135754 14.7 ○
- 1 Green Production of Solar Fuels Using Formaldehyde Pollutant as a Carbon Feedstock Achieving Conversion of Waste into Energy. *ACS Sustainable Chemistry and Engineering*, **2022**, 10, 31-36 8.3