

Beatriz Miralles Buraglia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9357390/beatriz-miralles-buraglia-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

2,725

citations

29

h-index

51

g-index

72

ext. papers

3,206

ext. citations

5.5

avg, IF

5.15

L-index

#	Paper	IF	Citations
69	Development of polysaccharide-casein gel-like structures resistant to in vitro gastric digestion. <i>Food Hydrocolloids</i> , 2022 , 127, 107505	10.6	1
68	Physicochemical properties, structure and digestibility in simulated gastrointestinal environment of bread added with green lentil flour. <i>LWT - Food Science and Technology</i> , 2022 , 154, 112713	5.4	1
67	In vitro digestion of milk proteins including intestinal brush border membrane peptidases. Transepithelial transport of resistant casein domains. <i>Food Research International</i> , 2022 , 111238	7	0
66	Gastrointestinal co-digestion of wine polyphenols with glucose/whey proteins affects their bioaccessibility and impact on colonic microbiota.. <i>Food Research International</i> , 2022 , 155, 111010	7	1
65	Thermal stability of bovine lactoferrin prepared by cation exchange chromatography and its blends with authorized additives for infant formulas. <i>LWT - Food Science and Technology</i> , 2021 , 154, 112744	5.4	1
64	Study of the phenolic compound profile and antioxidant activity of human milk from Spanish women at different stages of lactation: A comparison with infant formulas. <i>Food Research International</i> , 2021 , 141, 110149	7	6
63	Digestion of micellar casein in duodenum cannulated pigs. Correlation between in vitro simulated gastric digestion and in vivo data. <i>Food Chemistry</i> , 2021 , 343, 128424	8.5	12
62	Composition of Brazil Nut (HBK), Its Beverage and By-Products: A Healthy Food and Potential Source of Ingredients.. <i>Foods</i> , 2021 , 10,	4.9	4
61	Compared digestibility of plant protein isolates by using the INFOGEST digestion protocol. <i>Food Research International</i> , 2020 , 137, 109708	7	25
60	Peptidomic data of egg white gastrointestinal digests prepared using the Infogest Harmonized Protocol. <i>Data in Brief</i> , 2020 , 31, 105932	1.2	3
59	Implication of Opioid Receptors in the Antihypertensive Effect of a Bovine Casein Hydrolysate and β Casein-Derived Peptides. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 1877-1883	5.7	7
58	Release of multifunctional peptides from kiwicha (<i>Amaranthus caudatus</i>) protein under in vitro gastrointestinal digestion. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 1225-1232	4.3	24
57	Gastrointestinal digestion of food-use silver nanoparticles in the dynamic SIMulator of the GastroIntestinal tract (simgi). Impact on human gut microbiota. <i>Food and Chemical Toxicology</i> , 2019 , 132, 110657	4.7	26
56	Can dynamic digestion systems mimic the physiological reality?. <i>Critical Reviews in Food Science and Nutrition</i> , 2019 , 59, 1546-1562	11.5	120
55	Some new findings on the potential use of biocompatible silver nanoparticles in winemaking. <i>Innovative Food Science and Emerging Technologies</i> , 2019 , 51, 64-72	6.8	15
54	Bioaccessible peptides released by in vitro gastrointestinal digestion of fermented goat milks. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 3597-3606	4.4	14
53	Correlation between in vitro and in vivo data on food digestion. What can we predict with static in vitro digestion models?. <i>Critical Reviews in Food Science and Nutrition</i> , 2018 , 58, 2239-2261	11.5	138

52	Protein degradation and peptide release from milk proteins in human jejunum. Comparison with in vitro gastrointestinal simulation. <i>Food Chemistry</i> , 2018 , 239, 486-494	8.5	109
51	Dynamic gastric digestion of a commercial whey protein concentrate. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 1873-1879	4.3	27
50	Intestinal Signaling of Proteins and Digestion-Derived Products Relevant to Satiety. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 10123-10131	5.7	30
49	Critical Review and Perspectives on Food-Derived Antihypertensive Peptides. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 9384-9390	5.7	33
48	In vitro chemopreventive properties of peptides released from quinoa (<i>Chenopodium quinoa</i> Willd.) protein under simulated gastrointestinal digestion. <i>Food Research International</i> , 2018 , 105, 403-411	4.7	77
47	Influence of Protein-Phenolic Complex on the Antioxidant Capacity of Flaxseed (<i>Linum usitatissimum</i> L.) Products. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 800-809	5.7	36
46	Effect of the long-term intake of a casein hydrolysate on mucin secretion and gene expression in the rat intestine. <i>Journal of Functional Foods</i> , 2017 , 33, 176-180	5.1	8
45	Casein Hydrolysates by <i>Lactobacillus brevis</i> and <i>Lactococcus lactis</i> Proteases: Peptide Profile Discriminates Strain-Dependent Enzyme Specificity. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 9324-9332	5.7	13
44	Health Effects of Cheese Components with a Focus on Bioactive Peptides 2017 , 239-273		12
43	Antioxidant, ACE-inhibitory and antimicrobial activity of fermented goat milk: activity and physicochemical property relationship of the peptide components. <i>Food and Function</i> , 2017 , 8, 2783-2791	6.1	37
42	Identification of peptides released from flaxseed (<i>Linum usitatissimum</i>) protein by Alcalase hydrolysis: Antioxidant activity. <i>LWT - Food Science and Technology</i> , 2017 , 76, 140-146	5.4	42
41	Use of soluble chitosans in Maillard reaction products with β -lactoglobulin. Emulsifying and antioxidant properties. <i>LWT - Food Science and Technology</i> , 2017 , 75, 440-446	5.4	27
40	Microencapsulation of a whey protein hydrolysate within micro-hydrogels: Impact on gastrointestinal stability and potential for functional yoghurt development. <i>Journal of Functional Foods</i> , 2016 , 26, 290-300	5.1	21
39	Peptide fragments from β -casein f(134-138), HLPLP, generated by the action of rat blood plasma peptidases show potent antihypertensive activity. <i>Food Research International</i> , 2016 , 88, 348-353	7	25
38	The harmonized INFOGEST in vitro digestion method: From knowledge to action. <i>Food Research International</i> , 2016 , 88, 217-225	7	132
37	Identification of antioxidant peptides of hen egg-white lysozyme and evaluation of inhibition of lipid peroxidation and cytotoxicity in the Zebrafish model. <i>European Food Research and Technology</i> , 2016 , 242, 1777-1785	3.4	41
36	Novel peptides derived from β 1-casein with opioid activity and mucin stimulatory effect on HT29-MTX cells. <i>Journal of Functional Foods</i> , 2016 , 25, 466-476	5.1	29
35	Role of intestinal brush border peptidases in the simulated digestion of milk proteins. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 948-56	5.9	63

34	Caseinophosphopeptides released after tryptic hydrolysis versus simulated gastrointestinal digestion of a casein-derived by-product. <i>Food Chemistry</i> , 2015 , 168, 648-55	8.5	29
33	HT29 Cell Line 2015 , 113-124		27
32	Peptidomics for discovery, bioavailability and monitoring of dairy bioactive peptides. <i>Food Research International</i> , 2014 , 63, 170-181	7	108
31	Role of Physicochemical Properties of Chitin and Chitosan on their Functionality. <i>Current Chemical Biology</i> , 2014 , 8, 27-42	0.4	21
30	Immunological behavior of in vitro digested egg-white lysozyme. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 614-24	5.9	30
29	Peptidomic study of Spanish blue cheese (Valdeñ) and changes after simulated gastrointestinal digestion. <i>Electrophoresis</i> , 2014 , 35, 1627-36	3.6	45
28	Bioavailability and kinetics of the antihypertensive casein-derived peptide HLPLP in rats. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 11869-75	5.7	51
27	Casein hydrolysate and derived peptides stimulate mucin secretion and gene expression in human intestinal cells. <i>International Dairy Journal</i> , 2013 , 32, 13-19	3.5	37
26	Effect of β -lactoglobulin hydrolysate and β -lactorphin on intestinal mucin secretion and gene expression in human goblet cells. <i>Food Research International</i> , 2013 , 54, 1287-1291	7	26
25	Extraction/Fractionation Techniques for Proteins and Peptides and Protein Digestion 2013 , 21-50		16
24	Influence of the physico-chemical characteristics of chito-oligosaccharides (COS) on antioxidant activity. <i>Carbohydrate Polymers</i> , 2013 , 97, 776-82	10.3	45
23	Acute and repeated dose (28 days) oral safety studies of ALIBIRD in rats. <i>Journal of Food Protection</i> , 2013 , 76, 1226-39	2.5	17
22	Peptides 2012 , 69-96		
21	Identification of an IgE reactive peptide in hen egg riboflavin binding protein subjected to simulated gastrointestinal digestion. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 5215-20	5.7	9
20	Food-derived peptides stimulate mucin secretion and gene expression in intestinal cells. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 8600-5	5.7	51
19	Antihypertensive peptides from food proteins: a review. <i>Food and Function</i> , 2012 , 3, 350-61	6.1	194
18	Antibacterial activity of products of depolymerization of chitosans with lysozyme and chitosanase against <i>Campylobacter jejuni</i> . <i>Carbohydrate Polymers</i> , 2011 , 84, 844-848	10.3	34
17	Suitability of a colorimetric method for the selective determination of chitosan in dietary supplements. <i>Food Chemistry</i> , 2011 , 126, 1836-9	8.5	10

16	Functional Characterization of Chitin and Chitosan. <i>Current Chemical Biology</i> , 2009 , 3, 203-230	0.4	147
15	The occurrence of a Maillard-type protein-polysaccharide reaction between β -lactoglobulin and chitosan. <i>Food Chemistry</i> , 2007 , 100, 1071-1075	8.5	58
14	Comparison of capillary electrophoresis and isoelectric focusing for analysis of casein/caseinate addition in processed cheeses. <i>International Dairy Journal</i> , 2006 , 16, 1448-1453	3.5	13
13	-Deacetylation and depolymerization reactions of chitin/chitosan: Influence of the source of chitin. <i>Carbohydrate Polymers</i> , 2005 , 62, 316-320	10.3	71
12	Identification of antioxidant and ACE-inhibitory peptides in fermented milk. <i>Journal of the Science of Food and Agriculture</i> , 2005 , 85, 1041-1048	4.3	169
11	Quantitative determination of α (s2)- and α (s1)-casein in goat's milk with different genotypes by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004 , 1054, 279-84	4.5	22
10	Quantitative determination of β 2- and β 1-casein in goat's milk with different genotypes by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004 , 1054, 279-284	4.5	17
9	Mass mapping analysis as a tool for the identification of genetic variants of bovine beta-casein. <i>Journal of Chromatography A</i> , 2003 , 1007, 47-53	4.5	8
8	Influence of proteolysis of milk on the whey protein to total protein ratio as determined by capillary electrophoresis. <i>Journal of Dairy Science</i> , 2003 , 86, 2813-7	4	18
7	Development and validation of an automated method for the liquid chromatographic determination of sotalol in plasma using dialysis and trace enrichment on a cation-exchange pre-column as on-line sample preparation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2001 , 24, 881-114	3.5	30
6	Improved method for the simultaneous determination of whey proteins, caseins and para-kappa-casein in milk and dairy products by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2001 , 915, 225-30	4.5	46
5	Changes in flavour and volatile components during storage of whole and skimmed UHT milk. <i>Food Chemistry</i> , 2001 , 72, 51-58	8.5	128
4	Application of capillary electrophoresis to the characterization of processed cheeses. <i>Journal of Dairy Research</i> , 2000 , 67, 91-100	1.6	20
3	Automated liquid chromatographic determination of atenolol in plasma using dialysis and trace enrichment on a cation-exchange precolumn for sample handling. <i>Biomedical Applications</i> , 2000 , 739, 205-17		16
2	Comparison of three methods to determine the whey protein to total protein ratio in milk. <i>Journal of Dairy Science</i> , 2000 , 83, 2759-65	4	23
1	Determination of whey protein to total protein ratio in UHT milk using fourth derivative spectroscopy. <i>International Dairy Journal</i> , 2000 , 10, 191-197	3.5	26