

Caroline Gaudy-marqueste

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/935763/publications.pdf>

Version: 2024-02-01

50
papers

1,506
citations

331670

21
h-index

315739

38
g-index

71
all docs

71
docs citations

71
times ranked

2402
citing authors

#	ARTICLE	IF	CITATIONS
1	Lamin A and ZMPSTE24 (FACE-1) defects cause nuclear disorganization and identify restrictive dermopathy as a lethal neonatal laminopathy. <i>Human Molecular Genetics</i> , 2004, 13, 2493-2503.	2.9	325
2	The "œspaghetti technique": An alternative to Mohs surgery or staged surgery for problematic lentiginous melanoma (lentigo maligna and acral lentiginous melanoma). <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 113-118.	1.2	92
3	Gamma-Knife radiosurgery in the management of melanoma patients with brain metastases: A series of 106 patients without whole-brain radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 65, 809-816.	0.8	90
4	A Severe Case of Ipilimumab-Induced Guillain-Barré Syndrome Revealed by an Occlusive Enteric Neuropathy. <i>Journal of Immunotherapy</i> , 2013, 36, 77-78.	2.4	89
5	Ultraviolet radiation-induced DNA damage is prognostic for outcome in melanoma. <i>Nature Medicine</i> , 2019, 25, 221-224.	30.7	75
6	Impact of STROBE Statement Publication on Quality of Observational Study Reporting: Interrupted Time Series versus Before-After Analysis. <i>PLoS ONE</i> , 2013, 8, e64733.	2.5	74
7	Ugly Duckling Sign as a Major Factor of Efficiency in Melanoma Detection. <i>JAMA Dermatology</i> , 2017, 153, 279.	4.1	60
8	Efficacy of Immunotherapy in Patients with Metastatic Mucosal or Uveal Melanoma. <i>Journal of Oncology</i> , 2018, 2018, 1-9.	1.3	53
9	Urticaria and Quality of Life. <i>Clinical Reviews in Allergy and Immunology</i> , 2006, 30, 047-052.	6.5	48
10	Quality of Life in Alopecia Areata: A Study of 60 Cases. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2830-2833.	0.7	43
11	Ipilimumab in Melanoma Patients with Brain Metastasis: A Retrospective Multicentre Evaluation of Thirty-eight Patients. <i>Acta Dermato-Venereologica</i> , 2014, 94, 45-49.	1.3	41
12	HVEM has a broader expression than PD-L1 and constitutes a negative prognostic marker and potential treatment target for melanoma. <i>Oncolmmunology</i> , 2019, 8, e1665976.	4.6	35
13	Human Polyomavirus-6 Infecting Lymph Nodes of a Patient With an Angiolymphoid Hyperplasia With Eosinophilia or Kimura Disease. <i>Clinical Infectious Diseases</i> , 2016, 62, 1419-1421.	5.8	32
14	Macrophage activation syndrome: A new complication of checkpoint inhibitors. <i>European Journal of Cancer</i> , 2017, 77, 88-89.	2.8	31
15	Risk Factors in Elderly People for Lentigo Maligna Compared With Other Melanomas. <i>Archives of Dermatology</i> , 2009, 145, 418-23.	1.4	27
16	Diabetes and Blood Glucose Disorders Under Anti-PD1. <i>Journal of Immunotherapy</i> , 2018, 41, 232-240.	2.4	27
17	Contact allergies in haemodialysis patients: a prospective study of 75 patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009, 64, 222-228.	5.7	25
18	Ultraviolet light-induced collagen degradation inhibits melanoma invasion. <i>Nature Communications</i> , 2021, 12, 2742.	12.8	25

#	ARTICLE	IF	CITATIONS
19	Stereotactic radiosurgery combined with anti-PD1 for the management of melanoma brain metastases: A retrospective study of safety and efficacy. <i>European Journal of Cancer</i> , 2020, 135, 52-61.	2.8	24
20	LBR mutation and nuclear envelope defects in a patient affected with Reynolds syndrome. <i>Journal of Medical Genetics</i> , 2010, 47, 361-370.	3.2	23
21	Evidence of a Limited Intra-Individual Diversity of Nevi: Intuitive Perception of Dominant Clusters Is a Crucial Step in the Analysis of Nevi by Dermatologists. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2355-2361.	0.7	23
22	Nodular Melanoma: A Histopathologic Entity?. <i>Acta Dermato-Venereologica</i> , 2018, 98, 460-462.	1.3	22
23	Localized Skin Necrosis of Steroid-Induced Striae Distensae: An Unusual Complication of Bevacizumab and Irinotecan Therapy. <i>Archives of Dermatology</i> , 2011, 147, 1227.	1.4	20
24	A novel anti-CD146 antibody specifically targets cancer cells by internalizing the molecule. <i>Oncotarget</i> , 2017, 8, 112283-112296.	1.8	16
25	Initial metastatic kinetics is the best prognostic indicator in stage IV metastatic melanoma. <i>European Journal of Cancer</i> , 2014, 50, 1120-1124.	2.8	15
26	Identification of an Immature Subset of PMN-MDSC Correlated to Response to Checkpoint Inhibitor Therapy in Patients with Metastatic Melanoma. <i>Cancers</i> , 2021, 13, 1362.	3.7	11
27	Molecular characterization of fast-growing melanomas. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 312-321.	1.2	11
28	Slow Dynamics of Lymphoscintigraphic Mapping Is Associated to the Negativity of the Sentinel Node in Melanoma Patients. <i>Annals of Surgical Oncology</i> , 2008, 15, 2878-2886.	1.5	10
29	Female Immunity Protects from Cutaneous Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2021, 27, 3215-3223.	7.0	10
30	Study of metastatic kinetics in metastatic melanoma treated with B-RAF inhibitors: Introducing mathematical modelling of kinetics into the therapeutic decision. <i>PLoS ONE</i> , 2017, 12, e0176080.	2.5	8
31	Texture descriptors based on adaptive neighborhoods for classification of pigmented skin lesions. <i>Journal of Electronic Imaging</i> , 2015, 24, 061104.	0.9	6
32	Automatic classification of skin lesions using color mathematical morphology-based texture descriptors. , 2015, , .		4
33	Necrotic ulcerated and bleeding striae distensae following bevacizumab in a palliative setting for glioblastomatos cerebri. <i>Ecancelmedscience</i> , 2017, 11, 756.	1.1	3
34	Tetraspanin8 expression predicts an increased metastatic risk and is associated with cancer-related death in human cutaneous melanoma. <i>Molecular Cancer</i> , 2021, 20, 127.	19.2	3
35	<i>LMNA</i>, <i>ZMPSTE24</i>, and <i>LBR</i> Are Not Mutated in Scleroderma. <i>Genetic Testing and Molecular Biomarkers</i> , 2009, 13, 635-639.	0.7	2
36	Diagnosis of melanoma: Importance of comparative analysis and œugly ducklingœ sign.. <i>Journal of Clinical Oncology</i> , 2012, 30, 8578-8578.	1.6	2

#	ARTICLE	IF	CITATIONS
37	Congenital and Disseminated Pyogenic Granuloma-like Vascular Lesions. <i>Acta Dermato-Venereologica</i> , 2014, 95, 860-1.	1.3	1
38	Immune checkpoints inhibitors for solid tumours after allogeneic haematopoietic stem-cell transplantation: About four clinical cases. <i>European Journal of Cancer</i> , 2017, 81, 138-141.	2.8	1
39	Safety and immunogenicity after 2 doses of the BNT162b2 COVID-19 vaccine in an early-phase oncology trial centre population. <i>European Journal of Cancer</i> , 2021, 156, 125-126.	2.8	1
40	Ipilimumab-induced hypophysitis in melanoma patients.. <i>Journal of Clinical Oncology</i> , 2012, 30, 8568-8568.	1.6	1
41	Response to "Changing the Labeling of Sunscreen, Will We Transform Sun Avoiders into Sunscreen Users?" <i>Journal of Investigative Dermatology</i> , 2008, 128, 481-482.	0.7	0
42	Mogamulizumab in a patient with SÅ©zary syndrome and severe atopic dermatitis. <i>European Journal of Cancer</i> , 2021, 156, S51-S52.	2.8	0
43	On-demand Gamma Knife combined with BRAF inhibitors for the treatment of melanoma brain metastases.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9083-9083.	1.6	0
44	New systemic treatments to improve survival in melanoma patients whose brain metastases are controlled by an on demand Gamma-knife radiosurgical strategy.. <i>Journal of Clinical Oncology</i> , 2016, 34, 9573-9573.	1.6	0
45	Le point sur les cancers cutanÅ©s. <i>Oncologie</i> , 2018, 20, 1-2.	0.7	0
46	Abstract 3994: Genomic characterization of melanoma in the elderly reveals molecular drivers of progression and prognosis associated with immunotherapy response. , 2019, , .		0
47	Early Phase of Primary Melanoma Growth from the Patient Point of view: A Prospective Cross Sectional Study on Melanoma over 1 mm in Thickness. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00222.	1.3	0
48	794â€¦Safety and efficacy results from a phase 1/1b study of intratumoral MK-4621, a retinoic acid-inducible gene I (RIG-I) agonist, plus intravenous pembrolizumab in patients with advanced solid tumors. , 2020, , .		0
49	Methotrexate for idiopathic chronic eczematous eruption of aging. <i>European Journal of Dermatology</i> , 2021, 31, 839-841.	0.6	0
50	Abstract 3994: Genomic characterization of melanoma in the elderly reveals molecular drivers of progression and prognosis associated with immunotherapy response. , 2019, , .		0