

George Hasegawa

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9358174/george-hasegawa-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

2,226
citations

27
h-index

46
g-index

82
ext. papers

2,520
ext. citations

5.5
avg, IF

4.97
L-index

#	Paper	IF	Citations
75	High-Level Doping of Nitrogen, Phosphorus, and Sulfur into Activated Carbon Monoliths and Their Electrochemical Capacitances. <i>Chemistry of Materials</i> , 2015 , 27, 4703-4712	9.6	174
74	Hierarchically Porous Carbon Monoliths Comprising Ordered Mesoporous Nanorod Assemblies for High-Voltage Aqueous Supercapacitors. <i>Chemistry of Materials</i> , 2016 , 28, 3944-3950	9.6	160
73	Monolithic electrode for electric double-layer capacitors based on macro/meso/microporous S-Containing activated carbon with high surface area. <i>Journal of Materials Chemistry</i> , 2011 , 21, 2060		141
72	Hierarchically Porous Li ₄ Ti ₅ O ₁₂ Anode Materials for Li- and Na-Ion Batteries: Effects of Nanoarchitectural Design and Temperature Dependence of the Rate Capability. <i>Advanced Energy Materials</i> , 2015 , 5, 1400730	21.8	111
71	A superamphiphobic macroporous silicone monolith with marshmallow-like flexibility. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 10788-91	16.4	101
70	Selective preparation of macroporous monoliths of conductive titanium oxides Ti(n)O(2n-1) (n = 2, 3, 4, 6). <i>Journal of the American Chemical Society</i> , 2012 , 134, 10894-8	16.4	88
69	Hard Carbon Anodes for Na-Ion Batteries: Toward a Practical Use. <i>ChemElectroChem</i> , 2015 , 2, 1917-1920	4.3	83
68	Facile Preparation of Hierarchically Porous TiO ₂ Monoliths. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 3110-3115	3.8	82
67	Facile Synthesis of Macroporous Cross-Linked Methacrylate Gels by Atom Transfer Radical Polymerization. <i>Macromolecules</i> , 2008 , 41, 7186-7193	5.5	79
66	Facile Preparation of Monolithic LiFePO ₄ /Carbon Composites with Well-Defined Macropores for a Lithium-Ion Battery. <i>Chemistry of Materials</i> , 2011 , 23, 5208-5216	9.6	77
65	Pore Formation in Poly(divinylbenzene) Networks Derived from Organotellurium-Mediated Living Radical Polymerization. <i>Macromolecules</i> , 2009 , 42, 1270-1277	5.5	62
64	Fabrication of activated carbons with well-defined macropores derived from sulfonated poly(divinylbenzene) networks. <i>Carbon</i> , 2010 , 48, 1757-1766	10.4	62
63	Highly Flexible Hybrid Polymer Aerogels and Xerogels Based on Resorcinol-Formaldehyde with Enhanced Elastic Stiffness and Recoverability: Insights into the Origin of Their Mechanical Properties. <i>Chemistry of Materials</i> , 2017 , 29, 2122-2134	9.6	53
62	Rigid crosslinked polyacrylamide monoliths with well-defined macropores synthesized by living polymerization. <i>Macromolecular Rapid Communications</i> , 2009 , 30, 986-90	4.8	53
61	Ultralow-Density, Transparent, Superamphiphobic Boehmite Nanofiber Aerogels and Their Alumina Derivatives. <i>Chemistry of Materials</i> , 2015 , 27, 3-5	9.6	51
60	Studies on electrochemical sodium storage into hard carbons with binder-free monolithic electrodes. <i>Journal of Power Sources</i> , 2016 , 318, 41-48	8.9	47
59	Hierarchically Porous Monoliths Based on N-Doped Reduced Titanium Oxides and Their Electric and Electrochemical Properties. <i>Chemistry of Materials</i> , 2013 , 25, 3504-3512	9.6	45

58	Impact of Electrolyte on Pseudocapacitance and Stability of Porous Titanium Nitride (TiN) Monolithic Electrode. <i>Journal of the Electrochemical Society</i> , 2015 , 162, A77-A85	3.9	42
57	A New Route to Monolithic Macroporous SiC/C Composites from Biphenylene-bridged Polysilsesquioxane Gels. <i>Chemistry of Materials</i> , 2010 , 22, 2541-2547	9.6	41
56	New Insights into the Relationship between Micropore Properties, Ionic Sizes, and Electric Double-Layer Capacitance in Monolithic Carbon Electrodes. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 26197-26203	3.8	35
55	Fabrication of highly crosslinked methacrylate-based polymer monoliths with well-defined macropores via living radical polymerization. <i>Polymer</i> , 2011 , 52, 4644-4647	3.9	35
54	Preparation of Hierarchically Porous Nanocrystalline CaTiO ₃ , SrTiO ₃ and BaTiO ₃ Perovskite Monoliths. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3335-3339	3.8	34
53	New monolithic capillary columns with well-defined macropores based on poly(styrene-co-divinylbenzene). <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 2343-7	9.5	33
52	Fabrication of macroporous silicon carbide ceramics by intramolecular carbothermal reduction of phenyl-bridged polysilsesquioxane. <i>Journal of Materials Chemistry</i> , 2009 , 19, 7716		33
51	Facile preparation of macroporous graphitized carbon monoliths from iron-containing resorcinol-formaldehyde gels. <i>Materials Letters</i> , 2012 , 76, 1-4	3.3	30
50	Facile preparation of transparent monolithic titania gels utilizing a chelating ligand and mineral salts. <i>Journal of Sol-Gel Science and Technology</i> , 2010 , 53, 59-66	2.3	30
49	Reduction on reactive pore surfaces as a versatile approach to synthesize monolith-supported metal alloy nanoparticles and their catalytic applications. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 12535 ¹³		29
48	Porous chromium-based ceramic monoliths: oxides (Cr ₂ O ₃), nitrides (CrN), and carbides (Cr ₃ C ₂). <i>Journal of Materials Chemistry A</i> , 2014 , 2, 745-752	13	26
47	Synthesis and electrochemical performance of hierarchically porous N-doped TiO ₂ for Li-ion batteries. <i>New Journal of Chemistry</i> , 2014 , 38, 1380	3.6	25
46	New hierarchically porous titania monoliths for chromatographic separation media. <i>Journal of Separation Science</i> , 2011 , 34, 3004-10	3.4	25
45	Hierarchically porous carbon monoliths with high surface area from bridged polysilsesquioxanes without thermal activation process. <i>Chemical Communications</i> , 2010 , 46, 8037-9	5.8	25
44	Insights into Sodium Ion Transfer at the Na/NASICON Interface Improved by Uniaxial Compression. <i>ACS Applied Energy Materials</i> , 2019 , 2, 2913-2920	6.1	24
43	Low temperature-densified NASICON-based ceramics promoted by Na ₂ O-Nb ₂ O ₅ -P ₂ O ₅ glass additive and spark plasma sintering. <i>Solid State Ionics</i> , 2018 , 322, 54-60	3.3	24
42	Infiltrated porous oxide monoliths as high lithium transference number electrolytes. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 7135-7140	13	24
41	Macro- and microporous carbon monoliths with high surface areas pyrolyzed from poly(divinylbenzene) networks. <i>Comptes Rendus Chimie</i> , 2010 , 13, 207-211	2.7	21

40	A dense NASICON sheet prepared by tape-casting and low temperature sintering. <i>Electrochimica Acta</i> , 2018 , 278, 176-181	6.7	19
39	Pore properties of hierarchically porous carbon monoliths with high surface area obtained from bridged polysilsesquioxanes. <i>Microporous and Mesoporous Materials</i> , 2012 , 155, 265-273	5.3	18
38	Hierarchically porous monoliths prepared via sol-gel process accompanied by spinodal decomposition. <i>Journal of Sol-Gel Science and Technology</i> , 2020 , 95, 530-550	2.3	17
37	New Li ₂ FeSiO ₄ -carbon monoliths with controlled macropores: effects of pore properties on electrode performance. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 8736-43	3.6	16
36	A Superamphiphobic Macroporous Silicone Monolith with Marshmallow-like Flexibility. <i>Angewandte Chemie</i> , 2013 , 125, 10988-10991	3.6	16
35	Amine/Hydrido Bifunctional Nanoporous Silica with Small Metal Nanoparticles Made Onsite: Efficient Dehydrogenation Catalyst. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 36-41	9.5	11
34	Nanostructured titanium phosphates prepared via hydrothermal reaction and their electrochemical Li- and Na-ion intercalation properties. <i>CrystEngComm</i> , 2017 , 19, 4551-4560	3.3	11
33	Topotactic Synthesis of Mesoporous 12CaO \cdot 7Al ₂ O ₃ Mesocrystalline Microcubes toward Catalytic Ammonia Synthesis. <i>Chemistry of Materials</i> , 2018 , 30, 4498-4502	9.6	10
32	Flower-like surface modification of titania materials by lithium hydroxide solution. <i>Journal of Colloid and Interface Science</i> , 2012 , 374, 291-6	9.3	10
31	High-performance liquid chromatography separation of unsaturated organic compounds by a monolithic silica column embedded with silver nanoparticles. <i>Journal of Separation Science</i> , 2015 , 38, 2841-7	3.4	10
30	Effect of calcination conditions on porous reduced titanium oxides and oxynitrides via a preceramic polymer route. <i>Inorganic Chemistry</i> , 2015 , 54, 2802-8	5.1	10
29	Studies on Porous Monolithic Materials Prepared via Sol-Gel Processes. <i>Springer Theses</i> , 2013 ,	0.1	9
28	Hierarchically porous monoliths of oxygen-deficient anatase TiO _{2-x} with electronic conductivity. <i>RSC Advances</i> , 2013 , 3, 7205	3.7	9
27	Sodium titanium oxide bronze nanoparticles synthesized via concurrent reduction and Na-doping into TiO(B). <i>Nanoscale</i> , 2019 , 11, 1442-1450	7.7	6
26	A highly conductive Na ₃ V ₂ (PO ₄) ₃ ceramic sheet prepared by tape-casting method. <i>Electrochimica Acta</i> , 2019 , 305, 197-203	6.7	6
25	Facile preparation of monolithic magnesium titanates with hierarchical porosity. <i>Journal of the Ceramic Society of Japan</i> , 2011 , 119, 440-444	1	6
24	Reversible Electrochemical Insertion/Extraction of Magnesium Ion into/from Robust NASICON-Type Crystal Lattice in a Mg(BF ₄) ₂ -Based Electrolyte. <i>ACS Applied Energy Materials</i> , 2020 , 3, 6824-6833	6.1	5
23	Comprehensive studies on phosphoric acid treatment of porous titania toward titanium phosphate and pyrophosphate monoliths with pore hierarchy and a nanostructured pore surface. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 1397-1404	6.8	5

22	Ferroelectricity of Dion-Jacobson layered perovskites CsNdNb ₂ O ₇ and RbNdNb ₂ O ₇ . <i>Japanese Journal of Applied Physics</i> , 2020 , 59, SPPC04	1.4	5
21	Thermogravimetric Evolved Gas Analysis and Microscopic Elemental Mapping of the Solid Electrolyte Interphase on Silicon Incorporated in Free-Standing Porous Carbon Electrodes. <i>Langmuir</i> , 2019 , 35, 12680-12688	4	4
20	Variation of meso- and macroporous morphologies in resorcinol-formaldehyde (RF) gels tailored via a sol-gel process combined with soft-templating and phase separation. <i>Journal of Sol-Gel Science and Technology</i> , 2020 , 95, 801-812	2.3	3
19	Monolithic Electrode for Electric Double-Layer Capacitors Based on Macro/Meso/Microporous S-Containing Activated Carbon with High Surface Area. <i>Springer Theses</i> , 2013 , 79-89	0.1	3
18	Sn-Based Perovskite with a Wide Visible-Light Absorption Band Assisted by Hydride Doping. <i>Chemistry of Materials</i> , 2021 , 33, 3631-3638	9.6	3
17	Sol-Gel Processing of Porous Materials 2017 , 195-241		2
16	Characterization of an AX Compound Derived from Ti ₂ SC MAX Phase. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 2312-2317	2.3	1
15	Gas sorption porosimetry for the evaluation of hard carbons as anodes for Li- and Na-ion batteries. <i>Beilstein Journal of Nanotechnology</i> , 2020 , 11, 1217-1229	3	1
14	Porous reduced ceramic monoliths derived from silicon- and titanium-based preceramic polymer gels. <i>Journal of the Ceramic Society of Japan</i> , 2021 , 129, 227-233	1	1
13	Preparation of hierarchically porous spinel CoMn ₂ O ₄ monoliths via sol-gel process accompanied by phase separation. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 2449-2459	3.8	1
12	Porous polymer-derived ceramics: Flexible morphological and compositional controls through sol-gel chemistry. <i>Journal of the American Ceramic Society</i> ,	3.8	1
11	Hierarchically Porous Polymer and Carbon Monoliths via Controlled/Living Radical Polymerization		0
10	Hierarchically Porous Carbon Monoliths with High Surface Area from Arylene-Bridged Polysilsesquioxanes Without Thermal Activation Process. <i>Springer Theses</i> , 2013 , 163-179	0.1	
9	Novel and Facile Preparation of Hierarchically Porous TiO ₂ Monoliths. <i>Springer Theses</i> , 2013 , 107-119	0.1	
8	Application of Hierarchically Porous Titania Monoliths to Chromatographic Separation Media. <i>Springer Theses</i> , 2013 , 121-134	0.1	
7	Novel Monolithic Capillary Column with Well-Defined Macropores Based on Poly(styrene-co-divinylbenzene). <i>Springer Theses</i> , 2013 , 47-60	0.1	
6	Hierarchically Porous Carbon Monoliths with High Surface Area from Bridged Poly(silsesquioxane) without Thermal Activation Process. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011 , 18, 032005	0.4	
5	Macroporous Carbon Monoliths with Large Surface Area for Electric Double-Layer Capacitor. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1304, 1		

- 4 On-line Redox Derivatization Liquid Chromatography Using a Carbon Monolithic Column. *Bunseki Kagaku*, **2018**, 67, 469-478 0.2
- 3 Sodium ion conduction in sodium lanthanum zirconate ceramics prepared by spark plasma sintering. *Scripta Materialia*, **2021**, 200, 113887 5.6
- 2 Designing hierarchical porosity in tin oxide monoliths and their application as a solid acid catalyst. *New Journal of Chemistry*, **2021**, 45, 17558-17565 3.6
- 1 Monolithic carbon electrodes: Synthesis, pore control and electrochemistry **2022**, 1, 34-49