Birgitte Fagerlund

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9358534/publications.pdf

Version: 2024-02-01

185998 253896 2,491 129 28 43 citations g-index h-index papers 137 137 137 4167 docs citations citing authors all docs times ranked

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Heritability of Schizophrenia and Schizophrenia Spectrum Based on the Nationwide Danish Twin Register. Biological Psychiatry, 2018, 83, 492-498. | 0.7 | 374 |
| 2 | Five years of specialised early intervention versus two years of specialised early intervention followed by three years of standard treatment for patients with a first episode psychosis: randomised, superiority, parallel group trial in Denmark (OPUS II). BMJ: British Medical Journal, 2017, 356, i6681. | 2.4 | 79 |
| 3 | Social cognition and neurocognitive deficits in first-episode schizophrenia. Schizophrenia Research, 2014, 153, 9-17. | 1.1 | 76 |
| 4 | Do Attention Deficits Influence IQ Assessment in Children and Adolescents With ADHD?. Journal of Attention Disorders, 2009, 12, 551-562. | 1.5 | 71 |
| 5 | Cognitive function in idiopathic intracranial hypertension: a prospective case–control study. BMJ Open, 2014, 4, e004376. | 0.8 | 71 |
| 6 | Cognitive deficits and levels of IQ in adolescent onset schizophrenia and other psychotic disordersa [*] †. Schizophrenia Research, 2006, 85, 30-39. | 1.1 | 61 |
| 7 | Predictors and longitudinal course of cognitive functioning in schizophrenia spectrum disorders, 10 years after baseline: The OPUS study. Schizophrenia Research, 2016, 175, 57-63. | 1.1 | 61 |
| 8 | Subclinical cognitive decline in middleâ€age is associated with reduced taskâ€induced deactivation of the brain's default mode network. Human Brain Mapping, 2014, 35, 4488-4498. | 1.9 | 51 |
| 9 | Effects of Donepezil Adjunctive Treatment to Ziprasidone on Cognitive Deficits in Schizophrenia. Clinical Neuropharmacology, 2007, 30, 3-12. | 0.2 | 49 |
| 10 | Subjective sleep quality and daytime sleepiness in late midlife and their association with age-related changes in cognition. Sleep Medicine, 2016, 17, 165-173. | 0.8 | 49 |
| 11 | Effects of Low-Dose Risperidone and Low-Dose Zuclopenthixol on Cognitive Functions in First-Episode Drug-NaÃ-ve Schizophrenic Patients. CNS Spectrums, 2004, 9, 364-374. | 0.7 | 48 |
| 12 | Social cognition in patients at ultra-high risk for psychosis: What is the relation to social skills and functioning?. Schizophrenia Research: Cognition, 2016, 5, 21-27. | 0.7 | 46 |
| 13 | Cognitive Profile of Children and Adolescents with Anorexia Nervosa. European Eating Disorders Review, 2015, 23, 34-42. | 2.3 | 42 |
| 14 | The effect of positive symptoms on social cognition in first-episode schizophrenia is modified by the presence of negative symptoms Neuropsychology, 2017, 31, 209-219. | 1.0 | 41 |
| 15 | The Relationship Between Cognitive Ability and Demographic Factors in Late Midlife. Journal of Aging and Health, 2014, 26, 37-53. | 0.9 | 40 |
| 16 | The FOCUS trial: cognitive remediation plus standard treatment versus standard treatment for patients at ultra-high risk for psychosis: study protocol for a randomised controlled trial. Trials, 2015, 16, 25. | 0.7 | 40 |
| 17 | Quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: the multicentre, double-blind, randomised tolerability and efficacy of antipsychotics (TEA) trial. Lancet Psychiatry,the, 2017, 4, 605-618. | 3.7 | 40 |
| 18 | The influence of impaired processing speed on cognition in first-episode antipsychotic-na \tilde{A} ve schizophrenic patients. European Psychiatry, 2013, 28, 332-339. | 0.1 | 38 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Hyper- and Hypomentalizing in Patients with First-Episode Schizophrenia: fMRI and Behavioral Studies. Schizophrenia Bulletin, 2019, 45, 377-385. | 2.3 | 38 |
| 20 | Structural brain abnormalities in early onset first-episode psychosis. Journal of Neural Transmission, 2007, 114, 489-498. | 1.4 | 37 |
| 21 | No cognitiveâ€enhancing effect of <scp>GLP</scp> â€1 receptor agonism in antipsychoticâ€treated, obese patients with schizophrenia. Acta Psychiatrica Scandinavica, 2017, 136, 52-62. | 2.2 | 36 |
| 22 | Associations Between Cognitive Function and Levels of Glutamatergic Metabolites and Gamma-Aminobutyric Acid in Antipsychotic-NaÃ-ve Patients With Schizophrenia or Psychosis. Biological Psychiatry, 2021, 89, 278-287. | 0.7 | 36 |
| 23 | Pretreatment Cardiometabolic Status in Youth With Early-Onset Psychosis. Journal of Clinical Psychiatry, 2017, 78, e1035-e1046. | 1.1 | 36 |
| 24 | Neurocognitive performance, subjective well-being, and psychosocial functioning after benzodiazepine withdrawal in patients with schizophrenia or bipolar disorder: a randomized clinical trial of add-on melatonin versus placebo. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 163-171. | 1.8 | 35 |
| 25 | Two subgroups of antipsychotic-naive, first-episode schizophrenia patients identified with a Gaussian mixture model on cognition and electrophysiology. Translational Psychiatry, 2017, 7, e1087-e1087. | 2.4 | 32 |
| 26 | Stability of prepulse inhibition and habituation of the startle reflex in schizophrenia: a 6-year follow-up study of initially antipsychotic-naive, first-episode schizophrenia patients. International Journal of Neuropsychopharmacology, 2011, 14, 913-925. | 1.0 | 31 |
| 27 | Mismatch negativity and P3a amplitude in young adolescents with first-episode psychosis: a comparison with ADHD. Psychological Medicine, 2017, 47, 377-388. | 2.7 | 30 |
| 28 | Prolonged-release melatonin versus placebo for benzodiazepine discontinuation in patients with schizophrenia: a randomized clinical trial - the SMART trial protocol. BMC Psychiatry, 2011, 11, 160. | 1.1 | 28 |
| 29 | Melatonin and cortisol profiles in late midlife and their association with age-related changes in cognition. Nature and Science of Sleep, 2016, 8, 47. | 1.4 | 28 |
| 30 | Heritability of cerebral glutamate levels and their association with schizophrenia spectrum disorders: a 1[H]-spectroscopy twin study. Neuropsychopharmacology, 2019, 44, 581-589. | 2.8 | 28 |
| 31 | Deficient maturation of aspects of attention and executive functions in early onset schizophrenia. European Child and Adolescent Psychiatry, 2010, 19, 773-786. | 2.8 | 25 |
| 32 | Negative symptoms mediate the relationship between neurocognition and function in individuals at ultrahigh risk for psychosis. Acta Psychiatrica Scandinavica, 2017, 135, 250-258. | 2.2 | 25 |
| 33 | Glucagon-like peptide-1 analogs against antipsychotic-induced weight gain: potential physiological benefits. BMC Medicine, 2012, 10, 92. | 2.3 | 24 |
| 34 | A machine-learning framework for robust and reliable prediction of short- and long-term treatment response in initially antipsychotic-naà ve schizophrenia patients based on multimodal neuropsychiatric data. Translational Psychiatry, 2020, 10, 276. | 2.4 | 24 |
| 35 | Association Study of CHRNA7 Promoter Variants with Sensory and Sensorimotor Gating in Schizophrenia Patients and Healthy Controls: A Danish Case–Control Study. NeuroMolecular Medicine, 2015, 17, 423-430. | 1.8 | 23 |
| 36 | Cognitive remediation plus standard treatment versus standard treatment alone for individuals at ultra-high risk of developing psychosis: Results of the FOCUS randomised clinical trial. Schizophrenia Research, 2020, 224, 151-158. | 1.1 | 23 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Is an Early Age at Illness Onset in Schizophrenia Associated With Increased Genetic Susceptibility? Analysis of Data From the Nationwide Danish Twin Register. EBioMedicine, 2017, 18, 320-326. | 2.7 | 22 |
| 38 | Widespread higher fractional anisotropy associates to better cognitive functions in individuals at ultraâ€high risk for psychosis. Human Brain Mapping, 2019, 40, 5185-5201. | 1.9 | 22 |
| 39 | Treatment of antipsychotic-associated obesity with a GLP-1 receptor agonistâ€"protocol for an investigator-initiated prospective, randomised, placebo-controlled, double-blinded intervention study: the TAO study protocol. BMJ Open, 2014, 4, e004158. | 0.8 | 20 |
| 40 | Alterations of Intrinsic Connectivity Networks in Antipsychotic-NaÃ-ve First-Episode Schizophrenia. Schizophrenia Bulletin, 2018, 44, 1332-1340. | 2.3 | 20 |
| 41 | Accuracy of diagnostic classification algorithms using cognitive-, electrophysiological-, and neuroanatomical data in antipsychotic-na \tilde{A} ve schizophrenia patients. Psychological Medicine, 2019, 49, 2754-2763. | 2.7 | 20 |
| 42 | Cortical structures and their clinical correlates in antipsychotic-naÃ-ve schizophrenia patients before and after 6 weeks of dopamine D _{2/3} receptor antagonist treatment. Psychological Medicine, 2019, 49, 754-763. | 2.7 | 19 |
| 43 | Course of intelligence deficits in early onset, first episode schizophrenia: a controlled, 5-year longitudinal study. European Child and Adolescent Psychiatry, 2010, 19, 341-351. | 2.8 | 18 |
| 44 | Cognitive effects of six months of treatment with quetiapine in antipsychotic-na \tilde{A} -ve first-episode schizophrenia. Psychiatry Research, 2011, 187, 49-54. | 1.7 | 18 |
| 45 | Relationship of frontal D2/3 binding potentials to cognition: a study of antipsychotic-naive schizophrenia patients. International Journal of Neuropsychopharmacology, 2013, 16, 23-36. | 1.0 | 18 |
| 46 | Effectiveness of cognitive remediation in the ultraâ€high risk state for psychosis. World Psychiatry, 2020, 19, 401-402. | 4.8 | 18 |
| 47 | Heritability of specific cognitive functions and associations with schizophrenia spectrum disorders using CANTAB: a nation-wide twin study. Psychological Medicine, 2022, 52, 1101-1114. | 2.7 | 18 |
| 48 | Associations between P3a and P3b amplitudes and cognition in antipsychotic-naÃ-ve first-episode schizophrenia patients. Psychological Medicine, 2019, 49, 868-875. | 2.7 | 18 |
| 49 | Are Weight Status and Cognition Associated? An Examination of Cognitive Development in Children and Adolescents with Anorexia Nervosa 1 Year after First Hospitalisation. European Eating Disorders Review, 2016, 24, 366-376. | 2.3 | 17 |
| 50 | Frontal D2/3Receptor Availability in Schizophrenia Patients Before and After Their First Antipsychotic Treatment: Relation to Cognitive Functions and Psychopathology. International Journal of Neuropsychopharmacology, 2016, 19, pyw006. | 1.0 | 17 |
| 51 | Differential effects of age at illness onset on verbal memory functions in antipsychotic-naÃ⁻ve schizophrenia patients aged 12–43 years. Psychological Medicine, 2021, 51, 1570-1580. | 2.7 | 17 |
| 52 | Cardiometabolic Adverse Effects and Its Predictors in Children and Adolescents With First-Episode Psychosis During Treatment With Quetiapine-Extended Release Versus Aripiprazole: 12-Week Results From the Tolerance and Effect of Antipsychotics in Children and Adolescents With Psychosis (TEA) Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 1062-1078. | 0.3 | 16 |
| 53 | Heritability of Cerebral Blood Flow and the Correlation to Schizophrenia Spectrum Disorders: A Pseudo-continuous Arterial Spin Labeling Twin Study. Schizophrenia Bulletin, 2019, 45, 1231-1241. | 2.3 | 16 |
| 54 | Overlapping and disease specific trait, response, and reflection impulsivity in adolescents with first-episode schizophrenia spectrum disorders or attention-deficit/hyperactivity disorder. Psychological Medicine, 2018, 48, 604-616. | 2.7 | 14 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Emotion recognition latency, but not accuracy, relates to real life functioning in individuals at ultra-high risk for psychosis. Schizophrenia Research, 2019, 210, 197-202. | 1.1 | 13 |
| 56 | Investigation of sleep spindle activity and morphology as predictors of neurocognitive functioning in medicated patients with schizophrenia. Journal of Sleep Research, 2019, 28, e12672. | 1.7 | 13 |
| 57 | Patterns of Cortical Structures and Cognition in Antipsychotic-NaÃ-ve Patients With First-Episode Schizophrenia: A Partial Least Squares Correlation Analysis. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 444-453. | 1.1 | 12 |
| 58 | Cognitive reserve attenuates age-related cognitive decline in the context of putatively accelerated brain ageing in schizophrenia-spectrum disorders. Psychological Medicine, 2020, 50, 1475-1489. | 2.7 | 12 |
| 59 | Cerebral Glutamate and Gamma-Aminobutyric Acid Levels in Individuals at Ultra-high Risk for Psychosis and the Association With Clinical Symptoms and Cognition. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 569-579. | 1.1 | 12 |
| 60 | Delay Aversion and Executive Functioning in Adults With Attention-Deficit/Hyperactivity Disorder: Before and After Stimulant Treatment. International Journal of Neuropsychopharmacology, 2018, 21, 997-1006. | 1.0 | 11 |
| 61 | Discovering markers of healthy aging: a prospective study in a Danish male birth cohort. Aging, 2019, 11, 5943-5974. | 1.4 | 11 |
| 62 | Quetiapine versus aripiprazole in children and adolescents with psychosis - protocol for the randomised, blinded clinical Tolerability and Efficacy of Antipsychotics (TEA) trial. BMC Psychiatry, 2014, 14, 199. | 1.1 | 10 |
| 63 | Cognitive Change during the Life Course and Leukocyte Telomere Length in Late Middle-Aged Men. Frontiers in Aging Neuroscience, 2016, 8, 300. | 1.7 | 10 |
| 64 | Attenuated mismatch negativity in patients with first-episode antipsychotic-naive schizophrenia using a source-resolved method. NeuroImage: Clinical, 2019, 22, 101760. | 1.4 | 10 |
| 65 | Generalized neurocognitive impairment in individuals at ultraâ€high risk for psychosis: The possible key role of slowed processing speed. Brain and Behavior, 2021, 11, e01962. | 1.0 | 10 |
| 66 | Testing a decades' old assumption: Are individuals with lower sensory gating indeed more easily distracted?. Psychiatry Research, 2017, 255, 387-393. | 1.7 | 9 |
| 67 | No Effects of Cognitive Remediation on Cerebral White Matter in Individuals at Ultra-High Risk for Psychosis—A Randomized Clinical Trial. Frontiers in Psychiatry, 2020, 11, 873. | 1.3 | 9 |
| 68 | Global fractional anisotropy predicts transition to psychosis after 12Âmonths in individuals at ultraâ€high risk for psychosis. Acta Psychiatrica Scandinavica, 2021, 144, 448-463. | 2.2 | 9 |
| 69 | Increased deoxythymidine triphosphate levels is a feature of relative cognitive decline. Mitochondrion, 2015, 25, 34-37. | 1.6 | 8 |
| 70 | Diagnostic stability and long-term symptomatic and functional outcomes in first-episode antipsychotic-naà ve patients with schizophrenia. European Psychiatry, 2019, 62, 130-137. | 0.1 | 8 |
| 71 | Visual attention in adults with attention-deficit/hyperactivity disorder before and after stimulant treatment. Psychological Medicine, 2019, 49, 2617-2625. | 2.7 | 8 |
| 72 | Sleep efficiency and neurophysiological patterns in middleâ€eged men are associated with cognitive change over their adult life course. Journal of Sleep Research, 2019, 28, e12793. | 1.7 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The impact of schizophrenia and intelligence on the relationship between age and brain volume. Schizophrenia Research: Cognition, 2019, 15, 1-6. | 0.7 | 8 |
| 74 | Identification of a Serotonin 2A Receptor Subtype of Schizophrenia Spectrum Disorders With Pimavanserin: The Sub-Sero Proof-of-Concept Trial Protocol. Frontiers in Pharmacology, 2020, 11, 591. | 1.6 | 8 |
| 75 | The relative and interactive impact of multiple risk factors in schizophrenia spectrum disorders: a combined register-based and clinical twin study. Psychological Medicine, 2023, 53, 1266-1276. | 2.7 | 8 |
| 76 | Subclinical cognitive deficits are associated with reduced cerebrovascular response to visual stimulation in mid-sixties men. GeroScience, 2022, 44, 1905-1923. | 2.1 | 8 |
| 77 | Influence of early life characteristics on psychiatric admissions and impact of psychiatric disease on inflammatory biomarkers and survival: a <scp>D</scp> anish cohort study. World Psychiatry, 2015, 14, 364-365. | 4.8 | 7 |
| 78 | Change and dispersion of QT interval during treatment with quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: results from the TEA trial. Psychopharmacology, 2018, 235, 681-693. | 1.5 | 7 |
| 79 | Baseline measures of cerebral glutamate and GABA levels in individuals at ultrahigh risk for psychosis: Implications for clinical outcome after 12Âmonths. European Psychiatry, 2020, 63, e83. | 0.1 | 7 |
| 80 | Early Antipsychotic Nonresponse as a Predictor of Nonresponse and Nonremission in Adolescents With Psychosis Treated With Aripiprazole or Quetiapine: Results From the TEA Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2022, , . | 0.3 | 7 |
| 81 | Passive Double-Sensory Evoked Coherence Correlates with Long-Term Memory Capacity. Frontiers in Human Neuroscience, 2017, 11, 598. | 1.0 | 6 |
| 82 | Do young adolescents with first-episode psychosis or ADHD show sensorimotor gating deficits?. Psychological Medicine, 2020, 50, 607-615. | 2.7 | 6 |
| 83 | Auditory sensory gating in young adolescents with early-onset psychosis: a comparison with attention deficit/hyperactivity disorder. Neuropsychopharmacology, 2020, 45, 649-655. | 2.8 | 6 |
| 84 | Associations between facial affect recognition and neurocognition in subjects at ultra-high risk for psychosis: A case-control study. Psychiatry Research, 2020, 290, 112969. | 1.7 | 6 |
| 85 | Multimodal assessment of white matter microstructure in antipsychotic-na \tilde{A} -ve schizophrenia patients and confounding effects of recreational drug use. Brain Imaging and Behavior, 2021, 15, 36-48. | 1.1 | 6 |
| 86 | Fish Oil Supplementation in Pregnancy and Neurodevelopment in Childhoodâ€"A Randomized Clinical Trial. Child Development, 2021, 92, 1624-1635. | 1.7 | 6 |
| 87 | Changes in negative symptoms are linked to white matter changes in superior longitudinal fasciculus in individuals at ultra-high risk for psychosis. Schizophrenia Research, 2021, 237, 192-201. | 1.1 | 6 |
| 88 | Examining speed of processing of facial emotion recognition in individuals at ultra-high risk for psychosis: Associations with symptoms and cognition. Schizophrenia Research, 2018, 195, 562-563. | 1.1 | 5 |
| 89 | Associations between cognition and white matter microstructure in first-episode antipsychotic-na \tilde{A} -ve patients with schizophrenia and healthy controls: A multivariate pattern analysis. Cortex, 2021, 139, 282-297. | 1.1 | 5 |
| 90 | Profile of cognitive deficits and associations with depressive symptoms and intelligence in chronic earlyâ€onset schizophrenia patients. Scandinavian Journal of Psychology, 2013, 54, 363-370. | 0.8 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Effects of methylphenidate on sensory and sensorimotor gating of initially psychostimulant-na \tilde{A}^- ve adult ADHD patients. European Neuropsychopharmacology, 2021, 46, 83-92. | 0.3 | 4 |
| 92 | Effects of prenatal nutrient supplementation and early life exposures on neurodevelopment at age 10: a randomised controlled trial - the COPSYCH study protocol. BMJ Open, 2022, 12, e047706. | 0.8 | 4 |
| 93 | Cortico-cognition coupling in treatment resistant schizophrenia. NeuroImage: Clinical, 2022, 35, 103064. | 1.4 | 4 |
| 94 | Interview and questionnaire assessment of cognitive impairment in subjects at ultra-high risk for psychosis: Associations with cognitive test performance, psychosocial functioning, and positive symptoms. Psychiatry Research, 2020, 294, 113498. | 1.7 | 3 |
| 95 | Heritability of Memory Functions and Related Brain Volumes: A Schizophrenia Spectrum Study of 214 Twins. Schizophrenia Bulletin Open, 2020, 1, . | 0.9 | 3 |
| 96 | Association of neurocognitive functioning with sleep stage dissociation and REM sleep instability in medicated patients with schizophrenia. Journal of Psychiatric Research, 2021, 136, 198-203. | 1.5 | 3 |
| 97 | Effects of methylphenidate on mismatch negativity and P3a amplitude of initially psychostimulant-naÃve, adult ADHD patients. Psychological Medicine, 2021, , 1-9. | 2.7 | 3 |
| 98 | Reward Processing as an Indicator of Vulnerability or Compensatory Resilience in Psychoses? Results From a Twin Study. Biological Psychiatry Global Open Science, 2023, 3, 47-55. | 1.0 | 3 |
| 99 | Add-On MEmaNtine to Dopamine Antagonism to Improve Negative Symptoms at First Psychosis- the AMEND Trial Protocol. Frontiers in Psychiatry, 2022, 13 , . | 1.3 | 3 |
| 100 | SU18. GLP-1 Receptor Agonist Treatment in Schizophrenia Patients With Obesity. Schizophrenia Bulletin, 2017, 43, S167-S167. | 2.3 | 2 |
| 101 | CYP2D6 Genotyping and Antipsychotic-Associated Extrapyramidal Adverse Effects in a Randomized Trial of Aripiprazole Versus Quetiapine Extended Release in Children and Adolescents, Aged 12–17 Years, With First Episode Psychosis. Journal of Clinical Psychopharmacology, 2021, 41, 667-672. | 0.7 | 2 |
| 102 | Discovering correlates of age-related decline in a healthy late-midlife male birth cohort. Aging, 2020, 12, 16709-16743. | 1.4 | 2 |
| 103 | A nation-wide twin study of social cognition in schizophrenia spectrum disorders. NPJ Schizophrenia, 2022, 8, 12. | 2.0 | 2 |
| 104 | Effects of methylphenidate on subjective sleep parameters in adults with ADHD: a prospective, non-randomized, non-blinded 6-week trial. Nordic Journal of Psychiatry, 2023, 77, 102-107. | 0.7 | 2 |
| 105 | THE COURSE OF COGNITIVE DEFICITS IN SCHIZOPHRENIA FROM ILLNESS ONSET TO 6 YEARS POST ONSET: PRELIMINARY RESULTS FROM A PROSPECTIVE LONGITUDINAL STUDY. Schizophrenia Research, 2010, 117, 211. | 1.1 | 1 |
| 106 | Association of the CHRNA7 promoter variant â^'86T with Tourette syndrome and comorbid obsessive-compulsive disorder. Psychiatry Research, 2014, 219, 710-711. | 1.7 | 1 |
| 107 | O4.5. EXPLORING THE RELATIONSHIP BETWEEN SENSORY FILTERING AND COGNITION: RESULTS OF A LARGE COHORT OF ANTIPSYCHOTIC-NAÃ-VE FIRST-EPISODE SCHIZOPHRENIA PATIENTS. Schizophrenia Bulletin, 2019, 45, S170-S171. | 2.3 | 1 |
| 108 | 4.1 COGNITIVE RESERVE ATTENUATES AGE-RELATED COGNITIVE DECLINE IN THE CONTEXT OF ACCELERATED BRAIN AGEING IN SCHIZOPHRENIA-SPECTRUM DISORDERS: EVIDENCE FOR ACTIVE COMPENSATION. Schizophrenia Bulletin, 2019, 45, S91-S92. | 2.3 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | O4.6. HERITABILITY OF SPECIFIC COGNITIVE FUNCTIONS AND ASSOCIATIONS WITH SCHIZOPHRENIA SPECTRUM DISORDERS USING CANTAB: A NATION-WIDE TWIN STUDY. Schizophrenia Bulletin, 2019, 45, S171-S171. | 2.3 | 1 |
| 110 | Structural gray matter brain abnormalities in first-episode early onset psychosis: A voxel based morphometry study in children and adolescents aged ten to eighteen. Schizophrenia Research, 2003, 60, 204. | 1.1 | 0 |
| 111 | EXTRASTRIATAL DOPAMINE D2 RECEPTOR BINDING POTENTIALS IN ANTIPSYCHOTIC-NAÃVE FIRST-EPISODE SCHIZOPHRENIC PATIENTS. Schizophrenia Research, 2008, 102, 42. | 1.1 | 0 |
| 112 | Poster #64 RECRUITMENT STATUS OF THE TEA TRIAL: TOLERANCE AND EFFECT OF ANTIPSYCHOTICS IN CHILDREN AND ADOLESCENTS WITH PSYCHOSIS. AN INVESTIGATOR-INITIATED, PHASE IV, RANDOMISED DOUBLE-BLIND MULTI-CENTRE TRIAL OF THE BENEFITS AND HARMS OF ARIPIPRAZOLE VERSUS QUETIAPINE IN CHILDREN AND ADOLESCENTS WITH PSYCHOSIS. Schizophrenia Research, 2012, 136, S208. | 1.1 | O |
| 113 | Cognitive function patients with idiopathic intracranial hypertension. Journal of the Neurological Sciences, 2013, 333, e483. | 0.3 | 0 |
| 114 | P201: Late midlife sleep pattern and sleep structure and the association to age-related changes in cognition. Clinical Neurophysiology, 2014, 125, S101. | 0.7 | 0 |
| 115 | 4.17 QUETIAPINE EXTENDED RELEASE VERSUS ARIPIPRAZOLE IN CHILDREN AND ADOLESCENTS WITH PSYCHOSIS IN THE RANDOMIZED, BLINDED CLINICAL TOLERABILITY AND EFFICACY OF ANTIPSYCHOTICS (TEA) TRIAL. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, S168. | 0.3 | 0 |
| 116 | â€~No cognitiveâ€enhancing effect of <scp>GLP</scp> â€1 receptor agonism in antipsychoticâ€treated, obese patients with schizophrenia': authors' response. Acta Psychiatrica Scandinavica, 2017, 136, 526-527. | 2.2 | 0 |
| 117 | 48. Associations Between Electrophysiological Measures of Selective Attention and Neurocognitive Measures of Working Memory and Attention in Antipsychotic-Naive, First-Episode Schizophrenia Patients. Schizophrenia Bulletin, 2017, 43, S26-S26. | 2.3 | 0 |
| 118 | SA37. Cognition and White Matter Integrity in Antipsychotic-Naive First-Episode Schizophrenia Patients. Schizophrenia Bulletin, 2017, 43, S126-S127. | 2.3 | 0 |
| 119 | O3.3. REWARD PROCESSING AS A VULNERABILITY INDICATOR FOR PSYCHOSIS: RESULTS FROM A TWIN STUDY. Schizophrenia Bulletin, 2018, 44, S80-S80. | 2.3 | 0 |
| 120 | F21. ELECTROPHYSIOLOGICAL PARAMETERS OF SELECTIVE ATTENTION IN ADOLESCENTS WITH A FIRST EPISODE OF PSYCHOSIS: A COMPARISON WITH ADHD. Schizophrenia Bulletin, 2018, 44, S226-S227. | 2.3 | 0 |
| 121 | F34. AUDITORY SENSORY GATING IN YOUNG ADOLESCENTS WITH EARLY-ONSET PSYCHOSIS: A COMPARISON WITH ADHD. Schizophrenia Bulletin, 2018, 44, S232-S232. | 2.3 | 0 |
| 122 | F176. CLINICAL CORRELATES OF CORTICAL STRUCTURE IN ANTIPSYCHOTIC-NAÃ'VE SCHIZOPHRENIA PATIENTS BEFORE AND AFTER SIX-WEEK TREATMENT WITH A DOPAMINE D2/3 RECEPTOR ANTAGONIST. Schizophrenia Bulletin, 2018, 44, S289-S289. | 2.3 | 0 |
| 123 | T88. THE IMPACT OF AGE OF ONSET AND ILLNESS DURATION ON WHITE MATTER AND COGNITION TRAJECTORIES IN SCHIZOPHRENIA: A 7-YEAR FOLLOW-UP STUDY ACROSS MULTIPLE TIME-POINTS. Schizophrenia Bulletin, 2019, 45, S237-S238. | 2.3 | 0 |
| 124 | T97. PATTERNS OF COGNITIVE FUNCTION ARE UNIQUELY ASSOCIATED WITH WHITE MATTER-MICROSTRUCTURE IN INDIVIDUALS AT ULTRA-HIGH RISK FOR PSYCHOSIS. Schizophrenia Bulletin, 2019, 45, S241-S242. | 2.3 | 0 |
| 125 | S15. HERITABILITY AND CORRELATION TO SCHIZOPHRENIA SPECTRUM DISORDERS OF CEREBRAL BLOOD FLOW MEASURED BY PSEUDO-CONTINUOUS ARTERIAL SPIN LABELING IN DANISH TWINS. Schizophrenia Bulletin, 2019, 45, S311-S311. | 2.3 | 0 |
| 126 | O12.1. CARDIOMETABOLIC ADVERSE EFFECTS AND ITS PREDICTORS IN CHILDREN AND ADOLESCENTS WITH FIRST-EPISODE PSYCHOSIS DURING TREATMENT WITH QUETIAPINE-ER VERSUS ARIPIPRAZOLE: 12-WEEK RESULTS: FROM THE TEA TRIAL. Schizophrenia Bulletin, 2019, 45, S197-S197. | 2.3 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Measuring movements in adolescents with psychosis using the Microsoft Kinect sensor: a pilot study exploring a new tool for assessing aspects of antipsychoticâ€induced parkinsonism. Child and Adolescent Mental Health, 2020, 25, 79-94. | 1.8 | 0 |
| 128 | T46. THE EFFECT OF COMPREHENSIVE COGNITIVE REMEDIATION IN INDIVIDUALS AT ULTRA-HIGH RISK FOR PSYCHOSIS: A SINGLE-BLIND, RANDOMISED, CLINICAL TRIAL (FOCUS). Schizophrenia Bulletin, 2020, 46, S249-S249. | 2.3 | 0 |
| 129 | T60. GENETIC INFLUENCES ON MEMORY FUNCTIONS AND RELATED BRAIN STRUCTURES AND ASSOCIATIONS WITH SCHIZOPHRENIA SPECTRUM DISORDERS: A NATION-WIDE TWIN STUDY. Schizophrenia Bulletin, 2020, 46, S254-S254. | 2.3 | 0 |
| | | | |