

# Francisco LÃ©o Nascimento De Aguiar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9359851/publications.pdf>

Version: 2024-02-01

28  
papers

299  
citations

858243

12  
h-index

993246

17  
g-index

28  
all docs

28  
docs citations

28  
times ranked

308  
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>In vitro</i> embryo production from early antral follicles of goats fed with a whole full-fat linseed based diet. <i>Zygote</i> , 2022, 30, 194-199.	0.5	1
2	Preantral follicle population and distribution in the horse ovary. <i>Reproduction and Fertility</i> , 2022, .	0.6	2
3	Folliculogenesis-related genes are differently expressed in secondary and tertiary ovarian follicles. <i>Zygote</i> , 2021, 29, 503-506.	0.5	2
4	Equine ovarian tissue xenografting: impacts of cooling, vitrification, and VEGF. <i>Reproduction and Fertility</i> , 2021, 2, 251-266.	0.6	2
5	Heterotopic autotransplantation of equine ovarian tissue using intramuscular versus subvulvar grafting sites: Preliminary results. <i>Theriogenology</i> , 2021, 172, 123-132.	0.9	0
6	Harvesting, processing, and evaluation of <i>in vitro</i> -manipulated equine preantral follicles: A review. <i>Theriogenology</i> , 2020, 156, 283-295.	0.9	8
7	Supportive techniques to investigate <i>in vitro</i> culture and cryopreservation efficiencies of equine ovarian tissue: A review. <i>Theriogenology</i> , 2020, 156, 296-309.	0.9	15
8	Anethole improves blastocysts rates together with antioxidant capacity when added during bovine embryo culture rather than in the <i>in vitro</i> maturation medium. <i>Zygote</i> , 2019, 27, 382-385.	0.5	11
9	<i>In vitro</i> and <i>in vivo</i> leishmanicidal activity of a ruthenium nitrosyl complex against <i>Leishmania (Viannia) braziliensis</i> . <i>Acta Tropica</i> , 2019, 192, 61-65.	0.9	21
10	Effect of cryopreservation techniques on proliferation and apoptosis of cultured equine ovarian tissue. <i>Theriogenology</i> , 2019, 126, 88-94.	0.9	6
11	Powdered coconut water (ACP 406®) as an alternative base culture medium for <i>in vitro</i> culture of goat preantral follicles enclosed in ovarian tissue. <i>Animal Reproduction</i> , 2019, 16, 838-845.	0.4	2
12	Analysis of the activity of oncocalyxone A ( <i>Auxemma oncocalyx</i> ) and doxorubicin on the <i>in vitro</i> development of porcine oocytes. <i>Revista De La Sociedad Científica Del Paraguay</i> , 2019, 24, 274-292.	0.2	0
13	Dose-dependent effects of frutalin on <i>in vitro</i> maturation and fertilization of pig oocytes. <i>Animal Reproduction Science</i> , 2018, 192, 216-222.	0.5	3
14	Cryopreservation and <i>in vitro</i> culture of white-tailed deer ovarian tissue. <i>Theriogenology</i> , 2018, 113, 253-260.	0.9	9
15	Sheep Isolated Secondary Follicles Are Able to Produce Metaphase II Oocytes After Vitrification and Long-Term <i>In Vitro</i> Growth. <i>Biopreservation and Biobanking</i> , 2017, 15, 321-331.	0.5	15
16	Role of EGF on <i>in situ</i> culture of equine preantral follicles and metabolomics profile. <i>Research in Veterinary Science</i> , 2017, 115, 155-164.	0.9	20
17	Effects of FSH addition to an enriched medium containing insulin and EGF after long-term culture on functionality of equine ovarian biopsy tissue. <i>Theriogenology</i> , 2017, 99, 124-133.	0.9	12
18	Equine ovarian tissue viability after cryopreservation and <i>in vitro</i> culture. <i>Theriogenology</i> , 2017, 97, 139-147.	0.9	17

#	ARTICLE	IF	CITATIONS
19	In vitro growth and maturation of isolated caprine preantral follicles: Influence of insulin and FSH concentration, culture dish, coculture, and oocyte size on meiotic resumption. <i>Theriogenology</i> , 2017, 90, 32-41.	0.9	16
20	Caprine ovarian follicle requirements differ between preantral and early antral stages after IVC in medium supplemented with GH and VEGF alone or in combination. <i>Theriogenology</i> , 2017, 87, 321-332.	0.9	34
21	Platelet-derived growth factor-BB (PDGF-BB) improves follicular survival, oocyte and follicular diameters, in a dose-dependent manner, after the in vitro culture of goat preantral follicles enclosed in ovarian tissue fragments. <i>Animal Reproduction</i> , 2017, 14, 1095-1102.	0.4	1
22	Connexin 37 and 43 gene and protein expression and developmental competence of isolated ovine secondary follicles cultured in vitro after vitrification of ovarian tissue. <i>Theriogenology</i> , 2016, 85, 1457-1467.	0.9	19
23	Accelerated follicle growth during the culture of isolated caprine preantral follicles is detrimental to follicular survival and oocyte meiotic resumption. <i>Theriogenology</i> , 2016, 86, 1530-1540.	0.9	14
24	FSH supplementation to culture medium is beneficial for activation and survival of preantral follicles enclosed in equine ovarian tissue. <i>Theriogenology</i> , 2016, 85, 1106-1112.	0.9	22
25	Ovine secondary follicles vitrified out the ovarian tissue grow and develop in vitro better than those vitrified into the ovarian fragments. <i>Theriogenology</i> , 2016, 85, 1203-1210.	0.9	18
26	Insulin improves in vitro survival of equine preantral follicles enclosed in ovarian tissue and reduces reactive oxygen species production after culture. <i>Theriogenology</i> , 2016, 85, 1063-1069.	0.9	18
27	Extratos de Moringa oleifera e Vernonia sp. sobre Candida albicans e Microsporium canis isolados de cães e gatos e análise da toxicidade em Artemia sp.. <i>Ciencia Rural</i> , 2011, 41, 1807-1812.	0.3	10
28	Structural characteristics and biotechnological applications of frutalin: lectin extracted from <i>Artocarpus incisa</i> . <i>Ciência E Natura</i> , 0, 40, 46.	0.0	1