

Kamin J Johnson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9360077/publications.pdf>

Version: 2024-02-01

44
papers

2,130
citations

257357

24
h-index

265120

42
g-index

45
all docs

45
docs citations

45
times ranked

2496
citing authors

#	ARTICLE	IF	CITATIONS
1	A Collaborative Initiative to Establish Genomic Biomarkers for Assessing Tumorigenic Potential to Reduce Reliance on Conventional Rodent Carcinogenicity Studies. <i>Toxicological Sciences</i> , 2022, 188, 4-16.	1.4	7
2	A rat subchronic study transcriptional point of departure estimates a carcinogenicity study apical point of departure. <i>Food and Chemical Toxicology</i> , 2021, 147, 111869.	1.8	9
3	Bridging Sex-Specific Differences in the CAR-Mediated Hepatocarcinogenesis of Nitropryrin Using Molecular and Apical Endpoints. <i>Frontiers in Toxicology</i> , 2021, 3, 766196.	1.6	1
4	Identification of early liver toxicity gene biomarkers using comparative supervised machine learning. <i>Scientific Reports</i> , 2020, 10, 19128.	1.6	13
5	Short-term toxicogenomics as an alternative approach to chronic in vivo studies for derivation of points of departure: A case study in the rat with a triazole fungicide. <i>Regulatory Toxicology and Pharmacology</i> , 2020, 113, 104655.	1.3	20
6	A Rat Liver Transcriptomic Point of Departure Predicts a Prospective Liver or Non-liver Apical Point of Departure. <i>Toxicological Sciences</i> , 2020, 176, 86-102.	1.4	32
7	Dioxin male rat reproductive toxicity mode of action and relative potency of 2,3,7,8-tetrachlorodibenzo-p-dioxin and 2,3,7,8-tetrachlorodibenzofuran characterized by fetal pituitary and testis transcriptome profiling. <i>Reproductive Toxicology</i> , 2020, 93, 146-162.	1.3	14
8	A Novel Open Access Web Portal for Integrating Mechanistic and Toxicogenomic Study Results. <i>Toxicological Sciences</i> , 2019, 170, 296-309.	1.4	13
9	Polybrominated diphenyl ether (PBDE) neurotoxicity: a systematic review and meta-analysis of animal evidence. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2018, 21, 269-289.	2.9	49
10	Systematic reviews and meta-analyses of human and animal evidence of prenatal diethylhexyl phthalate exposure and changes in male anogenital distance. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2018, 21, 207-226.	2.9	43
11	Dose-response analysis of epigenetic, metabolic, and apical endpoints after short-term exposure to experimental hepatotoxicants. <i>Food and Chemical Toxicology</i> , 2017, 109, 690-702.	1.8	21
12	Applying 'omics technologies in chemicals risk assessment: Report of an ECETOC workshop. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 91, S3-S13.	1.3	102
13	The interface of epigenetics and toxicology in product safety assessment. <i>Current Opinion in Toxicology</i> , 2017, 6, 87-92.	2.6	11
14	A Developmental and Reproductive Toxicology Program for Chemical Registration. <i>Methods in Pharmacology and Toxicology</i> , 2016, , 117-183.	0.1	0
15	Comparative Response of Rat and Rabbit Conceptuses In Vitro to Inhibitors of Histiotrophic Nutrition. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2015, 104, 1-10.	1.4	5
16	Testicular histopathology associated with disruption of the Sertoli cell cytoskeleton. <i>Spermatogenesis</i> , 2014, 4, e979106.	0.8	65
17	Identification of gene expression changes in postnatal rat foreskin after in utero anti-androgen exposure. <i>Reproductive Toxicology</i> , 2014, 47, 42-50.	1.3	1
18	Transcriptome Analysis of the Dihydrotestosterone-Exposed Fetal Rat Gubernaculum Identifies Common Androgen and Insulin-Like 3 Targets ¹ . <i>Biology of Reproduction</i> , 2013, 89, 143.	1.2	15

#	ARTICLE	IF	CITATIONS
19	Human Fetal Testis Xenografts Are Resistant to Phthalate-Induced Endocrine Disruption. <i>Environmental Health Perspectives</i> , 2012, 120, 1137-1143.	2.8	89
20	Of Mice and Men (and Rats): Phthalate-Induced Fetal Testis Endocrine Disruption Is Species-Dependent. <i>Toxicological Sciences</i> , 2012, 129, 235-248.	1.4	127
21	A Transcriptome-Wide Screen for mRNAs Enriched in Fetal Leydig Cells: CRHR1 Agonism Stimulates Rat and Mouse Fetal Testis Steroidogenesis. <i>PLoS ONE</i> , 2012, 7, e47359.	1.1	34
22	Uncovering Gene Regulatory Networks During Mouse Fetal Germ Cell Development. <i>Biology of Reproduction</i> , 2011, 84, 790-800.	1.2	29
23	Species-Specific Dibutyl Phthalate Fetal Testis Endocrine Disruption Correlates with Inhibition of SREBP2-Dependent Gene Expression Pathways. <i>Toxicological Sciences</i> , 2011, 120, 460-474.	1.4	56
24	Insulin-Like 3 Exposure of the Fetal Rat Gubernaculum Modulates Expression of Genes Involved in Neural Pathways ¹ . <i>Biology of Reproduction</i> , 2010, 83, 774-782.	1.2	36
25	The orl Rat with Inherited Cryptorchidism Has Increased Susceptibility to the Testicular Effects of In Utero Dibutyl Phthalate Exposure. <i>Toxicological Sciences</i> , 2008, 105, 360-367.	1.4	24
26	Fetal Mouse Phthalate Exposure Shows that Gonocyte Multinucleation is Not Associated with Decreased Testicular Testosterone. <i>Toxicological Sciences</i> , 2007, 97, 491-503.	1.4	110
27	Mapping Gene Expression Changes in the Fetal Rat Testis Following Acute Dibutyl Phthalate Exposure Defines a Complex Temporal Cascade of Responding Cell Types ¹ . <i>Biology of Reproduction</i> , 2007, 77, 978-989.	1.2	31
28	Mono-(2-ethylhexyl) Phthalate Rapidly Increases Celsr2 Protein Phosphorylation in HeLa Cells via Protein Kinase C and Casein Kinase 1. <i>Toxicological Sciences</i> , 2006, 91, 255-264.	1.4	12
29	Testicular Gene Expression Profiling following Prepubertal Rat Mono-(2-ethylhexyl) Phthalate Exposure Suggests a Common Initial Genetic Response at Fetal and Prepubertal Ages. <i>Toxicological Sciences</i> , 2006, 93, 369-381.	1.4	50
30	Hybrid GPCR/Cadherin (Celsr) Proteins in Rat Testis Are Expressed With Cell Type Specificity and Exhibit Differential Sertoli Cell-Germ Cell Adhesion Activity. <i>Journal of Andrology</i> , 2005, 26, 529-538.	2.0	28
31	Sertoli Cell Toxicants. , 2005, , 345-382.		32
32	Protocadherin $\hat{1}\pm 3$ Acts at Sites Distinct from Classic Cadherins in Rat Testis and Sperm ¹ . <i>Biology of Reproduction</i> , 2004, 70, 303-312.	1.2	15
33	2,5-HEXANEDIONE-INDUCED TESTICULAR INJURY. <i>Annual Review of Pharmacology and Toxicology</i> , 2003, 43, 125-147.	4.2	62
34	Dynamic Testicular Adhesion Junctions Are Immunologically Unique. I. Localization of p120 Catenin in Rat Testis ¹ . <i>Biology of Reproduction</i> , 2002, 66, 983-991.	1.2	41
35	Dynamic Testicular Adhesion Junctions Are Immunologically Unique. II. Localization of Classic Cadherins in Rat Testis ¹ . <i>Biology of Reproduction</i> , 2002, 66, 992-1000.	1.2	83
36	Plasma fibronectin supports neuronal survival and reduces brain injury following transient focal cerebral ischemia but is not essential for skin-wound healing and hemostasis.. <i>Nature Medicine</i> , 2001, 7, 324-330.	15.2	311

#	ARTICLE	IF	CITATIONS
37	Multiple Cadherin Superfamily Members with Unique Expression Profiles Are Produced in Rat Testis1. Endocrinology, 2000, 141, 675-683.	1.4	60
38	Role of Sertoli Cells in Injury-Associated Testicular Germ Cell Apoptosis. Proceedings of the Society for Experimental Biology and Medicine, 2000, 225, 105-115.	2.0	85
39	Role of Sertoli Cells in Injury-Associated Testicular Germ Cell Apoptosis. Proceedings of the Society for Experimental Biology and Medicine, 2000, 225, 105-115.	2.0	23
40	Multiple Cadherin Superfamily Members with Unique Expression Profiles Are Produced in Rat Testis. Endocrinology, 2000, 141, 675-683.	1.4	22
41	The Compact Conformation of Fibronectin Is Determined by Intramolecular Ionic Interactions. Journal of Biological Chemistry, 1999, 274, 15473-15479.	1.6	160
42	Colchicine Disrupts the Cytoskeleton of Rat Testis Seminiferous Epithelium in a Stage-Dependent Manner1. Biology of Reproduction, 1993, 48, 143-153.	1.2	73
43	2,5-Hexanedione exposure alters the rat sertoli cell cytoskeleton *11. Microtubules and seminiferous tubule fluid secretion. Toxicology and Applied Pharmacology, 1991, 111, 432-442.	1.3	49
44	A <scp>microRNA</scp> or messenger <scp>RNA</scp> point of departure estimates an apical endpoint point of departure in a rat developmental toxicity model. Birth Defects Research, 0, , .	0.8	1