

# Philippe Vignon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9360568/publications.pdf>

Version: 2024-02-01

152  
papers

9,950  
citations

38660

50  
h-index

35952

97  
g-index

156  
all docs

156  
docs citations

156  
times ranked

6236  
citing authors

#	ARTICLE	IF	CITATIONS
1	Echocardiography in the intensive care unit: from evolution to revolution?. Intensive Care Medicine, 2008, 34, 243-249.	3.9	1,195
2	Focused training for goal-oriented hand-held echocardiography performed by noncardiologist residents in the intensive care unit. Intensive Care Medicine, 2007, 33, 1795-1799.	3.9	765
3	American College of Chest Physicians/La Soci�t� de R�animation de Langue Fran�aise Statement on Competence in Critical Care Ultrasonography. Chest, 2009, 135, 1050-1060.	0.4	637
4	Norepinephrine plus dobutamine versus epinephrine alone for management of septic shock: a randomised trial. Lancet, The, 2007, 370, 676-684.	6.3	508
5	Acute cor pulmonale during protective ventilation for acute respiratory distress syndrome: prevalence, predictors, and clinical impact. Intensive Care Medicine, 2016, 42, 862-870.	3.9	366
6	Epinephrine Versus Norepinephrine for Cardiogenic Shock After Acute Myocardial Infarction. Journal of the American College of Cardiology, 2018, 72, 173-182.	1.2	282
7	Diagnostic Accuracy and Therapeutic Impact of Transthoracic and Transesophageal Echocardiography in Mechanically Ventilated Patients in the ICU. Chest, 1994, 106, 1829-1834.	0.4	246
8	Quantitative assessment of pleural effusion in critically ill patients by means of ultrasonography*. Critical Care Medicine, 2005, 33, 1757-1763.	0.4	246
9	Comparison of Echocardiographic Indices Used to Predict Fluid Responsiveness in Ventilated Patients. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 1022-1032.	2.5	211
10	12-h pretreatment with methylprednisolone versus placebo for prevention of postextubation laryngeal oedema: a randomised double-blind trial. Lancet, The, 2007, 369, 1083-1089.	6.3	204
11	Echocardiographic Quantification of Regional Left Ventricular Wall Motion With Color Kinesis. Circulation, 1996, 93, 1877-1885.	1.6	166
12	Basic critical care echocardiography: Validation of a curriculum dedicated to noncardiologist residents*. Critical Care Medicine, 2011, 39, 636-642.	0.4	158
13	Neurologic complications and outcomes of infective endocarditis in critically ill patients: The ENDOcardite en REAnimation prospective multicenter study*. Critical Care Medicine, 2011, 39, 1474-1481.	0.4	158
14	Circulating Immature Granulocytes With T-Cell Killing Functions Predict Sepsis Deterioration*. Critical Care Medicine, 2014, 42, 2007-2018.	0.4	156
15	Role of Transesophageal Echocardiography in the Diagnosis and Management of Traumatic Aortic Disruption. Circulation, 1995, 92, 2959-2968.	1.6	154
16	Segmental Analysis of Color Kinesis Images. Circulation, 1997, 95, 2082-2097.	1.6	127
17	Prevalence and prognostic value of acute cor pulmonale and patent foramen ovale in ventilated patients with early acute respiratory distress syndrome: a multicenter study. Intensive Care Medicine, 2013, 39, 1734-1742.	3.9	122
18	Cardiovascular clusters in septic shock combining clinical and echocardiographic parameters: a post hoc analysis. Intensive Care Medicine, 2019, 45, 657-667.	3.9	118

#	ARTICLE	IF	CITATIONS
19	Echocardiography: a help in the weaning process. <i>Critical Care</i> , 2010, 14, R120.	2.5	113
20	Non-invasive ventilation versus high-flow nasal cannula oxygen therapy with apnoeic oxygenation for preoxygenation before intubation of patients with acute hypoxaemic respiratory failure: a randomised, multicentre, open-label trial. <i>Lancet Respiratory Medicine</i> , 2019, 7, 303-312.	5.2	113
21	Comparison of Multiplane Transesophageal Echocardiography and Contrast-enhanced Helical CT in the Diagnosis of Blunt Traumatic Cardiovascular Injuries. <i>Anesthesiology</i> , 2001, 94, 615-622.	1.3	112
22	Current use of vasopressors in septic shock. <i>Annals of Intensive Care</i> , 2019, 9, 20.	2.2	109
23	Effect of Selepressin vs Placebo on Ventilator- and Vasopressor-Free Days in Patients With Septic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1476.	3.8	107
24	Impact of routine percutaneous coronary intervention after out-of-hospital cardiac arrest due to ventricular fibrillation. <i>Critical Care</i> , 2011, 15, R122.	2.5	106
25	Prevention of Early Ventilator-Associated Pneumonia after Cardiac Arrest. <i>New England Journal of Medicine</i> , 2019, 381, 1831-1842.	13.9	100
26	A pilot study on safety and clinical utility of a single-use 72-hour indwelling transesophageal echocardiography probe. <i>Intensive Care Medicine</i> , 2013, 39, 629-635.	3.9	97
27	Diagnostic ability of hand-held echocardiography in ventilated critically ill patients. <i>Critical Care</i> , 2003, 7, R84.	2.5	95
28	Efficacy of and tolerance to mild induced hypothermia after out-of-hospital cardiac arrest using an endovascular cooling system. <i>Critical Care</i> , 2007, 11, R71.	2.5	90
29	Echocardiographic assessment of pulmonary artery occlusion pressure in ventilated patients: a transoesophageal study. <i>Critical Care</i> , 2008, 12, R18.	2.5	90
30	Cardiac morphological and functional changes during early septic shock: a transesophageal echocardiographic study. <i>Intensive Care Medicine</i> , 2008, 34, 250-256.	3.9	87
31	Hemodynamic assessment of critically ill patients using echocardiography Doppler. <i>Current Opinion in Critical Care</i> , 2005, 11, 227-234.	1.6	86
32	Basic ultrasound head-to-toe skills for intensivists in the general and neuro intensive care unit population: consensus and expert recommendations of the European Society of Intensive Care Medicine. <i>Intensive Care Medicine</i> , 2021, 47, 1347-1367.	3.9	83
33	Transesophageal Echocardiography for the Diagnosis and Management of Nonobstructive Thrombosis of Mechanical Mitral Valve Prosthesis. <i>Circulation</i> , 1995, 91, 103-110.	1.6	79
34	Diagnosis of left ventricular diastolic dysfunction in the setting of acute changes in loading conditions. <i>Critical Care</i> , 2007, 11, R43.	2.5	77
35	Long-term outcomes and cardiac surgery in critically ill patients with infective endocarditis. <i>European Heart Journal</i> , 2014, 35, 1195-1204.	1.0	75
36	Initial resuscitation guided by the Surviving Sepsis Campaign recommendations and early echocardiographic assessment of hemodynamics in intensive care unit septic patients. <i>Critical Care Medicine</i> , 2012, 40, 2821-2827.	0.4	74

#	ARTICLE	IF	CITATIONS
37	The PRICES statement: an ESICM expert consensus on methodology for conducting and reporting critical care echocardiography research studies. <i>Intensive Care Medicine</i> , 2021, 47, 1-13.	3.9	72
38	Limited value of end-expiratory inferior vena cava diameter to predict fluid responsiveness impact of intra-abdominal pressure. <i>Intensive Care Medicine</i> , 2018, 44, 197-203.	3.9	71
39	Differential Transesophageal Echocardiographic Diagnosis Between Linear Artifacts and Intraluminal Flap of Aortic Dissection or Disruption. <i>Chest</i> , 2001, 119, 1778-1790.	0.4	66
40	Right ventricular failure in septic shock: characterization, incidence and impact on fluid responsiveness. <i>Critical Care</i> , 2020, 24, 630.	2.5	66
41	Echocardiography findings in COVID-19 patients admitted to intensive care units: a multi-national observational study (the ECHO-COVID study). <i>Intensive Care Medicine</i> , 2022, 48, 667-678.	3.9	63
42	Quantitative Evaluation of Global and Regional Left Ventricular Diastolic Function With Color Kinesis. <i>Circulation</i> , 1998, 97, 1053-1061.	1.6	61
43	Fluid administration and monitoring in ARDS: which management?. <i>Intensive Care Medicine</i> , 2020, 46, 2252-2264.	3.9	60
44	Hand-held echocardiography with doppler capability for the assessment of critically-ill patients: is it reliable?. <i>Intensive Care Medicine</i> , 2004, 30, 718-723.	3.9	59
45	Traumatic Pulmonary Hernia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 44, 217-219.	1.1	58
46	Complications of Tracheostomy Performed in the ICU. <i>Chest</i> , 2003, 123, 151-158.	0.4	57
47	Prevalence of low central venous oxygen saturation in the first hours of intensive care unit admission and associated mortality in septic shock patients: a prospective multicentre study. <i>Critical Care</i> , 2014, 18, 609.	2.5	56
48	Intrathecal Baclofen after Traumatic Brain Injury: Early Treatment Using a New Technique to Prevent Spasticity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 50, 158-161.	1.1	54
49	Volume expansion in the first 4 days of shock: a prospective multicentre study in 19 French intensive care units. <i>Intensive Care Medicine</i> , 2015, 41, 248-256.	3.9	52
50	Routine Transesophageal Echocardiography for the Diagnosis of Aortic Disruption in Trauma Patients without Enlarged Mediastinum. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 40, 422-427.	1.1	52
51	Interest of low-dose hydrocortisone therapy during brain-dead organ donor resuscitation: the CORTICOME study. <i>Critical Care</i> , 2014, 18, R158.	2.5	50
52	Quantification of Traumatic Hemomediastinum Using Transesophageal Echocardiography. <i>Chest</i> , 1998, 113, 1475-1480.	0.4	48
53	Critical care ultrasonography in acute respiratory failure. <i>Critical Care</i> , 2016, 20, 228.	2.5	48
54	Severe varicella-zoster virus pneumonia: a multicenter cohort study. <i>Critical Care</i> , 2017, 21, 137.	2.5	47

#	ARTICLE	IF	CITATIONS
55	Hemodynamic Assessment of Patients With Septic Shock Using Transpulmonary Thermodilution and Critical Care Echocardiography. <i>Chest</i> , 2018, 153, 55-64.	0.4	45
56	Intermittent pneumatic compression to prevent venous thromboembolism in patients with high risk of bleeding hospitalized in intensive care units: the CIREA1 randomized trial. <i>Intensive Care Medicine</i> , 2013, 39, 872-880.	3.9	44
57	Transnasal transesophageal echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1997, 10, 728-737.	1.2	41
58	Number of supervised studies required to reach competence in advanced critical care transesophageal echocardiography. <i>Intensive Care Medicine</i> , 2013, 39, 1019-1024.	3.9	39
59	Ventricular diastolic abnormalities in the critically ill. <i>Current Opinion in Critical Care</i> , 2013, 19, 242-249.	1.6	38
60	Multicentric Standardized Flow Cytometry Routine Assessment of Patients With Sepsis to Predict Clinical Worsening. <i>Chest</i> , 2018, 154, 617-627.	0.4	38
61	Use of Color Kinesis for Evaluation of Left Ventricular Filling in Patients With Dilated Cardiomyopathy and Mitral Regurgitation. <i>Journal of the American College of Cardiology</i> , 1998, 31, 1598-1606.	1.2	37
62	Acute respiratory distress syndrome (ARDS)-associated acute cor pulmonale and patent foramen ovale: a multicenter noninvasive hemodynamic study. <i>Critical Care</i> , 2015, 19, 174.	2.5	37
63	Extracorporeal Albumin Dialysis in Three Cases of Acute Calcium Channel Blocker Poisoning With Life-Threatening Refractory Cardiogenic Shock. <i>Annals of Emergency Medicine</i> , 2012, 59, 540-544.	0.3	35
64	Intermittent noninvasive ventilation after extubation in patients with chronic respiratory disorders: a multicenter randomized controlled trial (VHYPER). <i>Intensive Care Medicine</i> , 2017, 43, 1626-1636.	3.9	35
65	Current use of inotropes in circulatory shock. <i>Annals of Intensive Care</i> , 2021, 11, 21.	2.2	35
66	Reliability of the measurement of the abdominal aortic diameter by novice operators using a pocket-sized ultrasound system. <i>Archives of Cardiovascular Diseases</i> , 2013, 106, 644-650.	0.7	34
67	Ten reasons for performing hemodynamic monitoring using transesophageal echocardiography. <i>Intensive Care Medicine</i> , 2017, 43, 1048-1051.	3.9	34
68	Evaluation of fluid responsiveness in ventilated septic patients: back to venous return. <i>Intensive Care Medicine</i> , 2004, 30, 1699-1701.	3.9	33
69	Oral nystatin prophylaxis of <i>Candida</i> spp. colonization in ventilated critically ill patients. <i>Intensive Care Medicine</i> , 2005, 31, 1508-1513.	3.9	33
70	Assessment of left ventricular ejection fraction using an ultrasonic stethoscope in critically ill patients. <i>Critical Care</i> , 2012, 16, R29.	2.5	31
71	Quantitative Assessment of Regional Right Ventricular Function with Color Kinesis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 159, 1949-1959.	2.5	30
72	Frequency of bacteremia associated with transesophageal echocardiography in intensive care unit patients. <i>Critical Care Medicine</i> , 1995, 23, 1194-1199.	0.4	29

#	ARTICLE	IF	CITATIONS
73	Ultrasonographic identification and semiquantitative assessment of unoculated pleural effusions in critically ill patients by residents after a focused training. <i>Intensive Care Medicine</i> , 2014, 40, 1475-1480.	3.9	28
74	Prognostic impact of left ventricular diastolic function in patients with septic shock. <i>Annals of Intensive Care</i> , 2016, 6, 36.	2.2	28
75	Letter to the Editor: Albumin Dialysis: A New Therapeutic Alternative for Severe Diltiazem Intoxication. <i>Clinical Toxicology</i> , 2006, 44, 195-196.	0.8	27
76	Prevalence and Risk Factors of Stress Cardiomyopathy After Convulsive Status Epilepticus in ICU Patients. <i>Critical Care Medicine</i> , 2015, 43, 2164-2170.	0.4	27
77	Cardiovascular phenotypes in ventilated patients with COVID-19 acute respiratory distress syndrome. <i>Critical Care</i> , 2020, 24, 236.	2.5	27
78	Use of Transesophageal Echocardiography for the Assessment of Traumatic Aortic Injuries. <i>Echocardiography</i> , 1999, 16, 207-219.	0.3	26
79	Bedside adherence to clinical practice guidelines in the intensive care unit: the TECLA study. <i>Intensive Care Medicine</i> , 2008, 34, 1393-1400.	3.9	25
80	Potential side effect of propofol and sevoflurane for anesthesia of anti-NMDA-R encephalitis. <i>BMC Anesthesiology</i> , 2014, 14, 5.	0.7	25
81	Transesophageal Echocardiography and Therapeutic Management of Patients Sustaining Blunt Aortic Injuries. <i>Journal of Trauma</i> , 2005, 58, 1150-1158.	2.3	24
82	Color Kinesis.. <i>Echocardiography</i> , 1998, 15, 21-34.	0.3	23
83	New Agents in Development for Sepsis: Any Reason for Hope?. <i>Drugs</i> , 2020, 80, 1751-1761.	4.9	23
84	Agreement between subcostal and transhepatic longitudinal imaging of the inferior vena cava for the evaluation of fluid responsiveness: A systematic review. <i>Journal of Critical Care</i> , 2022, 71, 154108.	1.0	23
85	Cardiovascular failure and weaning. <i>Annals of Translational Medicine</i> , 2018, 6, 354-354.	0.7	22
86	Community-acquired Staphylococcus aureus bacteriuria: a warning microbiological marker for infective endocarditis?. <i>BMC Infectious Diseases</i> , 2019, 19, 504.	1.3	21
87	Embolization of Rectal Arteries: An Alternative Treatment for Hemorrhagic Shock Induced by Traumatic Intrarectal Hemorrhage. <i>CardioVascular and Interventional Radiology</i> , 2005, 28, 515-517.	0.9	19
88	What is new in critical care echocardiography?. <i>Critical Care</i> , 2018, 22, 40.	2.5	19
89	Hemodynamic assessment of ventilated ICU patients with cardiorespiratory failure using a miniaturized multiplane transesophageal echocardiography probe. <i>Intensive Care Medicine</i> , 2015, 41, 1886-1894.	3.9	18
90	Acceleration of the learning curve for mastering basic critical care echocardiography using computerized simulation. <i>Intensive Care Medicine</i> , 2018, 44, 1097-1105.	3.9	17

#	ARTICLE	IF	CITATIONS
91	Limitations of Transesophageal Echocardiography for the Diagnosis of Traumatic Injuries to Aortic Branches. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 42, 960-963.	1.1	17
92	Global longitudinal strain in septic cardiomyopathy: the hidden part of the iceberg?. <i>Intensive Care Medicine</i> , 2015, 41, 1851-1853.	3.9	16
93	Left ventricular overloading identified by critical care echocardiography is key in weaning-induced pulmonary edema. <i>Intensive Care Medicine</i> , 2020, 46, 1371-1381.	3.9	16
94	Acoustic quantification indexes of left ventricular size and function: Effects of signal averaging. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 792-802.	1.2	15
95	Platelet-activating factor acetylhydrolase and haemophagocytosis in the sepsis syndrome. <i>Mediators of Inflammation</i> , 2000, 9, 197-200.	1.4	15
96	Severe human bone infection due to methicillin-resistant <i>Staphylococcus aureus</i> carrying the novel mecC variant. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2949-2950.	1.3	15
97	Comparative Early Hemodynamic Profiles in Patients Presenting to the Emergency Department with Septic and Nonseptic Acute Circulatory Failure Using Focused Echocardiography. <i>Shock</i> , 2020, 53, 695-700.	1.0	15
98	Shotgun metagenomics for microbiome and resistome detection in septic patients with urinary tract infection. <i>International Journal of Antimicrobial Agents</i> , 2019, 54, 803-808.	1.1	14
99	Feasibility of aortic diameter measurement by multiplane transesophageal echocardiography for preoperative selection and preparation of homograft aortic valves. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1996, 112, 954-961.	0.4	13
100	Diagnosis and Management of Traumatic Aortic Regurgitation Associated with Laceration of the Aortic Isthmus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 46, 717-720.	1.1	13
101	Right ventricular failure is strongly associated with mortality in patients with moderate-to-severe COVID-19-related ARDS and appears related to respiratory worsening. <i>Intensive Care Medicine</i> , 2022, 48, 765-767.	3.9	12
102	Immature Granulocytes: A Risk Factor of Infection after Cardiac Surgery. <i>Cytometry Part B - Clinical Cytometry</i> , 2018, 94, 887-894.	0.7	11
103	Continuous cardiac output assessment or serial echocardiography during septic shock resuscitation?. <i>Annals of Translational Medicine</i> , 2020, 8, 797-797.	0.7	11
104	Assessment of Pulmonary Arterial Pressure Using Critical Care Echocardiography: Dealing With the Yin and the Yang?*. <i>Critical Care Medicine</i> , 2019, 47, 126-128.	0.4	10
105	Evaluation of Global and Regional Right Ventricular Function Using Automated Border Detection Techniques. <i>Echocardiography</i> , 1999, 16, 105-116.	0.3	9
106	Nasal Carriage of Vancomycin-Intermediate <i>Staphylococcus aureus</i> among Intensive Care Unit Staff. <i>Clinical Infectious Diseases</i> , 2001, 33, 1951-1951.	2.9	9
107	<i>Helicobacter pylori</i> infection is not associated with an increased hemorrhagic risk in patients in the intensive care unit. <i>Critical Care</i> , 2006, 10, R77.	2.5	9
108	Hemodynamic response to prone ventilation in COVID-19 patients assessed with 3D transesophageal echocardiography. <i>Intensive Care Medicine</i> , 2020, 46, 2099-2101.	3.9	9



#	ARTICLE	IF	CITATIONS
109	Assessment of Right Ventricular and Right Atrial Systolic and Diastolic Performance Using Automated Border Detection. <i>Echocardiography</i> , 1999, 16, 643-652.	0.3	8
110	Evaluation of right ventricular function and driving pressure with blood gas analysis could better select patients eligible for VV ECMO in severe ARDS. <i>Critical Care</i> , 2021, 25, 220.	2.5	8
111	Noninvasive ventilation vs. high-flow nasal cannula oxygen for preoxygenation before intubation in patients with obesity: a post hoc analysis of a randomized controlled trial. <i>Annals of Intensive Care</i> , 2021, 11, 114.	2.2	7
112	Immature granulocytes can help the diagnosis of pulmonary bacterial infections in patients with severe COVID-19 pneumonia. <i>Journal of Intensive Care</i> , 2021, 9, 58.	1.3	7
113	Severe Rhabdomyolysis Associated with <i>Staphylococcus aureus</i> Acute Endocarditis Requiring Surgery. <i>Surgical Infections</i> , 2015, 16, 840-842.	0.7	5
114	Echocardiography in the Critically Ill: An Overview. , 2011, , 1-9.		4
115	Assessment of volume status and volume responsiveness in the ICU: Protocol for an observational, multicentre cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1102-1108.	0.7	4
116	Is prehospital endobronchial intubation a risk factor for subsequent ventilator associated pneumonia? A retrospective analysis. <i>PLoS ONE</i> , 2019, 14, e0217466.	1.1	4
117	Estimation of Pulmonary Artery Occlusion Pressure Using Doppler Echocardiography in Mechanically Ventilated Patients. <i>Critical Care Medicine</i> , 2020, 48, e943-e950.	0.4	4
118	Volume status and volume responsiveness in postoperative cardiac surgical patients: An observational, multicentre cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 320-328.	0.7	4
119	Routine use of 16S rRNA PCR and subsequent sequencing from blood samples in septic shock: about two case reports of <i>Capnocytophaga canimorsus</i> infection in immunocompetent patients. <i>BMC Infectious Diseases</i> , 2022, 22, 355.	1.3	4
120	Real-time three-dimensional transesophageal echocardiography fails to discriminate between infectious vegetation and artifact. <i>Intensive Care Medicine</i> , 2018, 44, 992-994.	3.9	3
121	Diagnostic capability of a next-generation, ultra-miniaturized ultrasound system in patients with cardiopulmonary compromise assessed using basic critical care echocardiography. <i>Intensive Care Medicine</i> , 2018, 44, 1579-1581.	3.9	3
122	Transesophageal Echocardiography Remains Essential and Safe during Prone Ventilation for Hemodynamic Monitoring of Patients with COVID-19. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 1057-1059.	1.2	3
123	Clinical Applications of Color Kinesis: Facts Versus Hopes. <i>Developments in Cardiovascular Medicine</i> , 1997, , 221-240.	0.1	3
124	Relying on pulse oximetry to avoid hypoxaemia and hyperoxia: A multicentre prospective cohort study in patients with circulatory failure. <i>Australian Critical Care</i> , 2023, 36, 307-312.	0.6	3
125	Traumatic False Aneurysm of a Pancreatic Artery: Successful Conservative Management Using Embolization. <i>Journal of Trauma</i> , 2003, 54, 788-790.	2.3	2
126	Diagnosing the Mechanisms of Circulatory Failure. , 2011, , 99-107.		2



#	ARTICLE	IF	CITATIONS
127	Learning and Competence in Critical Care Echocardiography. , 2011, , 275-281.		2
128	Impact of take-home messages written into slide presentations delivered during lectures on the retention of messages and the residentsâ€™ knowledge: a randomized controlled study. BMC Medical Education, 2020, 20, 180.	1.0	2
129	A 73-Year-Old Man With Hypertension and Syncope. Circulation, 1996, 93, 380-386.	1.6	2
130	Assessment of Critically Ill Patients with Acute Heart Failure Syndromes Using Echocardiography Doppler. , 2008, , 424-445.		2
131	Draining All Pleural Effusions in the Intensive Care Unit?. Critical Care Medicine, 2006, 34, 269-270.	0.4	1
132	Pulmonary Edema: Which Role for Echocardiography in the Diagnostic Workup?. , 2011, , 177-194.		1
133	Cardiac tamponade related to a coronary injury by a pericardial calcification: an unusual complication. BMC Cardiovascular Disorders, 2012, 12, 28.	0.7	1
134	Early bacterial genome detection in body fluids from patients with severe sepsis: A pilot study. Journal of Critical Care, 2012, 27, 416.e1-416.e6.	1.0	1
135	The Rendu-Osler-Weber Disease Revealed by a Refractory Hypoxemia and Severe Cerebral Fat Embolism. Case Reports in Critical Care, 2013, 2013, 1-3.	0.2	1
136	Hemodynamic monitoring using a single-use indwelling transesophageal echocardiography probe in an unstable patient after open-heart surgery. BMC Medical Imaging, 2015, 15, 31.	1.4	1
137	Reply. Journal of the American College of Cardiology, 2018, 72, 2413.	1.2	1
138	Left ventricular overloading is the leading mechanism in extubation failure of patients at high-risk of weaning-induced pulmonary edema. Intensive Care Medicine, 2020, 46, 1962-1964.	3.9	1
139	Critical care echocardiography: diagnostic or prognostic?. Annals of Translational Medicine, 2020, 8, 909-909.	0.7	1
140	Severe Acute Cor Pulmonale in Patients with COVID-19 Acute Respiratory Distress Syndrome: Caution with Left Turn. American Journal of Respiratory and Critical Care Medicine, 2022, 205, 961-964.	2.5	1
141	The Aortic Pulsatility Index: A New Sign of Severe Acute Aortic Regurgitation. Journal of the American Society of Echocardiography, 2022, 35, 1006-1007.	1.2	1
142	Assessment of Right Ventricular Mechanics by 3D Transesophageal Echocardiography in the Early Phase of Acute Respiratory Distress Syndrome. Frontiers in Cardiovascular Medicine, 2022, 9, 861464.	1.1	1
143	A New Simple Technique for the Insertion of Cuffed Central Venous Catheters: An Initial Experience. Journal of Parenteral and Enteral Nutrition, 2001, 25, 93-94.	1.3	0
144	Nystatin prophylaxis: efficient in high-risk nonimmunocompromised ICU patients?. Intensive Care Medicine, 2006, 32, 935-935.	3.9	0

#	ARTICLE	IF	CITATIONS
145	Prevention of postextubation laryngeal oedema – Authors' reply. Lancet, The, 2007, 370, 26.	6.3	0
146	Acute Aortic Syndrome: Acute Aortic Diseases in Hemodynamically Unstable Patients. , 2011, , 247-271.		0
147	Hemodynamic Monitoring. Cardiology Research and Practice, 2012, 2012, 1-2.	0.5	0
148	Post-kyphoplasty cement embolism migrating to the peritoneum through the right ventricle. Journal of Cardiovascular Computed Tomography, 2020, 14, e159-e160.	0.7	0
149	Traumatic Disruption of the Aorta. , 2011, , 417-420.		0
150	Automated Assessment of Left Ventricular Function with Acoustic Quantification: Signal Averaging Revisited. Developments in Cardiovascular Medicine, 1997, , 65-79.	0.1	0
151	Echocardiography in the ICU: When to Use It?. , 2020, , 73-81.		0
152	Association of Staphylococcus aureus bacteriuria and prevalence of infective endocarditis in the emergency department. European Journal of Emergency Medicine, 2022, 29, 75-77.	0.5	0