

# Narutoshi Hibino

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9360727/publications.pdf>

Version: 2024-02-01

149  
papers

6,539  
citations

87886

38  
h-index

66906

78  
g-index

154  
all docs

154  
docs citations

154  
times ranked

6060  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Semi-Automatic Planning and Three-Dimensional Electrospinning of Patient-Specific Grafts for Fontan Surgery. IEEE Transactions on Biomedical Engineering, 2022, 69, 186-198.  | 4.2 | 9         |
| 2  | Extruded poly (glycerol sebacate) and polyglycolic acid vascular graft forms a neoartery. Journal of Tissue Engineering and Regenerative Medicine, 2022, 16, 346-354.   | 2.7 | 6         |
| 3  | Novel reinforcement of corrugated nanofiber tissue-engineered vascular graft to prevent aneurysm formation for arteriovenous shunts in an ovine model. JVS Vascular Science, 2022, 3, 182-191.                      | 1.1 | 4         |
| 4  | Computational Fontan Analysis: Preserving Accuracy While Expediting Workflow. World Journal for Pediatric & Congenital Heart Surgery, 2022, 13, 293-301.  | 0.8 | 4         |
| 5  | Virtual Reality Cardiac Surgical Planning Software (CorFix) for Designing Patient-Specific Vascular Grafts: Development and Pilot Usability Study. JMIR Cardio, 2022, 6, e35488.                                    | 1.7 | 3         |
| 6  | Stem Cells and Congenital Heart Disease: The Future Potential Clinical Therapy Beyond Current Treatment. Current Cardiology Reviews, 2022, 18, .  | 1.5 | 0         |
| 7  | Aorta size mismatch predicts decreased exercise capacity in patients with successfully repaired coarctation of the aorta. Journal of Thoracic and Cardiovascular Surgery, 2021, 162, 183-192.e2.                    | 0.8 | 9         |
| 8  | Cellâ€Laden Gradient Hydrogel Scaffolds for Neovascularization of Engineered Tissues. Advanced Healthcare Materials, 2021, 10, e2001706.  | 7.6 | 9         |
| 9  | Cardiac Tissue Creation with the Kenzan Method. , 2021, , 109-115.  |     | 1         |
| 10 | Aortic root aneurysm repair in a neonate with Loeysâ€Dietz syndrome. Cardiology in the Young, 2021, 31, 848-850.  | 0.8 | 0         |
| 11 | Technical Modifications That Might Improve Long-term Outcomes of the Ross Procedure in Children. Annals of Thoracic Surgery, 2021, 112, 1997-2004.  | 1.3 | 3         |
| 12 | Hydrogel Scaffolds: Cellâ€Laden Gradient Hydrogel Scaffolds for Neovascularization of Engineered Tissues (Adv. Healthcare Mater. 7/2021). Advanced Healthcare Materials, 2021, 10, 2170030.                         | 7.6 | 1         |
| 13 | Mechanical stimulation enhances development of scaffoldâ€free, 3Dâ€printed, engineered heart tissue grafts. Journal of Tissue Engineering and Regenerative Medicine, 2021, 15, 503-512.                             | 2.7 | 14        |
| 14 | Congenitally Abnormal Aortic Valve Causing Coronary Obstruction and Cardiac Arrest in Infancy. Annals of Thoracic Surgery, 2021, 111, e339-e341.  | 1.3 | 0         |
| 15 | Educational tool reduces parental stress at home post pediatric cardiac surgery: A pilot study. Progress in Pediatric Cardiology, 2021, 61, 101335.   | 0.4 | 1         |
| 16 | Fast-Degrading Tissue-Engineered Vascular Grafts Lead to Increased Extracellular Matrix Cross-Linking Enzyme Expression. Tissue Engineering - Part A, 2021, 27, 1368-1375.  | 3.1 | 6         |
| 17 | Pediatric aortic valve repair: Any development in the material for cusp extension valvuloplasty?. Journal of Cardiac Surgery, 2021, 36, 4054-4060.  | 0.7 | 3         |
| 18 | Altered hemodynamics by 4D flow cardiovascular magnetic resonance predict exercise intolerance in repaired coarctation of the aorta: an in vitro study. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 99. | 3.3 | 6         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Noncanonical Notch signals have opposing roles during cardiac development. Biochemical and Biophysical Research Communications, 2021, 577, 12-16.  | 2.1  | 2         |
| 20 | Pulmonary hypertension and mitral regurgitation in an infant with an anatomically normal mitral valve. Cardiology in the Young, 2021, 31, 476-478.   | 0.8  | 0         |
| 21 | Outcomes From Three Decades of Infant and Pediatric Heart Transplantation. ASAIO Journal, 2021, 67, 1051-1059.   | 1.6  | 8         |
| 22 | InÂvivo implantation of 3-dimensional printed customized branched tissue engineered vascular graft in a porcine model. Journal of Thoracic and Cardiovascular Surgery, 2020, 159, 1971-1981.e1.  | 0.8  | 25        |
| 23 | Early Vascular Cells Improve Microvascularization Within 3D Cardiac Spheroids. Tissue Engineering - Part C: Methods, 2020, 26, 80-90.  | 2.1  | 21        |
| 24 | 3D Bioprinting. , 2020, , 177-194.   |      | 1         |
| 25 | Different degradation rates of nanofiber vascular grafts in small and large animal models. Journal of Tissue Engineering and Regenerative Medicine, 2020, 14, 203-214.   | 2.7  | 25        |
| 26 | Recovery from Total Acute Lung Failure After 20 Months of Extracorporeal Life Support. ASAIO Journal, 2020, 66, e11-e14.   | 1.6  | 21        |
| 27 | Diaphragm Paralysis After Pediatric Cardiac Surgery: An STS Congenital Heart Surgery Database Study. Annals of Thoracic Surgery, 2020, 112, 139-146.   | 1.3  | 10        |
| 28 | Automatic Shape Optimization of Patient-Specific Tissue Engineered Vascular Grafts for Aortic Coarctation. , 2020, 2020, 2319-2323.  |      | 9         |
| 29 | Spontaneous reversal of stenosis in tissue-engineered vascular grafts. Science Translational Medicine, 2020, 12, .   | 12.4 | 81        |
| 30 | In vivo models for biomaterials: applications from cardiovascular tissue engineering. , 2020, , 195-217.   |      | 0         |
| 31 | Corrugated nanofiber tissue-engineered vascular graft to prevent kinking for arteriovenous shunts in an ovine model. JVS Vascular Science, 2020, 1, 100-108.   | 1.1  | 8         |
| 32 | Role of surgeon intuition and computer-aided design in Fontan optimization: A computational fluid dynamics simulation study. Journal of Thoracic and Cardiovascular Surgery, 2020, 160, 203-212.e2.                                    | 0.8  | 23        |
| 33 | A successful heart and liver transplantation requiring intraoperative extracorporeal membrane oxygenation for primary cardiac allograft dysfunction in a patient with Fontan failure. Journal of Cardiac Surgery, 2020, 35, 1357-1359. | 0.7  | 0         |
| 34 | Assessment of decellularized pericardial extracellular matrix and poly(propylene fumarate) biohybrid for small-diameter vascular graft applications. Acta Biomaterialia, 2020, 110, 68-81.   | 8.3  | 25        |
| 35 | 208: USE OF FRESH WHOLE BLOOD FOR NEONATAL CARDIOPULMONARY BYPASS. Critical Care Medicine, 2020, 48, 86-86.  | 0.9  | 0         |
| 36 | Principles of Spheroid Preparation for Creation of 3D Cardiac Tissue Using Biomaterial-Free Bioprinting. Methods in Molecular Biology, 2020, 2140, 183-197.  | 0.9  | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | CorFix: Virtual Reality Cardiac Surgical Planning System for Designing Patient Specific Vascular Grafts. , 2020, , .  |     | 4         |
| 38 | HeartWare Ventricular Assist Device Implantation for Pediatric Heart Failure”A Single Center Approach. Artificial Organs, 2019, 43, 21-29.  | 1.9 | 8         |
| 39 | Cardiac regeneration using human”induced pluripotent stem cell”derived biomaterial”free 3D”bioprinted cardiac patch in vivo. Journal of Tissue Engineering and Regenerative Medicine, 2019, 13, 2031-2039.                | 2.7 | 66        |
| 40 | Direct Ink Writing of Poly(tetrafluoroethylene) (PTFE) with Tunable Mechanical Properties. ACS Applied Materials & Interfaces, 2019, 11, 28289-28295.   | 8.0 | 42        |
| 41 | Repair of anomalous origin of left coronary artery without intramural course using an ultrasonic scalpel. Journal of Cardiac Surgery, 2019, 34, 1380-1382.  | 0.7 | 0         |
| 42 | Dual-Gel 4D Printing of Bioinspired Tubes. ACS Applied Materials & Interfaces, 2019, 11, 8492-8498.   | 8.0 | 100       |
| 43 | Trends and Updates on Cardiopulmonary Bypass Setup in Pediatric Cardiac Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2019, 33, 2804-2813.  | 1.3 | 8         |
| 44 | Foetal right atrial aneurysm and aortic coarctation with left ventricular dysfunction. Cardiology in the Young, 2019, 29, 1002-1004.  | 0.8 | 2         |
| 45 | Size Mismatching Increases Mortality After Lung Transplantation in Preadolescent Patients. Annals of Thoracic Surgery, 2019, 108, 130-137.  | 1.3 | 7         |
| 46 | Bioprinting of freestanding vascular grafts and the regulatory considerations for additively manufactured vascular prostheses. Translational Research, 2019, 211, 123-138.  | 5.0 | 19        |
| 47 | Regenerative and durable small-diameter graft as an arterial conduit. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 12710-12719.  | 7.1 | 52        |
| 48 | Children”s Heart Assessment Tool for Transplantation (CHAT) Score: A Novel Risk Score Predicts Survival After Pediatric Heart Transplantation. World Journal for Pediatric & Congenital Heart Surgery, 2019, 10, 296-303. | 0.8 | 4         |
| 49 | A Net Mold-Based Method of Biomaterial-Free Three-Dimensional Cardiac Tissue Creation. Tissue Engineering - Part C: Methods, 2019, 25, 243-252.   | 2.1 | 17        |
| 50 | Valve-sparing aortic root replacement in children: Outcomes from 100 consecutive cases. Journal of Thoracic and Cardiovascular Surgery, 2019, 157, 1100-1109.   | 0.8 | 23        |
| 51 | Design and Simulation of Patient-Specific Tissue-Engineered Bifurcated Right Ventricle-Pulmonary Artery Grafts using Computational Fluid Dynamics. , 2019, , .  |     | 2         |
| 52 | Formation of Neoarteries with Optimal Remodeling Using Rapidly Degrading Textile Vascular Grafts. Tissue Engineering - Part A, 2019, 25, 632-641.   | 3.1 | 13        |
| 53 | The Prevalence and Impact of Congenital Diaphragmatic Hernia Among Patients Undergoing Surgery for Congenital Heart Disease. Seminars in Thoracic and Cardiovascular Surgery, 2019, 31, 69-77.                            | 0.6 | 8         |
| 54 | Two Cases of Aortic Root Replacement After Fontan Completion. World Journal for Pediatric & Congenital Heart Surgery, 2019, 10, 505-507.  | 0.8 | 0         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Virtual Cardiac Surgical Planning Through Hemodynamics Simulation and Design Optimization of Fontan Grafts. Lecture Notes in Computer Science, 2019, , 200-208.   | 1.3  | 5         |
| 56 | Tricuspid Valve Detachment in Ventricular Septal Defect Closure Does Not Impact Valve Function. Annals of Thoracic Surgery, 2018, 106, 145-150.   | 1.3  | 13        |
| 57 | Oversized Biodegradable Arterial Grafts Promote Enhanced Neointimal Tissue Formation. Tissue Engineering - Part A, 2018, 24, 1251-1261.   | 3.1  | 12        |
| 58 | Coronary Button Pseudoaneurysms After Aortic Root Replacement in a Child With Loeys-Deitz Syndrome. Annals of Thoracic Surgery, 2018, 105, e63-e65.   | 1.3  | 5         |
| 59 | In vivo therapeutic applications of cell spheroids. Biotechnology Advances, 2018, 36, 494-505.  | 11.7 | 58        |
| 60 | Role of virtual reality in congenital heart disease. Congenital Heart Disease, 2018, 13, 357-361.   | 0.2  | 67        |
| 61 | Virtual surgical planning, flow simulation, and 3-dimensional electrospinning of patient-specific grafts to optimize Fontan hemodynamics. Journal of Thoracic and Cardiovascular Surgery, 2018, 155, 1734-1742. | 0.8  | 41        |
| 62 | Role of Bone Marrow Mononuclear Cell Seeding for Nanofiber Vascular Grafts. Tissue Engineering - Part A, 2018, 24, 135-144.   | 3.1  | 36        |
| 63 | Review of Vascular Graft Studies in Large Animal Models. Tissue Engineering - Part B: Reviews, 2018, 24, 133-143.   | 4.8  | 60        |
| 64 | Simplified Mitral Valve Repair in Pediatric Patients With Connective Tissue Disorders. Operative Techniques in Thoracic and Cardiovascular Surgery, 2018, 23, 121-128.  | 0.3  | 0         |
| 65 | 3D Printing Technology for Vascularization. Biological and Medical Physics Series, 2018, , 121-139.   | 0.4  | 0         |
| 66 | Mechanical Characterization of hiPSCâ€Derived Cardiac Tissues for Quality Control. Advanced Biology, 2018, 2, 1800251.  | 3.0  | 6         |
| 67 | A Review of Goal-Directed Cardiopulmonary Bypass Management in Pediatric Cardiac Surgery. World Journal for Pediatric & Congenital Heart Surgery, 2018, 9, 565-572.   | 0.8  | 13        |
| 68 | 3D and 4D Bioprinting of the Myocardium: Current Approaches, Challenges, and Future Prospects. BioMed Research International, 2018, 2018, 1-11.   | 1.9  | 65        |
| 69 | Digital Design and 3D Printing of Aortic Arch Reconstruction in HLHS for Surgical Simulation and Training. World Journal for Pediatric & Congenital Heart Surgery, 2018, 9, 454-458.                            | 0.8  | 19        |
| 70 | Pseudoaneurysm formation after valve sparing root replacement in children with Loeys-Dietz syndrome. Journal of Cardiac Surgery, 2018, 33, 339-343.   | 0.7  | 20        |
| 71 | A Net Mold-based Method of Scaffold-free Three-Dimensional Cardiac Tissue Creation. Journal of Visualized Experiments, 2018, , .  | 0.3  | 4         |
| 72 | 3D bioprinting using stem cells. Pediatric Research, 2018, 83, 223-231.   | 2.3  | 179       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Virtual Reality in Neurointervention. Journal of Vascular and Interventional Neurology, 2018, 10, 17-22.  | 1.1 | 7         |
| 74 | Tissue engineered vascular grafts: current state of the field. Expert Review of Medical Devices, 2017, 14, 383-392.   | 2.8 | 61        |
| 75 | Virtual Surgery for Conduit Reconstruction of the Right Ventricular Outflow Tract. World Journal for Pediatric & Congenital Heart Surgery, 2017, 8, 391-393.  | 0.8 | 14        |
| 76 | Aortic Root Replacement for Children With Loeys-Dietz Syndrome. Annals of Thoracic Surgery, 2017, 103, 1513-1518.   | 1.3 | 31        |
| 77 | Principles of the <i>Kenzan</i> Method for Robotic Cell Spheroid-Based Three-Dimensional Bioprinting<sup>/>. Tissue Engineering - Part B: Reviews, 2017, 23, 237-244.   | 4.8 | 232       |
| 78 | Cardiovascular operations for Loeys-Dietz syndrome: Intermediate-term results. Journal of Thoracic and Cardiovascular Surgery, 2017, 153, 406-412.  | 0.8 | 51        |
| 79 | Bilateral Arteriovenous Shunts as a Method for Evaluating Tissue-Engineered Vascular Grafts in Large Animal Models. Tissue Engineering - Part C: Methods, 2017, 23, 728-735.  | 2.1 | 24        |
| 80 | Early and late outcomes after surgical repair of congenital supra-ventricular aortic stenosis: a European Congenital Heart Surgeons Association multicentric study. European Journal of Cardio-thoracic Surgery, 2017, 52, 789-797. | 1.4 | 19        |
| 81 | Creation of Cardiac Tissue Exhibiting Mechanical Integration of Spheroids Using 3D Bioprinting. Journal of Visualized Experiments, 2017, , .  | 0.3 | 36        |
| 82 | Invited Commentary. Annals of Thoracic Surgery, 2017, 104, 1976.  | 1.3 | 0         |
| 83 | Biomaterial-Free Three-Dimensional Bioprinting of Cardiac Tissue using Human Induced Pluripotent Stem Cell Derived Cardiomyocytes. Scientific Reports, 2017, 7, 4566.   | 3.3 | 197       |
| 84 | Preclinical study of patient-specific cell-free nanofiber tissue-engineered vascular grafts using 3-dimensional printing in a sheep model. Journal of Thoracic and Cardiovascular Surgery, 2017, 153, 924-932.                      | 0.8 | 86        |
| 85 | Simplified mitral valve repair in pediatric patients with connective tissue disorders. Journal of Thoracic and Cardiovascular Surgery, 2017, 153, 399-403.  | 0.8 | 11        |
| 86 | Cesarean section in the setting of severe pulmonary hypertension requiring extracorporeal life support. General Thoracic and Cardiovascular Surgery, 2017, 65, 532-534.   | 0.9 | 8         |
| 87 | Left heart decompression in patients supported with extracorporeal membrane oxygenation for cardiac disease. Postępy W Kardiologii Interwencyjnej, 2017, 1, 1-2.  | 0.2 | 1         |
| 88 | The use of 3D printing in cardiac surgery. Journal of Thoracic Disease, 2017, 9, 2301-2302.   | 1.4 | 6         |
| 89 | 3D-Printed Biodegradable Polymeric Vascular Grafts. Advanced Healthcare Materials, 2016, 5, 319-325.  | 7.6 | 128       |
| 90 | Tissue-engineered cardiac patch seeded with human induced pluripotent stem cell derived cardiomyocytes promoted the regeneration of host cardiomyocytes in a rat model. Journal of Cardiothoracic Surgery, 2016, 11, 163.           | 1.1 | 43        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Rational design of an improved tissue-engineered vascular graft: determining the optimal cell dose and incubation time. <i>Regenerative Medicine</i> , 2016, 11, 159-167.  | 1.7 | 29        |
| 92  | TGF $\beta$ 2 receptor 1 inhibition prevents stenosis of tissue-engineered vascular grafts by reducing host mononuclear phagocyte activation. <i>FASEB Journal</i> , 2016, 30, 2627-2636.  | 0.5 | 26        |
| 93  | Three Dimensional Printing. <i>World Journal for Pediatric &amp; Congenital Heart Surgery</i> , 2016, 7, 351-352.  | 0.8 | 17        |
| 94  | Single-Stage Total Arch Replacement Including Resection of Kommerell Diverticulum in a Patient With Loeys-Dietz Syndrome. <i>World Journal for Pediatric &amp; Congenital Heart Surgery</i> , 2016, 7, 651-654.                  | 0.8 | 1         |
| 95  | Association of nadir oxygen delivery on cardiopulmonary bypass with serum glial fibrillary acid protein levels in paediatric heart surgery patients. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016, 23, 531-537. | 1.1 | 16        |
| 96  | Novel Association of miR-451 with the Incidence of TEVG Stenosis in a Murine Model. <i>Tissue Engineering - Part A</i> , 2016, 22, 75-82.  | 3.1 | 6         |
| 97  | Effect of cell seeding on neotissue formation in a tissue engineered trachea. <i>Journal of Pediatric Surgery</i> , 2016, 51, 49-55.   | 1.6 | 24        |
| 98  | Tissue-Engineered Small Diameter Arterial Vascular Grafts from Cell-Free Nanofiber PCL/Chitosan Scaffolds in a Sheep Model. <i>PLoS ONE</i> , 2016, 11, e0158555.  | 2.5 | 156       |
| 99  | Preliminary Experience in the Use of an Extracellular Matrix (CorMatrix) as a Tube. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2015, 27, 295-296.  | 0.6 | 2         |
| 100 | TGF $\beta$ 2R1 Inhibition Blocks the Formation of Stenosis in Tissue-Engineered Vascular Grafts. <i>Journal of the American College of Cardiology</i> , 2015, 65, 512-514.  | 2.8 | 27        |
| 101 | Potential Molecular Mechanism of Retrograde Aortic Arch Stenosis in the Hybrid Approach to A Hypoplastic Left Heart Syndrome. <i>Annals of Thoracic Surgery</i> , 2015, 100, 1013-1020.  | 1.3 | 1         |
| 102 | The innate immune system contributes to tissue-engineered vascular graft performance. <i>FASEB Journal</i> , 2015, 29, 2431-2438.  | 0.5 | 58        |
| 103 | Preliminary Experience in the Use of an Extracellular Matrix (CorMatrix) as a Tube Graft: Word of Caution. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2015, 27, 288-295.   | 0.6 | 16        |
| 104 | Cilostazol, Not Aspirin, Prevents Stenosis of Bioresorbable Vascular Grafts in a Venous Model. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2003-2010.  | 2.4 | 17        |
| 105 | Single center experience on dosing and adverse events of recombinant factor seven use for bleeding after congenital heart surgery. <i>Journal of the Saudi Heart Association</i> , 2015, 27, 18-22.                              | 0.4 | 6         |
| 106 | Reinforced Pericardium as a Hybrid Material for Cardiovascular Applications. <i>Tissue Engineering - Part A</i> , 2014, 20, 2807-2816.   | 3.1 | 24        |
| 107 | Growth of Diminutive Central Pulmonary Arteries After Right Ventricle to Pulmonary Artery Homograft Implantation. <i>Annals of Thoracic Surgery</i> , 2014, 97, 2129-2133.   | 1.3 | 23        |
| 108 | Development and assessment of a biodegradable solvent cast polyester fabric small-diameter vascular graft. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 1972-1981.                                      | 4.0 | 23        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Something to consider: Porcine intestinal submucosa as a biologic scaffold, not a simple patch. Journal of Thoracic and Cardiovascular Surgery, 2014, 148, 1767-1769.   | 0.8  | 3         |
| 110 | Implantation of Inferior Vena Cava Interposition Graft in Mouse Model. Journal of Visualized Experiments, 2014, , .   | 0.3  | 20        |
| 111 | Transplantation of Pulmonary Valve Using a Mouse Model of Heterotopic Heart Transplantation. Journal of Visualized Experiments, 2014, , .   | 0.3  | 6         |
| 112 | Vessel Bioengineering. Circulation Journal, 2014, 78, 12-19.  | 1.6  | 76        |
| 113 | Strategies and Techniques to Enhance the<i>In Situ</i>Endothelialization of Small-Diameter Biodegradable Polymeric Vascular Grafts. Tissue Engineering - Part B: Reviews, 2013, 19, 292-307.  | 4.8  | 152       |
| 114 | Characterization of the Natural History of Extracellular Matrix Production in Tissue-Engineered Vascular Grafts during Neovessel Formation. Cells Tissues Organs, 2012, 195, 60-72.   | 2.3  | 64        |
| 115 | Evaluation of the use of an induced pluripotent stem cell sheet for the construction of tissue-engineered vascular grafts. Journal of Thoracic and Cardiovascular Surgery, 2012, 143, 696-703.  | 0.8  | 99        |
| 116 | Partial anomalous pulmonary venous connection with anomalous connection of the superior vena cava to the left atrium. Journal of Thoracic and Cardiovascular Surgery, 2012, 144, e1-e3.   | 0.8  | 18        |
| 117 | Reconstruction of cavopulmonary pathway for the patient with persistent arteriovenous malformations due to offset flow from hepatic vein. Journal of the Saudi Heart Association, 2012, 24, 51-54.  | 0.4  | 1         |
| 118 | Vascular tissue engineering: Towards the next generation vascular grafts. Advanced Drug Delivery Reviews, 2011, 63, 312-323.  | 13.7 | 206       |
| 119 | Determining the fate of seeded cells in venous tissue-engineered vascular grafts using serial MRI. FASEB Journal, 2011, 25, 4150-4161.  | 0.5  | 53        |
| 120 | Tissue-engineered vascular grafts form neovessels that arise from regeneration of the adjacent blood vessel. FASEB Journal, 2011, 25, 2731-2739.  | 0.5  | 136       |
| 121 | Comparison of Human Bone Marrow Mononuclear Cell Isolation Methods for Creating Tissue-Engineered Vascular Grafts: Novel Filter System Versus Traditional Density Centrifugation Method. Tissue Engineering - Part C: Methods, 2011, 17, 993-998. | 2.1  | 38        |
| 122 | A critical role for macrophages in neovessel formation and the development of stenosis in tissue-engineered vascular grafts. FASEB Journal, 2011, 25, 4253-4263.  | 0.5  | 199       |
| 123 | Late-term results of tissue-engineered vascular grafts in humans. Journal of Thoracic and Cardiovascular Surgery, 2010, 139, 431-436.e2.  | 0.8  | 449       |
| 124 | Two-Stage Surgical Repair for Truncus Arteriosus with Unilateral Absence of the Left Proximal Pulmonary Artery: Translocation of the Left Pulmonary Artery to the Right Pulmonary Artery. Journal of Cardiac Surgery, 2010, 25, 90-92.            | 0.7  | 3         |
| 125 | Tissue-engineered vascular grafts transform into mature blood vessels via an inflammation-mediated process of vascular remodeling. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 4669-4674.         | 7.1  | 495       |
| 126 | Cell-Seeding Techniques in Vascular Tissue Engineering. Tissue Engineering - Part B: Reviews, 2010, 16, 341-350.  | 4.8  | 180       |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Tissue-engineered vascular grafts: does cell seeding matter?. Journal of Pediatric Surgery, 2010, 45, 1299-1305.   | 1.6  | 62        |
| 128 | Characterization of small-diameter electrospun tissue-engineered arterial grafts. Journal of the American College of Surgeons, 2009, 209, S30.   | 0.5  | 2         |
| 129 | Tissue-engineered arterial grafts: long-term results after implantation in a small animal model. Journal of Pediatric Surgery, 2009, 44, 1127-1133.  | 1.6  | 52        |
| 130 | A novel method to reduce pericardial adhesion: A combination technique with hyaluronic acid biocompatible membrane. Journal of Thoracic and Cardiovascular Surgery, 2008, 135, 850-856.  | 0.8  | 34        |
| 131 | Preoperative Autologous Blood Donation for Cardiac Surgery in Children. Asian Cardiovascular and Thoracic Annals, 2008, 16, 21-24.   | 0.5  | 12        |
| 132 | Total cavopulmonary connection for functionally single ventricle with pulmonary atresia and abnormal arborization of pulmonary arteries - exclusion of overwhelmed area by collateral arteries from Fontan circulation. Interactive Cardiovascular and Thoracic Surgery, 2008, 7, 1180-1182. | 1.1  | 2         |
| 133 | Tissue-engineered Vascular Grafts Demonstrate Evidence of Growth and Development When Implanted in a Juvenile Animal Model. Annals of Surgery, 2008, 248, 370-377.   | 4.2  | 140       |
| 134 | Intraoperative Aortic Dissection in Pediatric Heart Surgery. Asian Cardiovascular and Thoracic Annals, 2006, 14, e55-e57.  | 0.5  | 4         |
| 135 | The tissue-engineered vascular graft using bone marrow without culture. Journal of Thoracic and Cardiovascular Surgery, 2005, 129, 1064-1070.  | 0.8  | 104       |
| 136 | Midterm clinical result of tissue-engineered vascular autografts seeded with autologous bone marrow cells. Journal of Thoracic and Cardiovascular Surgery, 2005, 129, 1330-1338.   | 0.8  | 524       |
| 137 | Fontan operation for hypoplastic left heart syndrome with absent aortic valve. Journal of Thoracic and Cardiovascular Surgery, 2004, 128, 315-316.   | 0.8  | 9         |
| 138 | Extracardiac total cavopulmonary connection using a tissue-engineered graft. Journal of Thoracic and Cardiovascular Surgery, 2003, 126, 1958-1962.   | 0.8  | 31        |
| 139 | Successful application of tissue engineered vascular autografts: clinical experience. Biomaterials, 2003, 24, 2303-2308.   | 11.4 | 260       |
| 140 | Delayed Presentation of Injury to the Sinus of Valsalva with Aortic Regurgitation Resulting from Penetrating Cardiac Wounds. Journal of Cardiac Surgery, 2003, 18, 236-239.  | 0.7  | 12        |
| 141 | Successful clinical application of tissue-engineered graft for extracardiac Fontan operation. Journal of Thoracic and Cardiovascular Surgery, 2003, 125, 419-420.  | 0.8  | 77        |
| 142 | Unexpected durability of smeloff-cutter aortic ball valve prosthesis. Annals of Thoracic Surgery, 2003, 75, 1633-1635.   | 1.3  | 9         |
| 143 | Long-Term Histologic Findings in Pulmonary Arteries Reconstructed with Autologous Pericardium. New England Journal of Medicine, 2003, 348, 865-867.  | 27.0 | 20        |
| 144 | How to establish myocardial protection during aortic arch operation in patients with patent left internal thoracic artery graft: Careful dissection or no touch technique?. Journal of Thoracic and Cardiovascular Surgery, 2002, 124, 1254-1255.  | 0.8  | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Aortic regurgitation caused by rupture of a well-balanced fibrous strand suspending a degenerative tricuspid aortic valve. Journal of Thoracic and Cardiovascular Surgery, 2002, 124, 843-844.                | 0.8 | 20        |
| 146 | Tissue-Engineered Vascular Autograft: Inferior Vena Cava Replacement in a Dog Model. Tissue Engineering, 2001, 7, 429-439.  | 4.6 | 204       |
| 147 | Double switch operation for superior-inferior ventricles. Annals of Thoracic Surgery, 2001, 72, 2119-2121.  | 1.3 | 7         |
| 148 | Human Atrial Natriuretic Peptide Infusion for a Neonate With Congestive Heart Failure After Total Correction of Total Anomalous Pulmonary Venous Connection. Japanese Circulation Journal, 2000, 64, 708-710. | 1.0 | 1         |
| 149 | Current status of tissue engineering for cardiovascular structures. Journal of Artificial Organs, 2000, 3, 102-106.   | 0.9 | 1         |