

# Eileen M Hasser

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9360820/eileen-m-hasser-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41  
papers

888  
citations

18  
h-index

29  
g-index

45  
ext. papers

959  
ext. citations

3  
avg, IF

4.04  
L-index

#	Paper	IF	Citations
41	Unilateral vagotomy alters astrocyte and microglial morphology in the nucleus tractus solitarii of the rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2021</b> , 320, R945-R959	3.2	3
40	Gamma-Aminobutyric Acid Transporters in the Nucleus Tractus Solitarii Regulate Inhibitory and Excitatory Synaptic Currents That Influence Cardiorespiratory Function.. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 821110	4.6	0
39	Loss of excitatory amino acid transporter restraint following chronic intermittent hypoxia contributes to synaptic alterations in nucleus tractus solitarii. <i>Journal of Neurophysiology</i> , <b>2020</b> , 123, 2122-2135	3.2	5
38	Thrombin action on astrocytes in the hindbrain of the rat disrupts glycemic and respiratory control. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2020</b> , 318, R1068-R1077	3.2	2
37	Sustained Hypoxia Alters nTS Glutamatergic Signaling and Expression and Function of Excitatory Amino Acid Transporters. <i>Neuroscience</i> , <b>2020</b> , 430, 131-140	3.9	7
36	Astrocytic glutamate transporters reduce the neuronal and physiological influence of metabotropic glutamate receptors in nucleus tractus solitarii. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2020</b> , 318, R545-R564	3.2	5
35	Mechanisms Underlying Neuroplasticity in the Nucleus Tractus Solitarii Following Hindlimb Unloading in Rats. <i>Neuroscience</i> , <b>2020</b> , 449, 214-227	3.9	1
34	The PVN enhances cardiorespiratory responses to acute hypoxia via input to the nTS. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2019</b> , 317, R818-R833	3.2	7
33	Ionotropic and Metabotropic Glutamate Receptors Contribute to Cardiorespiratory Responses to Inhibition of Astrocytic Excitatory Amino Acid Transporters. <i>FASEB Journal</i> , <b>2019</b> , 33, 742.10	0.9	
32	Hypoxia activates a neuropeptidergic pathway from the paraventricular nucleus of the hypothalamus to the nucleus tractus solitarii. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2018</b> , 315, R1167-R1182	3.2	16
31	Acute hypoxia activates neuroendocrine, but not presympathetic, neurons in the paraventricular nucleus of the hypothalamus: differential role of nitric oxide. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2017</b> , 312, R982-R995	3.2	26
30	Glial EAAT2 regulation of extracellular nTS glutamate critically controls neuronal activity and cardiorespiratory reflexes. <i>Journal of Physiology</i> , <b>2017</b> , 595, 6045-6063	3.9	20
29	Excitatory amino acid transporters tonically restrain nTS synaptic and neuronal activity to modulate cardiorespiratory function. <i>Journal of Neurophysiology</i> , <b>2016</b> , 115, 1691-702	3.2	18
28	Relaxin increases sympathetic nerve activity and activates spinally projecting neurons in the paraventricular nucleus of nonpregnant, but not pregnant, rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2015</b> , 309, R1553-68	3.2	7
27	Catecholaminergic neurons projecting to the paraventricular nucleus of the hypothalamus are essential for cardiorespiratory adjustments to hypoxia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2015</b> , 309, R721-31	3.2	25
26	Depressed GABA and glutamate synaptic signaling by 5-HT1A receptors in the nucleus tractus solitarii and their role in cardiorespiratory function. <i>Journal of Neurophysiology</i> , <b>2014</b> , 111, 2493-504	3.2	29
25	Acute systemic hypoxia activates hypothalamic paraventricular nucleus-projecting catecholaminergic neurons in the caudal ventrolateral medulla. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2013</b> , 305, R1112-23	3.2	24

24	Increase in renal sympathetic nerve activity and hypertension in rats with chronic femoral artery occlusion. <i>FASEB Journal</i> , <b>2013</b> , 27, 689.1	0.9	
23	Functional evidence for increased nitric oxide involvement in cardiovascular and autonomic modulation by the PVN in conscious HU rats. <i>FASEB Journal</i> , <b>2013</b> , 27, lb837	0.9	
22	Catecholaminergic neurons projecting to the paraventricular nucleus (PVN) of the hypothalamus are essential for adjustments to respiratory challenges. <i>FASEB Journal</i> , <b>2013</b> , 27, 697.20	0.9	
21	Hypoxia activates nucleus tractus solitarii neurons projecting to the paraventricular nucleus of the hypothalamus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2012</b> , 302, R1219-32	3.2	57
20	Regulation of arterial pressure by the paraventricular nucleus in conscious rats: interactions among glutamate, GABA, and nitric oxide. <i>Frontiers in Physiology</i> , <b>2012</b> , 3, 490	4.6	35
19	Endogenous brain-derived neurotrophic factor in the nucleus tractus solitarius tonically regulates synaptic and autonomic function. <i>Journal of Neuroscience</i> , <b>2011</b> , 31, 12318-29	6.6	62
18	Acute hypoxia (AH) augments Fos expression in hypothalamic paraventricular nucleus (PVN)-projecting neurons in the caudal ventrolateral medulla (CVLM). <i>FASEB Journal</i> , <b>2011</b> , 25, 1077.21	0.9	
17	Activation of the nucleus of the solitary tract (nTS) due to chemoreflex stimulation with acute hypoxia (AH) is independent of hypoxia-induced changes in arterial blood pressure (ABP). <i>FASEB Journal</i> , <b>2011</b> , 25, 1076.14	0.9	
16	Expression of Group I metabotropic glutamate receptors on phenotypically different cells within the nucleus of the solitary tract in the rat. <i>Neuroscience</i> , <b>2009</b> , 159, 701-16	3.9	23
15	Brain Derived Neurotrophic Factor (BDNF) blunts neural activity in the nucleus tractus solitarius (nTS). <i>FASEB Journal</i> , <b>2009</b> , 23, 1011.5	0.9	
14	Increased nitric oxide synthase activity and expression in the hypothalamus of hindlimb unloaded rats. <i>Brain Research</i> , <b>2006</b> , 1115, 65-74	3.7	16
13	Putative role of the NTS in alterations in neural control of the circulation following exercise training in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2006</b> , 290, R383-92	3.2	47
12	Regulation of plasma vasopressin and renin activity in conscious hindlimb-unloaded rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2006</b> , 291, R46-52	3.2	12
11	Hindlimb unloading and female gender attenuate baroreflex-mediated sympathoexcitation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2005</b> , 289, R1440-7	3.2	32
10	Hindlimb unloading alters nitric oxide and autonomic control of resting arterial pressure in conscious rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2005</b> , 289, R140-7	3.2	17
9	Cardiovascular response to a group III mGluR agonist in NTS requires NMDA receptors. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2005</b> , 289, R198-208	3.2	10
8	Enhanced sympathoinhibitory response to volume expansion in conscious hindlimb-unloaded rats. <i>Journal of Applied Physiology</i> , <b>2003</b> , 94, 1806-12	3.7	12
7	Increased GABA(A) inhibition of the RVLM after hindlimb unloading in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2002</b> , 283, R604-14	3.2	39

6	Regulation of sympathetic nervous system function after cardiovascular deconditioning. <i>Annals of the New York Academy of Sciences</i> , <b>2001</b> , 940, 454-68	6.5	45
5	Hindlimb unweighting decreases endothelium-dependent dilation and eNOS expression in soleus not gastrocnemius. <i>Journal of Applied Physiology</i> , <b>2001</b> , 91, 1091-8	3.7	51
4	Area postrema and sympathetic nervous system effects of vasopressin and angiotensin II. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2000</b> , 27, 432-6	3	54
3	Cardiovascular response to group I metabotropic glutamate receptor activation in NTS. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>1999</b> , 276, R1469-78	3.2	16
2	Hindlimb unweighting decreases ecNOS gene expression and endothelium-dependent dilation in rat soleus feed arteries. <i>Journal of Applied Physiology</i> , <b>1999</b> , 87, 1476-82	3.7	59
1	Glutamate in the nucleus of the solitary tract activates both ionotropic and metabotropic glutamate receptors. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>1998</b> , 275, R1858-66	3.2	28