

Edward J Auerbach

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9361312/edward-j-auerbach-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78 papers	13,173 citations	36 h-index	83 g-index
83 ext. papers	17,106 ext. citations	5.6 avg, IF	5.94 L-index

#	Paper	IF	Citations
78	The WU-Minn Human Connectome Project: an overview. <i>NeuroImage</i> , 2013 , 80, 62-79	7.9	2585
77	The Human Connectome Project: a data acquisition perspective. <i>NeuroImage</i> , 2012 , 62, 2222-31	7.9	1284
76	Multiband multislice GE-EPI at 7 tesla, with 16-fold acceleration using partial parallel imaging with application to high spatial and temporal whole-brain fMRI. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1144-53	4.4	954
75	Multiplexed echo planar imaging for sub-second whole brain FMRI and fast diffusion imaging. <i>PLoS ONE</i> , 2010 , 5, e15710	3.7	889
74	Resting-state fMRI in the Human Connectome Project. <i>NeuroImage</i> , 2013 , 80, 144-68	7.9	865
73	ICA-based artefact removal and accelerated fMRI acquisition for improved resting state network imaging. <i>NeuroImage</i> , 2014 , 95, 232-47	7.9	708
72	Advances in diffusion MRI acquisition and processing in the Human Connectome Project. <i>NeuroImage</i> , 2013 , 80, 125-43	7.9	596
71	Temporally-independent functional modes of spontaneous brain activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 3131-6	11.5	555
70	Pushing spatial and temporal resolution for functional and diffusion MRI in the Human Connectome Project. <i>NeuroImage</i> , 2013 , 80, 80-104	7.9	534
69	The Human Connectome Project's neuroimaging approach. <i>Nature Neuroscience</i> , 2016 , 19, 1175-87	25.5	482
68	Analysis of fMRI and finger tracking training in subjects with chronic stroke. <i>Brain</i> , 2002 , 125, 773-88	11.2	450
67	Evaluation of slice accelerations using multiband echo planar imaging at 3 T. <i>NeuroImage</i> , 2013 , 83, 991-1001	7.9	306
66	Electrical stimulation driving functional improvements and cortical changes in subjects with stroke. <i>Experimental Brain Research</i> , 2004 , 154, 450-60	2.3	247
65	T1 weighted brain images at 7 Tesla unbiased for Proton Density, T2* contrast and RF coil receive B1 sensitivity with simultaneous vessel visualization. <i>NeuroImage</i> , 2009 , 46, 432-46	7.9	221
64	Heritability of fractional anisotropy in human white matter: a comparison of Human Connectome Project and ENIGMA-DTI data. <i>NeuroImage</i> , 2015 , 111, 300-11	7.9	159
63	A geometrically adjustable 16-channel transmit/receive transmission line array for improved RF efficiency and parallel imaging performance at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2008 , 59, 590-7	4.4	157
62	Left and right basal ganglia and frontal activity during language generation: contributions to lexical, semantic, and phonological processes. <i>Journal of the International Neuropsychological Society</i> , 2003 , 9, 1061-77	3.1	139

61	Effects of image reconstruction on fiber orientation mapping from multichannel diffusion MRI: reducing the noise floor using SENSE. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1682-9	4.4	132
60	Relative shift in activity from medial to lateral frontal cortex during internally versus externally guided word generation. <i>Journal of Cognitive Neuroscience</i> , 2001 , 13, 272-83	3.1	126
59	High resolution whole brain diffusion imaging at 7T for the Human Connectome Project. <i>NeuroImage</i> , 2015 , 122, 318-31	7.9	114
58	Evaluation of 2D multiband EPI imaging for high-resolution, whole-brain, task-based fMRI studies at 3T: Sensitivity and slice leakage artifacts. <i>NeuroImage</i> , 2016 , 124, 32-42	7.9	104
57	Multiband accelerated spin-echo echo planar imaging with reduced peak RF power using time-shifted RF pulses. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 1261-7	4.4	100
56	Localized 1H NMR spectroscopy in different regions of human brain in vivo at 7 T: T2 relaxation times and concentrations of cerebral metabolites. <i>NMR in Biomedicine</i> , 2012 , 25, 332-9	4.4	90
55	Regional neurochemical profiles in the human brain measured by 1H MRS at 7 T using local B ₁ shimming. <i>NMR in Biomedicine</i> , 2012 , 25, 152-60	4.4	86
54	Tradeoffs in pushing the spatial resolution of fMRI for the 7T Human Connectome Project. <i>NeuroImage</i> , 2017 , 154, 23-32	7.9	68
53	Dose-dependent effect of isoflurane on regional cerebral blood flow in anesthetized macaque monkeys. <i>Neuroscience Letters</i> , 2013 , 541, 58-62	3.3	61
52	A 32-channel lattice transmission line array for parallel transmit and receive MRI at 7 tesla. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1478-85	4.4	61
51	Study protocol: The Whitehall II imaging sub-study. <i>BMC Psychiatry</i> , 2014 , 14, 159	4.2	58
50	Simultaneous multislice multiband parallel radiofrequency excitation with independent slice-specific transmit B1 homogenization. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 630-8	4.4	55
49	Toward imaging the body at 10.5 tesla. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 434-443	4.4	54
48	fMRI analysis of ankle movement tracking training in subject with stroke. <i>Experimental Brain Research</i> , 2004 , 154, 281-90	2.3	52
47	Dynamically applied B1+ shimming solutions for non-contrast enhanced renal angiography at 7.0 Tesla. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 114-26	4.4	50
46	Left-hemisphere processing of emotional connotation during word generation. <i>NeuroReport</i> , 1999 , 10, 2449-55	1.7	49
45	Cardiac imaging at 7 Tesla: Single- and two-spoke radiofrequency pulse design with 16-channel parallel excitation. <i>Magnetic Resonance in Medicine</i> , 2013 , 70, 1210-9	4.4	45
44	Brain dynamic neurochemical changes in dystonic patients: a magnetic resonance spectroscopy study. <i>Movement Disorders</i> , 2013 , 28, 201-9	7	43

43	In vivo H magnetic resonance spectroscopy in young-adult daily marijuana users. <i>NeuroImage: Clinical</i> , 2013 , 2, 581-589	5.3	36
42	In vivo noninvasive detection of Brown Adipose Tissue through intermolecular zero-quantum MRI. <i>PLoS ONE</i> , 2013 , 8, e74206	3.7	36
41	Semantic monitoring of words with emotional connotation during fMRI: contribution of anterior left frontal cortex. <i>Journal of the International Neuropsychological Society</i> , 2002 , 8, 607-22	3.1	34
40	First in-vivo human imaging at 10.5T: Imaging the body at 447 MHz. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 289-303	4.4	33
39	Primary motor area activation during precision-demanding versus simple finger movement. <i>Neurorehabilitation and Neural Repair</i> , 2006 , 20, 361-70	4.7	32
38	Simultaneous multislice imaging in dynamic cardiac MRI at 7T using parallel transmission. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1010-1020	4.4	30
37	Theoretical and experimental evaluation of multi-band EPI for high-resolution whole brain pCASL Imaging. <i>NeuroImage</i> , 2015 , 106, 170-81	7.9	28
36	Cerebral TOF angiography at 7T: Impact of B1 (+) shimming with a 16-channel transceiver array. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 966-77	4.4	28
35	Contrast enhancement in TOF cerebral angiography at 7 T using saturation and MT pulses under SAR constraints: impact of VERSE and sparse pulses. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 188-97	4.4	28
34	Mental maze solving: directional fMRI tuning and population coding in the superior parietal lobule. <i>Experimental Brain Research</i> , 2005 , 165, 273-82	2.3	27
33	Brain imaging with improved acceleration and SNR at 7 Tesla obtained with 64-channel receive array. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 495-509	4.4	26
32	Quantitative basal CBF and CBF fMRI of rhesus monkeys using three-coil continuous arterial spin labeling. <i>NeuroImage</i> , 2007 , 34, 1074-83	7.9	26
31	Seven-tesla time-of-flight angiography using a 16-channel parallel transmit system with power-constrained 3-dimensional spoke radiofrequency pulse design. <i>Investigative Radiology</i> , 2014 , 49, 314-25	10.1	25
30	Simultaneous multislice imaging for native myocardial T mapping: Improved spatial coverage in a single breath-hold. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 462-471	4.4	24
29	Mitigating transmit B 1 inhomogeneity in the liver at 7T using multi-spoke parallel transmit RF pulse design. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014 , 4, 4-10	3.6	24
28	Toward understanding transverse relaxation in human brain through its field dependence. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 947-53	4.4	21
27	Theoretical and experimental evaluation of continuous arterial spin labeling techniques. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 438-46	4.4	20
26	C6- Carbon Cluster Anion: An Infrared Absorption and Resonance Raman Isotopic Study. <i>Journal of Physical Chemistry A</i> , 1997 , 101, 9296-9301	2.8	20

25	A generalized slab-wise framework for parallel transmit multiband RF pulse design. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 1444-56	4.4	20
24	Single-voxel (1)H spectroscopy in the human hippocampus at 3 T using the LASER sequence: characterization of neurochemical profile and reproducibility. <i>NMR in Biomedicine</i> , 2015 , 28, 1209-17	4.4	18
23	High-resolution whole-brain diffusion MRI at 7T using radiofrequency parallel transmission. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1857-1870	4.4	16
22	A Comparison of Methods for High-Spatial-Resolution Diffusion-weighted Imaging in Breast MRI. <i>Radiology</i> , 2020 , 297, 304-312	20.5	14
21	Human Connectome Project-style resting-state functional MRI at 7 Tesla using radiofrequency parallel transmission. <i>NeuroImage</i> , 2019 , 184, 396-408	7.9	14
20	Validation and optimization of adiabatic T and T for quantitative imaging of articular cartilage at 3 T. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1265-1275	4.4	11
19	Apparent diffusion coefficients of the five major metabolites measured in the human brain in vivo at 3T. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 2896-2901	4.4	10
18	Prospective motion and B shim correction for MR spectroscopy in human brain at 7T. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1984-1992	4.4	10
17	Short echo-time 3D radial gradient-echo MRI using concurrent dephasing and excitation. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 428-36	4.4	10
16	Designing 3D selective adiabatic radiofrequency pulses with single and parallel transmission. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 701-710	4.4	8
15	Quantitative single breath-hold renal arterial spin labeling imaging at 7T. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 815-825	4.4	8
14	Multi-modal Brain MRI in Subjects with PD and iRBD. <i>Frontiers in Neuroscience</i> , 2017 , 11, 709	5.1	8
13	Ultra-high field (10.5 T) resting state fMRI in the macaque. <i>NeuroImage</i> , 2020 , 223, 117349	7.9	8
12	Self-navigation for 3D multishot EPI with data-reference. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 1747-1762	4.4	7
11	Transverse relaxation time constants of the five major metabolites in human brain measured in vivo using LASER and PRESS at 3 T. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1260-1265	4.4	7
10	A field-monitoring-based approach for correcting eddy-current-induced artifacts of up to the 2 spatial order in human-connectome-project-style multiband diffusion MRI experiment at 7T: A pilot study. <i>NeuroImage</i> , 2020 , 216, 116861	7.9	4
9	A self-decoupled 32-channel receive array for human-brain MRI at 10.5 T. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 1759-1772	4.4	4
8	Bilateral Multiband 4D Flow MRI of the Carotid Arteries at 7T. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 1947-1960	4.4	3

7	Nyquist ghost correction of breast diffusion weighted imaging using referenceless methods. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 2624-2631	4.4	3
6	In vivo diffusion-weighted MRS using semi-LASER in the human brain at 3T: Methodological aspects and clinical feasibility. <i>NMR in Biomedicine</i> , 2021 , 34, e4206	4.4	3
5	Parallel transmit optimized 3D composite adiabatic spectral-spatial pulse for spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 17-32	4.4	3
4	Progress in Imaging the Human Torso at the Ultrahigh Fields of 7 and 10.5T. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2021 , 29, e1-e19	1.6	2
3	Transmit Field Bias Correction of T1w/T2w Myelin Maps		2
2	Ultra-high field (10.5 T) resting state fMRI in the macaque		1
1	Changes in the intracellular microenvironment in the aging human brain. <i>Neurobiology of Aging</i> , 2020 , 95, 168-175	5.6	1