Vitezslav Maier

List of Publications by Citations

Source: https://exaly.com/author-pdf/9361705/vitezslav-maier-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 18 26 946 h-index g-index citations papers 62 1,026 4.03 4.1 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
61	Determination and identification of synthetic cannabinoids and their metabolites in different matrices by modern analytical techniques - a review. <i>Analytica Chimica Acta</i> , 2015 , 874, 11-25	6.6	63
60	Dynamic Coating Agents in CE. <i>Chromatographia</i> , 2008 , 67, 5-12	2.1	56
59	Analysis of microorganisms by capillary electrophoresis. <i>TrAC - Trends in Analytical Chemistry</i> , 2012 , 31, 9-22	14.6	38
58	On-line preconcentration of weak electrolytes by electrokinetic accumulation in CE: experiment and simulation. <i>Electrophoresis</i> , 2007 , 28, 1540-7	3.6	33
57	Determination of selected biogenic amines in red wines by automated on-line combination of capillary isotachophoresis-capillary zone electrophoresis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 904, 135-9	3.2	30
56	Study on the use of boromycin as a chiral selector in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2012 , 1237, 128-32	4.5	29
55	Combination of large volume sample stacking and dynamic pH junction for on-line preconcentration of weak electrolytes by capillary electrophoresis in comparison with isotachophoretic techniques. <i>Journal of Chromatography A</i> , 2007 , 1155, 193-8	4.5	29
54	Chiral separation of tamsulosin by capillary electrophoresis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 39, 691-6	3.5	26
53	Determination of mushroom toxins ibotenic acid, muscimol and muscarine by capillary electrophoresis coupled with electrospray tandem mass spectrometry. <i>Talanta</i> , 2014 , 125, 242-7	6.2	25
52	Long-term effects of three commercial cranberry products on the antioxidative status in rats: a pilot study. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 1672-8	5.7	25
51	Using of S-(-)-2-hydroxymethyl-1,1-dimethylpyrrolidinium tetrafluoroborate as additive to the background electrolyte in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2006 , 1103, 337-43	4.5	24
50	Enantiomeric separation of tapentadol by capillary electrophoresisstudy of chiral selectivity manipulation by various types of cyclodextrins. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 105, 10-16	3.5	23
49	Analysis of lysozyme in cheese samples by on-line combination of capillary zone electrophoresis and mass spectrometry. <i>Food Chemistry</i> , 2014 , 153, 398-404	8.5	23
48	Capillary electrophoretic method for nucleotide analysis in cells: application on inherited metabolic disorders. <i>Electrophoresis</i> , 2007 , 28, 373-80	3.6	23
47	Electrokinetic partial filling technique as a powerful tool for enantiomeric separation of DL-lactic acid by CE with contactless conductivity detection. <i>Electrophoresis</i> , 2007 , 28, 1815-22	3.6	23
46	Determination of some phenolic acids in Majorana hortensis by capillary electrophoresis with online electrokinetic preconcentration. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 3940-4	5.7	21
45	Isopropyl derivative of cyclofructan 6 as chiral selector in liquid chromatography and capillary electrophoresis. <i>Journal of Chromatography A</i> , 2014 , 1338, 197-200	4.5	20

44	On-line preconcentration of perfluorooctanoic acid and perfluorooctanesulfonic acid by nonaqueous capillary electrophoresis. <i>Electrophoresis</i> , 2012 , 33, 2159-66	3.6	20
43	Utilization of micellar electrokinetic chromatography-tandem mass spectrometry employed volatile micellar phase in the analysis of cathinone designer drugs. <i>Journal of Chromatography A</i> , 2014 , 1356, 258-65	4.5	17
42	Enantiomeric separation of R,S-tolterodine and R,S-methoxytolterodine with negatively charged cyclodextrins by capillary electrophoresis. <i>Journal of Separation Science</i> , 2013 , 36, 1561-7	3.4	17
41	Capillary isotachophoresis from the student point of viewimages and the reality. <i>Journal of Separation Science</i> , 2006 , 29, 2705-15	3.4	17
40	Simultaneous determination of designer benzodiazepines in human serum using non-aqueous capillary electrophoresis - Tandem mass spectrometry with successive multiple ionic - Polymer layer coated capillary. <i>Talanta</i> , 2018 , 176, 69-76	6.2	17
39	Analysis of selected designer benzodiazepines by ultra high performance liquid chromatography with high-resolution time-of-flight mass spectrometry and the estimation of their partition coefficients by micellar electrokinetic chromatography. <i>Journal of Separation Science</i> , 2017 , 40, 2037-20	3·4)44	16
38	MEKC Determination of Nilutamide in Human Serum Using Sweeping in High Salt Sample Matrix. <i>Chromatographia</i> , 2011 , 74, 151-155	2.1	16
37	Determination of antihyperglycemic drugs in nanomolar concentration levels by micellar electrokinetic chromatography with non-ionic surfactant. <i>Journal of Chromatography A</i> , 2009 , 1216, 449	2 1 -8	16
36	Simultaneous contactless conductivity detection and UV detection for the study of separation of tamsulosin enantiomers in discontinuous electrolyte systems by CE. <i>Electrophoresis</i> , 2006 , 27, 4735-45	3.6	15
35	Novel cationic coating agent for protein separation by capillary electrophoresis(***) <i>Journal of Separation Science</i> , 2016 , 39, 2406-12	3.4	15
34	Electrochemical oxidation of berberine and mass spectrometric identification of its oxidation products. <i>Bioelectrochemistry</i> , 2012 , 87, 15-20	5.6	14
33	Determination of brominated phenols in water samples by on-line coupled isotachophoresis with capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 2010 , 1217, 3446-51	4.5	14
32	A direct LA-ICP-MS screening of elemental impurities in pharmaceutical products in compliance with USP and ICH-Q3D. <i>Analytica Chimica Acta</i> , 2019 , 1078, 1-7	6.6	13
31	Enantioseparation of tartaric acid by ligand-exchange capillary electrophoresis using contactless conductivity detection. <i>Journal of Separation Science</i> , 2013 , 36, 3426-31	3.4	13
30	Assessment of CE for the identification of microorganisms. <i>Electrophoresis</i> , 2009 , 30, 444-9	3.6	13
29	On-line combination of CE and microscopy: an insight into the migration of microorganisms. <i>Electrophoresis</i> , 2009 , 30, 3863-9	3.6	13
28	A supercritical fluid chromatography method for the systematic toxicology analysis of cannabinoids and their metabolites. <i>Analytical Methods</i> , 2015 , 7, 6056-6059	3.2	12
27	Enantioseparation of d,l-2-hydroxyglutaric acid by capillary electrophoresis with tandem mass spectrometry-Fast and efficient tool for d- and l-2-hydroxyglutaracidurias diagnosis. <i>Journal of Chromatography A</i> , 2016 , 1467, 383-390	4.5	12

26	Determination of rosiglitazone and metformin in human serum by CE-ESI-MS. <i>Journal of Separation Science</i> , 2011 , 34, 1167-73	3.4	12
25	Study of electromigration effects on a pH boundary during the on-line electrokinetic preconcentration by capillary electrophoresis. <i>Electrophoresis</i> , 2010 , 31, 2771-7	3.6	12
24	Development of separation methods for the chiral resolution of hexahelicenes. <i>Journal of Chromatography A</i> , 2016 , 1476, 130-134	4.5	11
23	Solid-phase synthesis of 5-noranagrelide derivatives. ACS Combinatorial Science, 2014, 16, 33-8	3.9	11
22	Analysis of buserelin in urine by online combination of capillary zone electrophoresis with electrospray mass spectrometry. <i>Electrophoresis</i> , 2010 , 31, 1234-40	3.6	11
21	Preparative isotachophoresis with surface enhanced Raman scattering as a promising tool for clinical samples analysis. <i>Journal of Chromatography A</i> , 2011 , 1218, 205-10	4.5	10
20	The empirical comparison of cyclofructans and cyclodextrins as chiral selectors in capillary electrophoretic separation of atropisomers of R,S-1,1Vbinaphthalene-2,2Vdiyl hydrogen phosphate. <i>Journal of Separation Science</i> , 2016 , 39, 973-9	3.4	9
19	Laser ablation inductively coupled plasma mass spectrometry imaging: A personal identification based on a gunshot residue analysis on latent fingerprints. <i>Analytica Chimica Acta</i> , 2018 , 1030, 25-32	6.6	9
18	Analysis of Amphetamine-Derived Designer Drugs by Gas Chromatography with Mass Spectrometry. <i>Journal of Analytical Toxicology</i> , 2016 , 40, 78-85	2.9	8
17	Electrochemical Oxidation of Tolterodine. <i>Electroanalysis</i> , 2013 , 25, 205-212	3	8
17 16	Electrochemical Oxidation of Tolterodine. <i>Electroanalysis</i> , 2013 , 25, 205-212 Contribution of Methane Benthic and Atmospheric Fluxes of an Experimental Area (Sitka Stream). <i>Clean - Soil, Air, Water</i> , 2015 , 43, 1136-1142	3	8
	Contribution of Methane Benthic and Atmospheric Fluxes of an Experimental Area (Sitka Stream).		
16	Contribution of Methane Benthic and Atmospheric Fluxes of an Experimental Area (Sitka Stream). <i>Clean - Soil, Air, Water</i> , 2015 , 43, 1136-1142 Enantiomeric separation of 1,3-dimethylamylamine by capillary electrophoresis with indirect UV	1.6	8
16 15	Contribution of Methane Benthic and Atmospheric Fluxes of an Experimental Area (Sitka Stream). <i>Clean - Soil, Air, Water</i> , 2015 , 43, 1136-1142 Enantiomeric separation of 1,3-dimethylamylamine by capillary electrophoresis with indirect UV detection using a dual-selector system. <i>Electrophoresis</i> , 2015 , 36, 2866-73 N-acetylcysteine dual and antagonistic effect on cadmium cytotoxicity in human leukemia cells.	1.6 3.6	8
16 15 14	Contribution of Methane Benthic and Atmospheric Fluxes of an Experimental Area (Sitka Stream). Clean - Soil, Air, Water, 2015, 43, 1136-1142 Enantiomeric separation of 1,3-dimethylamylamine by capillary electrophoresis with indirect UV detection using a dual-selector system. Electrophoresis, 2015, 36, 2866-73 N-acetylcysteine dual and antagonistic effect on cadmium cytotoxicity in human leukemia cells. Environmental Toxicology and Pharmacology, 2019, 71, 103213 Analysis of cytokinin nucleotides by capillary zone electrophoresis with diode array and mass spectrometric detection in a recombinant enzyme in vitro reaction. Analytica Chimica Acta, 2012,	1.6 3.6 5.8	8 8 7
16 15 14	Contribution of Methane Benthic and Atmospheric Fluxes of an Experimental Area (Sitka Stream). Clean - Soil, Air, Water, 2015, 43, 1136-1142 Enantiomeric separation of 1,3-dimethylamylamine by capillary electrophoresis with indirect UV detection using a dual-selector system. Electrophoresis, 2015, 36, 2866-73 N-acetylcysteine dual and antagonistic effect on cadmium cytotoxicity in human leukemia cells. Environmental Toxicology and Pharmacology, 2019, 71, 103213 Analysis of cytokinin nucleotides by capillary zone electrophoresis with diode array and mass spectrometric detection in a recombinant enzyme in vitro reaction. Analytica Chimica Acta, 2012, 751, 176-81 Electrochemical characterization of repaglinide and its determination in human plasma using liquid chromatography with dual-channel coulometric detection. Journal of Chromatography B: Analytical	1.6 3.6 5.8 6.6	8 8 7 7
16 15 14 13	Contribution of Methane Benthic and Atmospheric Fluxes of an Experimental Area (Sitka Stream). Clean - Soil, Air, Water, 2015, 43, 1136-1142 Enantiomeric separation of 1,3-dimethylamylamine by capillary electrophoresis with indirect UV detection using a dual-selector system. Electrophoresis, 2015, 36, 2866-73 N-acetylcysteine dual and antagonistic effect on cadmium cytotoxicity in human leukemia cells. Environmental Toxicology and Pharmacology, 2019, 71, 103213 Analysis of cytokinin nucleotides by capillary zone electrophoresis with diode array and mass spectrometric detection in a recombinant enzyme in vitro reaction. Analytica Chimica Acta, 2012, 751, 176-81 Electrochemical characterization of repaglinide and its determination in human plasma using liquid chromatography with dual-channel coulometric detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 3243-8 Determination of selected synthetic cannabinoids and their metabolites by micellar electrokinetic chromatography-mass spectrometry employing perfluoroheptanoic acid-based micellar phase.	1.6 3.6 5.8 6.6	8 8 7 7 7

LIST OF PUBLICATIONS

8	Separation of ketoprofen enantiomers at nanomolar concentration levels by micellar electrokinetic chromatography with on-line electrokinetic preconcentration. <i>Open Chemistry</i> , 2013 , 11, 335-340	1.6	4
7	Fatal intoxication by intravenous injection of castor bean (Ricinus communis L.) extract-a case study. <i>International Journal of Legal Medicine</i> , 2020 , 134, 2133-2141	3.1	3
6	A fast determination of yohimbine in pharmaceuticals by micellar electrokinetic chromatography. <i>Open Chemistry</i> , 2010 , 8, 273-277	1.6	3
5	Pre-caecal digestible phosphorus in maize and wheat for broiler chickens. <i>British Poultry Science</i> , 2017 , 58, 712-717	1.9	1
4	A synergy of liquid chromatography with high-resolution mass spectrometry and coagulation test for determination of direct oral anticoagulants for clinical and toxicological purposes. <i>Biomedical Chromatography</i> , 2021 , 35, e5195	1.7	1
3	Acclimations to Cold and Warm Conditions Differently Affect the Energy Metabolism of Diapausing Larvae of the European Corn Borer (Hbn.). <i>Frontiers in Physiology</i> , 2021 , 12, 768593	4.6	O
2	Voltammetry of Several Natural and Synthetic Opioids at a Polarized Ionic Liquid Membrane. <i>ChemElectroChem</i> , 2021 , 8, 2519-2525	4.3	0
1	How to Preserve Documents: A Short Meditation on Three Themes. <i>Challenges</i> , 2011 , 2, 37-42	3.4	