Gokhan Bagci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9361838/publications.pdf

Version: 2024-02-01

1039406 1125271 20 183 9 13 citations h-index g-index papers 22 22 22 389 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Chanarinâ€Dorfman Syndrome: A comprehensive review. Liver International, 2021, 41, 905-914.	1.9	20
2	Association of MCPâ€1 promotor polymorphism with disease severity of Crimeanâ€Congo hemorrhagic fever. Journal of Medical Virology, 2020, 92, 2976-2982.	2.5	5
3	Analysis of PKD1 and PKD2 Gene Mutations for Autosomal Dominant Polycystic Kidney Disease Cases in Turkish Population. Turkish Journal of Nephrology, 2020, 29, 304-309.	0.1	1
4	Association of vitamin D receptor gene Taql, Fokl and Apal variants with arteriovenous fistula failure in hemodialysis patients. Journal of Vascular Access, 2018, 19, 303-310.	0.5	3
5	Genetic variants in the microRNA machinery gene (Dicer) have a prognostic value in the management of endometrial cancer. Journal of Cancer Research and Therapeutics, 2018, 14, 1279-1284.	0.3	6
6	Frequency of familial Mediterranean fever (MEFV) gene mutations in patients with biopsy-proven primary glomerulonephritis. Clinical Rheumatology, 2017, 36, 2589-2594.	1.0	7
7	SDF-1/CXCL12 and CXCR4 gene variants, and elevated serum SDF-1 levels are associated with preeclampsia. Hypertension in Pregnancy, 2017, 36, 124-130.	0.5	11
8	Occult Hepatitis B Prevalence in Hepatitis B Vaccinated Dialysis Patients. Turkish Nephrology, Dialysis and Transplantation Journal, 2017, , .	0.0	O
9	Increased Levels of VEGF-A and HIF-1α in Turkish Children with Crimean-Congo Hemorrhagic Fever. Journal of Arthropod-Borne Diseases, 2017, 11, 19-26.	0.9	3
10	Glutathione-S-Transferase Variants are not Associated With Increased Carotid Intima-Media Thickness in Turkish Familial Mediterranean Fever Patients. Archives of Rheumatology, 2016, 31, 112-120.	0.3	4
11	Relationship between <i>IFNA1</i> , <i>IFNA5</i> , <i>IFNA10</i> , and <i>IFNA17</i> gene polymorphisms and Crimeanâ€Congo hemorrhagic fever prognosis in a Turkish population range. Journal of Medical Virology, 2016, 88, 1159-1167.	2.5	14
12	KRAS, BRAF oncogene mutations and tissue specific promoter hypermethylation of tumor suppressor SFRP2, DAPK1, MGMT, HIC1 and p16 genes in colorectal cancer patients. Cancer Biomarkers, 2016, 17, 133-143.	0.8	25
13	Renalase gene polymorphism is associated with increased blood pressure in preeclampsia. Pregnancy Hypertension, 2016, 6, 115-120.	0.6	18
14	Associations of fractalkine receptor (CX3CR1) and CCR5 gene variants with hypertension, diabetes and atherosclerosis in chronic renal failure patients undergoing hemodialysis. International Urology and Nephrology, 2016, 48, 1163-1170.	0.6	10
15	Prevalence of Fabry Disease in Familial Mediterranean Fever Patients from Central Anatolia of Turkey. Biochemical Genetics, 2016, 54, 448-456.	0.8	10
16	Evaluation of 61 Secondary Amyloidosis Patients: A Single-Center Experience from Turkey. Journal of Clinical and Analytical Medicine, 2016, 7, .	0.2	2
17	Angiotensin-Converting Enzyme (ACE) I/D and Alpha-Adducin (ADD1) G460W Gene Polymorphisms in Turkish Patients with Severe Chronic Tinnitus. Journal of International Advanced Otology, 2016, 12, 77-81.	1.0	11
18	The protective effect of MCP-1 -2518 A>G promoter polymorphism in Turkish chronic renal failure patients requiring long-term hemodialysis. International Urology and Nephrology, 2015, 47, 551-556.	0.6	7

#	Article	IF	CITATIONS
19	CCR2 Polymorphism in Chronic Renal Failure Patients Requiring Long-Term Hemodialysis. Internal Medicine, 2011, 50, 2457-2461.	0.3	9
20	The Role of the CCR2 Gene Polymorphism in Abdominal Aortic Aneurysms. Angiology, 2011, 62, 140-143.	0.8	17