

Toshiaki Fukui

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9363408/toshiaki-fukui-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

5,113
citations

42
h-index

69
g-index

110
ext. papers

5,584
ext. citations

4.6
avg, IF

5.22
L-index

#	Paper	IF	Citations
105	Complete genome sequence of the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> KOD1 and comparison with <i>Pyrococcus</i> genomes. <i>Genome Research</i> , 2005 , 15, 352-63	9.7	343
104	Production of a novel copolyester of 3-hydroxybutyric acid and medium-chain-length 3-hydroxyalkanoic acids by <i>Pseudomonas</i> sp. 61-3 from sugars. <i>Applied Microbiology and Biotechnology</i> , 1996 , 45, 363-370	5.7	260
103	Description of <i>Thermococcus kodakaraensis</i> sp. nov., a well studied hyperthermophilic archaeon previously reported as <i>Pyrococcus</i> sp. KOD1. <i>Archaea</i> , 2004 , 1, 263-7	2	235
102	Targeted gene disruption by homologous recombination in the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> KOD1. <i>Journal of Bacteriology</i> , 2003 , 185, 210-20	3.5	231
101	Cloning and analysis of the poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) biosynthesis genes of <i>Aeromonas caviae</i> . <i>Journal of Bacteriology</i> , 1997 , 179, 4821-30	3.5	215
100	Improved and versatile transformation system allowing multiple genetic manipulations of the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> . <i>Applied and Environmental Microbiology</i> , 2005 , 71, 3889-99	4.8	180
99	Cloning and molecular analysis of the Poly(3-hydroxybutyrate) and Poly(3-hydroxybutyrate-co-3-hydroxyalkanoate) biosynthesis genes in <i>Pseudomonas</i> sp. strain 61-3. <i>Journal of Bacteriology</i> , 1998 , 180, 6459-67	3.5	179
98	Expression and characterization of (R)-specific enoyl coenzyme A hydratase involved in polyhydroxyalkanoate biosynthesis by <i>Aeromonas caviae</i> . <i>Journal of Bacteriology</i> , 1998 , 180, 667-73	3.5	161
97	Continuous hydrogen production by the hyperthermophilic archaeon, <i>Thermococcus kodakaraensis</i> KOD1. <i>Journal of Biotechnology</i> , 2005 , 116, 271-82	3.7	136
96	A unique chitinase with dual active sites and triple substrate binding sites from the hyperthermophilic archaeon <i>Pyrococcus kodakaraensis</i> KOD1. <i>Applied and Environmental Microbiology</i> , 1999 , 65, 5338-44	4.8	132
95	Molecular cloning of two (R)-specific enoyl-CoA hydratase genes from <i>Pseudomonas aeruginosa</i> and their use for polyhydroxyalkanoate synthesis. <i>FEMS Microbiology Letters</i> , 2000 , 184, 193-8	2.9	100
94	Disruption of a sugar transporter gene cluster in a hyperthermophilic archaeon using a host-marker system based on antibiotic resistance. <i>Journal of Bacteriology</i> , 2007 , 189, 2683-91	3.5	92
93	Characterization of an exo-beta-D-glucosaminidase involved in a novel chitinolytic pathway from the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> KOD1. <i>Journal of Bacteriology</i> , 2003 , 185, 5175-81	3.5	86
92	Genetic evidence identifying the true gluconeogenic fructose-1,6-bisphosphatase in <i>Thermococcus kodakaraensis</i> and other hyperthermophiles. <i>Journal of Bacteriology</i> , 2004 , 186, 5799-807	3.5	85
91	Co-expression of 3-ketoacyl-ACP reductase and polyhydroxyalkanoate synthase genes induces PHA production in <i>Escherichia coli</i> HB101 strain. <i>FEMS Microbiology Letters</i> , 1999 , 176, 183-90	2.9	80
90	Different cleavage specificities of the dual catalytic domains in chitinase from the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> KOD1. <i>Journal of Biological Chemistry</i> , 2001 , 276, 35629-35	5.4	75
89	Biosynthesis of polyhydroxyalkanoates (PHA) by recombinant <i>Ralstonia eutropha</i> and effects of PHA synthase activity on in vivo PHA biosynthesis. <i>International Journal of Biological Macromolecules</i> , 1999 , 25, 69-77	7.9	70

88	Co-expression of polyhydroxyalkanoate synthase and (R)-enoyl-CoA hydratase genes of <i>Aeromonas caviae</i> establishes copolyester biosynthesis pathway in <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 1999 , 170, 69-75	2.9	68
87	Crystal structure of a novel-type archaeal rubisco with pentagonal symmetry. <i>Structure</i> , 2001 , 9, 473-81	5.2	67
86	Concerted action of diacetylchitobiose deacetylase and exo-beta-D-glucosaminidase in a novel chitinolytic pathway in the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> KOD1. <i>Journal of Biological Chemistry</i> , 2004 , 279, 30021-7	5.4	64
85	Engineering of <i>Ralstonia eutropha</i> for production of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) from fructose and solid-state properties of the copolymer. <i>Biomacromolecules</i> , 2002 , 3, 618-24	6.9	64
84	Crystal structure of the (R)-specific enoyl-CoA hydratase from <i>Aeromonas caviae</i> involved in polyhydroxyalkanoate biosynthesis. <i>Journal of Biological Chemistry</i> , 2003 , 278, 617-24	5.4	63
83	A novel candidate for the true fructose-1,6-bisphosphatase in archaea. <i>Journal of Biological Chemistry</i> , 2002 , 277, 30649-55	5.4	63
82	Identification of carotenoids from the extremely halophilic archaeon <i>Haloarcula japonica</i> . <i>Frontiers in Microbiology</i> , 2014 , 5, 100	5.7	62
81	Phosphoenolpyruvate synthase plays an essential role for glycolysis in the modified Embden-Meyerhof pathway in <i>Thermococcus kodakarensis</i> . <i>Molecular Microbiology</i> , 2006 , 61, 898-909	4.1	57
80	Engineering of pha operon on <i>Cupriavidus necator</i> chromosome for efficient biosynthesis of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) from vegetable oil. <i>Polymer Degradation and Stability</i> , 2010 , 95, 1305-1312	4.7	55
79	Characterization of 13 kDa granule-associated protein in <i>Aeromonas caviae</i> and biosynthesis of polyhydroxyalkanoates with altered molar composition by recombinant bacteria. <i>Biomacromolecules</i> , 2001 , 2, 148-53	6.9	55
78	A membrane-bound archaeal Lon protease displays ATP-independent proteolytic activity towards unfolded proteins and ATP-dependent activity for folded proteins. <i>Journal of Bacteriology</i> , 2002 , 184, 3689-98	3.5	54
77	Complete biosynthetic pathway of the C50 carotenoid bacterioruberin from lycopene in the extremely halophilic archaeon <i>Haloarcula japonica</i> . <i>Journal of Bacteriology</i> , 2015 , 197, 1614-23	3.5	53
76	Microbial synthesis of poly((R)-3-hydroxybutyrate-co-3-hydroxypropionate) from unrelated carbon sources by engineered <i>Cupriavidus necator</i> . <i>Biomacromolecules</i> , 2009 , 10, 700-6	6.9	53
75	Targeted engineering of <i>Cupriavidus necator</i> chromosome for biosynthesis of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) from vegetable oil. <i>Canadian Journal of Chemistry</i> , 2008 , 86, 621-627	0.9	51
74	Characterization of an archaeal cyclodextrin glucanotransferase with a novel C-terminal domain. <i>Journal of Bacteriology</i> , 2002 , 184, 777-84	3.5	50
73	Production of Biodegradable Polyester by a Transgenic Tobacco. <i>Bioscience, Biotechnology and Biochemistry</i> , 1999 , 63, 870-4	2.1	50
72	Microbial Diversity in Sediments from the Bottom of the Challenger Deep, the Mariana Trench. <i>Microbes and Environments</i> , 2018 , 33, 186-194	2.6	49
71	Conversion of rice husks to polyhydroxyalkanoates (PHA) via a three-step process: optimized alkaline pretreatment, enzymatic hydrolysis, and biosynthesis by <i>Burkholderia cepacia</i> USM (JCM 15050). <i>Journal of Chemical Technology and Biotechnology</i> , 2017 , 92, 100-108	3.5	48

70	Biosynthesis of polyhydroxyalkanoate copolymers from methanol by <i>Methylobacterium extorquens</i> AM1 and the engineered strains under cobalt-deficient conditions. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 3715-25	5.7	47
69	ATP-citrate lyase from the green sulfur bacterium <i>Chlorobium limicola</i> is a heteromeric enzyme composed of two distinct gene products. <i>FEBS Journal</i> , 2001 , 268, 1670-1678		47
68	Evaluation of promoters for gene expression in polyhydroxyalkanoate-producing <i>Cupriavidus necator</i> H16. <i>Applied Microbiology and Biotechnology</i> , 2011 , 89, 1527-36	5.7	46
67	Metal-binding properties of phytochelatin-related peptides. <i>Journal of Inorganic Biochemistry</i> , 2001 , 86, 595-602	4.2	46
66	Ribulose biphosphate carboxylase/oxygenase from the hyperthermophilic archaeon <i>Pyrococcus kodakaraensis</i> KOD1 is composed solely of large subunits and forms a pentagonal structure. <i>Journal of Molecular Biology</i> , 1999 , 293, 57-66	6.5	46
65	Detection of phase-dependent transcriptomic changes and Rubisco-mediated CO ₂ fixation into poly(3-hydroxybutyrate) under heterotrophic condition in <i>Ralstonia eutropha</i> H16 based on RNA-seq and gene deletion analyses. <i>BMC Microbiology</i> , 2013 , 13, 169	4.5	45
64	Presence of a novel phosphopentomutase and a 2-deoxyribose 5-phosphate aldolase reveals a metabolic link between pentoses and central carbon metabolism in the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> . <i>Journal of Bacteriology</i> , 2004 , 186, 4185-91	3.5	42
63	Modification of β-oxidation pathway in <i>Ralstonia eutropha</i> for production of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) from soybean oil. <i>Journal of Bioscience and Bioengineering</i> , 2014 , 117, 184-190	3.3	40
62	Characterization and functional analyses of R-specific enoyl coenzyme A hydratases in polyhydroxyalkanoate-producing <i>Ralstonia eutropha</i> . <i>Applied and Environmental Microbiology</i> , 2012 , 78, 493-502	4.8	40
61	Stereoselective esterification of halogen-containing carboxylic acids by lipase in organic solvent: effects of alcohol chain length. <i>Applied Microbiology and Biotechnology</i> , 1990 , 34, 47	5.7	39
60	Biosynthesis of poly(3-hydroxybutyrate-co-3-hydroxyvalerate- co-3-hydroxy-heptanoate) terpolymers by recombinant <i>Alcaligenes eutrophus</i> . <i>Biotechnology Letters</i> , 1997 , 19, 1093-1097	3	38
59	Characterization of isocitrate dehydrogenase from the green sulfur bacterium <i>Chlorobium limicola</i> . A carbon dioxide-fixing enzyme in the reductive tricarboxylic acid cycle. <i>FEBS Journal</i> , 2002 , 269, 1926-31		37
58	First characterization of an archaeal GTP-dependent phosphoenolpyruvate carboxykinase from the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> KOD1. <i>Journal of Bacteriology</i> , 2004 , 186, 4620-7	3.5	35
57	Overview of the genetic tools in the Archaea. <i>Frontiers in Microbiology</i> , 2012 , 3, 337	5.7	34
56	Improvement of alkaliphily of <i>Bacillus alkaline</i> xylanase by introducing amino acid substitutions both on catalytic cleft and protein surface. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009 , 73, 965-7	2.1	34
55	Improved production of poly(4-hydroxybutyrate) by <i>Comamonas acidovorans</i> and its freeze-fracture morphology. <i>International Journal of Biological Macromolecules</i> , 1999 , 25, 79-85	7.9	34
54	Genetic analysis of <i>Comamonas acidovorans</i> polyhydroxyalkanoate synthase and factors affecting the incorporation of 4-hydroxybutyrate monomer. <i>Applied and Environmental Microbiology</i> , 1998 , 64, 3437-43	4.8	33
53	Biosynthesis of Polyester Blends by <i>Pseudomonas</i> sp. 61-3 from Alkanoic Acids. <i>Bulletin of the Chemical Society of Japan</i> , 1996 , 69, 515-520	5.1	32

52	A novel ADP-forming succinyl-CoA synthetase in <i>Thermococcus kodakaraensis</i> structurally related to the archaeal nucleoside diphosphate-forming acetyl-CoA synthetases. <i>Journal of Biological Chemistry</i> , 2007 , 282, 26963-26970	5.4	31
51	Application of a novel thermostable NAD(P)H oxidase from hyperthermophilic archaeon for the regeneration of both NAD ⁺ and NADP ⁺ . <i>Biotechnology and Bioengineering</i> , 2012 , 109, 53-62	4.9	30
50	Molecular identification of a novel beta-1,3-glucanase from alkaliphilic <i>Nocardiopsis</i> sp. strain F96. <i>Extremophiles</i> , 2006 , 10, 251-5	3	29
49	Enzymatic preparation of optically active silyl-methanol derivatives having a stereogenic silicon atom by hydrolase-catalyzed enantioselective esterification. <i>Tetrahedron: Asymmetry</i> , 1994 , 5, 73-82		29
48	Over-expression of 3-ketoacyl-ACP synthase III or malonyl-CoA-ACP transacylase gene induces monomer supply for polyhydroxybutyrate production in <i>Escherichia coli</i> HB101. <i>Biotechnology Letters</i> , 1999 , 21, 579-584	3	28
47	Characterization of an archaeal malic enzyme from the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> KOD1. <i>Archaea</i> , 2005 , 1, 293-301	2	27
46	Gene analysis, expression, and characterization of an intracellular α-amylase from the extremely halophilic archaeon <i>Haloarcula japonica</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2013 , 77, 281-8	2.1	25
45	Chitinase from <i>Thermococcus kodakaraensis</i> KOD1. <i>Methods in Enzymology</i> , 2001 , 330, 319-29	1.7	25
44	Enhancement of glycerol utilization ability of <i>Ralstonia eutropha</i> H16 for production of polyhydroxyalkanoates. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 7559-68	5.7	24
43	Gene cloning and characterization of fructose-1,6-bisphosphate aldolase from the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> KOD1. <i>Journal of Bioscience and Bioengineering</i> , 2002 , 94, 237-243	3.3	24
42	New Insight into the Role of the Calvin Cycle: Reutilization of CO ₂ Emitted through Sugar Degradation. <i>Scientific Reports</i> , 2015 , 5, 11617	4.9	23
41	Identification of mutation points in <i>Cupriavidus necator</i> NCIMB 11599 and genetic reconstitution of glucose-utilization ability in wild strain H16 for polyhydroxyalkanoate production. <i>Journal of Bioscience and Bioengineering</i> , 2012 , 113, 63-9	3.3	22
40	Characterization of a novel glucosamine-6-phosphate deaminase from a hyperthermophilic archaeon. <i>Journal of Bacteriology</i> , 2005 , 187, 7038-44	3.5	22
39	Metabolite profiles of polyhydroxyalkanoate-producing <i>Ralstonia eutropha</i> H16. <i>Metabolomics</i> , 2014 , 10, 190-202	4.7	21
38	Thermostable alcohol dehydrogenase from <i>Thermococcus kodakaraensis</i> KOD1 for enantioselective bioconversion of aromatic secondary alcohols. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 2209-17	4.8	21
37	Improved artificial pathway for biosynthesis of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) with high C ₆ -monomer composition from fructose in <i>Ralstonia eutropha</i> . <i>Metabolic Engineering</i> , 2015 , 27, 38-45	9.7	19
36	Kinetic and biochemical analyses on the reaction mechanism of a bacterial ATP-citrate lyase. <i>FEBS Journal</i> , 2002 , 269, 3409-16		19
35	Efficient kinetic resolution of organosilicon compounds by stereoselective esterification with hydrolases in organic solvent. <i>Applied Microbiology and Biotechnology</i> , 1993 , 38, 482	5.7	19

34	Characterization of NADH oxidase/NADPH polysulfide oxidoreductase and its unexpected participation in oxygen sensitivity in an anaerobic hyperthermophilic archaeon. <i>Journal of Bacteriology</i> , 2010 , 192, 5192-202	3.5	18
33	Factors affecting the freeze-fracture morphology of in vivo polyhydroxyalkanoate granules. <i>Canadian Journal of Microbiology</i> , 2000 , 46, 304-311	3.2	18
32	Random mutagenesis of a hyperthermophilic archaeon identified tRNA modifications associated with cellular hyperthermotolerance. <i>Nucleic Acids Research</i> , 2019 , 47, 1964-1976	20.1	18
31	Mutational analysis of a CBM family 5 chitin-binding domain of an alkaline chitinase from <i>Bacillus</i> sp. J813. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012 , 76, 530-5	2.1	16
30	Kinetic resolution of organosilicon compounds by stereoselective dehydrogenation with horse liver alcohol dehydrogenase. <i>Applied Microbiology and Biotechnology</i> , 1992 , 38, 209-13	5.7	16
29	Fractionation and thermal characteristics of biosynthesized polyhydroxyalkanoates bearing aromatic groups as side chains. <i>Polymer Journal</i> , 2017 , 49, 557-565	2.7	15
28	Morphological and ¹³ C-nuclear magnetic resonance studies for polyhydroxyalkanoate biosynthesis in <i>Pseudomonas</i> sp. 61-3. <i>FEMS Microbiology Letters</i> , 1998 , 164, 219-225	2.9	15
27	Methionine sulfoxide reductase from the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> , an enzyme designed to function at suboptimal growth temperatures. <i>Journal of Bacteriology</i> , 2007 , 189, 7134-44	3.5	15
26	Characterization of two members among the five ADP-forming acyl coenzyme A (Acyl-CoA) synthetases reveals the presence of a 2-(Imidazol-4-yl)acetyl-CoA synthetase in <i>Thermococcus kodakaraensis</i> . <i>Journal of Bacteriology</i> , 2014 , 196, 140-7	3.5	14
25	Gene cloning and characterization of fructose-1,6-bisphosphate aldolase from the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> KOD1. <i>Journal of Bioscience and Bioengineering</i> , 2002 , 94, 237-43	3.3	13
24	Enzymatic preparation of d-p -trimethylsilylphenylalanine. <i>Applied Microbiology and Biotechnology</i> , 1997 , 47, 114-119	5.7	12
23	Compositional regulation of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) by replacement of granule-associated protein in <i>Ralstonia eutropha</i> . <i>Microbial Cell Factories</i> , 2015 , 14, 187	6.4	11
22	Modification of acetoacetyl-CoA reduction step in <i>Ralstonia eutropha</i> for biosynthesis of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) from structurally unrelated compounds. <i>Microbial Cell Factories</i> , 2019 , 18, 147	6.4	9
21	Genetic examination and mass balance analysis of pyruvate/amino acid oxidation pathways in the hyperthermophilic archaeon <i>Thermococcus kodakaraensis</i> . <i>Journal of Bacteriology</i> , 2014 , 196, 3831-9	3.5	9
20	A calcium-dependent xylan-binding domain of alkaline xylanase from alkaliphilic <i>Bacillus</i> sp. strain 41M-1. <i>Bioscience, Biotechnology and Biochemistry</i> , 2011 , 75, 379-81	2.1	9
19	Crystallization and preliminary X-ray analysis of (R)-specific enoyl-CoA hydratase from <i>Aeromonas caviae</i> involved in polyhydroxyalkanoate biosynthesis. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2001 , 57, 145-7		7
18	Enhancement of bioplastic polyhydroxybutyrate P(3HB) production from glucose by newly engineered strain NSDG-GG using response surface methodology. <i>3 Biotech</i> , 2018 , 8, 330	2.8	6
17	Two NADH-dependent (S)-3-hydroxyacyl-CoA dehydrogenases from polyhydroxyalkanoate-producing <i>Ralstonia eutropha</i> . <i>Journal of Bioscience and Bioengineering</i> , 2019 , 127, 294-300	3.3	6

16	Enantioselective Bioconversion of Non-Natural Compounds. <i>Biocatalysis</i> , 1994 , 9, 343-352		5
15	Characterization of isocitrate dehydrogenase from the green sulfur bacterium <i>Chlorobium limicola</i> 2002 , 269, 1926		5
14	Characterization and gene deletion analysis of four homologues of group 3 pyridine nucleotide disulfide oxidoreductases from <i>Thermococcus kodakarensis</i> . <i>Extremophiles</i> , 2014 , 18, 603-16	3	4
13	Additional carbohydrate-binding modules enhance the insoluble substrate-hydrolytic activity of beta-1,3-glucanase from alkaliphilic <i>Nocardiopsis</i> sp. F96. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009 , 73, 1078-82	2.1	4
12	A study on the effects of increment and decrement repeated fed-batch feeding of glucose on the production of poly(3-hydroxybutyrate) [P(3HB)] by a newly engineered <i>Cupriavidus necator</i> NSDG-GG mutant in batch fill-and-draw fermentation. <i>Journal of Biotechnology</i> , 2020 , 307, 77-86	3.7	4
11	Biosynthesis of Polyhydroxyalkanoate Terpolymer from Methanol via the Reverse β Oxidation Pathway in the Presence of Lanthanide.. <i>Microorganisms</i> , 2022 , 10,	4.9	3
10	Biosynthesis of Poly(3-hydroxybutyrate--3-hydroxyhexanoate) from CO by a Recombinant. <i>Bioengineering</i> , 2021 , 8,	5.3	3
9	Functional Improvement of Xylanase by Introducing Mutated Xylan-binding Domain. <i>Journal of Applied Glycoscience (1999)</i> , 2006 , 53, 131-136	1	3
8	Analysis of Functional Domains and Improvement of Alkaliphily of an Alkaline Xylanase on the Basis of Its Three-dimensional Structure. <i>Journal of Applied Glycoscience (1999)</i> , 2010 , 57, 145-150	1	3
7	Molecular cloning of two (R)-specific enoyl-CoA hydratase genes from <i>Pseudomonas aeruginosa</i> and their use for polyhydroxyalkanoate synthesis		3
6	Anti-phytochelatin monoclonal antibody. <i>Biotechnology Letters</i> , 2000 , 22, 1423-1428	3	2
5	Bioconversion of Nonnatural Organic Compounds. <i>Annals of the New York Academy of Sciences</i> , 1992 , 672, 431-435	6.5	2
4	Co-expression of polyhydroxyalkanoate synthase and (R)-enoyl-CoA hydratase genes of <i>Aeromonas caviae</i> establishes copolyester biosynthesis pathway in <i>Escherichia coli</i>		1
3	Isopropanol production with reutilization of glucose-derived CO by engineered <i>Ralstonia eutropha</i> . <i>Journal of Bioscience and Bioengineering</i> , 2021 , 132, 479-486	3.3	1
2	Characterization of a GlgC homolog from extremely halophilic archaeon <i>Haloarcula japonica</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2021 , 85, 1441-1447	2.1	0
1	Methylotrophic bacterium-based molecular sensor for the detection of low concentrations of methanol. <i>Journal of Bioscience and Bioengineering</i> , 2021 , 132, 247-252	3.3	